

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 1, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/01/2005	220.5	694,493	99.9%	93.9	239,127	99.1%	933,620	99.7%
05/01/2006	216.3	591,474	85.1%	85.7	122,360	47.6%	713,834	74.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
04/30/2006	97	678	0.00	96	245	0.00	923	
MTD		13,839	0.58		7,531	0.05	21,370	

STREAM FLOWS

Gauging Station	04/30/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	2,426
NRTT : Nueces River at Tilden, Texas	0	3
FRIT : Frio River at Tilden, Texas	11	962
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	252
Release from Choke Canyon Reservoir	66	1,965
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	272	6,890
NCAT : Nueces River at Calallen, Texas	14	778
Reservoir Inflow		
Computed as: NRTT + FRIT + SMTT + ARWT	14	1,450

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/03/2006)	-153
Return Flow Credit (Effective: 04/04/2006)	500
Passthru Target: 3,500 Reservoir Inflow: 1,450	1,450
Estuary Inflows (Measured at NCAT)	778
PassThru Surplus / -Deficit:	-325

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2006		Elevation (Ft)	
				Allocation	Remaining	Full	05/01/2006
04/30/2006	142	4,190	17,049	3,050	-1,140	44.0	39.8

Report Generated: 05/01/2006 at 8:32:33 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 2, 2006

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
05/02/2005	220.5	694,233	99.9%	93.9	239,127	99.1%	933,360	99.7%	
05/02/2006	216.3	591,001	85.0%	85.7	122,360	47.6%	713,361	74.9%	
Weather Related Information									
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined		
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
05/01/2006	95		526	0.00	94		276	0.00	802
MTD			526	0.00			276	0.00	802

STREAM FLOWS

Gauging Station	05/01/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	56
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	11	11
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	5
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	272	272
NCAT : Nueces River at Calallen, Texas	9	9
Reservoir Inflow		
Computed as: NRMT+FRIT+SMTT+ARWT	16	16

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-325
Return Flow Credit (Effective:)	0
Passthru Target: 25,500 Reservoir Inflow: 16	16
Estuary Inflows (Measured at NCAT)	9
PassThru Surplus / -Deficit:	-333

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2006		Elevation (Ft)	
				Allocation	Remaining	Full	05/02/2006
05/01/2006	142	142	17,191	4,100	3,958	44.0	39.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 3, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/03/2005	220.5	693,974	99.8%	93.9	239,318	99.2%	933,292	99.7%
05/03/2006	216.3	590,523	84.9%	85.6	120,526	46.8%	711,049	74.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/02/2006	95	512	0.00	91	251	0.00	763	
MTD		1,038	0.00		527	0.00	1,565	

STREAM FLOWS

Gauging Station	05/02/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	109
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	11	22
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	10
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	308	580
NCAT : Nueces River at Calallen, Texas	40	48
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	17	33

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-325
Return Flow Credit (Effective:)	0
Passthru Target: 25,500 Reservoir Inflow: 33	33
Estuary Inflows (Measured at NCAT)	48
PassThru Surplus / -Deficit:	-310

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2006		Elevation (Ft)	
				Allocation	Remaining	Full	05/03/2006
05/02/2006	142	285	17,333	4,100	3,815	44.0	39.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 4, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/04/2005	220.5	693,974	99.8%	93.9	238,360	98.8%	932,334	99.6%
05/04/2006	216.3	590,285	84.9%	85.6	121,573	47.3%	711,858	74.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/03/2006	94	484	0.00	91	221	0.00	705	
MTD		1,522	0.00		748	0.00	2,270	

STREAM FLOWS

Gauging Station	05/03/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	161
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	12	35
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	16
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	339	919
NCAT : Nueces River at Calallen, Texas	38	86
Reservoir Inflow		
Computed as: NRTT+FRIT+SMIT+ARWT	18	51

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-325
Return Flow Credit (Effective:)	0
Passthru Target: 25,500 Reservoir Inflow: 51	51
Estuary Inflows (Measured at NCAT)	86
PassThru Surplus / -Deficit:	-290

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2006		Elevation (Ft)	
				Allocation	Remaining	Full	05/04/2006
05/03/2006	142	426	17,475	4,100	3,674	44.0	39.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 5, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/05/2005	220.4	693,715	99.8%	93.8	237,977	98.6%	931,692	99.5%
05/05/2006	216.3	589,807	84.8%	85.6	120,787	47.0%	710,594	74.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/04/2006	95	525	0.00	92	274	0.00	799	
MTD		2,047	0.00		1,022	0.00	3,069	

STREAM FLOWS

Gauging Station	05/04/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	212
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	13	48
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	20
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	341	1,260
NCAT : Nueces River at Calallen, Texas	109	195
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	18	69

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-325
Return Flow Credit (Effective:)	0
Passthru Target: 25,500 Reservoir Inflow: 69	69
Estuary Inflows (Measured at NCAT)	195
PassThru Surplus / -Deficit:	-199

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2006		Elevation (Ft)	
				Allocation	Remaining	Full	05/05/2006
05/04/2006	141	568	17,616	4,100	3,532	44.0	39.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 6, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/06/2005	220.4	693,455	99.7%	93.8	237,211	98.3%	930,666	99.4%
05/06/2006	216.2	589,329	84.8%	85.5	120,266	46.7%	709,595	74.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/05/2006	97	732	0.00	94	152	0.00		884
MTD		2,779	0.00		1,174	0.00		3,953

STREAM FLOWS

Gauging Station	05/05/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	264
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	13	62
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	24
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	320	1,580
NCAT : Nueces River at Calallen, Texas	163	358
Reservoir Inflow		
Computed as: NRTT+FRIT+SMIT+ARWT	17	86

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-325
Return Flow Credit (Effective:)	0
Passthru Target: 25,500 Reservoir Inflow: 86	86
Estuary Inflows (Measured at NCAT)	358
PassThru Surplus / -Deficit:	-54

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2006		Elevation (Ft)	
				Allocation	Remaining	Full	05/06/2006
05/05/2006	141	709	17,757	4,100	3,391	44.0	39.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 7, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/07/2005	220.4	693,196	99.7%	93.8	237,020	98.3%	930,216	99.3%
05/07/2006	216.2	589,091	84.7%	85.5	120,135	46.7%	709,226	74.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/06/2006	87	207	0.00	94	205	0.02		412
MTD		2,986	0.00		1,379	0.02		4,365

STREAM FLOWS

Gauging Station	05/06/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	318
NRTT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	13	75
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	29
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	282	1,862
NCAT : Nueces River at Calallen, Texas	91	449
Reservoir Inflow		
Computed as: NRTT+FRIT+SMIT+ARWT	17	104

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/06/2006)	-325
Return Flow Credit (Effective: 05/06/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 104	104
Estuary Inflows (Measured at NCAT)	449
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2006		Elevation (Ft)	
				Allocation	Remaining	Full	05/07/2006
05/06/2006	140	849	17,898	4,100	3,251	44.0	39.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 8, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/08/2005	220.4	692,936	99.7%	93.8	236,829	98.2%	929,765	99.3%
05/08/2006	216.2	588,852	84.7%	85.5	119,615	46.5%	708,467	74.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/07/2006	95	359	0.00	92	197	0.00		556
MTD		3,345	0.00		1,576	0.02		4,921

STREAM FLOWS

Gauging Station	05/07/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	373
NRTT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	14	88
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	33
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	264	2,126
NCAT : Nueces River at Calallen, Texas	46	495
Reservoir Inflow		
Computed as: NRTT+FRIT+SMIT+ARWT	19	122

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/06/2006)	-325
Return Flow Credit (Effective: 05/06/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 122	122
Estuary Inflows (Measured at NCAT)	495
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2006		Elevation (Ft)	
				Allocation	Remaining	Full	05/08/2006
05/07/2006	141	990	18,038	4,100	3,110	44.0	39.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 9, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/09/2005	220.4	692,936	99.7%	93.9	238,551	98.9%	931,487	99.5%
05/09/2006	216.2	588,852	84.7%	85.5	119,096	46.3%	707,948	74.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/08/2006	98	456	0.00	95	272	0.00	728	
MTD		3,801	0.00		1,848	0.02	5,649	

STREAM FLOWS

Gauging Station	05/08/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	427
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	12	100
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	38
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	246	2,372
NCAT : Nueces River at Calallen, Texas	16	511
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	17	139

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/06/2006)	-325
Return Flow Credit (Effective: 05/06/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 139	139
Estuary Inflows (Measured at NCAT)	511
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2006		Elevation (Ft)	
				Allocation	Remaining	Full	05/09/2006
05/08/2006	141	1,130	18,179	4,100	2,970	44.0	39.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 10, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/10/2005	220.4	692,677	99.6%	93.8	237,977	98.6%	930,654	99.4%
05/10/2006	216.2	588,613	84.7%	85.4	118,321	46.0%	706,934	74.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/09/2006	100	511	0.00	96	248	0.00	759	
MTD		4,312	0.00		2,096	0.02	6,408	

STREAM FLOWS

Gauging Station	05/09/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	480
NRTT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	11	112
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	42
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	256	2,628
NCAT : Nueces River at Calallen, Texas	6	518
Reservoir Inflow		
Computed as: NRTT+FRIT+SMIT+ARWT	16	155

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/06/2006)	-325
Return Flow Credit (Effective: 05/06/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 155	155
Estuary Inflows (Measured at NCAT)	518
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2006		Elevation (Ft)	
				Allocation	Remaining	Full	05/10/2006
05/09/2006	140	1,271	18,319	4,100	2,829	44.0	39.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 11, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/11/2005	220.4	692,418	99.6%	93.8	238,168	98.7%	930,586	99.4%
05/11/2006	216.2	588,377	84.6%	85.4	118,708	46.1%	707,085	74.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/10/2006	106	717	0.05	106	377	0.00	1,094	
MTD		5,029	0.05		2,473	0.02	7,502	

STREAM FLOWS

Gauging Station	05/10/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	534
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	11	122
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	47
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	256	2,884
NCAT : Nueces River at Calallen, Texas	18	536
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	15	170

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/06/2006)	-325
Return Flow Credit (Effective: 05/06/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 170	170
Estuary Inflows (Measured at NCAT)	536
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2006		Elevation (Ft)	
				Allocation	Remaining	Full	05/11/2006
05/10/2006	141	1,411	18,460	4,100	2,689	44.0	39.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 12, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/12/2005	220.4	691,899	99.5%	93.8	237,020	98.3%	928,919	99.2%
05/12/2006	216.2	587,431	84.5%	85.4	117,805	45.8%	705,236	74.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/11/2006	89	620	0.00	90	315	0.00	935	
MTD		5,649	0.05		2,788	0.02	8,437	

STREAM FLOWS

Gauging Station	05/11/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	588
NRTT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	11	133
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	52
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	254	3,138
NCAT : Nueces River at Calallen, Texas	24	560
Reservoir Inflow		
Computed as: NRTT+FRIT+SMIT+ARWT	16	186

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/06/2006)	-325
Return Flow Credit (Effective: 05/06/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 186	186
Estuary Inflows (Measured at NCAT)	560
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2006		Elevation (Ft)	
				Allocation	Remaining	Full	05/12/2006
05/11/2006	141	1,552	18,600	4,100	2,548	44.0	39.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 13, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/13/2005	220.4	692,158	99.6%	93.8	237,494	98.4%	929,652	99.3%
05/13/2006	216.1	586,249	84.3%	85.3	116,778	45.4%	703,027	73.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/12/2006	91	606	0.00	88	313	0.00	919	
MTD		6,255	0.05		3,101	0.02	9,356	

STREAM FLOWS

Gauging Station	05/12/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	643
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	10	143
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	56
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	264	3,402
NCAT : Nueces River at Calallen, Texas	91	651
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	14	200

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/06/2006)	-325
Return Flow Credit (Effective: 05/06/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 200	200
Estuary Inflows (Measured at NCAT)	651
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2006		Elevation (Ft)	
				Allocation	Remaining	Full	05/13/2006
05/12/2006	141	1,693	18,741	4,100	2,407	44.0	39.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 14, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/14/2005	220.4	691,899	99.5%	93.8	237,494	98.4%	929,393	99.2%
05/14/2006	216.1	586,249	84.3%	85.2	115,757	45.0%	702,006	73.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/13/2006	100	564	0.00	96	311	0.00	875	
MTD		6,819	0.05		3,412	0.02	10,231	

STREAM FLOWS

Gauging Station	05/13/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	699
NRTT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	9	152
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	60
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	274	3,676
NCAT : Nueces River at Calallen, Texas	28	679
Reservoir Inflow		
Computed as: NRTT+FRIT+SMIT+ARWT	13	213

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/06/2006)	-325
Return Flow Credit (Effective: 05/06/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 213	213
Estuary Inflows (Measured at NCAT)	679
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2006		Elevation (Ft)	
				Allocation	Remaining	Full	05/14/2006
05/13/2006	141	1,833	18,882	4,100	2,267	44.0	39.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 15, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/15/2005	220.4	691,899	99.5%	93.8	237,403	98.4%	929,302	99.2%
05/15/2006	216.1	585,781	84.3%	85.3	116,778	45.4%	702,559	73.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/14/2006	96	523	0.12	94	283	0.10	806	
MTD		7,342	0.17		3,695	0.12	11,037	

STREAM FLOWS

Gauging Station	05/14/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	752
NRTT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	8	160
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	64
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	276	3,952
NCAT : Nueces River at Calallen, Texas	38	716
Reservoir Inflow		
Computed as: NRTT+FRIT+SMIT+ARWT	13	225

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/06/2006)	-325
Return Flow Credit (Effective: 05/06/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 225	225
Estuary Inflows (Measured at NCAT)	716
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2006		Elevation (Ft)	
				Allocation	Remaining	Full	05/15/2006
05/14/2006	141	1,974	19,023	4,100	2,126	44.0	39.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 16, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/16/2005	220.4	692,677	99.6%	93.8	237,211	98.3%	929,888	99.3%
05/16/2006	216.0	584,610	84.1%	85.2	115,503	44.9%	700,113	73.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/15/2006	96	564	0.00	87	267	0.00	831	
MTD		7,906	0.17		3,962	0.12	11,868	

STREAM FLOWS

Gauging Station	05/15/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	808
NRTT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	8	168
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	71
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	276	4,228
NCAT : Nueces River at Calallen, Texas	125	841
Reservoir Inflow		
Computed as: NRTT+FRIT+SMIT+ARWT	14	239

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/06/2006)	-325
Return Flow Credit (Effective: 05/06/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 239	239
Estuary Inflows (Measured at NCAT)	841
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2006		Elevation (Ft)	
				Allocation	Remaining	Full	05/16/2006
05/15/2006	130	2,104	19,153	4,100	1,996	44.0	39.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 17, 2006**

RESERVOIR STATISTICS

MISSING

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 18, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/18/2005	220.4	692,158	99.6%	93.8	236,447	98.0%	928,605	99.2%
05/18/2006	216.0	583,434	83.9%	85.1	114,362	44.5%	697,796	73.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/17/2006	96	535	0.00	95	272	0.00	807	
MTD		8,991	0.17		4,589	0.12	13,580	

STREAM FLOWS

Gauging Station	05/17/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	919
NRTT : Nueces River at Tilden, Texas	0	1
FRRT : Frio River at Tilden, Texas	8	182
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	87
Release from Choke Canyon Reservoir	66	1,114
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	274	4,776
NCAT : Nueces River at Calallen, Texas	42	951
Reservoir Inflow		
Computed as: NRTT+FRRT+SMTT+ARWT	15	270

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/06/2006)	-325
Return Flow Credit (Effective: 05/06/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 270	270
Estuary Inflows (Measured at NCAT)	951
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2006		Elevation (Ft)	
				Allocation	Remaining	Full	05/18/2006
05/17/2006	111	2,338	19,386	4,100	1,762	44.0	39.2

Report Generated: 05/18/2006 at 8:27:42 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 19, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/19/2005	220.4	691,899	99.5%	93.8	236,638	98.1%	928,537	99.1%
05/19/2006	216.0	582,725	83.8%	85.0	113,354	44.1%	696,079	73.1%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/18/2006	98	645	0.00	98	344	0.00	989	
MTD		9,636	0.17		4,933	0.12	14,569	

STREAM FLOWS

Gauging Station	05/18/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	975
NRTT : Nueces River at Tilden, Texas	0	1
FRRT : Frio River at Tilden, Texas	9	191
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	94
Release from Choke Canyon Reservoir	66	1,179
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	274	5,050
NCAT : Nueces River at Calallen, Texas	38	988
Reservoir Inflow		
Computed as: NRTT + FRRT + SMTT + ARWT	15	286

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/06/2006)	-325
Return Flow Credit (Effective: 05/06/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 286	286
Estuary Inflows (Measured at NCAT)	988
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2006		Elevation (Ft)	
				Allocation	Remaining	Full	05/19/2006
05/18/2006	104	2,441	19,490	4,100	1,659	44.0	39.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 20, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/20/2005	220.4	692,677	99.6%	93.8	236,638	98.1%	929,315	99.2%
05/20/2006	215.9	581,779	83.7%	85.0	112,977	43.9%	694,756	72.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/19/2006	102	699	0.00	99	365	0.00	1,064	
MTD		10,335	0.17		5,298	0.12	15,633	

STREAM FLOWS

Gauging Station	05/19/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	1,030
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	8	199
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	100
Release from Choke Canyon Reservoir	66	1,245
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	274	5,324
NCAT : Nueces River at Calallen, Texas	9	997
Reservoir Inflow		
Computed as: NRTT + FRTT + SMTT + ARWT	14	300

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/06/2006)	-325
Return Flow Credit (Effective: 05/06/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 300	300
Estuary Inflows (Measured at NCAT)	997
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2006		Elevation (Ft)	
				Allocation	Remaining	Full	05/20/2006
05/19/2006	103	2,544	19,593	4,100	1,556	44.0	39.1

Report Generated: 05/20/2006 at 8:49:21 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 21, 2006

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/21/2005	220.4	692,936	99.7%	93.7	236,256	97.9%	929,192	99.2%
05/21/2006	215.9	581,309	83.6%	85.0	112,977	43.9%	694,286	72.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/20/2006	96	479	0.00	99	300	0.00	779	
MTD		10,814	0.17		5,598	0.12	16,412	

STREAM FLOWS

Gauging Station	05/20/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	1,086
NRTT : Nueces River at Tilden, Texas	224	225
FRIT : Frio River at Tilden, Texas	6	205
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	107
Release from Choke Canyon Reservoir	66	1,310
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	274	5,598
NCAT : Nueces River at Calallen, Texas	16	1,014
Reservoir Inflow		
Computed as: NRMT+FRIT+SMTT+ARWT	237	537

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/06/2006)	-325
Return Flow Credit (Effective: 05/06/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 537	537
Estuary Inflows (Measured at NCAT)	1,014
PassThru Surplus / -Deficit:	651

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2006		Elevation (Ft)	
				Allocation	Remaining	Full	05/21/2006
05/20/2006	103	2,647	19,696	4,100	1,453	44.0	39.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 22, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/22/2005	220.4	692,418	99.6%	93.7	235,684	97.7%	928,102	99.1%
05/22/2006	215.9	580,840	83.5%	84.9	112,477	43.7%	693,317	72.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/21/2006	95	616	0.00	92	306	0.00	922	
MTD		11,430	0.17		5,904	0.12	17,334	

STREAM FLOWS

Gauging Station	05/21/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	1,143
NRTT : Nueces River at Tilden, Texas	466	692
FRIT : Frio River at Tilden, Texas	5	211
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	114
Release from Choke Canyon Reservoir	66	1,376
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	272	5,870
NCAT : Nueces River at Calallen, Texas	16	1,029
Reservoir Inflow		
Computed as: NRTT+FRIT+SMIT+ARWT	478	1,016

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/06/2006)	-325
Return Flow Credit (Effective: 05/06/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 1,016	1,016
Estuary Inflows (Measured at NCAT)	1,029
PassThru Surplus / -Deficit:	189

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2006		Elevation (Ft)	
				Allocation	Remaining	Full	05/22/2006
05/21/2006	103	2,750	19,799	4,100	1,350	44.0	39.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 23, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/23/2005	220.4	692,158	99.6%	93.7	235,302	97.5%	927,460	99.0%
05/23/2006	215.9	580,372	83.5%	84.9	111,977	43.5%	692,349	72.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/22/2006	96	588	0.00	94	269	0.00		857
MTD		12,018	0.17		6,173	0.12		18,191

STREAM FLOWS

Gauging Station	05/22/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	264	1,407
NRTT : Nueces River at Tilden, Texas	385	1,077
FRTT : Frio River at Tilden, Texas	4	215
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	120
Release from Choke Canyon Reservoir	66	1,441
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	276	6,146
NCAT : Nueces River at Calallen, Texas	5	1,035
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	203	1,219

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/06/2006)	-325
Return Flow Credit (Effective: 05/06/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 1,219	1,219
Estuary Inflows (Measured at NCAT)	1,035
PassThru Surplus / -Deficit:	-9

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2006		Elevation (Ft)	
				Allocation	Remaining	Full	05/23/2006
05/22/2006	103	2,853	19,902	4,100	1,247	44.0	39.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 24, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/24/2005	220.4	691,899	99.5%	93.7	234,921	97.4%	926,820	99.0%
05/24/2006	215.9	580,372	83.5%	84.9	111,977	43.5%	692,349	72.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/23/2006	97	602	0.00	93	276	0.00		878
MTD		12,620	0.17		6,449	0.12		19,069

STREAM FLOWS

Gauging Station	05/23/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	381	1,788
NRTT : Nueces River at Tilden, Texas	111	1,188
FRTT : Frio River at Tilden, Texas	3	218
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	127
Release from Choke Canyon Reservoir	66	1,507
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	308	6,453
NCAT : Nueces River at Calallen, Texas	0	1,035
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	319	1,538

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/06/2006)	-325
Return Flow Credit (Effective: 05/06/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 1,538	1,538
Estuary Inflows (Measured at NCAT)	1,035
PassThru Surplus / -Deficit:	-328

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2006		Elevation (Ft)	
				Allocation	Remaining	Full	05/24/2006
05/23/2006	101	2,954	20,003	4,100	1,146	44.0	38.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 25, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/25/2005	220.4	691,899	99.5%	93.7	234,540	97.2%	926,439	98.9%
05/25/2006	215.8	579,201	83.3%	84.8	111,355	43.3%	690,556	72.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/24/2006	97	588	0.00	95	304	0.00	892	
MTD		13,208	0.17		6,753	0.12	19,961	

STREAM FLOWS

Gauging Station	05/24/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	177	1,965
NRTT : Nueces River at Tilden, Texas	44	1,232
FRTT : Frio River at Tilden, Texas	3	221
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	134
Release from Choke Canyon Reservoir	66	1,572
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	326	6,779
NCAT : Nueces River at Calallen, Texas	12	1,046
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	114	1,651

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/06/2006)	-325
Return Flow Credit (Effective: 05/06/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 1,651	1,651
Estuary Inflows (Measured at NCAT)	1,046
PassThru Surplus / -Deficit:	-430

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2006		Elevation (Ft)	
				Allocation	Remaining	Full	05/25/2006
05/24/2006	104	3,058	20,107	4,100	1,042	44.0	38.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 26, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/26/2005	220.4	691,639	99.5%	93.6	233,780	96.9%	925,419	98.8%
05/26/2006	215.8	578,265	83.2%	84.8	111,106	43.2%	689,371	72.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/25/2006	99	655	0.00	96	275	0.00	930	
MTD		13,863	0.17		7,028	0.12	20,891	

STREAM FLOWS

Gauging Station	05/25/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	99	2,064
NRTT : Nueces River at Tilden, Texas	22	1,253
FRTT : Frio River at Tilden, Texas	6	227
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	141
Release from Choke Canyon Reservoir	66	1,638
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	326	7,104
NCAT : Nueces River at Calallen, Texas	40	1,086
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	40	1,691

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/06/2006)	-325
Return Flow Credit (Effective: 05/06/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 1,691	1,691
Estuary Inflows (Measured at NCAT)	1,086
PassThru Surplus / -Deficit:	-430

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2006		Elevation (Ft)	
				Allocation	Remaining	Full	05/26/2006
05/25/2006	104	3,163	20,211	4,100	937	44.0	38.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 27, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/27/2005	220.4	691,380	99.4%	93.6	233,209	96.7%	924,589	98.7%
05/27/2006	215.7	577,328	83.0%	84.8	110,734	43.0%	688,062	72.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/26/2006	97	600	0.00	94	303	0.00	903	
MTD		14,463	0.17		7,331	0.12	21,794	

STREAM FLOWS

Gauging Station	05/26/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	2,140
NRTT : Nueces River at Tilden, Texas	13	1,266
FRTT : Frio River at Tilden, Texas	6	232
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	147
Release from Choke Canyon Reservoir	66	1,703
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	326	7,430
NCAT : Nueces River at Calallen, Texas	17	1,103
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	15	1,707

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/06/2006)	-325
Return Flow Credit (Effective: 05/06/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 1,707	1,707
Estuary Inflows (Measured at NCAT)	1,103
PassThru Surplus / -Deficit:	-428

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2006		Elevation (Ft)	
				Allocation	Remaining	Full	05/27/2006
05/26/2006	104	3,267	20,316	4,100	833	44.0	38.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 28, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/28/2005	220.3	691,121	99.4%	93.5	231,882	96.1%	923,003	98.6%
05/28/2006	215.7	576,860	83.0%	84.8	110,487	42.9%	687,347	72.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/27/2006	98	545	0.07	94	281	0.01		826
MTD		15,008	0.24		7,612	0.13		22,620

STREAM FLOWS

Gauging Station	05/27/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	2,203
NRTT : Nueces River at Tilden, Texas	4	1,270
FRIT : Frio River at Tilden, Texas	5	238
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	155
Release from Choke Canyon Reservoir	66	1,769
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	326	7,755
NCAT : Nueces River at Calallen, Texas	18	1,121
Reservoir Inflow		
Computed as: NRMT+FRIT+SMIT+ARWT	17	1,724

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/06/2006)	-325
Return Flow Credit (Effective: 05/06/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 1,724	1,724
Estuary Inflows (Measured at NCAT)	1,121
PassThru Surplus / -Deficit:	-427

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2006		Elevation (Ft)	
				Allocation	Remaining	Full	05/28/2006
05/27/2006	104	3,372	20,420	4,100	728	44.0	38.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 29, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/29/2005	220.4	692,158	99.6%	93.6	233,020	96.6%	925,178	98.8%
05/29/2006	215.7	576,860	83.0%	84.8	110,734	43.0%	687,594	72.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/28/2006	88	436	0.16	82	245	1.04	681	
MTD		15,444	0.40		7,857	1.17	23,301	

STREAM FLOWS

Gauging Station	05/28/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	2,263
NRTT : Nueces River at Tilden, Texas	2	1,272
FRIT : Frio River at Tilden, Texas	6	244
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	163
Release from Choke Canyon Reservoir	66	1,834
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	326	8,081
NCAT : Nueces River at Calallen, Texas	22	1,143
Reservoir Inflow		
Computed as: NRTT+FRIT+SMIT+ARWT	16	1,739

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/06/2006)	-325
Return Flow Credit (Effective: 05/06/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 1,739	1,739
Estuary Inflows (Measured at NCAT)	1,143
PassThru Surplus / -Deficit:	-421

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2006		Elevation (Ft)	
				Allocation	Remaining	Full	05/29/2006
05/28/2006	105	3,476	20,525	4,100	624	44.0	38.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 30, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/30/2005	220.4	692,418	99.6%	93.5	232,450	96.4%	924,868	98.8%
05/30/2006	215.9	580,372	83.5%	84.8	110,858	43.1%	691,230	72.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/29/2006	97	479	2.17	93	289	0.01	768	
MTD		15,923	2.57		8,146	1.18	24,069	

STREAM FLOWS

Gauging Station	05/29/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	2,320
NRTT : Nueces River at Tilden, Texas	26	1,298
FRTT : Frio River at Tilden, Texas	7	251
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	9	171
Release from Choke Canyon Reservoir	66	1,900
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	324	8,404
NCAT : Nueces River at Calallen, Texas	48	1,191
Reservoir Inflow		
Computed as: NRMT+FRTT+SMTT+ARWT	41	1,780

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/06/2006)	-325
Return Flow Credit (Effective: 05/06/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 1,780	1,780
Estuary Inflows (Measured at NCAT)	1,191
PassThru Surplus / -Deficit:	-414

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2006		Elevation (Ft)	
				Allocation	Remaining	Full	05/30/2006
05/29/2006	105	3,581	20,630	4,100	519	44.0	40.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 31, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/31/2005	220.4	691,899	99.5%	93.5	231,503	96.0%	923,402	98.6%
05/31/2006	215.8	579,904	83.4%	84.8	110,240	42.9%	690,144	72.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/30/2006	93	328	0.00	91	94	0.00	422	
MTD		16,251	2.57		8,240	1.18	24,491	

STREAM FLOWS

Gauging Station	05/30/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	103	2,424
NRTT : Nueces River at Tilden, Texas	87	1,385
FRTT : Frio River at Tilden, Texas	7	257
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	178
Release from Choke Canyon Reservoir	66	1,965
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	324	8,728
NCAT : Nueces River at Calallen, Texas	77	1,268
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	44	1,825

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/06/2006)	-325
Return Flow Credit (Effective: 05/06/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 1,825	1,825
Estuary Inflows (Measured at NCAT)	1,268
PassThru Surplus / -Deficit:	-381

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2006		Elevation (Ft)	
				Allocation	Remaining	Full	05/31/2006
05/30/2006	106	3,687	20,736	4,100	413	44.0	40.1

Report Generated: 05/31/2006 at 7:54:29 AM