

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 1, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/01/2005	220.4	693,196	99.7%	93.7	235,112	97.5%	928,308	99.1%
06/01/2006	215.8	579,435	83.3%	84.8	111,106	43.2%	690,541	72.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/31/2006	86	342	0.02	83	210	0.12	552	
MTD		16,593	2.59		8,450	1.30	25,043	

STREAM FLOWS

Gauging Station	05/31/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	2,495
NRTT : Nueces River at Tilden, Texas	46	1,431
FRTT : Frio River at Tilden, Texas	8	266
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	19	197
Release from Choke Canyon Reservoir	66	2,031
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	328	9,056
NCAT : Nueces River at Calallen, Texas	30	1,298
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	14	1,839

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/06/2006)	-325
Return Flow Credit (Effective: 05/06/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 1,839	1,839
Estuary Inflows (Measured at NCAT)	1,298
PassThru Surplus / -Deficit:	-366

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2006		Elevation (Ft)	
				Allocation	Remaining	Full	06/01/2006
05/31/2006	105	3,793	20,841	4,100	307	44.0	40.7

Report Generated: 06/01/2006 at 8:49:36 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 2, 2006

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/02/2005	220.4	693,715	99.8%	93.4	229,990	95.3%	923,705	98.6%
06/02/2006	215.8	578,967	83.3%	84.8	110,734	43.0%	689,701	72.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/01/2006	82	205	0.14	78	29	0.11	234
MTD		205	0.14		29	0.11	234

STREAM FLOWS

Gauging Station	06/01/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	101	101
NRTT : Nueces River at Tilden, Texas	19	19
FRIT : Frio River at Tilden, Texas	8	8
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	20	20
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	333	333
NCAT : Nueces River at Calallen, Texas	89	89
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	43	43

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-366
Return Flow Credit (Effective:)	0
Passthru Target: 25,500 Reservoir Inflow: 43	43
Estuary Inflows (Measured at NCAT)	89
PassThru Surplus / -Deficit:	-320

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2006		Elevation (Ft)	
				Allocation	Remaining	Full	06/02/2006
06/01/2006	106	106	20,948	4,100	3,994	44.0	41.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 3, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/03/2005	220.4	692,936	99.7%	93.3	228,104	94.6%	921,040	98.3%
06/03/2006	215.8	578,733	83.2%	84.8	110,858	43.1%	689,591	72.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/02/2006	85	219	0.32	85	123	0.94	342	
MTD		424	0.46		152	1.05	576	

STREAM FLOWS

Gauging Station	06/02/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	193
NRRT : Nueces River at Tilden, Texas	7	26
FRRT : Frio River at Tilden, Texas	6	14
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	13	33
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	335	669
NCAT : Nueces River at Calallen, Texas	199	288
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	32	76

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-366
Return Flow Credit (Effective:)	0
Passthru Target: 25,500 Reservoir Inflow: 76	76
Estuary Inflows (Measured at NCAT)	288
PassThru Surplus / -Deficit:	-154

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2006		Elevation (Ft)	
				Allocation	Remaining	Full	06/03/2006
06/02/2006	107	213	21,054	4,100	3,887	44.0	42.0

Report Generated: 06/03/2006 at 7:59:36 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 4, 2006

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/04/2005	220.4	693,196	99.7%	93.3	227,540	94.3%	920,736	98.3%
06/04/2006	215.8	578,499	83.2%	84.7	109,993	42.8%	688,492	72.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/03/2006	93	505	0.00	92	194	0.00	699
MTD		929	0.46		346	1.05	1,275

STREAM FLOWS

Gauging Station	06/03/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	268
NRTT : Nueces River at Tilden, Texas	3	29
FRIT : Frio River at Tilden, Texas	5	19
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	14	46
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	292	961
NCAT : Nueces River at Calallen, Texas	296	584
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	15	91

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-366
Return Flow Credit (Effective:)	0
Passthru Target: 25,500 Reservoir Inflow: 91	91
Estuary Inflows (Measured at NCAT)	584
PassThru Surplus / -Deficit:	127

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2006		Elevation (Ft)	
				Allocation	Remaining	Full	06/04/2006
06/03/2006	107	320	21,161	4,100	3,780	44.0	42.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 5, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/05/2005	220.4	693,455	99.7%	93.1	224,538	93.1%	917,993	98.0%
06/05/2006	215.8	578,031	83.1%	84.7	109,746	42.7%	687,777	72.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/04/2006	95	546	0.00	93	251	0.00	797	
MTD		1,475	0.46		597	1.05	2,072	

STREAM FLOWS

Gauging Station	06/04/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	331
NRTT : Nueces River at Tilden, Texas	13	42
FRTT : Frio River at Tilden, Texas	4	23
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	12	58
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	252	1,213
NCAT : Nueces River at Calallen, Texas	139	723
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	30	120

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2006)	-366
Return Flow Credit (Effective: 06/04/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 120	120
Estuary Inflows (Measured at NCAT)	723
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2006		Elevation (Ft)	
				Allocation	Remaining	Full	06/05/2006
06/04/2006	107	427	21,268	4,100	3,673	44.0	42.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 6, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/06/2005	220.4	693,455	99.7%	93.1	224,913	93.2%	918,368	98.1%
06/06/2006	215.7	577,562	83.1%	84.7	109,377	42.5%	686,939	72.1%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/05/2006	94	532	0.00	92	322	0.00	854	
MTD		2,007	0.46		919	1.05	2,926	

STREAM FLOWS

Gauging Station	06/05/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	389
NRTT : Nueces River at Tilden, Texas	6	48
FRIT : Frio River at Tilden, Texas	4	27
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	9	67
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	250	1,463
NCAT : Nueces River at Calallen, Texas	62	784
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	18	139

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2006)	-366
Return Flow Credit (Effective: 06/04/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 139	139
Estuary Inflows (Measured at NCAT)	784
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2006		Elevation (Ft)	
				Allocation	Remaining	Full	06/06/2006
06/05/2006	107	534	21,375	4,100	3,566	44.0	42.8

Report Generated: 06/06/2006 at 8:21:30 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 7, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/07/2005	220.5	693,974	99.8%	93.1	223,417	92.6%	917,391	98.0%
06/07/2006	215.7	576,860	83.0%	84.6	108,886	42.3%	685,746	72.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/06/2006	95	545	0.00	93	243	0.00	788	
MTD		2,552	0.46		1,162	1.05	3,714	

STREAM FLOWS

Gauging Station	06/06/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	443
NRTT : Nueces River at Tilden, Texas	0	49
FRTT : Frio River at Tilden, Texas	4	31
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	74
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	250	1,713
NCAT : Nueces River at Calallen, Texas	30	814
Reservoir Inflow		
Computed as: NRTT + FRTT + SMTT + ARWT	11	150

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2006)	-366
Return Flow Credit (Effective: 06/04/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 150	150
Estuary Inflows (Measured at NCAT)	814
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2006		Elevation (Ft)	
				Allocation	Remaining	Full	06/07/2006
06/06/2006	107	641	21,482	4,100	3,459	44.0	42.9

Report Generated: 06/07/2006 at 8:12:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 8, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/08/2005	220.5	693,974	99.8%	93.0	221,925	92.0%	915,899	97.8%
06/08/2006	215.7	576,392	82.9%	84.6	108,519	42.2%	684,911	71.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/07/2006	96	559	0.00	94	271	0.00	830	
MTD		3,111	0.46		1,433	1.05	4,544	

STREAM FLOWS

Gauging Station	06/07/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	50	492
NRTT : Nueces River at Tilden, Texas	0	49
FRRT : Frio River at Tilden, Texas	3	34
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	79
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	248	1,961
NCAT : Nueces River at Calallen, Texas	32	846
Reservoir Inflow		
Computed as: NRTT + FRRT + SMTT + ARWT	8	158

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2006)	-366
Return Flow Credit (Effective: 06/04/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 158	158
Estuary Inflows (Measured at NCAT)	846
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2006		Elevation (Ft)	
				Allocation	Remaining	Full	06/08/2006
06/07/2006	107	748	21,589	4,100	3,352	44.0	42.9

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 9, 2006

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/09/2005	220.5	694,233	99.9%	93.0	221,553	91.8%	915,786	97.8%
06/09/2006	215.7	575,923	82.8%	84.6	108,152	42.0%	684,075	71.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/08/2006	96	558	0.00	94	299	0.00	857
MTD		3,669	0.46		1,732	1.05	5,401

STREAM FLOWS

Gauging Station	06/08/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	554
NRTT : Nueces River at Tilden, Texas	0	49
FRIT : Frio River at Tilden, Texas	3	36
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	86
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	246	2,207
NCAT : Nueces River at Calallen, Texas	28	873
Reservoir Inflow		
Computed as: NRMT+FRIT+SMTT+ARWT	9	167

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2006)	-366
Return Flow Credit (Effective: 06/04/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 167	167
Estuary Inflows (Measured at NCAT)	873
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2006		Elevation (Ft)	
				Allocation	Remaining	Full	06/09/2006
06/08/2006	107	855	21,696	4,100	3,245	44.0	42.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 10, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/10/2005	220.4	693,715	99.8%	93.0	221,553	91.8%	915,268	97.7%
06/10/2006	215.6	574,986	82.7%	84.5	107,665	41.9%	682,651	71.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/09/2006	96	585	0.00	95	276	0.00		861
MTD		4,254	0.46		2,008	1.05		6,262

STREAM FLOWS

Gauging Station	06/09/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	619
NRTT : Nueces River at Tilden, Texas	0	49
FRTT : Frio River at Tilden, Texas	3	39
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	93
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	244	2,451
NCAT : Nueces River at Calallen, Texas	19	892
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3	170

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2006)	-366
Return Flow Credit (Effective: 06/04/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 170	170
Estuary Inflows (Measured at NCAT)	892
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2006		Elevation (Ft)	
				Allocation	Remaining	Full	06/10/2006
06/09/2006	107	962	21,803	4,100	3,138	44.0	42.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 11, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/11/2005	220.4	692,677	99.6%	92.9	220,438	91.4%	913,115	97.5%
06/11/2006	215.6	574,284	82.6%	84.5	106,815	41.5%	681,099	71.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/10/2006	95	571	0.00	94	268	0.00	839	
MTD		4,825	0.46		2,276	1.05	7,101	

STREAM FLOWS

Gauging Station	06/10/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	683
NRTT : Nueces River at Tilden, Texas	0	49
FRIT : Frio River at Tilden, Texas	3	42
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	101
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	244	2,696
NCAT : Nueces River at Calallen, Texas	10	902
Reservoir Inflow		
Computed as: NRTT+FRIT+SMIT+ARWT	10	181

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2006)	-366
Return Flow Credit (Effective: 06/04/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 181	181
Estuary Inflows (Measured at NCAT)	902
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2006		Elevation (Ft)	
				Allocation	Remaining	Full	06/11/2006
06/10/2006	107	1,069	21,911	4,100	3,031	44.0	42.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 12, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/12/2005	220.4	692,677	99.6%	92.9	219,881	91.1%	912,558	97.4%
06/12/2006	215.6	573,581	82.5%	84.4	106,452	41.4%	680,033	71.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/11/2006	97	584	0.00	94	289	0.00	873	
MTD		5,409	0.46		2,565	1.05	7,974	

STREAM FLOWS

Gauging Station	06/11/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	744
NRTT : Nueces River at Tilden, Texas	0	49
FRIT : Frio River at Tilden, Texas	1	43
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	109
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	244	2,940
NCAT : Nueces River at Calallen, Texas	14	916
Reservoir Inflow		
Computed as: NRTT+FRIT+SMIT+ARWT	9	189

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2006)	-366
Return Flow Credit (Effective: 06/04/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 189	189
Estuary Inflows (Measured at NCAT)	916
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2006		Elevation (Ft)	
				Allocation	Remaining	Full	06/12/2006
06/11/2006	107	1,176	22,018	4,100	2,924	44.0	42.9

