

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 1, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/01/2005	220.0	683,117	98.3%	91.9	220,279	91.3%	903,396	96.5%
07/01/2006	215.2	564,761	81.2%	83.7	98,081	38.1%	662,842	69.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/30/2006	90	256	0.03	95	147	0.03	403
MTD		15,534	0.55		7,101	1.62	22,635

STREAM FLOWS

Gauging Station	06/30/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	81	1,949
NRTT : Nueces River at Tilden, Texas	0	49
FRTT : Frio River at Tilden, Texas	1	59
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	180
Release from Choke Canyon Reservoir	66	1,965
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	228	7,505
NCAT : Nueces River at Calallen, Texas	18	1,211
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	17	304

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2006)	-366
Return Flow Credit (Effective: 06/04/2006)	500
Passthru Target: 25,500 Reservoir Inflow: 304	304
Estuary Inflows (Measured at NCAT)	1,211
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2006		Elevation (Ft)	
				Allocation	Remaining	Full	07/01/2006
06/30/2006	145	3,653	24,494	4,100	447	44.0	43.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 2, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/02/2005	220.0	682,860	98.2%	91.9	219,057	90.8%	901,917	96.3%
07/02/2006	215.2	564,761	81.2%	83.7	97,966	38.1%	662,727	69.6%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/01/2006	86	229	0.25	87	214	0.83	443
MTD		229	0.25		214	0.83	443

STREAM FLOWS

Gauging Station	07/01/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	83	83
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	1	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	3
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	197	197
NCAT : Nueces River at Calallen, Texas	99	99
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	19	19

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	541
Return Flow Credit (Effective: 07/01/2006)	500
Passthru Target: 4,500 Reservoir Inflow: 19	19
Estuary Inflows (Measured at NCAT)	99
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2006		Elevation (Ft)	
				Allocation	Remaining	Full	07/02/2006
07/01/2006	146	146	24,640	4,100	3,954	44.0	43.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 3, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/03/2005	220.0	682,346	98.1%	91.8	217,140	90.0%	899,486	96.0%
07/03/2006	215.2	564,302	81.2%	83.7	98,196	38.2%	662,498	69.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/02/2006	89	350	0.01	88	114	0.05	464
MTD		579	0.26		328	0.88	907

STREAM FLOWS

Gauging Station	07/02/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	79	163
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	7
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	153	349
NCAT : Nueces River at Calallen, Texas	85	185
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	14	33

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	541
Return Flow Credit (Effective: 07/01/2006)	500
Passthru Target: 4,500 Reservoir Inflow: 33	33
Estuary Inflows (Measured at NCAT)	185
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2006		Elevation (Ft)	
				Allocation	Remaining	Full	07/03/2006
07/02/2006	146	292	24,786	4,100	3,808	44.0	43.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 4, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/04/2005	220.0	681,836	98.1%	91.6	215,228	89.2%	897,064	95.8%
07/04/2006	215.1	563,843	81.1%	83.7	98,196	38.2%	662,039	69.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/03/2006	87	309	0.00	81	13	0.93	322
MTD		888	0.26		341	1.81	1,229

STREAM FLOWS

Gauging Station	07/03/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	77	240
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	11
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	153	502
NCAT : Nueces River at Calallen, Texas	14	199
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	45

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	541
Return Flow Credit (Effective: 07/01/2006)	500
Passthru Target: 4,500 Reservoir Inflow: 45	45
Estuary Inflows (Measured at NCAT)	199
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2006		Elevation (Ft)	
				Allocation	Remaining	Full	07/04/2006
07/03/2006	146	438	24,932	4,100	3,662	44.0	43.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 5, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/05/2005	220.0	681,327	98.0%	91.6	214,014	88.7%	895,341	95.6%
07/05/2006	215.3	567,307	81.6%	83.7	98,196	38.2%	665,503	69.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/04/2006	96	337	3.69	93	228	0.06	565
MTD		1,225	3.95		569	1.87	1,794

STREAM FLOWS

Gauging Station	07/04/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	316
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	15
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	653
NCAT : Nueces River at Calallen, Texas	52	251
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	55

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	541
Return Flow Credit (Effective: 07/01/2006)	500
Passthru Target: 4,500 Reservoir Inflow: 55	55
Estuary Inflows (Measured at NCAT)	251
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2006		Elevation (Ft)	
				Allocation	Remaining	Full	07/05/2006
07/04/2006	146	584	25,078	4,100	3,516	44.0	43.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 6, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/06/2005	219.9	680,053	97.8%	91.5	212,974	88.3%	893,027	95.4%
07/06/2006	215.3	566,843	81.5%	83.8	98,888	38.4%	665,731	69.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/05/2006	93	324	0.00	90	128	0.00	452
MTD		1,549	3.95		697	1.87	2,246

STREAM FLOWS

Gauging Station	07/05/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	498	814
NRTT : Nueces River at Tilden, Texas	2	2
FRRT : Frio River at Tilden, Texas	149	151
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	574	589
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	804
NCAT : Nueces River at Calallen, Texas	32	282
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	582	637

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	541
Return Flow Credit (Effective: 07/01/2006)	500
Passthru Target: 4,500 Reservoir Inflow: 637	637
Estuary Inflows (Measured at NCAT)	282
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2006		Elevation (Ft)	
				Allocation	Remaining	Full	07/06/2006
07/05/2006	146	730	25,224	4,100	3,370	44.0	43.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 7, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/07/2005	219.9	679,284	97.7%	91.4	211,763	87.8%	891,047	95.1%
07/07/2006	215.3	566,380	81.5%	83.9	99,698	38.8%	666,078	69.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/06/2006	93	364	0.00	90	169	0.03	533
MTD		1,913	3.95		866	1.90	2,779

STREAM FLOWS

Gauging Station	07/06/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,382	2,195
NRTT : Nueces River at Tilden, Texas	977	979
FRTT : Frio River at Tilden, Texas	24	175
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2,382	2,971
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	955
NCAT : Nueces River at Calallen, Texas	50	332
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,340	1,977

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	541
Return Flow Credit (Effective: 07/01/2006)	500
Passthru Target: 4,500 Reservoir Inflow: 1,977	1,977
Estuary Inflows (Measured at NCAT)	332
PassThru Surplus / -Deficit:	-604

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2006		Elevation (Ft)	
				Allocation	Remaining	Full	07/07/2006
07/06/2006	146	876	25,370	4,100	3,224	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 8, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/08/2005	219.9	678,770	97.6%	91.4	211,072	87.5%	889,842	95.0%
07/08/2006	215.2	565,916	81.4%	84.0	101,567	39.5%	667,483	70.1%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/07/2006	88	256	0.04	85	96	0.00	352
MTD		2,169	3.99		962	1.90	3,131

STREAM FLOWS

Gauging Station	07/07/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,521	4,716
NRTT : Nueces River at Tilden, Texas	798	1,777
FRTT : Frio River at Tilden, Texas	24	198
SMTT : San Miguel Creek at Tilden, Texas	107	107
ARWT : Atascosa River at Whitsett, Texas	671	3,641
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	1,106
NCAT : Nueces River at Calallen, Texas	73	406
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,586	4,563

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	541
Return Flow Credit (Effective: 07/01/2006)	500
Passthru Target: 4,500 Reservoir Inflow: 4,563	4,500
Estuary Inflows (Measured at NCAT)	406
PassThru Surplus / -Deficit:	-3,053

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2006		Elevation (Ft)	
				Allocation	Remaining	Full	07/08/2006
07/07/2006	146	1,022	25,516	4,100	3,078	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 9, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/09/2005	219.8	678,255	97.6%	91.4	211,072	87.5%	889,327	95.0%
07/09/2006	215.2	565,452	81.3%	84.1	102,627	39.9%	668,079	70.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/08/2006	93	404	0.10	92	193	0.00	597
MTD		2,573	4.09		1,155	1.90	3,728

STREAM FLOWS

Gauging Station	07/08/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,110	5,826
NRTT : Nueces River at Tilden, Texas	224	2,001
FRTT : Frio River at Tilden, Texas	13	211
SMTT : San Miguel Creek at Tilden, Texas	19	126
ARWT : Atascosa River at Whitsett, Texas	77	3,719
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	153	1,258
NCAT : Nueces River at Calallen, Texas	79	485
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,076	5,639

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	541
Return Flow Credit (Effective: 07/01/2006)	500
Passthru Target: 4,500 Reservoir Inflow: 5,639	4,500
Estuary Inflows (Measured at NCAT)	485
PassThru Surplus / -Deficit:	-2,974

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2006		Elevation (Ft)	
				Allocation	Remaining	Full	07/09/2006
07/08/2006	146	1,168	25,662	4,100	2,932	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 10, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/10/2005	219.8	677,741	97.5%	91.4	210,554	87.3%	888,295	94.9%
07/10/2006	215.2	564,991	81.3%	84.1	102,745	39.9%	667,736	70.1%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/09/2006	94	484	0.00	92	158	0.17	642
MTD		3,057	4.09		1,313	2.07	4,370

STREAM FLOWS

Gauging Station	07/09/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	389	6,215
NRTT : Nueces River at Tilden, Texas	83	2,085
FRRT : Frio River at Tilden, Texas	6	217
SMTT : San Miguel Creek at Tilden, Texas	8	134
ARWT : Atascosa River at Whitsett, Texas	40	3,759
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	153	1,411
NCAT : Nueces River at Calallen, Texas	20	505
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	338	5,977

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	541
Return Flow Credit (Effective: 07/01/2006)	500
Passthru Target: 4,500 Reservoir Inflow: 5,977	4,500
Estuary Inflows (Measured at NCAT)	505
PassThru Surplus / -Deficit:	-2,954

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2006		Elevation (Ft)	
				Allocation	Remaining	Full	07/10/2006
07/09/2006	146	1,314	25,808	4,100	2,786	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 11, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/11/2005	219.8	677,227	97.4%	91.3	209,691	86.9%	886,918	94.7%
07/11/2006	215.2	564,302	81.2%	84.1	102,391	39.8%	666,693	70.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/10/2006	94	497	0.00	93	268	0.00	765
MTD		3,554	4.09		1,581	2.07	5,135

STREAM FLOWS

Gauging Station	07/10/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	193	6,408
NRTT : Nueces River at Tilden, Texas	54	2,138
FRTT : Frio River at Tilden, Texas	4	221
SMTT : San Miguel Creek at Tilden, Texas	1	135
ARWT : Atascosa River at Whitsett, Texas	22	3,780
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	153	1,564
NCAT : Nueces River at Calallen, Texas	6	511
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	132	6,109

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	541
Return Flow Credit (Effective: 07/01/2006)	500
Passthru Target: 4,500 Reservoir Inflow: 6,109	4,500
Estuary Inflows (Measured at NCAT)	511
PassThru Surplus / -Deficit:	-2,948

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2006		Elevation (Ft)	
				Allocation	Remaining	Full	07/11/2006
07/10/2006	146	1,460	25,954	4,100	2,640	44.0	44.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 12, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/12/2005	219.8	676,717	97.3%	91.3	209,002	86.6%	885,719	94.6%
07/12/2006	215.1	563,843	81.1%	84.1	102,391	39.8%	666,234	69.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/11/2006	96	605	0.00	95	268	0.00	873
MTD		4,159	4.09		1,849	2.07	6,008

STREAM FLOWS

Gauging Station	07/11/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	135	6,543
NRTT : Nueces River at Tilden, Texas	44	2,182
FRTT : Frio River at Tilden, Texas	3	225
SMTT : San Miguel Creek at Tilden, Texas	0	135
ARWT : Atascosa River at Whitsett, Texas	18	3,798
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	153	1,717
NCAT : Nueces River at Calallen, Texas	32	542
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	73	6,182

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	541
Return Flow Credit (Effective: 07/01/2006)	500
Passthru Target: 4,500 Reservoir Inflow: 6,182	4,500
Estuary Inflows (Measured at NCAT)	542
PassThru Surplus / -Deficit:	-2,917

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2006		Elevation (Ft)	
				Allocation	Remaining	Full	07/12/2006
07/11/2006	146	1,606	26,100	4,100	2,494	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 13, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/13/2005	219.8	676,208	97.3%	91.3	208,658	86.5%	884,866	94.5%
07/13/2006	215.1	563,155	81.0%	84.1	101,802	39.6%	664,957	69.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/12/2006	96	537	0.00	96	260	0.00	797
MTD		4,696	4.09		2,109	2.07	6,805

STREAM FLOWS

Gauging Station	07/12/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	109	6,652
NRTT : Nueces River at Tilden, Texas	30	2,212
FRTT : Frio River at Tilden, Texas	2	227
SMTT : San Miguel Creek at Tilden, Texas	0	135
ARWT : Atascosa River at Whitsett, Texas	13	3,811
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	1,868
NCAT : Nueces River at Calallen, Texas	1	543
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	46	6,228

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	541
Return Flow Credit (Effective: 07/01/2006)	500
Passthru Target: 4,500 Reservoir Inflow: 6,228	4,500
Estuary Inflows (Measured at NCAT)	543
PassThru Surplus / -Deficit:	-2,916

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2006		Elevation (Ft)	
				Allocation	Remaining	Full	07/13/2006
07/12/2006	146	1,752	26,247	4,100	2,348	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 14, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/14/2005	219.7	674,934	97.1%	91.2	207,797	86.1%	882,731	94.3%
07/14/2006	215.1	561,997	80.8%	84.0	101,684	39.5%	663,681	69.7%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/13/2006	96	509	0.00	96	253	0.00	762
MTD		5,205	4.09		2,362	2.07	7,567

STREAM FLOWS

Gauging Station	07/13/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	101	6,753
NRTT : Nueces River at Tilden, Texas	20	2,231
FRIT : Frio River at Tilden, Texas	1	228
SMTT : San Miguel Creek at Tilden, Texas	0	135
ARWT : Atascosa River at Whitsett, Texas	10	3,821
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	153	2,021
NCAT : Nueces River at Calallen, Texas	10	552
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	37	6,265

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	541
Return Flow Credit (Effective: 07/01/2006)	500
Passthru Target: 4,500 Reservoir Inflow: 6,265	4,500
Estuary Inflows (Measured at NCAT)	552
PassThru Surplus / -Deficit:	-2,907

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2006		Elevation (Ft)	
				Allocation	Remaining	Full	07/14/2006
07/13/2006	147	1,899	26,393	4,100	2,201	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 15, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/15/2005	219.9	678,770	97.6%	91.4	210,209	87.1%	888,979	94.9%
07/15/2006	215.0	561,534	80.8%	84.0	101,215	39.3%	662,749	69.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/14/2006	94	496	0.00	95	212	0.00	708
MTD		5,701	4.09		2,574	2.07	8,275

STREAM FLOWS

Gauging Station	07/14/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	6,844
NRTT : Nueces River at Tilden, Texas	10	2,241
FRTT : Frio River at Tilden, Texas	1	230
SMTT : San Miguel Creek at Tilden, Texas	0	135
ARWT : Atascosa River at Whitsett, Texas	8	3,829
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	185	2,205
NCAT : Nueces River at Calallen, Texas	0	552
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	27	6,292

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	541
Return Flow Credit (Effective: 07/01/2006)	500
Passthru Target: 4,500 Reservoir Inflow: 6,292	4,500
Estuary Inflows (Measured at NCAT)	552
PassThru Surplus / -Deficit:	-2,907

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2006		Elevation (Ft)	
				Allocation	Remaining	Full	07/15/2006
07/14/2006	147	2,046	26,540	4,100	2,054	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 16, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/16/2005	219.9	679,027	97.7%	91.5	213,147	88.4%	892,174	95.3%
07/16/2006	215.0	561,534	80.8%	84.0	101,098	39.3%	662,632	69.6%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/15/2006	94	362	0.00	96	252	0.00	614
MTD		6,063	4.09		2,826	2.07	8,889

STREAM FLOWS

Gauging Station	07/15/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	85	6,930
NRTT : Nueces River at Tilden, Texas	1	2,242
FRTT : Frio River at Tilden, Texas	1	231
SMTT : San Miguel Creek at Tilden, Texas	0	135
ARWT : Atascosa River at Whitsett, Texas	7	3,836
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	218	2,424
NCAT : Nueces River at Calallen, Texas	0	552
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	21	6,313

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	541
Return Flow Credit (Effective: 07/01/2006)	500
Passthru Target: 4,500 Reservoir Inflow: 6,313	4,500
Estuary Inflows (Measured at NCAT)	552
PassThru Surplus / -Deficit:	-2,907

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2006		Elevation (Ft)	
				Allocation	Remaining	Full	07/16/2006
07/15/2006	147	2,193	26,687	4,100	1,907	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 17, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/17/2005	219.9	680,817	97.9%	91.8	217,140	90.0%	897,957	95.9%
07/17/2006	215.0	561,070	80.7%	83.9	100,513	39.1%	661,583	69.5%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/16/2006	97	522	0.00	97	218	0.00	740
MTD		6,585	4.09		3,044	2.07	9,629

STREAM FLOWS

Gauging Station	07/16/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	79	7,009
NRTT : Nueces River at Tilden, Texas	0	2,242
FRTT : Frio River at Tilden, Texas	1	232
SMTT : San Miguel Creek at Tilden, Texas	0	135
ARWT : Atascosa River at Whitsett, Texas	7	3,843
Release from Choke Canyon Reservoir	66	1,048
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	218	2,642
NCAT : Nueces River at Calallen, Texas	20	572
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	15	6,328

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	541
Return Flow Credit (Effective: 07/01/2006)	500
Passthru Target: 4,500 Reservoir Inflow: 6,328	4,500
Estuary Inflows (Measured at NCAT)	572
PassThru Surplus / -Deficit:	-2,887

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2006		Elevation (Ft)	
				Allocation	Remaining	Full	07/17/2006
07/16/2006	147	2,340	26,834	4,100	1,760	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 18, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/18/2005	220.0	681,327	98.0%	91.8	218,708	90.7%	900,035	96.1%
07/18/2006	215.0	560,606	80.6%	83.9	100,047	38.9%	660,653	69.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/17/2006	98	576	0.00	97	258	0.00	834
MTD		7,161	4.09		3,302	2.07	10,463

STREAM FLOWS

Gauging Station	07/17/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	7,084
NRTT : Nueces River at Tilden, Texas	0	2,243
FRTT : Frio River at Tilden, Texas	1	233
SMTT : San Miguel Creek at Tilden, Texas	0	135
ARWT : Atascosa River at Whitsett, Texas	6	3,849
Release from Choke Canyon Reservoir	66	1,114
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	218	2,860
NCAT : Nueces River at Calallen, Texas	58	630
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	11	6,339

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	541
Return Flow Credit (Effective: 07/01/2006)	500
Passthru Target: 4,500 Reservoir Inflow: 6,339	4,500
Estuary Inflows (Measured at NCAT)	630
PassThru Surplus / -Deficit:	-2,829

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2006		Elevation (Ft)	
				Allocation	Remaining	Full	07/18/2006
07/17/2006	147	2,486	26,981	4,100	1,614	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 19, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/19/2005	220.0	681,327	98.0%	91.9	219,231	90.9%	900,558	96.2%
07/19/2006	215.0	560,147	80.6%	83.9	99,698	38.8%	659,845	69.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/18/2006	98	535	0.00	99	230	0.00	765
MTD		7,696	4.09		3,532	2.07	11,228

STREAM FLOWS

Gauging Station	07/18/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	7,158
NRTT : Nueces River at Tilden, Texas	0	2,243
FRRT : Frio River at Tilden, Texas	1	234
SMTT : San Miguel Creek at Tilden, Texas	0	135
ARWT : Atascosa River at Whitsett, Texas	5	3,853
Release from Choke Canyon Reservoir	66	1,179
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	218	3,079
NCAT : Nueces River at Calallen, Texas	24	654
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	9	6,348

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	541
Return Flow Credit (Effective: 07/01/2006)	500
Passthru Target: 4,500 Reservoir Inflow: 6,348	4,500
Estuary Inflows (Measured at NCAT)	654
PassThru Surplus / -Deficit:	-2,805

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2006		Elevation (Ft)	
				Allocation	Remaining	Full	07/19/2006
07/18/2006	146	2,633	27,127	4,100	1,467	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 20, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/20/2005	219.9	680,817	97.9%	91.9	220,279	91.3%	901,096	96.2%
07/20/2006	215.0	559,688	80.5%	83.8	99,350	38.6%	659,038	69.2%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/19/2006	98	508	0.00	96	250	0.00	758
MTD		8,204	4.09		3,782	2.07	11,986

STREAM FLOWS

Gauging Station	07/19/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	7,229
NRTT : Nueces River at Tilden, Texas	0	2,243
FRTT : Frio River at Tilden, Texas	1	235
SMTT : San Miguel Creek at Tilden, Texas	0	135
ARWT : Atascosa River at Whitsett, Texas	5	3,858
Release from Choke Canyon Reservoir	66	1,245
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	218	3,297
NCAT : Nueces River at Calallen, Texas	8	662
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	7	6,355

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	541
Return Flow Credit (Effective: 07/01/2006)	500
Passthru Target: 4,500 Reservoir Inflow: 6,355	4,500
Estuary Inflows (Measured at NCAT)	662
PassThru Surplus / -Deficit:	-2,797

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2006		Elevation (Ft)	
				Allocation	Remaining	Full	07/20/2006
07/19/2006	146	2,779	27,273	4,100	1,321	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 21, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/21/2005	219.9	680,817	97.9%	92.1	222,379	92.2%	903,196	96.4%
07/21/2006	214.9	558,999	80.4%	83.8	98,888	38.4%	657,887	69.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/20/2006	96	468	0.00	97	236	0.00	704
MTD		8,672	4.09		4,018	2.07	12,690

STREAM FLOWS

Gauging Station	07/20/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	7,303
NRTT : Nueces River at Tilden, Texas	0	2,243
FRIT : Frio River at Tilden, Texas	0	235
SMTT : San Miguel Creek at Tilden, Texas	0	135
ARWT : Atascosa River at Whitsett, Texas	4	3,862
Release from Choke Canyon Reservoir	66	1,310
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	218	3,515
NCAT : Nueces River at Calallen, Texas	13	674
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	8	6,363

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	541
Return Flow Credit (Effective: 07/01/2006)	500
Passthru Target: 4,500 Reservoir Inflow: 6,363	4,500
Estuary Inflows (Measured at NCAT)	674
PassThru Surplus / -Deficit:	-2,785

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2006		Elevation (Ft)	
				Allocation	Remaining	Full	07/21/2006
07/20/2006	146	2,925	27,419	4,100	1,175	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 22, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/22/2005	219.9	680,308	97.8%	92.1	222,554	92.3%	902,862	96.4%
07/22/2006	214.9	558,310	80.3%	83.8	98,657	38.3%	656,967	69.0%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/21/2006	98	601	0.00	96	229	0.00	830
MTD		9,273	4.09		4,247	2.07	13,520

STREAM FLOWS

Gauging Station	07/21/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	7,372
NRTT : Nueces River at Tilden, Texas	0	2,243
FRTT : Frio River at Tilden, Texas	0	235
SMTT : San Miguel Creek at Tilden, Texas	0	135
ARWT : Atascosa River at Whitsett, Texas	5	3,867
Release from Choke Canyon Reservoir	66	1,376
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	218	3,734
NCAT : Nueces River at Calallen, Texas	28	702
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	6,367

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	541
Return Flow Credit (Effective: 07/01/2006)	500
Passthru Target: 4,500 Reservoir Inflow: 6,367	4,500
Estuary Inflows (Measured at NCAT)	702
PassThru Surplus / -Deficit:	-2,757

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2006		Elevation (Ft)	
				Allocation	Remaining	Full	07/22/2006
07/21/2006	146	3,071	27,565	4,100	1,029	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 23, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/23/2005	219.9	679,798	97.8%	92.1	222,379	92.2%	902,177	96.3%
07/23/2006	214.9	557,856	80.2%	83.7	98,081	38.1%	655,937	68.9%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/22/2006	99	534	1.62	99	241	0.00	775
MTD		9,807	5.71		4,488	2.07	14,295

STREAM FLOWS

Gauging Station	07/22/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	7,442
NRTT : Nueces River at Tilden, Texas	0	2,243
FRTT : Frio River at Tilden, Texas	1	236
SMTT : San Miguel Creek at Tilden, Texas	0	135
ARWT : Atascosa River at Whitsett, Texas	5	3,872
Release from Choke Canyon Reservoir	66	1,441
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	216	3,950
NCAT : Nueces River at Calallen, Texas	18	720
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	5	6,372

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	541
Return Flow Credit (Effective: 07/01/2006)	500
Passthru Target: 4,500 Reservoir Inflow: 6,372	4,500
Estuary Inflows (Measured at NCAT)	720
PassThru Surplus / -Deficit:	-2,739

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2006		Elevation (Ft)	
				Allocation	Remaining	Full	07/23/2006
07/22/2006	146	3,216	27,710	4,100	884	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 24, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/24/2005	219.9	679,284	97.7%	92.0	221,853	92.0%	901,137	96.2%
07/24/2006	214.9	557,174	80.1%	83.7	97,622	37.9%	654,796	68.7%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/23/2006	92	413	0.01	95	214	0.20	627
MTD		10,220	5.72		4,702	2.27	14,922

STREAM FLOWS

Gauging Station	07/23/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	7,517
NRTT : Nueces River at Tilden, Texas	0	2,243
FRTT : Frio River at Tilden, Texas	0	236
SMTT : San Miguel Creek at Tilden, Texas	0	135
ARWT : Atascosa River at Whitsett, Texas	6	3,879
Release from Choke Canyon Reservoir	66	1,507
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	218	4,169
NCAT : Nueces River at Calallen, Texas	48	767
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	6,382

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	541
Return Flow Credit (Effective: 07/01/2006)	500
Passthru Target: 4,500 Reservoir Inflow: 6,382	4,500
Estuary Inflows (Measured at NCAT)	767
PassThru Surplus / -Deficit:	-2,692

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2006		Elevation (Ft)	
				Allocation	Remaining	Full	07/24/2006
07/23/2006	146	3,362	27,856	4,100	738	44.0	44.0

Report Generated: 07/24/2006 at 8:08:07 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 25, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/25/2005	219.9	679,027	97.7%	92.0	221,503	91.8%	900,530	96.2%
07/25/2006	214.8	556,492	80.0%	83.7	97,164	37.8%	653,656	68.6%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/24/2006	95	479	0.00	96	240	0.00	719
MTD		10,699	5.72		4,942	2.27	15,641

STREAM FLOWS

Gauging Station	07/24/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	7,593
NRTT : Nueces River at Tilden, Texas	0	2,243
FRTT : Frio River at Tilden, Texas	0	236
SMTT : San Miguel Creek at Tilden, Texas	0	135
ARWT : Atascosa River at Whitsett, Texas	7	3,885
Release from Choke Canyon Reservoir	66	1,572
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	216	4,385
NCAT : Nueces River at Calallen, Texas	44	811
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	6,392

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	541
Return Flow Credit (Effective: 07/01/2006)	500
Passthru Target: 4,500 Reservoir Inflow: 6,392	4,500
Estuary Inflows (Measured at NCAT)	811
PassThru Surplus / -Deficit:	-2,648

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2006		Elevation (Ft)	
				Allocation	Remaining	Full	07/25/2006
07/24/2006	145	3,507	28,001	4,100	593	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 26, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/26/2005	219.9	678,513	97.6%	92.0	221,153	91.7%	899,666	96.1%
07/26/2006	214.8	555,808	79.9%	83.6	97,049	37.7%	652,857	68.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/25/2006	88	546	0.00	89	160	0.05	706
MTD		11,245	5.72		5,102	2.32	16,347

STREAM FLOWS

Gauging Station	07/25/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	7,666
NRTT : Nueces River at Tilden, Texas	0	2,243
FRTT : Frio River at Tilden, Texas	0	237
SMTT : San Miguel Creek at Tilden, Texas	0	135
ARWT : Atascosa River at Whitsett, Texas	5	3,891
Release from Choke Canyon Reservoir	66	1,638
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	216	4,601
NCAT : Nueces River at Calallen, Texas	44	855
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	6,401

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	541
Return Flow Credit (Effective: 07/01/2006)	500
Passthru Target: 4,500 Reservoir Inflow: 6,401	4,500
Estuary Inflows (Measured at NCAT)	855
PassThru Surplus / -Deficit:	-2,604

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2006		Elevation (Ft)	
				Allocation	Remaining	Full	07/26/2006
07/25/2006	145	3,653	28,147	4,100	447	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 27, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/27/2005	219.9	678,513	97.6%	92.0	221,328	91.7%	899,841	96.1%
07/27/2006	214.8	556,265	80.0%	83.6	96,252	37.4%	652,517	68.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/26/2006	94	352	0.08	94	86	0.31	438
MTD		11,597	5.80		5,188	2.63	16,785

STREAM FLOWS

Gauging Station	07/26/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	7,738
NRTT : Nueces River at Tilden, Texas	0	2,243
FRRT : Frio River at Tilden, Texas	1	237
SMTT : San Miguel Creek at Tilden, Texas	0	135
ARWT : Atascosa River at Whitsett, Texas	8	3,898
Release from Choke Canyon Reservoir	66	1,703
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	218	4,820
NCAT : Nueces River at Calallen, Texas	54	908
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	7	6,407

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	541
Return Flow Credit (Effective: 07/01/2006)	500
Passthru Target: 4,500 Reservoir Inflow: 6,407	4,500
Estuary Inflows (Measured at NCAT)	908
PassThru Surplus / -Deficit:	-2,551

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2006		Elevation (Ft)	
				Allocation	Remaining	Full	07/27/2006
07/26/2006	145	3,798	28,292	4,100	302	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 28, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/28/2005	219.8	677,998	97.5%	92.0	221,503	91.8%	899,501	96.0%
07/28/2006	214.8	555,808	79.9%	83.6	96,479	37.5%	652,287	68.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/27/2006	90	319	0.00	90	146	0.05	465
MTD		11,916	5.80		5,334	2.68	17,250

STREAM FLOWS

Gauging Station	07/27/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	81	7,819
NRTT : Nueces River at Tilden, Texas	0	2,243
FRTT : Frio River at Tilden, Texas	0	237
SMTT : San Miguel Creek at Tilden, Texas	0	135
ARWT : Atascosa River at Whitsett, Texas	10	3,908
Release from Choke Canyon Reservoir	66	1,769
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	216	5,036
NCAT : Nueces River at Calallen, Texas	125	1,033
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	16	6,423

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	541
Return Flow Credit (Effective: 07/01/2006)	500
Passthru Target: 4,500 Reservoir Inflow: 6,423	4,500
Estuary Inflows (Measured at NCAT)	1,033
PassThru Surplus / -Deficit:	-2,426

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2006		Elevation (Ft)	
				Allocation	Remaining	Full	07/28/2006
07/27/2006	146	3,944	28,438	4,100	156	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 29, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/29/2005	219.8	677,741	97.5%	92.0	221,328	91.7%	899,069	96.0%
07/29/2006	214.8	555,349	79.9%	83.6	96,025	37.3%	651,374	68.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/28/2006	95	538	0.00	95	20	0.00	558
MTD		12,454	5.80		5,354	2.68	17,808

STREAM FLOWS

Gauging Station	07/28/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	89	7,908
NRTT : Nueces River at Tilden, Texas	0	2,243
FRTT : Frio River at Tilden, Texas	0	238
SMTT : San Miguel Creek at Tilden, Texas	0	135
ARWT : Atascosa River at Whitsett, Texas	14	3,922
Release from Choke Canyon Reservoir	66	1,834
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	216	5,252
NCAT : Nueces River at Calallen, Texas	93	1,127
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	24	6,447

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	541
Return Flow Credit (Effective: 07/01/2006)	500
Passthru Target: 4,500 Reservoir Inflow: 6,447	4,500
Estuary Inflows (Measured at NCAT)	1,127
PassThru Surplus / -Deficit:	-2,332

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2006		Elevation (Ft)	
				Allocation	Remaining	Full	07/29/2006
07/28/2006	146	4,090	28,584	4,100	10	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 30, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/30/2005	219.8	676,972	97.4%	92.0	220,978	91.6%	897,950	95.9%
07/30/2006	214.8	554,890	79.8%	83.5	95,685	37.2%	650,575	68.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/29/2006	96	697	0.00	95	138	0.00	835
MTD		13,151	5.80		5,492	2.68	18,643

STREAM FLOWS

Gauging Station	07/29/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	85	7,994
NRTT : Nueces River at Tilden, Texas	0	2,243
FRTT : Frio River at Tilden, Texas	0	238
SMTT : San Miguel Creek at Tilden, Texas	0	135
ARWT : Atascosa River at Whitsett, Texas	7	3,929
Release from Choke Canyon Reservoir	66	1,900
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	214	5,467
NCAT : Nueces River at Calallen, Texas	60	1,186
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	20	6,467

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	541
Return Flow Credit (Effective: 07/01/2006)	500
Passthru Target: 4,500 Reservoir Inflow: 6,467	4,500
Estuary Inflows (Measured at NCAT)	1,186
PassThru Surplus / -Deficit:	-2,273

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2006		Elevation (Ft)	
				Allocation	Remaining	Full	07/30/2006
07/29/2006	146	4,236	28,730	4,100	-136	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 31, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/31/2005	219.8	676,717	97.3%	92.0	220,803	91.5%	897,520	95.8%
07/31/2006	214.7	553,972	79.7%	83.5	95,120	37.0%	649,092	68.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/30/2006	97	747	0.00	96	269	0.00	1,016
MTD		13,898	5.80		5,761	2.68	19,659

STREAM FLOWS

Gauging Station	07/30/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	83	8,077
NRTT : Nueces River at Tilden, Texas	0	2,243
FRTT : Frio River at Tilden, Texas	0	238
SMTT : San Miguel Creek at Tilden, Texas	0	135
ARWT : Atascosa River at Whitsett, Texas	4	3,933
Release from Choke Canyon Reservoir	66	1,965
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	214	5,681
NCAT : Nueces River at Calallen, Texas	48	1,234
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	18	6,485

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	541
Return Flow Credit (Effective: 07/01/2006)	500
Passthru Target: 4,500 Reservoir Inflow: 6,485	4,500
Estuary Inflows (Measured at NCAT)	1,234
PassThru Surplus / -Deficit:	-2,225

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2006		Elevation (Ft)	
				Allocation	Remaining	Full	07/31/2006
07/30/2006	146	4,381	28,876	4,100	-281	44.0	44.0