

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 1, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/01/2005	219.1	659,481	94.9%	90.8	200,949	83.3%	860,430	91.9%
09/01/2006	213.9	536,412	77.2%	82.1	80,645	31.3%	617,057	64.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/31/2006	97	584	0.00	96	190	0.00	774
MTD		15,668	0.65		6,864	0.60	22,532

STREAM FLOWS

Gauging Station	08/31/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	2,217
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	146
Release from Choke Canyon Reservoir	66	2,031
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	246	9,125
NCAT : Nueces River at Calallen, Texas	0	2,736
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	232

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/07/2006)	-2,353
Return Flow Credit (Effective: 08/07/2006)	500
Passthru Target: 5,000 Reservoir Inflow: 232	232
Estuary Inflows (Measured at NCAT)	2,736
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2006		Elevation (Ft)	
				Allocation	Remaining	Full	09/01/2006
08/31/2006	146	4,525	33,547	4,100	-425	44.0	42.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 2, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/02/2005	219.1	658,981	94.8%	90.8	200,608	83.2%	859,589	91.8%
09/02/2006	213.9	536,189	77.1%	82.1	80,036	31.1%	616,225	64.7%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/01/2006	100	519	0.00	100	206	0.00	725
MTD		519	0.00		206	0.00	725

STREAM FLOWS

Gauging Station	09/01/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	62
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	3
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	244	244
NCAT : Nueces River at Calallen, Texas	0	0
Reservoir Inflow		
Computed as: NRMT+FRTT+SMTT+ARWT	3	3

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	151
Return Flow Credit (Effective: 09/01/2006)	500
Passthru Target: 11,500 Reservoir Inflow: 3	3
Estuary Inflows (Measured at NCAT)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2006		Elevation (Ft)	
				Allocation	Remaining	Full	09/02/2006
09/01/2006	146	146	33,693	4,100	3,954	44.0	42.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 3, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/03/2005	219.1	658,480	94.7%	90.8	200,608	83.2%	859,088	91.7%
09/03/2006	213.9	535,744	77.1%	82.0	79,834	31.0%	615,578	64.6%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/02/2006	97	428	0.00	95	188	0.00	616
MTD		947	0.00		394	0.00	1,341

STREAM FLOWS

Gauging Station	09/02/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	125
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	1	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	6
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	246	490
NCAT : Nueces River at Calallen, Texas	1	1
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	3	6

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	151
Return Flow Credit (Effective: 09/01/2006)	500
Passthru Target: 11,500 Reservoir Inflow: 6	6
Estuary Inflows (Measured at NCAT)	1
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2006		Elevation (Ft)	
				Allocation	Remaining	Full	09/03/2006
09/02/2006	146	292	33,839	4,100	3,808	44.0	42.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 4, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/04/2005	219.1	658,981	94.8%	90.8	200,097	82.9%	859,078	91.7%
09/04/2006	213.9	534,853	76.9%	82.0	79,531	30.9%	614,384	64.5%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/03/2006	94	350	0.00	94	158	0.09	508
MTD		1,297	0.00		552	0.09	1,849

STREAM FLOWS

Gauging Station	09/03/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	191
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	8
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	246	736
NCAT : Nueces River at Calallen, Texas	4	6
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	7

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	151
Return Flow Credit (Effective: 09/01/2006)	500
Passthru Target: 11,500 Reservoir Inflow: 7	7
Estuary Inflows (Measured at NCAT)	6
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2006		Elevation (Ft)	
				Allocation	Remaining	Full	09/04/2006
09/03/2006	146	437	33,984	4,100	3,663	44.0	42.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 5, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/05/2005	219.1	658,230	94.7%	90.7	199,757	82.8%	857,987	91.6%
09/05/2006	213.9	534,631	76.9%	82.0	79,029	30.7%	613,660	64.4%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/04/2006	94	453	0.00	93	146	0.00	599
MTD		1,750	0.00		698	0.09	2,448

STREAM FLOWS

Gauging Station	09/04/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	256
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	1	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	11
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	256	993
NCAT : Nueces River at Calallen, Texas	0	6
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1	7

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	151
Return Flow Credit (Effective: 09/01/2006)	500
Passthru Target: 11,500 Reservoir Inflow: 7	7
Estuary Inflows (Measured at NCAT)	6
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2006		Elevation (Ft)	
				Allocation	Remaining	Full	09/05/2006
09/04/2006	146	583	34,130	4,100	3,517	44.0	42.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 6, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/06/2005	219.0	657,479	94.6%	90.7	199,416	82.7%	856,895	91.5%
09/06/2006	213.8	533,517	76.7%	81.9	78,229	30.4%	611,746	64.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/05/2006	86	310	0.00	90	133	0.00	443
MTD		2,060	0.00		831	0.09	2,891

STREAM FLOWS

Gauging Station	09/05/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	322
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	14
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	272	1,264
NCAT : Nueces River at Calallen, Texas	0	6
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	7

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	151
Return Flow Credit (Effective: 09/01/2006)	500
Passthru Target: 11,500 Reservoir Inflow: 7	7
Estuary Inflows (Measured at NCAT)	6
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2006		Elevation (Ft)	
				Allocation	Remaining	Full	09/06/2006
09/05/2006	145	728	34,275	4,100	3,372	44.0	42.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 7, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/07/2005	219.0	657,229	94.5%	90.7	198,906	82.5%	856,135	91.4%
09/07/2006	213.8	533,294	76.7%	81.9	78,229	30.4%	611,523	64.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/06/2006	93	465	0.00	93	168	0.00	633
MTD		2,525	0.00		999	0.09	3,524

STREAM FLOWS

Gauging Station	09/06/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	387
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	17
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	272	1,536
NCAT : Nueces River at Calallen, Texas	1	6
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	8

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	151
Return Flow Credit (Effective: 09/01/2006)	500
Passthru Target: 11,500 Reservoir Inflow: 8	8
Estuary Inflows (Measured at NCAT)	6
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2006		Elevation (Ft)	
				Allocation	Remaining	Full	09/07/2006
09/06/2006	145	874	34,421	4,100	3,226	44.0	42.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 8, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/08/2005	219.0	656,727	94.5%	90.7	198,397	82.2%	855,124	91.3%
09/08/2006	213.8	532,404	76.6%	81.8	77,732	30.2%	610,136	64.1%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/07/2006	94	461	0.00	95	162	0.00	623
MTD		2,986	0.00		1,161	0.09	4,147

STREAM FLOWS

Gauging Station	09/07/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	451
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	20
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	252	1,788
NCAT : Nueces River at Calallen, Texas	32	38
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	3	11

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	151
Return Flow Credit (Effective: 09/01/2006)	500
Passthru Target: 11,500 Reservoir Inflow: 11	11
Estuary Inflows (Measured at NCAT)	38
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2006		Elevation (Ft)	
				Allocation	Remaining	Full	09/08/2006
09/07/2006	145	1,019	34,566	4,100	3,081	44.0	42.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 9, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/09/2005	219.0	656,222	94.4%	90.6	198,057	82.1%	854,279	91.2%
09/09/2006	213.7	531,958	76.5%	81.8	77,633	30.2%	609,591	64.0%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/08/2006	89	206	0.08	90	167	0.59	373
MTD		3,192	0.08		1,328	0.68	4,520

STREAM FLOWS

Gauging Station	09/08/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	514
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	24
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	246	2,035
NCAT : Nueces River at Calallen, Texas	24	62
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	5	16

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	151
Return Flow Credit (Effective: 09/01/2006)	500
Passthru Target: 11,500 Reservoir Inflow: 16	16
Estuary Inflows (Measured at NCAT)	62
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2006		Elevation (Ft)	
				Allocation	Remaining	Full	09/09/2006
09/08/2006	145	1,164	34,711	4,100	2,936	44.0	42.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 10, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/10/2005	219.0	655,717	94.3%	90.6	197,379	81.8%	853,096	91.1%
09/10/2006	213.7	531,513	76.4%	81.8	77,435	30.1%	608,948	63.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/09/2006	88	232	0.00	84	29	0.15	261
MTD		3,424	0.08		1,357	0.83	4,781

STREAM FLOWS

Gauging Station	09/09/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	580
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	29
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	288	2,322
NCAT : Nueces River at Calallen, Texas	40	102
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	16

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	151
Return Flow Credit (Effective: 09/01/2006)	500
Passthru Target: 11,500 Reservoir Inflow: 16	16
Estuary Inflows (Measured at NCAT)	102
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2006		Elevation (Ft)	
				Allocation	Remaining	Full	09/10/2006
09/09/2006	145	1,309	34,856	4,100	2,791	44.0	42.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 11, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/11/2005	218.9	655,212	94.2%	90.6	196,701	81.5%	851,913	91.0%
09/11/2006	213.7	531,735	76.5%	81.8	77,139	30.0%	608,874	63.9%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/10/2006	93	284	0.00	91	80	0.11	364
MTD		3,708	0.08		1,437	0.94	5,145

STREAM FLOWS

Gauging Station	09/10/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	645
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	34
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	357	2,680
NCAT : Nueces River at Calallen, Texas	115	217
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	16

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	151
Return Flow Credit (Effective: 09/01/2006)	500
Passthru Target: 11,500 Reservoir Inflow: 16	16
Estuary Inflows (Measured at NCAT)	217
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2006		Elevation (Ft)	
				Allocation	Remaining	Full	09/11/2006
09/10/2006	145	1,454	35,001	4,100	2,646	44.0	42.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 12, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/12/2005	219.0	655,969	94.3%	90.6	197,040	81.7%	853,009	91.1%
09/12/2006	213.7	531,958	76.5%	81.9	77,931	30.3%	609,889	64.0%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/11/2006	83	168	1.43	90	127	1.19	295
MTD		3,876	1.51		1,564	2.13	5,440

STREAM FLOWS

Gauging Station	09/11/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	719
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	1	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	40
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	314	2,993
NCAT : Nueces River at Calallen, Texas	159	376
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	9	25

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	151
Return Flow Credit (Effective: 09/01/2006)	500
Passthru Target: 11,500 Reservoir Inflow: 25	25
Estuary Inflows (Measured at NCAT)	376
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2006		Elevation (Ft)	
				Allocation	Remaining	Full	09/12/2006
09/11/2006	85	1,539	35,086	4,100	2,561	44.0	42.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 13, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/13/2005	219.0	655,969	94.3%	90.5	196,362	81.4%	852,331	91.0%
09/13/2006	213.8	532,849	76.6%	81.9	77,931	30.3%	610,780	64.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/12/2006	82	78	0.03	81	52	0.44	130
MTD		3,954	1.54		1,616	2.57	5,570

STREAM FLOWS

Gauging Station	09/12/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	97	816
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	3	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	56	95
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	238	3,232
NCAT : Nueces River at Calallen, Texas	349	725
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	35	59

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	151
Return Flow Credit (Effective: 09/01/2006)	500
Passthru Target: 11,500 Reservoir Inflow: 59	59
Estuary Inflows (Measured at NCAT)	725
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2006		Elevation (Ft)	
				Allocation	Remaining	Full	09/13/2006
09/12/2006	111	1,651	35,198	4,100	2,449	44.0	42.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 14, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/14/2005	218.9	655,464	94.3%	90.5	196,023	81.3%	851,487	90.9%
09/14/2006	213.7	531,958	76.5%	81.9	78,229	30.4%	610,187	64.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/13/2006	92	258	0.00	82	23	0.21	281
MTD		4,212	1.54		1,639	2.78	5,851

STREAM FLOWS

Gauging Station	09/13/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	256	1,072
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	11	17
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	723	818
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	236	3,468
NCAT : Nueces River at Calallen, Texas	238	963
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	201	260

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	151
Return Flow Credit (Effective: 09/01/2006)	500
Passthru Target: 11,500 Reservoir Inflow: 260	260
Estuary Inflows (Measured at NCAT)	963
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2006		Elevation (Ft)	
				Allocation	Remaining	Full	09/14/2006
09/13/2006	126	1,776	35,323	4,100	2,324	44.0	42.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 15, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/15/2005	218.9	654,454	94.1%	90.5	195,685	81.1%	850,139	90.8%
09/15/2006	213.7	531,735	76.5%	81.9	78,229	30.4%	609,964	64.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/14/2006	90	297	0.00	89	110	0.00	407
MTD		4,509	1.54		1,749	2.78	6,258

STREAM FLOWS

Gauging Station	09/14/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	584	1,655
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	2	19
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	181	998
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	236	3,704
NCAT : Nueces River at Calallen, Texas	191	1,154
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	520	780

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	151
Return Flow Credit (Effective: 09/01/2006)	500
Passthru Target: 11,500 Reservoir Inflow: 780	780
Estuary Inflows (Measured at NCAT)	1,154
PassThru Surplus / -Deficit:	1,025

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2006		Elevation (Ft)	
				Allocation	Remaining	Full	09/15/2006
09/14/2006	145	1,921	35,468	4,100	2,179	44.0	42.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 16, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/16/2005	218.9	654,707	94.2%	90.5	195,178	80.9%	849,885	90.8%
09/16/2006	213.7	531,290	76.4%	81.9	78,329	30.4%	609,619	64.0%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/15/2006	96	400	0.00	94	163	0.00	563
MTD		4,909	1.54		1,912	2.78	6,821

STREAM FLOWS

Gauging Station	09/15/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	161	1,816
NRTT : Nueces River at Tilden, Texas	24	24
FRTT : Frio River at Tilden, Texas	1	19
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	48	1,046
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	236	3,940
NCAT : Nueces River at Calallen, Texas	129	1,283
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	96	876

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	151
Return Flow Credit (Effective: 09/01/2006)	500
Passthru Target: 11,500 Reservoir Inflow: 876	876
Estuary Inflows (Measured at NCAT)	1,283
PassThru Surplus / -Deficit:	1,058

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2006		Elevation (Ft)	
				Allocation	Remaining	Full	09/16/2006
09/15/2006	144	2,065	35,612	4,100	2,035	44.0	42.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 17, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/17/2005	218.9	653,703	94.0%	90.4	194,672	80.7%	848,375	90.6%
09/17/2006	213.7	531,070	76.4%	81.9	78,030	30.3%	609,100	63.9%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/16/2006	96	374	0.00	94	151	0.00	525
MTD		5,283	1.54		2,063	2.78	7,346

STREAM FLOWS

Gauging Station	09/16/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	1,908
NRTT : Nueces River at Tilden, Texas	296	320
FRTT : Frio River at Tilden, Texas	0	20
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	22	1,068
Release from Choke Canyon Reservoir	66	1,048
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	236	4,176
NCAT : Nueces River at Calallen, Texas	107	1,390
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	26	902

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	151
Return Flow Credit (Effective: 09/01/2006)	500
Passthru Target: 11,500 Reservoir Inflow: 902	902
Estuary Inflows (Measured at NCAT)	1,390
PassThru Surplus / -Deficit:	1,139

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2006		Elevation (Ft)	
				Allocation	Remaining	Full	09/17/2006
09/16/2006	145	2,210	35,757	4,100	1,890	44.0	42.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 18, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/18/2005	218.9	653,453	94.0%	90.4	194,165	80.5%	847,618	90.5%
09/18/2006	214.0	537,748	77.3%	82.1	80,239	31.2%	617,987	64.9%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/17/2006	88	130	2.95	91	Pan overflow	2.21	130
MTD		5,413	4.49		2,063	4.99	7,476

STREAM FLOWS

Gauging Station	09/17/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	93	2,001
NRTT : Nueces River at Tilden, Texas	206	526
FRTT : Frio River at Tilden, Texas	2	22
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	13	1,081
Release from Choke Canyon Reservoir	66	1,114
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	236	4,413
NCAT : Nueces River at Calallen, Texas	109	1,499
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	30	932

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	151
Return Flow Credit (Effective: 09/01/2006)	500
Passthru Target: 11,500 Reservoir Inflow: 932	932
Estuary Inflows (Measured at NCAT)	1,499
PassThru Surplus / -Deficit:	1,218

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2006		Elevation (Ft)	
				Allocation	Remaining	Full	09/18/2006
09/17/2006	144	2,354	35,901	4,100	1,746	44.0	42.6

Report Generated: 09/18/2006 at 8:38:07 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 19, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/19/2005	218.9	653,203	93.9%	90.4	194,334	80.6%	847,537	90.5%
09/19/2006	214.0	536,858	77.2%	82.8	87,534	34.0%	624,392	65.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/18/2006	86	182	0.00	85	12	0.00	194
MTD		5,595	4.49		2,075	4.99	7,670

STREAM FLOWS

Gauging Station	09/18/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,937	3,938
NRTT : Nueces River at Tilden, Texas	1,008	1,534
FRRT : Frio River at Tilden, Texas	121	143
SMTT : San Miguel Creek at Tilden, Texas	24	24
ARWT : Atascosa River at Whitsett, Texas	123	1,204
Release from Choke Canyon Reservoir	66	1,179
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	478	4,891
NCAT : Nueces River at Calallen, Texas	1,227	2,726
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	2,017	2,949

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	151
Return Flow Credit (Effective: 09/01/2006)	500
Passthru Target: 11,500 Reservoir Inflow: 2,949	2,949
Estuary Inflows (Measured at NCAT)	2,726
PassThru Surplus / -Deficit:	428

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2006		Elevation (Ft)	
				Allocation	Remaining	Full	09/19/2006
09/18/2006	145	2,499	36,046	4,100	1,601	44.0	42.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 20, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/20/2005	218.8	652,952	93.9%	90.4	193,828	80.3%	846,780	90.4%
09/20/2006	213.9	536,189	77.1%	83.2	92,105	35.8%	628,294	66.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/19/2006	88	363	0.00	86	142	0.00	505
MTD		5,958	4.49		2,217	4.99	8,175

STREAM FLOWS

Gauging Station	09/19/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,176	7,114
NRTT : Nueces River at Tilden, Texas	107	1,642
FRTT : Frio River at Tilden, Texas	32	175
SMTT : San Miguel Creek at Tilden, Texas	0	24
ARWT : Atascosa River at Whitsett, Texas	1,376	2,579
Release from Choke Canyon Reservoir	66	1,245
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	69	4,961
NCAT : Nueces River at Calallen, Texas	2,223	4,949
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3,142	6,091

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	151
Return Flow Credit (Effective: 09/01/2006)	500
Passthru Target: 11,500 Reservoir Inflow: 6,091	6,091
Estuary Inflows (Measured at NCAT)	4,949
PassThru Surplus / -Deficit:	-491

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2006		Elevation (Ft)	
				Allocation	Remaining	Full	09/20/2006
09/19/2006	145	2,644	36,191	4,100	1,456	44.0	42.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 21, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/21/2005	218.8	652,702	93.9%	90.4	193,491	80.2%	846,193	90.4%
09/21/2006	213.9	535,521	77.0%	83.4	94,220	36.6%	629,741	66.1%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/20/2006	88	389	0.00	88	170	0.00	559
MTD		6,347	4.49		2,387	4.99	8,734

STREAM FLOWS

Gauging Station	09/20/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,184	9,298
NRTT : Nueces River at Tilden, Texas	36	1,677
FRIT : Frio River at Tilden, Texas	6	181
SMTT : San Miguel Creek at Tilden, Texas	0	24
ARWT : Atascosa River at Whitsett, Texas	1,334	3,913
Release from Choke Canyon Reservoir	66	1,310
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	187	5,147
NCAT : Nueces River at Calallen, Texas	887	5,836
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,124	8,215

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	151
Return Flow Credit (Effective: 09/01/2006)	500
Passthru Target: 11,500 Reservoir Inflow: 8,215	8,215
Estuary Inflows (Measured at NCAT)	5,836
PassThru Surplus / -Deficit:	-1,728

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2006		Elevation (Ft)	
				Allocation	Remaining	Full	09/21/2006
09/20/2006	145	2,789	36,336	4,100	1,311	44.0	42.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 22, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/22/2005	218.8	652,702	93.9%	90.3	192,985	80.0%	845,687	90.3%
09/22/2006	213.9	535,744	77.1%	83.4	94,333	36.7%	630,077	66.1%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/21/2006	93	337	0.00	93	177	0.00	514
MTD		6,684	4.49		2,564	4.99	9,248

STREAM FLOWS

Gauging Station	09/21/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	852	10,149
NRTT : Nueces River at Tilden, Texas	14	1,692
FRTT : Frio River at Tilden, Texas	3	184
SMTT : San Miguel Creek at Tilden, Texas	0	24
ARWT : Atascosa River at Whitsett, Texas	189	4,102
Release from Choke Canyon Reservoir	66	1,376
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	212	5,360
NCAT : Nueces River at Calallen, Texas	369	6,206
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	789	9,004

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	151
Return Flow Credit (Effective: 09/01/2006)	500
Passthru Target: 11,500 Reservoir Inflow: 9,004	9,004
Estuary Inflows (Measured at NCAT)	6,206
PassThru Surplus / -Deficit:	-2,148

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2006		Elevation (Ft)	
				Allocation	Remaining	Full	09/22/2006
09/21/2006	145	2,934	36,481	4,100	1,166	44.0	42.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 23, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/23/2005	218.8	652,452	93.8%	90.3	192,649	79.9%	845,101	90.2%
09/23/2006	213.9	535,076	77.0%	83.4	94,782	36.8%	629,858	66.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/22/2006	94	389	0.00	94	177	0.00	566
MTD		7,073	4.49		2,741	4.99	9,814

STREAM FLOWS

Gauging Station	09/22/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	212	10,362
NRTT : Nueces River at Tilden, Texas	6	1,698
FRTT : Frio River at Tilden, Texas	4	188
SMTT : San Miguel Creek at Tilden, Texas	0	24
ARWT : Atascosa River at Whitsett, Texas	95	4,197
Release from Choke Canyon Reservoir	66	1,441
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	214	5,574
NCAT : Nueces River at Calallen, Texas	169	6,374
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	151	9,155

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	151
Return Flow Credit (Effective: 09/01/2006)	500
Passthru Target: 11,500 Reservoir Inflow: 9,155	9,155
Estuary Inflows (Measured at NCAT)	6,374
PassThru Surplus / -Deficit:	-2,130

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2006		Elevation (Ft)	
				Allocation	Remaining	Full	09/23/2006
09/22/2006	145	3,079	36,626	4,100	1,021	44.0	42.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 24, 2006**

RESERVOIR STATISTICS

Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/24/2005	218.8	651,951	93.8%	90.3	191,640	79.4%	843,591	90.1%
09/24/2006	214.2	542,222	78.0%	83.6	96,593	37.5%	638,815	67.1%

Weather Related Information							
Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/23/2006	93	392	2.83	93	219	1.02	611
MTD		7,465	7.32		2,960	6.01	10,425

STREAM FLOWS

Gauging Station	09/23/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	139	10,501
NRTT : Nueces River at Tilden, Texas	13	1,710
FRTT : Frio River at Tilden, Texas	2	190
SMTT : San Miguel Creek at Tilden, Texas	0	24
ARWT : Atascosa River at Whitsett, Texas	60	4,257
Release from Choke Canyon Reservoir	66	1,507
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	212	5,786
NCAT : Nueces River at Calallen, Texas	101	6,476
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	76	9,231

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	151
Return Flow Credit (Effective: 09/01/2006)	500
Passthru Target: 11,500 Reservoir Inflow: 9,231	9,231
Estuary Inflows (Measured at NCAT)	6,476
PassThru Surplus / -Deficit:	-2,104

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2006		Elevation (Ft)	
				Allocation	Remaining	Full	09/24/2006
09/23/2006	145	3,224	36,771	4,100	876	44.0	42.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 25, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/25/2005	218.8	651,451	93.7%	90.2	190,800	79.1%	842,251	89.9%
09/25/2006	214.2	542,222	78.0%	83.7	97,278	37.8%	639,500	67.1%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/24/2006	76	196	0.00	78	140	0.07	336
MTD		7,661	7.32		3,100	6.08	10,761

STREAM FLOWS

Gauging Station	09/24/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,800	12,301
NRTT : Nueces River at Tilden, Texas	173	1,883
FRRT : Frio River at Tilden, Texas	131	321
SMTT : San Miguel Creek at Tilden, Texas	218	242
ARWT : Atascosa River at Whitsett, Texas	1,127	5,384
Release from Choke Canyon Reservoir	66	1,572
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	220	6,007
NCAT : Nueces River at Calallen, Texas	586	7,061
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	2,084	11,315

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	151
Return Flow Credit (Effective: 09/01/2006)	500
Passthru Target: 11,500 Reservoir Inflow: 11,315	11,315
Estuary Inflows (Measured at NCAT)	7,061
PassThru Surplus / -Deficit:	-3,603

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2006		Elevation (Ft)	
				Allocation	Remaining	Full	09/25/2006
09/24/2006	145	3,369	36,916	4,100	731	44.0	42.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 26, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/26/2005	218.8	650,700	93.6%	90.2	189,794	78.7%	840,494	89.7%
09/26/2006	214.2	541,772	77.9%	83.9	100,280	39.0%	642,052	67.4%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/25/2006	84	314	0.00	83	176	0.00	490
MTD		7,975	7.32		3,276	6.08	11,251

STREAM FLOWS

Gauging Station	09/25/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,136	15,437
NRTT : Nueces River at Tilden, Texas	272	2,155
FRRT : Frio River at Tilden, Texas	111	432
SMTT : San Miguel Creek at Tilden, Texas	79	322
ARWT : Atascosa River at Whitsett, Texas	2,501	7,885
Release from Choke Canyon Reservoir	66	1,638
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	214	6,221
NCAT : Nueces River at Calallen, Texas	863	7,925
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	3,261	14,576

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	151
Return Flow Credit (Effective: 09/01/2006)	500
Passthru Target: 11,500 Reservoir Inflow: 14,576	11,500
Estuary Inflows (Measured at NCAT)	7,925
PassThru Surplus / -Deficit:	-2,924

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2006		Elevation (Ft)	
				Allocation	Remaining	Full	09/26/2006
09/25/2006	145	3,514	37,061	4,100	586	44.0	43.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 27, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/27/2005	218.7	650,200	93.5%	90.1	189,459	78.5%	839,659	89.7%
09/27/2006	214.2	541,322	77.9%	84.1	102,509	39.8%	643,831	67.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/26/2006	86	300	0.00	84	172	0.00	472
MTD		8,275	7.32		3,448	6.08	11,723

STREAM FLOWS

Gauging Station	09/26/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,037	18,474
NRTT : Nueces River at Tilden, Texas	959	3,114
FRRT : Frio River at Tilden, Texas	155	587
SMTT : San Miguel Creek at Tilden, Texas	19	341
ARWT : Atascosa River at Whitsett, Texas	2,045	9,930
Release from Choke Canyon Reservoir	66	1,703
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	214	6,435
NCAT : Nueces River at Calallen, Texas	468	8,393
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	3,145	17,722

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	151
Return Flow Credit (Effective: 09/01/2006)	500
Passthru Target: 11,500 Reservoir Inflow: 17,722	11,500
Estuary Inflows (Measured at NCAT)	8,393
PassThru Surplus / -Deficit:	-2,456

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2006		Elevation (Ft)	
				Allocation	Remaining	Full	09/27/2006
09/26/2006	145	3,659	37,206	4,100	441	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 28, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/28/2005	218.7	649,449	93.4%	90.1	188,790	78.3%	838,239	89.5%
09/28/2006	214.3	541,322	77.9%	84.3	104,409	40.6%	645,731	67.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/27/2006	89	327	0.00	88	160	0.00	487	
MTD		8,602	7.32		3,608	6.08	12,210	

STREAM FLOWS

Gauging Station	09/27/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,955	20,430
NRTT : Nueces River at Tilden, Texas	1,264	4,378
FRTT : Frio River at Tilden, Texas	163	750
SMTT : San Miguel Creek at Tilden, Texas	5	346
ARWT : Atascosa River at Whitsett, Texas	195	10,124
Release from Choke Canyon Reservoir	66	1,769
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	214	6,650
NCAT : Nueces River at Calallen, Texas	278	8,671
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,058	19,779

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	151
Return Flow Credit (Effective: 09/01/2006)	500
Passthru Target: 11,500 Reservoir Inflow: 19,779	11,500
Estuary Inflows (Measured at NCAT)	8,671
PassThru Surplus / -Deficit:	-2,178

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2006		Elevation (Ft)	
				Allocation	Remaining	Full	09/28/2006
09/27/2006	146	3,804	37,351	4,100	296	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 29, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/29/2005	218.7	648,953	93.3%	90.1	188,288	78.0%	837,241	89.4%
09/29/2006	214.2	541,772	77.9%	84.4	105,488	41.0%	647,260	68.0%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/28/2006	90	340	0.01	91	203	0.96	543
MTD		8,942	7.33		3,811	7.04	12,753

STREAM FLOWS

Gauging Station	09/28/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,372	21,801
NRTT : Nueces River at Tilden, Texas	1,399	5,778
FRTT : Frio River at Tilden, Texas	137	887
SMTT : San Miguel Creek at Tilden, Texas	0	346
ARWT : Atascosa River at Whitsett, Texas	103	10,228
Release from Choke Canyon Reservoir	66	1,834
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	121	6,771
NCAT : Nueces River at Calallen, Texas	143	8,814
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,444	21,223

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	151
Return Flow Credit (Effective: 09/01/2006)	500
Passthru Target: 11,500 Reservoir Inflow: 21,223	11,500
Estuary Inflows (Measured at NCAT)	8,814
PassThru Surplus / -Deficit:	-2,035

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2006		Elevation (Ft)	
				Allocation	Remaining	Full	09/29/2006
09/28/2006	145	3,950	37,497	4,100	150	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 30, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/30/2005	218.7	648,457	93.3%	90.1	188,623	78.2%	837,080	89.4%
09/30/2006	214.1	541,097	77.8%	84.5	106,694	41.5%	647,791	68.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/29/2006	88	313	0.00	89	141	0.00	454
MTD		9,255	7.33		3,952	7.04	13,207

STREAM FLOWS

Gauging Station	09/29/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,526	23,328
NRTT : Nueces River at Tilden, Texas	1,747	7,524
FRTT : Frio River at Tilden, Texas	54	940
SMTT : San Miguel Creek at Tilden, Texas	0	346
ARWT : Atascosa River at Whitsett, Texas	67	10,295
Release from Choke Canyon Reservoir	66	1,900
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	153	6,924
NCAT : Nueces River at Calallen, Texas	85	8,899
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,515	22,738

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	151
Return Flow Credit (Effective: 09/01/2006)	500
Passthru Target: 11,500 Reservoir Inflow: 22,738	11,500
Estuary Inflows (Measured at NCAT)	8,899
PassThru Surplus / -Deficit:	-1,950

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2006		Elevation (Ft)	
				Allocation	Remaining	Full	09/30/2006
09/29/2006	145	4,095	37,642	4,100	5	44.0	44.0