

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 1, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/01/2005	218.6	647,714	93.2%	90.0	187,787	77.8%	835,501	89.2%
10/01/2006	214.1	540,872	77.8%	84.6	108,519	42.2%	649,391	68.2%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/30/2006	90	261	0.00	90	171	0.00	432
MTD		9,516	7.33		4,123	7.04	13,639

STREAM FLOWS

Gauging Station	09/30/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,322	25,650
NRTT : Nueces River at Tilden, Texas	2,104	9,628
FRTT : Frio River at Tilden, Texas	22	962
SMTT : San Miguel Creek at Tilden, Texas	0	346
ARWT : Atascosa River at Whittsett, Texas	52	10,347
Release from Choke Canyon Reservoir	66	1,965
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	7,065
NCAT : Nueces River at Calallen, Texas	79	8,979
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,279	25,016

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	151
Return Flow Credit (Effective: 09/01/2006)	500
Passthru Target: 11,500 Reservoir Inflow: 25,016	11,500
Estuary Inflows (Measured at NCAT)	8,979
PassThru Surplus / -Deficit:	-1,870

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2006		Elevation (Ft)	
				Allocation	Remaining	Full	10/01/2006
09/30/2006	145	4,241	37,788	4,100	-141	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 2, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/02/2005	218.6	647,218	93.1%	90.0	187,454	77.7%	834,672	89.1%
10/02/2006	214.1	540,647	77.8%	84.8	110,363	42.9%	651,010	68.3%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/01/2006	90	352	0.00	90	158	0.00	510
MTD		352	0.00		158	0.00	510

STREAM FLOWS

Gauging Station	10/01/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,243	2,243
NRTT : Nueces River at Tilden, Texas	2,164	2,164
FRTT : Frio River at Tilden, Texas	12	12
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	46	46
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	167	167
NCAT : Nueces River at Calallen, Texas	71	71
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,190	2,190

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-1,870
Return Flow Credit (Effective:)	0
Passthru Target: 9,000 Reservoir Inflow: 2,190	2,190
Estuary Inflows (Measured at NCAT)	71
PassThru Surplus / -Deficit:	-3,988

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2006		Elevation (Ft)	
				Allocation	Remaining	Full	10/02/2006
10/01/2006	145	145	37,933	3,050	2,905	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 3, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/03/2005	218.6	646,720	93.0%	90.0	187,120	77.6%	833,840	89.0%
10/03/2006	214.1	540,422	77.7%	84.9	111,977	43.5%	652,399	68.5%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/02/2006	89	352	0.00	91	196	0.00	548
MTD		704	0.00		354	0.00	1,058

STREAM FLOWS

Gauging Station	10/02/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,263	4,506
NRTT : Nueces River at Tilden, Texas	921	3,085
FRTT : Frio River at Tilden, Texas	9	21
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	38	83
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	347	514
NCAT : Nueces River at Calallen, Texas	56	127
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,206	4,396

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-1,870
Return Flow Credit (Effective:)	0
Passthru Target: 9,000 Reservoir Inflow: 4,396	4,396
Estuary Inflows (Measured at NCAT)	127
PassThru Surplus / -Deficit:	-6,139

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2006		Elevation (Ft)	
				Allocation	Remaining	Full	10/03/2006
10/02/2006	145	291	38,078	3,050	2,759	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 4, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/04/2005	218.6	646,219	92.9%	90.0	186,953	77.5%	833,172	89.0%
10/04/2006	214.1	539,752	77.6%	85.0	113,103	44.0%	652,855	68.5%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/03/2006	88	222	0.00	88	175	0.00	397
MTD		926	0.00		529	0.00	1,455

STREAM FLOWS

Gauging Station	10/03/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,167	5,673
NRTT : Nueces River at Tilden, Texas	167	3,251
FRTT : Frio River at Tilden, Texas	7	28
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	32	115
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	389	903
NCAT : Nueces River at Calallen, Texas	165	292
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,108	5,504

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-1,870
Return Flow Credit (Effective:)	0
Passthru Target: 9,000 Reservoir Inflow: 5,504	5,504
Estuary Inflows (Measured at NCAT)	292
PassThru Surplus / -Deficit:	-7,082

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2006		Elevation (Ft)	
				Allocation	Remaining	Full	10/04/2006
10/03/2006	145	436	38,224	3,050	2,614	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 5, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/05/2005	218.6	645,969	92.9%	90.0	186,620	77.4%	832,589	88.9%
10/05/2006	214.1	539,752	77.6%	85.0	112,852	43.9%	652,604	68.5%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/04/2006	88	196	0.00	88	161	0.10	357
MTD		1,122	0.00		690	0.10	1,812

STREAM FLOWS

Gauging Station	10/04/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	256	5,929
NRTT : Nueces River at Tilden, Texas	83	3,335
FRTT : Frio River at Tilden, Texas	5	32
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	22	137
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	415	1,318
NCAT : Nueces River at Calallen, Texas	214	506
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	195	5,700

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-1,870
Return Flow Credit (Effective:)	0
Passthru Target: 9,000 Reservoir Inflow: 5,700	5,700
Estuary Inflows (Measured at NCAT)	506
PassThru Surplus / -Deficit:	-7,063

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2006		Elevation (Ft)	
				Allocation	Remaining	Full	10/05/2006
10/04/2006	146	581	38,369	3,050	2,469	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 6, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/06/2005	218.6	645,719	92.9%	90.0	186,453	77.3%	832,172	88.9%
10/06/2006	214.1	539,084	77.5%	84.9	112,477	43.7%	651,561	68.4%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/05/2006	88	234	0.00	88	146	0.00	380
MTD		1,356	0.00		836	0.10	2,192

STREAM FLOWS

Gauging Station	10/05/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	157	6,086
NRTT : Nueces River at Tilden, Texas	52	3,386
FRTT : Frio River at Tilden, Texas	3	36
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	148
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	463	1,781
NCAT : Nueces River at Calallen, Texas	218	725
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	95	5,794

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-1,870
Return Flow Credit (Effective:)	0
Passthru Target: 9,000 Reservoir Inflow: 5,794	5,794
Estuary Inflows (Measured at NCAT)	725
PassThru Surplus / -Deficit:	-6,940

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2006		Elevation (Ft)	
				Allocation	Remaining	Full	10/06/2006
10/05/2006	146	727	38,515	3,050	2,323	44.0	43.9

Report Generated: 10/06/2006 at 8:18:27 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 7, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/07/2005	218.5	645,218	92.8%	90.0	187,120	77.6%	832,338	88.9%
10/07/2006	214.1	539,084	77.5%	84.9	111,728	43.4%	650,812	68.3%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/06/2006	91	234	0.00	90	167	0.00	401
MTD		1,590	0.00		1,003	0.10	2,593

STREAM FLOWS

Gauging Station	10/06/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	121	6,207
NRTT : Nueces River at Tilden, Texas	40	3,426
FRTT : Frio River at Tilden, Texas	3	38
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	158
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	461	2,241
NCAT : Nueces River at Calallen, Texas	316	1,040
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	58	5,852

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-1,870
Return Flow Credit (Effective:)	0
Passthru Target: 9,000 Reservoir Inflow: 5,852	5,852
Estuary Inflows (Measured at NCAT)	1,040
PassThru Surplus / -Deficit:	-6,682

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2006		Elevation (Ft)	
				Allocation	Remaining	Full	10/07/2006
10/06/2006	145	872	38,660	3,050	2,178	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 8, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/08/2005	218.5	644,467	92.7%	89.9	185,288	76.8%	829,755	88.6%
10/08/2006	214.0	537,971	77.4%	84.8	111,355	43.3%	649,326	68.2%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/07/2006	86	195	0.00	86	123	0.00	318
MTD		1,785	0.00		1,126	0.10	2,911

STREAM FLOWS

Gauging Station	10/07/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	105	6,312
NRTT : Nueces River at Tilden, Texas	34	3,460
FRTT : Frio River at Tilden, Texas	2	40
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	9	167
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	463	2,704
NCAT : Nueces River at Calallen, Texas	359	1,399
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	41	5,894

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-1,870
Return Flow Credit (Effective:)	0
Passthru Target: 9,000 Reservoir Inflow: 5,894	5,894
Estuary Inflows (Measured at NCAT)	1,399
PassThru Surplus / -Deficit:	-6,364

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2006		Elevation (Ft)	
				Allocation	Remaining	Full	10/08/2006
10/07/2006	145	1,017	38,805	3,050	2,033	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 9, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/09/2005	218.5	643,971	92.6%	89.9	184,790	76.6%	828,761	88.5%
10/09/2006	214.0	537,526	77.3%	84.8	110,734	43.0%	648,260	68.1%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/08/2006	87	312	0.00	86	166	0.00	478
MTD		2,097	0.00		1,292	0.10	3,389

STREAM FLOWS

Gauging Station	10/08/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	93	6,406
NRTT : Nueces River at Tilden, Texas	28	3,488
FRTT : Frio River at Tilden, Texas	1	41
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	175
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	463	3,166
NCAT : Nueces River at Calallen, Texas	429	1,828
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	29	5,923

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-1,870
Return Flow Credit (Effective:)	0
Passthru Target: 9,000 Reservoir Inflow: 5,923	5,923
Estuary Inflows (Measured at NCAT)	1,828
PassThru Surplus / -Deficit:	-5,965

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2006		Elevation (Ft)	
				Allocation	Remaining	Full	10/09/2006
10/08/2006	145	1,162	38,950	3,050	1,888	44.0	43.9

Report Generated: 10/09/2006 at 8:35:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 10, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/10/2005	218.5	643,475	92.6%	89.8	183,960	76.3%	827,435	88.4%
10/10/2006	214.0	537,080	77.2%	84.7	110,116	42.8%	647,196	67.9%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/09/2006	87	182	0.00	87	108	0.00	290
MTD		2,279	0.00		1,400	0.10	3,679

STREAM FLOWS

Gauging Station	10/09/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	87	6,493
NRTT : Nueces River at Tilden, Texas	22	3,509
FRTT : Frio River at Tilden, Texas	1	42
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	183
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	333	3,500
NCAT : Nueces River at Calallen, Texas	310	2,138
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	23	5,946

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/10/2006)	-1,870
Return Flow Credit (Effective: 10/10/2006)	500
Passthru Target: 9,000 Reservoir Inflow: 5,946	5,946
Estuary Inflows (Measured at NCAT)	2,138
PassThru Surplus / -Deficit:	-5,178

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2006		Elevation (Ft)	
				Allocation	Remaining	Full	10/10/2006
10/09/2006	144	1,306	39,094	3,050	1,744	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 11, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/11/2005	218.4	642,980	92.5%	89.8	184,125	76.3%	827,105	88.3%
10/11/2006	214.0	537,526	77.3%	84.8	110,240	42.9%	647,766	68.0%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/10/2006	86	182	0.44	92	137	0.01	319
MTD		2,461	0.44		1,537	0.11	3,998

STREAM FLOWS

Gauging Station	10/10/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	83	6,576
NRTT : Nueces River at Tilden, Texas	22	3,531
FRTT : Frio River at Tilden, Texas	1	43
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	191
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	218	3,718
NCAT : Nueces River at Calallen, Texas	266	2,404
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	19	5,965

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/10/2006)	-1,870
Return Flow Credit (Effective: 10/10/2006)	500
Passthru Target: 9,000 Reservoir Inflow: 5,965	5,965
Estuary Inflows (Measured at NCAT)	2,404
PassThru Surplus / -Deficit:	-4,931

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2006		Elevation (Ft)	
				Allocation	Remaining	Full	10/11/2006
10/10/2006	144	1,450	39,238	3,050	1,600	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 12, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/12/2005	218.5	644,717	92.7%	90.0	186,620	77.4%	831,337	88.8%
10/12/2006	214.0	537,080	77.2%	84.7	109,623	42.6%	646,703	67.9%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/11/2006	87	182	0.00	87	129	0.00	311
MTD		2,643	0.44		1,666	0.11	4,309

STREAM FLOWS

Gauging Station	10/11/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	81	6,658
NRTT : Nueces River at Tilden, Texas	17	3,548
FRTT : Frio River at Tilden, Texas	1	44
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	199
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	218	3,936
NCAT : Nueces River at Calallen, Texas	171	2,575
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	17	5,981

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/10/2006)	-1,870
Return Flow Credit (Effective: 10/10/2006)	500
Passthru Target: 9,000 Reservoir Inflow: 5,981	5,981
Estuary Inflows (Measured at NCAT)	2,575
PassThru Surplus / -Deficit:	-4,777

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2006		Elevation (Ft)	
				Allocation	Remaining	Full	10/12/2006
10/11/2006	144	1,595	39,382	3,050	1,455	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 13, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/13/2005	218.5	643,971	92.6%	89.9	186,287	77.2%	830,258	88.7%
10/13/2006	213.9	536,635	77.2%	84.7	109,869	42.7%	646,504	67.9%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/12/2006	90	260	0.00	94	136	0.00	396
MTD		2,903	0.44		1,802	0.11	4,705

STREAM FLOWS

Gauging Station	10/12/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	77	6,735
NRTT : Nueces River at Tilden, Texas	12	3,560
FRTT : Frio River at Tilden, Texas	1	46
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	207
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	218	4,155
NCAT : Nueces River at Calallen, Texas	85	2,660
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	13	5,995

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/10/2006)	-1,870
Return Flow Credit (Effective: 10/10/2006)	500
Passthru Target: 9,000 Reservoir Inflow: 5,995	5,995
Estuary Inflows (Measured at NCAT)	2,660
PassThru Surplus / -Deficit:	-4,705

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2006		Elevation (Ft)	
				Allocation	Remaining	Full	10/13/2006
10/12/2006	144	1,739	39,527	3,050	1,311	44.0	43.9

Report Generated: 10/13/2006 at 8:10:50 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 14, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/14/2005	218.5	644,717	92.7%	89.9	186,287	77.2%	831,004	88.7%
10/14/2006	213.9	535,967	77.1%	84.7	109,254	42.5%	645,221	67.7%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/13/2006	71	91	0.00	74	79	0.01	170
MTD		2,994	0.44		1,881	0.12	4,875

STREAM FLOWS

Gauging Station	10/13/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	6,809
NRTT : Nueces River at Tilden, Texas	12	3,572
FRTT : Frio River at Tilden, Texas	1	47
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whittsett, Texas	12	219
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	220	4,375
NCAT : Nueces River at Calallen, Texas	131	2,791
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	9	6,004

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/10/2006)	-1,870
Return Flow Credit (Effective: 10/10/2006)	500
Passthru Target: 9,000 Reservoir Inflow: 6,004	6,004
Estuary Inflows (Measured at NCAT)	2,791
PassThru Surplus / -Deficit:	-4,583

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2006		Elevation (Ft)	
				Allocation	Remaining	Full	10/14/2006
10/13/2006	144	1,883	39,670	3,050	1,167	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 15, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/15/2005	218.5	643,971	92.6%	89.9	186,120	77.2%	830,091	88.6%
10/15/2006	214.0	536,858	77.2%	84.8	110,363	42.9%	647,221	67.9%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/14/2006	80	91	0.17	81	86	0.58	177
MTD		3,085	0.61		1,967	0.70	5,052

STREAM FLOWS

Gauging Station	10/14/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	6,882
NRTT : Nueces River at Tilden, Texas	12	3,584
FRTT : Frio River at Tilden, Texas	2	49
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	14	233
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	222	4,597
NCAT : Nueces River at Calallen, Texas	181	2,972
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	9	6,013

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/10/2006)	-1,870
Return Flow Credit (Effective: 10/10/2006)	500
Passthru Target: 9,000 Reservoir Inflow: 6,013	6,013
Estuary Inflows (Measured at NCAT)	2,972
PassThru Surplus / -Deficit:	-4,412

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2006		Elevation (Ft)	
				Allocation	Remaining	Full	10/15/2006
10/14/2006	145	2,028	39,815	3,050	1,022	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 16, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/16/2005	218.5	643,475	92.6%	90.0	186,453	77.3%	829,928	88.6%
10/16/2006	213.9	536,635	77.2%	84.7	109,869	42.7%	646,504	67.9%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/15/2006	86	78	0.00	86	72	0.04	150
MTD		3,163	0.61		2,039	0.74	5,202

STREAM FLOWS

Gauging Station	10/15/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	121	7,003
NRTT : Nueces River at Tilden, Texas	46	3,630
FRTT : Frio River at Tilden, Texas	2	51
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	12	245
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	220	4,818
NCAT : Nueces River at Calallen, Texas	200	3,172
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	58	6,071

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/10/2006)	-1,870
Return Flow Credit (Effective: 10/10/2006)	500
Passthru Target: 9,000 Reservoir Inflow: 6,071	6,071
Estuary Inflows (Measured at NCAT)	3,172
PassThru Surplus / -Deficit:	-4,269

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2006		Elevation (Ft)	
				Allocation	Remaining	Full	10/16/2006
10/15/2006	145	2,172	39,960	3,050	878	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 17, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/17/2005	218.4	642,980	92.5%	90.0	187,120	77.6%	830,100	88.6%
10/17/2006	213.9	536,412	77.2%	84.7	110,116	42.8%	646,528	67.9%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/16/2006	89	273	0.08	93	108	0.00	381
MTD		3,436	0.69		2,147	0.74	5,583

STREAM FLOWS

Gauging Station	10/16/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	81	7,084
NRTT : Nueces River at Tilden, Texas	36	3,665
FRTT : Frio River at Tilden, Texas	3	54
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	256
Release from Choke Canyon Reservoir	66	1,048
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	220	5,038
NCAT : Nueces River at Calallen, Texas	149	3,321
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	19	6,090

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/10/2006)	-1,870
Return Flow Credit (Effective: 10/10/2006)	500
Passthru Target: 9,000 Reservoir Inflow: 6,090	6,090
Estuary Inflows (Measured at NCAT)	3,321
PassThru Surplus / -Deficit:	-4,139

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2006		Elevation (Ft)	
				Allocation	Remaining	Full	10/17/2006
10/16/2006	145	2,317	40,105	3,050	733	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 18, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/18/2005	218.4	642,484	92.4%	90.0	187,120	77.6%	829,604	88.6%
10/18/2006	213.9	536,189	77.1%	84.7	109,746	42.7%	645,935	67.8%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/17/2006	92	234	0.00	93	100	0.00	334
MTD		3,670	0.69		2,247	0.74	5,917

STREAM FLOWS

Gauging Station	10/17/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	79	7,164
NRTT : Nueces River at Tilden, Texas	14	3,679
FRTT : Frio River at Tilden, Texas	2	56
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	266
Release from Choke Canyon Reservoir	66	1,114
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	220	5,258
NCAT : Nueces River at Calallen, Texas	127	3,448
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	16	6,106

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/10/2006)	-1,870
Return Flow Credit (Effective: 10/10/2006)	500
Passthru Target: 9,000 Reservoir Inflow: 6,106	6,106
Estuary Inflows (Measured at NCAT)	3,448
PassThru Surplus / -Deficit:	-4,028

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2006		Elevation (Ft)	
				Allocation	Remaining	Full	10/18/2006
10/17/2006	145	2,462	40,249	3,050	588	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 19, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/19/2005	218.4	641,988	92.3%	90.0	186,786	77.4%	828,774	88.5%
10/19/2006	213.9	535,967	77.1%	84.8	110,487	42.9%	646,454	67.9%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/18/2006	92	285	0.01	90	108	0.00	393
MTD		3,955	0.70		2,355	0.74	6,310

STREAM FLOWS

Gauging Station	10/18/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	83	7,247
NRTT : Nueces River at Tilden, Texas	50	3,729
FRTT : Frio River at Tilden, Texas	2	58
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	276
Release from Choke Canyon Reservoir	66	1,179
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	220	5,479
NCAT : Nueces River at Calallen, Texas	119	3,567
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	20	6,126

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/10/2006)	-1,870
Return Flow Credit (Effective: 10/10/2006)	500
Passthru Target: 9,000 Reservoir Inflow: 6,126	6,126
Estuary Inflows (Measured at NCAT)	3,567
PassThru Surplus / -Deficit:	-3,929

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2006		Elevation (Ft)	
				Allocation	Remaining	Full	10/19/2006
10/18/2006	145	2,607	40,395	3,050	443	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 20, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/20/2005	218.4	641,492	92.3%	89.9	186,120	77.2%	827,612	88.4%
10/20/2006	213.9	535,076	77.0%	84.7	109,377	42.5%	644,453	67.7%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/19/2006	74	311	0.00	72	107	0.00	418
MTD		4,266	0.70		2,462	0.74	6,728

STREAM FLOWS

Gauging Station	10/19/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	123	7,370
NRTT : Nueces River at Tilden, Texas	218	3,947
FRTT : Frio River at Tilden, Texas	2	59
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	9	285
Release from Choke Canyon Reservoir	66	1,245
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	220	5,699
NCAT : Nueces River at Calallen, Texas	119	3,686
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	59	6,185

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/10/2006)	-1,870
Return Flow Credit (Effective: 10/10/2006)	500
Passthru Target: 9,000 Reservoir Inflow: 6,185	6,185
Estuary Inflows (Measured at NCAT)	3,686
PassThru Surplus / -Deficit:	-3,869

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2006		Elevation (Ft)	
				Allocation	Remaining	Full	10/20/2006
10/19/2006	145	2,752	40,540	3,050	298	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 21, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/21/2005	218.4	641,492	92.3%	89.9	185,953	77.1%	827,445	88.4%
10/21/2006	213.8	534,185	76.8%	84.6	108,764	42.3%	642,949	67.5%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/20/2006	74	272	0.00	72	86	0.00	358
MTD		4,538	0.70		2,548	0.74	7,086

STREAM FLOWS

Gauging Station	10/20/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	197	7,567
NRTT : Nueces River at Tilden, Texas	107	4,055
FRTT : Frio River at Tilden, Texas	2	61
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	9	295
Release from Choke Canyon Reservoir	66	1,310
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	220	5,919
NCAT : Nueces River at Calallen, Texas	117	3,803
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	133	6,317

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/10/2006)	-1,870
Return Flow Credit (Effective: 10/10/2006)	500
Passthru Target: 9,000 Reservoir Inflow: 6,317	6,317
Estuary Inflows (Measured at NCAT)	3,803
PassThru Surplus / -Deficit:	-3,884

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2006		Elevation (Ft)	
				Allocation	Remaining	Full	10/21/2006
10/20/2006	146	2,898	40,685	3,050	152	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 22, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/22/2005	218.4	640,996	92.2%	89.9	185,288	76.8%	826,284	88.2%
10/22/2006	213.8	533,740	76.8%	84.7	109,009	42.4%	642,749	67.5%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/21/2006	84	336	0.15	88	129	0.18	465
MTD		4,874	0.85		2,677	0.92	7,551

STREAM FLOWS

Gauging Station	10/21/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	170	7,737
NRTT : Nueces River at Tilden, Texas	52	4,106
FRTT : Frio River at Tilden, Texas	2	63
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	303
Release from Choke Canyon Reservoir	66	1,376
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	220	6,140
NCAT : Nueces River at Calallen, Texas	98	3,901
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	107	6,424

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/10/2006)	-1,870
Return Flow Credit (Effective: 10/10/2006)	500
Passthru Target: 9,000 Reservoir Inflow: 6,424	6,424
Estuary Inflows (Measured at NCAT)	3,901
PassThru Surplus / -Deficit:	-3,893

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2006		Elevation (Ft)	
				Allocation	Remaining	Full	10/22/2006
10/21/2006	146	3,043	40,831	3,050	7	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 23, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/23/2005	218.4	640,749	92.2%	89.8	184,291	76.4%	825,040	88.1%
10/23/2006	213.8	533,072	76.7%	84.7	109,377	42.5%	642,449	67.4%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/22/2006	70	245	0.01	65	107	0.46	352
MTD		5,119	0.86		2,784	1.38	7,903

STREAM FLOWS

Gauging Station	10/22/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	117	7,854
NRTT : Nueces River at Tilden, Texas	34	4,140
FRTT : Frio River at Tilden, Texas	1	64
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	310
Release from Choke Canyon Reservoir	66	1,441
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	224	6,364
NCAT : Nueces River at Calallen, Texas	147	4,048
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	53	6,477

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/10/2006)	-1,870
Return Flow Credit (Effective: 10/10/2006)	500
Passthru Target: 9,000 Reservoir Inflow: 6,477	6,477
Estuary Inflows (Measured at NCAT)	4,048
PassThru Surplus / -Deficit:	-3,799

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2006		Elevation (Ft)	
				Allocation	Remaining	Full	10/23/2006
10/22/2006	146	3,189	40,977	3,050	-139	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 24, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/24/2005	218.3	639,757	92.0%	89.8	184,623	76.5%	824,380	88.0%
10/24/2006	213.8	532,404	76.6%	84.6	108,641	42.2%	641,045	67.3%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/23/2006	73	232	0.00	74	185	0.00	417
MTD		5,351	0.86		2,969	1.38	8,320

STREAM FLOWS

Gauging Station	10/23/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	105	7,959
NRTT : Nueces River at Tilden, Texas	24	4,164
FRTT : Frio River at Tilden, Texas	1	65
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	317
Release from Choke Canyon Reservoir	66	1,507
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	222	6,586
NCAT : Nueces River at Calallen, Texas	127	4,175
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	40	6,518

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/10/2006)	-1,870
Return Flow Credit (Effective: 10/10/2006)	500
Passthru Target: 9,000 Reservoir Inflow: 6,518	6,518
Estuary Inflows (Measured at NCAT)	4,175
PassThru Surplus / -Deficit:	-3,712

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2006		Elevation (Ft)	
				Allocation	Remaining	Full	10/24/2006
10/23/2006	146	3,335	41,123	3,050	-285	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 25, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/25/2005	218.3	638,526	91.8%	89.7	182,303	75.6%	820,829	87.6%
10/25/2006	213.8	532,626	76.6%	84.6	108,397	42.1%	641,023	67.3%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/24/2006	78	207	0.00	79	93	0.00	300
MTD		5,558	0.86		3,062	1.38	8,620

STREAM FLOWS

Gauging Station	10/24/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	85	8,045
NRTT : Nueces River at Tilden, Texas	19	4,182
FRTT : Frio River at Tilden, Texas	1	66
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	324
Release from Choke Canyon Reservoir	66	1,572
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	222	6,809
NCAT : Nueces River at Calallen, Texas	91	4,266
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	21	6,538

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/10/2006)	-1,870
Return Flow Credit (Effective: 10/10/2006)	500
Passthru Target: 9,000 Reservoir Inflow: 6,538	6,538
Estuary Inflows (Measured at NCAT)	4,266
PassThru Surplus / -Deficit:	-3,642

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2006		Elevation (Ft)	
				Allocation	Remaining	Full	10/25/2006
10/24/2006	146	3,481	41,268	3,050	-431	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 26, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/26/2005	218.2	637,543	91.7%	89.7	181,808	75.4%	819,351	87.5%
10/26/2006	213.8	532,404	76.6%	84.6	108,274	42.1%	640,678	67.3%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/25/2006	78	103	0.03	80	57	0.00	160
MTD		5,661	0.89		3,119	1.38	8,780

STREAM FLOWS

Gauging Station	10/25/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	8,118
NRTT : Nueces River at Tilden, Texas	14	4,197
FRTT : Frio River at Tilden, Texas	1	66
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	332
Release from Choke Canyon Reservoir	66	1,638
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	222	7,031
NCAT : Nueces River at Calallen, Texas	115	4,381
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	9	6,547

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/10/2006)	-1,870
Return Flow Credit (Effective: 10/10/2006)	500
Passthru Target: 9,000 Reservoir Inflow: 6,547	6,547
Estuary Inflows (Measured at NCAT)	4,381
PassThru Surplus / -Deficit:	-3,536

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2006		Elevation (Ft)	
				Allocation	Remaining	Full	10/26/2006
10/25/2006	146	3,627	41,414	3,050	-577	44.0	44.0

Report Generated: 10/26/2006 at 8:20:29 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 27, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/27/2005	218.2	637,052	91.6%	89.7	181,477	75.2%	818,529	87.4%
10/27/2006	213.7	531,958	76.5%	84.6	108,152	42.0%	640,110	67.2%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/26/2006	90	323	0.00	92	171	0.00	494
MTD		5,984	0.89		3,290	1.38	9,274

STREAM FLOWS

Gauging Station	10/26/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	8,190
NRTT : Nueces River at Tilden, Texas	12	4,209
FRTT : Frio River at Tilden, Texas	1	67
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	340
Release from Choke Canyon Reservoir	66	1,703
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	220	7,251
NCAT : Nueces River at Calallen, Texas	179	4,560
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	7	6,554

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/10/2006)	-1,870
Return Flow Credit (Effective: 10/10/2006)	500
Passthru Target: 9,000 Reservoir Inflow: 6,554	6,554
Estuary Inflows (Measured at NCAT)	4,560
PassThru Surplus / -Deficit:	-3,364

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2006		Elevation (Ft)	
				Allocation	Remaining	Full	10/27/2006
10/26/2006	146	3,772	41,560	3,050	-722	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 28, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/28/2005	218.3	638,281	91.8%	89.6	180,817	75.0%	819,098	87.5%
10/28/2006	213.7	531,070	76.4%	84.5	107,543	41.8%	638,613	67.0%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/27/2006	77	374	0.00	75	234	0.00	608
MTD		6,358	0.89		3,524	1.38	9,882

STREAM FLOWS

Gauging Station	10/27/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	8,257
NRTT : Nueces River at Tilden, Texas	10	4,219
FRTT : Frio River at Tilden, Texas	1	68
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	348
Release from Choke Canyon Reservoir	66	1,769
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	220	7,472
NCAT : Nueces River at Calallen, Texas	141	4,701
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3	6,557

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/10/2006)	-1,870
Return Flow Credit (Effective: 10/10/2006)	500
Passthru Target: 9,000 Reservoir Inflow: 6,557	6,557
Estuary Inflows (Measured at NCAT)	4,701
PassThru Surplus / -Deficit:	-3,226

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2006		Elevation (Ft)	
				Allocation	Remaining	Full	10/28/2006
10/27/2006	145	3,918	41,705	3,050	-868	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 29, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/29/2005	218.2	637,543	91.7%	89.6	179,829	74.5%	817,372	87.3%
10/29/2006	213.7	530,849	76.4%	84.5	107,179	41.7%	638,028	67.0%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/28/2006	78	258	0.00	75	127	0.00	385
MTD		6,616	0.89		3,651	1.38	10,267

STREAM FLOWS

Gauging Station	10/28/2006 (AcFt)	MTD (AcFt)
NRTT : Nueces River at Three Rivers, Texas	64	8,321
NRTT : Nueces River at Tilden, Texas	7	4,225
FRTT : Frio River at Tilden, Texas	1	69
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	357
Release from Choke Canyon Reservoir	66	1,834
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	220	7,692
NCAT : Nueces River at Calallen, Texas	121	4,822
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	16	6,572

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/10/2006)	-1,870
Return Flow Credit (Effective: 10/10/2006)	500
Passthru Target: 9,000 Reservoir Inflow: 6,572	6,572
Estuary Inflows (Measured at NCAT)	4,822
PassThru Surplus / -Deficit:	-3,120

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2006		Elevation (Ft)	
				Allocation	Remaining	Full	10/29/2006
10/28/2006	145	4,063	41,851	3,050	-1,013	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 30, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/30/2005	218.2	637,052	91.6%	89.5	178,678	74.1%	815,730	87.1%
10/30/2006	213.6	529,747	76.2%	84.4	106,452	41.4%	636,199	66.8%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/29/2006	80	193	0.00	80	148	0.00	341
MTD		6,809	0.89		3,799	1.38	10,608

STREAM FLOWS

Gauging Station	10/29/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	8,384
NRTT : Nueces River at Tilden, Texas	5	4,231
FRTT : Frio River at Tilden, Texas	0	69
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	364
Release from Choke Canyon Reservoir	66	1,900
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	220	7,912
NCAT : Nueces River at Calallen, Texas	129	4,951
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	14	6,586

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/10/2006)	-1,870
Return Flow Credit (Effective: 10/10/2006)	500
Passthru Target: 9,000 Reservoir Inflow: 6,586	6,586
Estuary Inflows (Measured at NCAT)	4,951
PassThru Surplus / -Deficit:	-3,005

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2006		Elevation (Ft)	
				Allocation	Remaining	Full	10/30/2006
10/29/2006	145	4,208	41,996	3,050	-1,158	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 31, 2006**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/31/2005	218.2	636,556	91.6%	89.5	178,514	69.4%	815,070	85.6%
10/31/2006	213.6	529,086	76.1%	84.5	106,573	41.4%	635,659	66.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/30/2006	84	231	0.00	83	169	0.00	400
MTD		7,040	0.89		3,968	1.38	11,008

STREAM FLOWS

Gauging Station	10/30/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	8,446
NRIT : Nueces River at Tilden, Texas	4	4,234
FRIT : Frio River at Tilden, Texas	1	70
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	372
Release from Choke Canyon Reservoir	66	1,965
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	282	8,194
NCAT : Nueces River at Calallen, Texas	103	5,054
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	12	6,598

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/10/2006)	-1,870
Return Flow Credit (Effective: 10/10/2006)	500
Passthru Target: 9,000 Reservoir Inflow: 6,598 Comment:	6,598
Estuary Inflows (NCAT + RBP)	5,054
PassThru Surplus / -Deficit:	-2,914

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2006	
				Allocation	Remaining
10/30/2006	145	4,354	42,141	3,050	-1,304
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity	
FULL	44.0	161,085		100%	
10/30/2006	44.0	161,085		100.0%	