

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 1, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/01/2005	218.2	637,052	91.6%	89.5	179,006	74.2%	816,058	87.1%
11/01/2006	213.6	528,866	76.1%	84.5	106,694	41.5%	635,560	66.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/31/2006	85	308	0.00	86	162	0.00	470
MTD		7,348	0.89		4,130	1.38	11,478

STREAM FLOWS

Gauging Station	10/31/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	8,507
NRTT : Nueces River at Tilden, Texas	3	4,238
FRTT : Frio River at Tilden, Texas	1	70
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	380
Release from Choke Canyon Reservoir	66	2,031
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	399	8,593
NCAT : Nueces River at Calallen, Texas	127	5,181
Reservoir Inflow		
Computed as: NRMT+FRTT+SMTT+ARWT	12	6,609

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/10/2006)	-1,870
Return Flow Credit (Effective: 10/10/2006)	500
Passthru Target: 9,000 Reservoir Inflow: 6,609	6,609
Estuary Inflows (Measured at NCAT)	5,181
PassThru Surplus / -Deficit:	-2,798

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2006		Elevation (Ft)	
				Allocation	Remaining	Full	11/01/2006
10/31/2006	146	4,499	42,287	3,050	-1,449	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 2, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/02/2005	218.2	636,556	91.6%	89.5	178,185	73.9%	814,741	87.0%
11/02/2006	213.6	528,425	76.0%	84.4	106,090	41.2%	634,515	66.6%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/01/2006	77	308	0.00	79	162	0.00	470
MTD		308	0.00		162	0.00	470

STREAM FLOWS

Gauging Station	11/01/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	60
NRTT : Nueces River at Tilden, Texas	2	2
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	8
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	435	435
NCAT : Nueces River at Calallen, Texas	272	272
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	11	11

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-2,798
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 11	11
Estuary Inflows (Measured at NCAT)	272
PassThru Surplus / -Deficit:	-2,537

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2006		Elevation (Ft)	
				Allocation	Remaining	Full	11/02/2006
11/01/2006	146	146	42,433	3,050	2,904	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 3, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/03/2005	218.2	635,813	91.4%	89.4	177,857	73.7%	813,670	86.9%
11/03/2006	213.5	527,764	75.9%	84.3	105,128	40.9%	632,892	66.4%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/02/2006	70	244	0.00	70	126	0.00	370
MTD		552	0.00		288	0.00	840

STREAM FLOWS

Gauging Station	11/02/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	119
NRTT : Nueces River at Tilden, Texas	1	3
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	16
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	437	871
NCAT : Nueces River at Calallen, Texas	339	611
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	9	19

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-2,798
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 19	19
Estuary Inflows (Measured at NCAT)	611
PassThru Surplus / -Deficit:	-2,206

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2006		Elevation (Ft)	
				Allocation	Remaining	Full	11/03/2006
11/02/2006	146	292	42,579	3,050	2,758	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 4, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/04/2005	218.1	635,317	91.4%	89.4	177,693	73.7%	813,010	86.8%
11/04/2006	213.5	527,544	75.9%	84.2	104,051	40.4%	631,595	66.3%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/03/2006	71	218	0.00	71	111	0.00	329
MTD		770	0.00		399	0.00	1,169

STREAM FLOWS

Gauging Station	11/03/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	179
NRTT : Nueces River at Tilden, Texas	0	3
FRTT : Frio River at Tilden, Texas	1	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	23
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	437	1,308
NCAT : Nueces River at Calallen, Texas	381	993
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	8	28

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-2,798
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 28	28
Estuary Inflows (Measured at NCAT)	993
PassThru Surplus / -Deficit:	-1,833

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2006		Elevation (Ft)	
				Allocation	Remaining	Full	11/04/2006
11/03/2006	146	439	42,725	3,050	2,611	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 5, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/05/2005	218.1	635,317	91.4%	89.4	177,202	73.5%	812,519	86.8%
11/05/2006	213.5	527,324	75.8%	84.2	103,457	40.2%	630,781	66.2%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/04/2006	71	141	0.00	78	125	0.00	266
MTD		911	0.00		524	0.00	1,435

STREAM FLOWS

Gauging Station	11/04/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	238
NRTT : Nueces River at Tilden, Texas	0	4
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	31
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	437	1,745
NCAT : Nueces River at Calallen, Texas	427	1,419
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	8	36

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-2,798
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 36	36
Estuary Inflows (Measured at NCAT)	1,419
PassThru Surplus / -Deficit:	-1,415

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2006		Elevation (Ft)	
				Allocation	Remaining	Full	11/05/2006
11/04/2006	146	585	42,872	3,050	2,465	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 6, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/06/2005	218.2	635,813	91.4%	89.4	177,202	73.5%	813,015	86.8%
11/06/2006	213.5	527,324	75.8%	84.2	103,101	40.1%	630,425	66.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/05/2006	76	231	0.00	82	110	0.00	341
MTD		1,142	0.00		634	0.00	1,776

STREAM FLOWS

Gauging Station	11/05/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	298
NRTT : Nueces River at Tilden, Texas	0	4
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	37
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	437	2,182
NCAT : Nueces River at Calallen, Texas	399	1,818
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	7	43

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-2,798
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 43	43
Estuary Inflows (Measured at NCAT)	1,818
PassThru Surplus / -Deficit:	-1,023

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2006		Elevation (Ft)	
				Allocation	Remaining	Full	11/06/2006
11/05/2006	146	731	43,018	3,050	2,319	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 7, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/07/2005	218.1	634,821	91.3%	89.4	177,202	73.5%	812,023	86.7%
11/07/2006	213.5	526,663	75.7%	84.1	102,627	39.9%	629,290	66.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/06/2006	82	192	0.00	84	90	0.03	282
MTD		1,334	0.00		724	0.03	2,058

STREAM FLOWS

Gauging Station	11/06/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	353
NRTT : Nueces River at Tilden, Texas	0	4
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	44
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	437	2,618
NCAT : Nueces River at Calallen, Texas	375	2,193
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	7	50

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-2,798
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 50	50
Estuary Inflows (Measured at NCAT)	2,193
PassThru Surplus / -Deficit:	-655

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2006		Elevation (Ft)	
				Allocation	Remaining	Full	11/07/2006
11/06/2006	146	877	43,163	3,050	2,173	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 8, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/08/2005	218.1	634,821	91.3%	89.4	177,038	73.4%	811,859	86.7%
11/08/2006	213.5	526,442	75.7%	84.1	102,273	39.8%	628,715	66.0%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/07/2006	80	179	0.00	80	110	0.00	289
MTD		1,513	0.00		834	0.03	2,347

STREAM FLOWS

Gauging Station	11/07/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	409
NRTT : Nueces River at Tilden, Texas	0	4
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	51
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	330	2,948
NCAT : Nueces River at Calallen, Texas	324	2,517
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	8	58

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-2,798
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 58	58
Estuary Inflows (Measured at NCAT)	2,517
PassThru Surplus / -Deficit:	-340

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2006		Elevation (Ft)	
				Allocation	Remaining	Full	11/08/2006
11/07/2006	119	996	43,283	3,050	2,054	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 9, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/09/2005	218.1	635,317	91.4%	89.4	176,875	73.3%	812,192	86.7%
11/09/2006	213.5	526,222	75.7%	84.0	101,332	39.4%	627,554	65.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/08/2006	86	205	0.00	86	109	0.00	314
MTD		1,718	0.00		943	0.03	2,661

STREAM FLOWS

Gauging Station	11/08/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	464
NRTT : Nueces River at Tilden, Texas	0	5
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	59
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	189	3,136
NCAT : Nueces River at Calallen, Texas	316	2,833
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	8	67

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/08/2006)	-2,798
Return Flow Credit (Effective: 11/08/2006)	500
Passthru Target: 4,000 Reservoir Inflow: 67	67
Estuary Inflows (Measured at NCAT)	2,833
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2006		Elevation (Ft)	
				Allocation	Remaining	Full	11/09/2006
11/08/2006	145	1,141	43,428	3,050	1,909	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 10, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/10/2005	218.1	635,317	91.4%	89.4	176,875	73.3%	812,192	86.7%
11/10/2006	213.5	526,222	75.7%	84.1	101,802	39.6%	628,024	65.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/09/2006	88	230	0.00	89	151	0.00	381
MTD		1,948	0.00		1,094	0.03	3,042

STREAM FLOWS

Gauging Station	11/09/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	518
NRTT : Nueces River at Tilden, Texas	0	5
FRTT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	66
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	175	3,311
NCAT : Nueces River at Calallen, Texas	117	2,950
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	8	75

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/08/2006)	-2,798
Return Flow Credit (Effective: 11/08/2006)	500
Passthru Target: 4,000 Reservoir Inflow: 75	75
Estuary Inflows (Measured at NCAT)	2,950
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2006		Elevation (Ft)	
				Allocation	Remaining	Full	11/10/2006
11/09/2006	146	1,287	43,574	3,050	1,763	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 11, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/11/2005	218.1	635,069	91.3%	89.3	176,384	73.1%	811,453	86.6%
11/11/2006	213.5	526,001	75.7%	84.0	101,215	39.3%	627,216	65.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/10/2006	88	333	0.00	90	150	0.00	483
MTD		2,281	0.00		1,244	0.03	3,525

STREAM FLOWS

Gauging Station	11/10/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	572
NRTT : Nueces River at Tilden, Texas	0	5
FRTT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	74
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	167	3,478
NCAT : Nueces River at Calallen, Texas	38	2,987
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	9	84

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/08/2006)	-2,798
Return Flow Credit (Effective: 11/08/2006)	500
Passthru Target: 4,000 Reservoir Inflow: 84	84
Estuary Inflows (Measured at NCAT)	2,987
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2006		Elevation (Ft)	
				Allocation	Remaining	Full	11/11/2006
11/10/2006	145	1,432	43,719	3,050	1,618	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 12, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/12/2005	218.0	633,099	91.1%	89.3	175,894	72.9%	808,993	86.4%
11/12/2006	213.4	525,340	75.6%	84.0	101,332	39.4%	626,672	65.8%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/11/2006	71	269	0.00	60	157	0.00	426
MTD		2,550	0.00		1,401	0.03	3,951

STREAM FLOWS

Gauging Station	11/11/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	627
NRTT : Nueces River at Tilden, Texas	0	5
FRTT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	82
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	155	3,633
NCAT : Nueces River at Calallen, Texas	38	3,025
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	8	92

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 1,000 Effective: 11/10/2006	3,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/08/2006)	-2,798
Return Flow Credit (Effective: 11/08/2006)	500
Passthru Target: 3,000 Reservoir Inflow: 92	92
Estuary Inflows (Measured at NCAT)	3,025
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2006		Elevation (Ft)	
				Allocation	Remaining	Full	11/12/2006
11/11/2006	145	1,577	43,864	3,050	1,473	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 13, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/13/2005	218.0	632,854	91.0%	89.3	175,730	72.8%	808,584	86.3%
11/13/2006	213.4	525,340	75.6%	84.0	100,981	39.3%	626,321	65.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/12/2006	76	205	0.01	76	89	0.00	294
MTD		2,755	0.01		1,490	0.03	4,245

STREAM FLOWS

Gauging Station	11/12/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	687
NRTT : Nueces River at Tilden, Texas	0	6
FRTT : Frio River at Tilden, Texas	0	5
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	90
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	3,777
NCAT : Nueces River at Calallen, Texas	73	3,099
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	8	100

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 1,000 Effective: 11/10/2006	3,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/08/2006)	-2,798
Return Flow Credit (Effective: 11/08/2006)	500
Passthru Target: 3,000 Reservoir Inflow: 100	100
Estuary Inflows (Measured at NCAT)	3,099
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2006		Elevation (Ft)	
				Allocation	Remaining	Full	11/13/2006
11/12/2006	145	1,723	44,009	3,050	1,327	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 14, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/14/2005	218.0	632,608	91.0%	89.3	175,404	72.7%	808,012	86.3%
11/14/2006	213.4	524,899	75.5%	84.0	100,747	39.2%	625,646	65.7%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/13/2006	74	89	0.00	79	61	0.02	150
MTD		2,844	0.01		1,551	0.05	4,395

STREAM FLOWS

Gauging Station	11/13/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	748
NRTT : Nueces River at Tilden, Texas	0	6
FRTT : Frio River at Tilden, Texas	0	5
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	97
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	3,922
NCAT : Nueces River at Calallen, Texas	36	3,134
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	8	108

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 1,000 Effective: 11/10/2006	3,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/08/2006)	-2,798
Return Flow Credit (Effective: 11/08/2006)	500
Passthru Target: 3,000 Reservoir Inflow: 108	108
Estuary Inflows (Measured at NCAT)	3,134
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2006		Elevation (Ft)	
				Allocation	Remaining	Full	11/14/2006
11/13/2006	145	1,868	44,154	3,050	1,182	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 15, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/15/2005	218.0	632,363	91.0%	89.3	175,241	72.6%	807,604	86.2%
11/15/2006	213.4	525,120	75.5%	83.8	99,235	38.6%	624,355	65.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/14/2006	85	230	0.00	83	47	0.00	277
MTD		3,074	0.01		1,598	0.05	4,672

STREAM FLOWS

Gauging Station	11/14/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	806
NRTT : Nueces River at Tilden, Texas	0	6
FRTT : Frio River at Tilden, Texas	0	5
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	105
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	4,067
NCAT : Nueces River at Calallen, Texas	36	3,170
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	8	116

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 1,000 Effective: 11/10/2006	3,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/08/2006)	-2,798
Return Flow Credit (Effective: 11/08/2006)	500
Passthru Target: 3,000 Reservoir Inflow: 116	116
Estuary Inflows (Measured at NCAT)	3,170
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2006		Elevation (Ft)	
				Allocation	Remaining	Full	11/15/2006
11/14/2006	145	2,013	44,299	3,050	1,037	44.0	43.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 16, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/16/2005	218.0	631,871	90.9%	89.3	176,384	73.1%	808,255	86.3%
11/16/2006	213.4	524,461	75.4%	83.9	100,164	38.9%	624,625	65.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/15/2006	71	421	0.00	71	278	0.00	699
MTD		3,495	0.01		1,876	0.05	5,371

STREAM FLOWS

Gauging Station	11/15/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	867
NRTT : Nueces River at Tilden, Texas	0	6
FRIT : Frio River at Tilden, Texas	0	6
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	113
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	4,212
NCAT : Nueces River at Calallen, Texas	22	3,192
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	8	124

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 1,000 Effective: 11/10/2006	3,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/08/2006)	-2,798
Return Flow Credit (Effective: 11/08/2006)	500
Passthru Target: 3,000 Reservoir Inflow: 124	124
Estuary Inflows (Measured at NCAT)	3,192
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2006		Elevation (Ft)	
				Allocation	Remaining	Full	11/16/2006
11/15/2006	145	2,158	44,444	3,050	892	44.0	43.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 17, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/17/2005	217.9	630,643	90.7%	89.2	174,426	72.3%	805,069	86.0%
11/17/2006	213.4	523,589	75.3%	83.9	100,164	38.9%	623,753	65.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/16/2006	70	306	0.00	68	163	0.00	469
MTD		3,801	0.01		2,039	0.05	5,840

STREAM FLOWS

Gauging Station	11/16/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	931
NRTT : Nueces River at Tilden, Texas	0	6
FRTT : Frio River at Tilden, Texas	0	6
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	120
Release from Choke Canyon Reservoir	66	1,048
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	4,357
NCAT : Nueces River at Calallen, Texas	15	3,207
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	8	132

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 1,000 Effective: 11/10/2006	3,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/08/2006)	-2,798
Return Flow Credit (Effective: 11/08/2006)	500
Passthru Target: 3,000 Reservoir Inflow: 132	132
Estuary Inflows (Measured at NCAT)	3,207
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2006		Elevation (Ft)	
				Allocation	Remaining	Full	11/17/2006
11/16/2006	145	2,302	44,589	3,050	748	44.0	43.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 18, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/18/2005	217.9	628,923	90.5%	89.2	173,775	72.0%	802,698	85.7%
11/18/2006	213.3	521,626	75.0%	83.9	99,582	38.7%	621,208	65.2%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/17/2006	77	242	0.00	76	128	0.00	370
MTD		4,043	0.01		2,167	0.05	6,210

STREAM FLOWS

Gauging Station	11/17/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	996
NRTT : Nueces River at Tilden, Texas	0	6
FRTT : Frio River at Tilden, Texas	0	6
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	127
Release from Choke Canyon Reservoir	66	1,114
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	4,502
NCAT : Nueces River at Calallen, Texas	13	3,220
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	133

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 1,000 Effective: 11/10/2006	3,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/08/2006)	-2,798
Return Flow Credit (Effective: 11/08/2006)	500
Passthru Target: 3,000 Reservoir Inflow: 133	133
Estuary Inflows (Measured at NCAT)	3,220
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2006		Elevation (Ft)	
				Allocation	Remaining	Full	11/18/2006
11/17/2006	144	2,447	44,733	3,050	603	44.0	43.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 19, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/19/2005	217.8	627,941	90.3%	89.1	173,125	71.8%	801,066	85.5%
11/19/2006	213.2	521,189	75.0%	83.8	99,350	38.6%	620,539	65.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/18/2006	77	165	0.00	79	297	0.00	462
MTD		4,208	0.01		2,464	0.05	6,672

STREAM FLOWS

Gauging Station	11/18/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,062
NRTT : Nueces River at Tilden, Texas	0	7
FRTT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	134
Release from Choke Canyon Reservoir	66	1,179
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	4,647
NCAT : Nueces River at Calallen, Texas	15	3,235
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	133

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 1,000 Effective: 11/10/2006	3,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/08/2006)	-2,798
Return Flow Credit (Effective: 11/08/2006)	500
Passthru Target: 3,000 Reservoir Inflow: 133	133
Estuary Inflows (Measured at NCAT)	3,235
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2006		Elevation (Ft)	
				Allocation	Remaining	Full	11/19/2006
11/18/2006	144	2,591	44,878	3,050	459	44.0	43.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 20, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/20/2005	217.8	627,941	90.3%	89.1	173,125	71.8%	801,066	85.5%
11/20/2006	213.2	520,971	74.9%	83.8	99,235	38.6%	620,206	65.1%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/19/2006	75	165	0.00	74	115	0.00	280
MTD		4,373	0.01		2,579	0.05	6,952

STREAM FLOWS

Gauging Station	11/19/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,127
NRTT : Nueces River at Tilden, Texas	0	7
FRTT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	141
Release from Choke Canyon Reservoir	66	1,245
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	4,792
NCAT : Nueces River at Calallen, Texas	40	3,274
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	133

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 1,000 Effective: 11/10/2006	3,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/08/2006)	-2,798
Return Flow Credit (Effective: 11/08/2006)	500
Passthru Target: 3,000 Reservoir Inflow: 133	133
Estuary Inflows (Measured at NCAT)	3,274
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2006		Elevation (Ft)	
				Allocation	Remaining	Full	11/20/2006
11/19/2006	144	2,736	45,022	3,050	314	44.0	43.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 21, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/21/2005	217.8	627,450	90.2%	89.1	172,314	71.4%	799,764	85.4%
11/21/2006	213.2	520,753	74.9%	83.8	98,888	38.4%	619,641	65.1%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/20/2006	71	216	0.00	70	141	0.00	357
MTD		4,589	0.01		2,720	0.05	7,309

STREAM FLOWS

Gauging Station	11/20/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,193
NRTT : Nueces River at Tilden, Texas	0	7
FRTT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	148
Release from Choke Canyon Reservoir	66	1,310
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	4,937
NCAT : Nueces River at Calallen, Texas	14	3,289
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	133

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 1,000 Effective: 11/10/2006	3,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/08/2006)	-2,798
Return Flow Credit (Effective: 11/08/2006)	500
Passthru Target: 3,000 Reservoir Inflow: 133	133
Estuary Inflows (Measured at NCAT)	3,289
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2006		Elevation (Ft)	
				Allocation	Remaining	Full	11/21/2006
11/20/2006	144	2,880	45,167	3,050	170	44.0	43.4

Report Generated: 11/21/2006 at 9:00:59 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 22, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/22/2005	217.8	627,204	90.2%	89.1	172,152	71.4%	799,356	85.4%
11/22/2006	213.2	519,881	74.8%	83.8	98,541	38.3%	618,422	64.9%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/21/2006	72	190	0.00	73	101	0.00	291
MTD		4,779	0.01		2,821	0.05	7,600

STREAM FLOWS

Gauging Station	11/21/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,260
NRTT : Nueces River at Tilden, Texas	0	7
FRTT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	156
Release from Choke Canyon Reservoir	66	1,376
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	5,082
NCAT : Nueces River at Calallen, Texas	0	3,289
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	136

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 1,000 Effective: 11/10/2006	3,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/08/2006)	-2,798
Return Flow Credit (Effective: 11/08/2006)	500
Passthru Target: 3,000 Reservoir Inflow: 136	136
Estuary Inflows (Measured at NCAT)	3,289
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2006		Elevation (Ft)	
				Allocation	Remaining	Full	11/22/2006
11/21/2006	144	3,024	45,310	3,050	26	44.0	43.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 23, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/23/2005	217.8	626,713	90.1%	89.1	171,666	71.2%	798,379	85.3%
11/23/2006	213.2	519,663	74.7%	83.8	98,426	38.3%	618,089	64.9%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/22/2006	76	190	0.00	77	101	0.00	291
MTD		4,969	0.01		2,922	0.05	7,891

STREAM FLOWS

Gauging Station	11/22/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,328
NRTT : Nueces River at Tilden, Texas	0	7
FRTT : Frio River at Tilden, Texas	0	8
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	164
Release from Choke Canyon Reservoir	66	1,441
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	5,227
NCAT : Nueces River at Calallen, Texas	0	3,289
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	138

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 1,000 Effective: 11/10/2006	3,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/08/2006)	-2,798
Return Flow Credit (Effective: 11/08/2006)	500
Passthru Target: 3,000 Reservoir Inflow: 138	138
Estuary Inflows (Measured at NCAT)	3,289
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2006		Elevation (Ft)	
				Allocation	Remaining	Full	11/23/2006
11/22/2006	144	3,168	45,455	3,050	-118	44.0	43.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 24, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/24/2005	217.8	626,713	90.1%	89.0	171,343	71.0%	798,056	85.2%
11/24/2006	213.2	519,227	74.7%	83.8	98,311	38.2%	617,538	64.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/23/2006	81	216	0.00	80	127	0.00	343
MTD		5,185	0.01		3,049	0.05	8,234

STREAM FLOWS

Gauging Station	11/23/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,395
NRTT : Nueces River at Tilden, Texas	0	7
FRTT : Frio River at Tilden, Texas	0	8
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	172
Release from Choke Canyon Reservoir	66	1,507
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	5,371
NCAT : Nueces River at Calallen, Texas	0	3,289
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	140

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 1,000 Effective: 11/10/2006	3,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/08/2006)	-2,798
Return Flow Credit (Effective: 11/08/2006)	500
Passthru Target: 3,000 Reservoir Inflow: 140	140
Estuary Inflows (Measured at NCAT)	3,289
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2006		Elevation (Ft)	
				Allocation	Remaining	Full	11/24/2006
11/23/2006	145	3,313	45,599	3,050	-263	44.0	43.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 25, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/25/2005	217.8	626,713	90.1%	89.0	171,181	71.0%	797,894	85.2%
11/25/2006	213.1	519,008	74.6%	83.7	97,966	38.1%	616,974	64.8%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/24/2006	80	190	0.00	79	107	0.00	297
MTD		5,375	0.01		3,156	0.05	8,531

STREAM FLOWS

Gauging Station	11/24/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,463
NRTT : Nueces River at Tilden, Texas	0	8
FRTT : Frio River at Tilden, Texas	0	8
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	179
Release from Choke Canyon Reservoir	66	1,572
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	5,516
NCAT : Nueces River at Calallen, Texas	0	3,289
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	142

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 1,000 Effective: 11/10/2006	3,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/08/2006)	-2,798
Return Flow Credit (Effective: 11/08/2006)	500
Passthru Target: 3,000 Reservoir Inflow: 142	142
Estuary Inflows (Measured at NCAT)	3,289
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2006		Elevation (Ft)	
				Allocation	Remaining	Full	11/25/2006
11/24/2006	145	3,457	45,744	3,050	-407	44.0	43.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 26, 2006**

RESERVOIR STATISTICS

Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/26/2005	217.8	626,713	90.1%	89.1	172,314	71.4%	799,027	85.3%
11/26/2006	213.1	518,790	74.6%	83.7	98,081	38.1%	616,871	64.8%

Weather Related Information							
Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/25/2006	81	228	0.00	80	114	0.00	342
MTD		5,603	0.01		3,270	0.05	8,873

STREAM FLOWS

Gauging Station	11/25/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	1,532
NRTT : Nueces River at Tilden, Texas	0	8
FRTT : Frio River at Tilden, Texas	0	8
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	187
Release from Choke Canyon Reservoir	66	1,638
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	5,661
NCAT : Nueces River at Calallen, Texas	0	3,289
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	146

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 1,000 Effective: 11/10/2006	3,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/08/2006)	-2,798
Return Flow Credit (Effective: 11/08/2006)	500
Passthru Target: 3,000 Reservoir Inflow: 146	146
Estuary Inflows (Measured at NCAT)	3,289
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2006		Elevation (Ft)	
				Allocation	Remaining	Full	11/26/2006
11/25/2006	145	3,602	45,889	3,050	-552	44.0	43.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 27, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/27/2005	217.8	626,713	90.1%	89.0	171,019	70.9%	797,732	85.2%
11/27/2006	213.1	518,572	74.6%	83.7	97,736	38.0%	616,308	64.7%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/26/2006	82	190	0.00	82	147	0.00	337
MTD		5,793	0.01		3,417	0.05	9,210

STREAM FLOWS

Gauging Station	11/26/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	1,602
NRTT : Nueces River at Tilden, Texas	0	8
FRTT : Frio River at Tilden, Texas	0	8
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	195
Release from Choke Canyon Reservoir	66	1,703
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	5,806
NCAT : Nueces River at Calallen, Texas	0	3,289
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	150

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 1,000 Effective: 11/10/2006	3,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/08/2006)	-2,798
Return Flow Credit (Effective: 11/08/2006)	500
Passthru Target: 3,000 Reservoir Inflow: 150	150
Estuary Inflows (Measured at NCAT)	3,289
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2006		Elevation (Ft)	
				Allocation	Remaining	Full	11/27/2006
11/26/2006	144	3,746	46,033	3,050	-696	44.0	43.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 28, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/28/2005	217.8	626,713	90.1%	89.1	171,666	71.2%	798,379	85.3%
11/28/2006	213.1	517,700	74.5%	83.7	97,622	37.9%	615,322	64.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/27/2006	83	177	0.00	82	67	0.00	244	
MTD		5,970	0.01		3,484	0.05	9,454	

STREAM FLOWS

Gauging Station	11/27/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	1,671
NRTT : Nueces River at Tilden, Texas	0	8
FRTT : Frio River at Tilden, Texas	0	8
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	203
Release from Choke Canyon Reservoir	66	1,769
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	5,951
NCAT : Nueces River at Calallen, Texas	13	3,302
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	155

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 1,000 Effective: 11/10/2006	3,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/08/2006)	-2,798
Return Flow Credit (Effective: 11/08/2006)	500
Passthru Target: 3,000 Reservoir Inflow: 155	155
Estuary Inflows (Measured at NCAT)	3,302
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2006		Elevation (Ft)	
				Allocation	Remaining	Full	11/28/2006
11/27/2006	145	3,891	46,178	3,050	-841	44.0	43.1

Report Generated: 11/28/2006 at 8:30:58 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 29, 2006

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/29/2005	217.8	625,976	90.0%	89.0	170,696	70.8%	796,672	85.1%
11/29/2006	213.1	517,482	74.4%	83.6	96,935	37.7%	614,417	64.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/28/2006	84	215	0.00	86	120	0.00	335
MTD		6,185	0.01		3,604	0.05	9,789

STREAM FLOWS

Gauging Station	11/28/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	1,741
NRRT : Nueces River at Tilden, Texas	0	8
FRRT : Frio River at Tilden, Texas	0	9
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	211
Release from Choke Canyon Reservoir	66	1,834
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	6,096
NCAT : Nueces River at Calallen, Texas	2	3,304
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	4	159

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 1,000 Effective: 11/10/2006	3,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/08/2006)	-2,798
Return Flow Credit (Effective: 11/08/2006)	500
Passthru Target: 3,000 Reservoir Inflow: 159	159
Estuary Inflows (Measured at NCAT)	3,304
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2006		Elevation (Ft)	
				Allocation	Remaining	Full	11/29/2006
11/28/2006	144	4,035	46,322	3,050	-985	44.0	43.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 30, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/30/2005	217.7	625,239	89.9%	89.0	170,051	70.5%	795,290	84.9%
11/30/2006	213.1	517,264	74.4%	83.7	97,278	37.8%	614,542	64.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/29/2006	81	164	0.00	81	80	0.00	244	
MTD		6,349	0.01		3,684	0.05	10,033	

STREAM FLOWS

Gauging Station	11/29/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	1,812
NRTT : Nueces River at Tilden, Texas	0	8
FRTT : Frio River at Tilden, Texas	0	9
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	219
Release from Choke Canyon Reservoir	66	1,900
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	6,241
NCAT : Nueces River at Calallen, Texas	2	3,307
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	165

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 1,000 Effective: 11/10/2006	3,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/08/2006)	-2,798
Return Flow Credit (Effective: 11/08/2006)	500
Passthru Target: 3,000 Reservoir Inflow: 165	165
Estuary Inflows (Measured at NCAT)	3,307
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2006		Elevation (Ft)	
				Allocation	Remaining	Full	11/30/2006
11/29/2006	144	4,179	46,466	3,050	-1,129	44.0	43.1