

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 1, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/01/2006	217.5	619,151	89.1%	88.3	160,325	66.5%	779,476	83.2%
01/01/2007	212.9	514,444	74.0%	83.6	96,025	37.3%	610,469	64.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/31/2006	66	164	0.00	69	59	0.00	223
MTD		3,687	3.49		2,143	2.49	5,830

STREAM FLOWS

Gauging Station	12/31/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	101	2,650
NRTT : Nueces River at Tilden, Texas	13	217
FRTT : Frio River at Tilden, Texas	8	102
SMTT : San Miguel Creek at Tilden, Texas	0	32
ARWT : Atascosa River at Whitsett, Texas	32	1,377
Release from Choke Canyon Reservoir	66	2,031
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	133	4,371
NCAT : Nueces River at Calallen, Texas	36	416
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	44	1,086

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	334
Return Flow Credit (Effective: 12/01/2006)	500
Passthru Target: 4,500 Reservoir Inflow: 1,086	1,086
Estuary Inflows (Measured at NCAT)	416
PassThru Surplus / -Deficit:	164

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2006		Elevation (Ft)	
				Allocation	Remaining	Full	01/01/2007
12/31/2006	123	4,219	50,829	3,050	-1,169	44.0	42.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 2, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/02/2006	217.5	618,907	89.0%	88.4	160,798	66.7%	779,705	83.3%
01/02/2007	212.9	514,013	73.9%	83.6	96,025	37.3%	610,038	64.0%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/01/2007	59	126	0.00	60	66	0.00	192
MTD		126	0.00		66	0.00	192

STREAM FLOWS

Gauging Station	01/01/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	87	87
NRTT : Nueces River at Tilden, Texas	8	8
FRTT : Frio River at Tilden, Texas	6	6
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	30	30
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	133	133
NCAT : Nueces River at Calallen, Texas	46	46
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	28	28

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Return Flow Credit (Effective: 01/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 28	28
Estuary Inflows (Measured at NCAT)	46
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2007		Elevation (Ft)	
				Allocation	Remaining	Full	01/02/2007
01/01/2007	123	123	123	3,050	2,927	44.0	42.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 3, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/03/2006	217.5	618,664	89.0%	88.3	160,325	66.5%	778,989	83.2%
01/03/2007	212.9	513,365	73.8%	83.5	95,798	37.2%	609,163	64.0%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/02/2007	56	101	0.00	60	79	0.00	180
MTD		227	0.00		145	0.00	372

STREAM FLOWS

Gauging Station	01/02/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	81	169
NRTT : Nueces River at Tilden, Texas	2	10
FRTT : Frio River at Tilden, Texas	6	12
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	26	56
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	133	266
NCAT : Nueces River at Calallen, Texas	30	75
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	22	50

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Return Flow Credit (Effective: 01/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 50	50
Estuary Inflows (Measured at NCAT)	75
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2007		Elevation (Ft)	
				Allocation	Remaining	Full	01/03/2007
01/02/2007	135	259	259	3,050	2,791	44.0	42.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 4, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/04/2006	217.5	618,664	89.0%	88.3	160,010	66.3%	778,674	83.1%
01/04/2007	213.0	516,391	74.3%	83.7	97,507	37.9%	613,898	64.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/03/2007	57	101	1.75	59	Pan overflow	1.35	101
MTD		328	1.75		145	1.35	473

STREAM FLOWS

Gauging Station	01/03/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	77	246
NRTT : Nueces River at Tilden, Texas	1	11
FRTT : Frio River at Tilden, Texas	7	20
SMTT : San Miguel Creek at Tilden, Texas	1	1
ARWT : Atascosa River at Whitsett, Texas	30	85
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	135	401
NCAT : Nueces River at Calallen, Texas	22	97
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	20	70

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Return Flow Credit (Effective: 01/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 70	70
Estuary Inflows (Measured at NCAT)	97
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2007		Elevation (Ft)	
				Allocation	Remaining	Full	01/04/2007
01/03/2007	143	402	402	3,050	2,648	44.0	42.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 5, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/05/2006	217.5	618,664	89.0%	88.4	160,798	66.7%	779,462	83.2%
01/05/2007	213.0	516,609	74.3%	83.7	97,507	37.9%	614,116	64.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/04/2007	66	63	0.00	63	27	0.00	90
MTD		391	1.75		172	1.35	563

STREAM FLOWS

Gauging Station	01/04/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	276	522
NRTT : Nueces River at Tilden, Texas	8	19
FRTT : Frio River at Tilden, Texas	22	41
SMTT : San Miguel Creek at Tilden, Texas	34	35
ARWT : Atascosa River at Whitsett, Texas	189	274
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	135	536
NCAT : Nueces River at Calallen, Texas	67	165
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	266	336

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Return Flow Credit (Effective: 01/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 336	336
Estuary Inflows (Measured at NCAT)	165
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2007		Elevation (Ft)	
				Allocation	Remaining	Full	01/05/2007
01/04/2007	143	545	545	3,050	2,505	44.0	42.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 6, 2007**

RESERVOIR STATISTICS

Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/06/2006	217.4	618,421	88.9%	88.3	159,852	66.3%	778,273	83.1%
01/06/2007	213.0	516,609	74.3%	83.8	98,657	38.3%	615,266	64.6%

Weather Related Information							
Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/05/2007	80	76	0.00	80	60	0.00	136
MTD		467	1.75		232	1.35	699

STREAM FLOWS

Gauging Station	01/05/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	427	949
NRTT : Nueces River at Tilden, Texas	14	33
FRTT : Frio River at Tilden, Texas	58	99
SMTT : San Miguel Creek at Tilden, Texas	0	35
ARWT : Atascosa River at Whitsett, Texas	861	1,135
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	135	671
NCAT : Nueces River at Calallen, Texas	139	304
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	419	755

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Return Flow Credit (Effective: 01/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 755	755
Estuary Inflows (Measured at NCAT)	304
PassThru Surplus / -Deficit:	212

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2007		Elevation (Ft)	
				Allocation	Remaining	Full	01/06/2007
01/05/2007	140	685	685	3,050	2,365	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 7, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/07/2006	217.4	618,177	88.9%	88.2	158,753	65.8%	776,930	83.0%
01/07/2007	213.0	516,827	74.3%	83.8	98,888	38.4%	615,715	64.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/06/2007	64	101	0.04	67	54	0.05	155
MTD		568	1.79		286	1.40	854

STREAM FLOWS

Gauging Station	01/06/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	742	1,691
NRTT : Nueces River at Tilden, Texas	127	160
FRTT : Frio River at Tilden, Texas	32	131
SMTT : San Miguel Creek at Tilden, Texas	0	35
ARWT : Atascosa River at Whitsett, Texas	435	1,570
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	135	806
NCAT : Nueces River at Calallen, Texas	73	377
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	709	1,464

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Return Flow Credit (Effective: 01/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 1,464	1,464
Estuary Inflows (Measured at NCAT)	377
PassThru Surplus / -Deficit:	-423

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2007		Elevation (Ft)	
				Allocation	Remaining	Full	01/07/2007
01/06/2007	144	828	828	3,050	2,222	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 8, 2007**

RESERVOIR STATISTICS

Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/08/2006	217.4	617,447	88.8%	88.2	158,596	65.7%	776,043	82.9%
01/08/2007	213.0	516,173	74.2%	83.9	99,466	38.7%	615,639	64.6%

Weather Related Information							
Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/07/2007	67	189	0.00	66	115	0.00	304
MTD		757	1.79		401	1.40	1,158

STREAM FLOWS

Gauging Station	01/07/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	308	1,999
NRTT : Nueces River at Tilden, Texas	304	463
FRTT : Frio River at Tilden, Texas	32	163
SMTT : San Miguel Creek at Tilden, Texas	0	35
ARWT : Atascosa River at Whitsett, Texas	151	1,721
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	133	939
NCAT : Nueces River at Calallen, Texas	28	405
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	274	1,738

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Return Flow Credit (Effective: 01/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 1,738	1,738
Estuary Inflows (Measured at NCAT)	405
PassThru Surplus / -Deficit:	-669

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2007		Elevation (Ft)	
				Allocation	Remaining	Full	01/08/2007
01/07/2007	143	972	972	3,050	2,078	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 9, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/09/2006	217.4	617,447	88.8%	88.2	158,596	65.7%	776,043	82.9%
01/09/2007	213.0	515,523	74.1%	83.9	99,698	38.8%	615,221	64.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/08/2007	64	88	0.00	66	74	0.00	162
MTD		845	1.79		475	1.40	1,320

STREAM FLOWS

Gauging Station	01/08/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	381	2,380
NRTT : Nueces River at Tilden, Texas	202	666
FRTT : Frio River at Tilden, Texas	38	200
SMTT : San Miguel Creek at Tilden, Texas	0	35
ARWT : Atascosa River at Whitsett, Texas	77	1,798
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	133	1,072
NCAT : Nueces River at Calallen, Texas	48	453
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	353	2,091

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Return Flow Credit (Effective: 01/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 2,091	2,091
Estuary Inflows (Measured at NCAT)	453
PassThru Surplus / -Deficit:	-975

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2007		Elevation (Ft)	
				Allocation	Remaining	Full	01/09/2007
01/08/2007	144	1,115	1,115	3,050	1,935	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 10, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/10/2006	217.4	617,204	88.8%	88.3	159,224	66.0%	776,428	82.9%
01/10/2007	213.0	514,876	74.1%	83.9	100,047	38.9%	614,923	64.6%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/09/2007	67	126	0.00	64	54	0.00	180
MTD		971	1.79		529	1.40	1,500

STREAM FLOWS

Gauging Station	01/09/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	306	2,686
NRTT : Nueces River at Tilden, Texas	111	777
FRTT : Frio River at Tilden, Texas	24	224
SMTT : San Miguel Creek at Tilden, Texas	0	35
ARWT : Atascosa River at Whitsett, Texas	46	1,844
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	133	1,205
NCAT : Nueces River at Calallen, Texas	48	500
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	264	2,355

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Return Flow Credit (Effective: 01/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 2,355	2,355
Estuary Inflows (Measured at NCAT)	500
PassThru Surplus / -Deficit:	-1,191

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2007		Elevation (Ft)	
				Allocation	Remaining	Full	01/10/2007
01/09/2007	143	1,259	1,259	3,050	1,791	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 11, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/11/2006	217.4	616,717	88.7%	88.2	158,283	65.6%	775,000	82.8%
01/11/2007	212.9	514,660	74.0%	83.9	100,047	38.9%	614,707	64.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/10/2007	71	151	0.00	71	81	0.00	232
MTD		1,122	1.79		610	1.40	1,732

STREAM FLOWS

Gauging Station	01/10/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	204	2,890
NRTT : Nueces River at Tilden, Texas	62	839
FRTT : Frio River at Tilden, Texas	16	241
SMTT : San Miguel Creek at Tilden, Texas	0	35
ARWT : Atascosa River at Whitsett, Texas	30	1,874
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	133	1,338
NCAT : Nueces River at Calallen, Texas	32	532
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	155	2,511

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Return Flow Credit (Effective: 01/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 2,511	2,500
Estuary Inflows (Measured at NCAT)	532
PassThru Surplus / -Deficit:	-1,304

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2007		Elevation (Ft)	
				Allocation	Remaining	Full	01/11/2007
01/10/2007	143	1,402	1,402	3,050	1,648	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 12, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/12/2006	217.4	616,717	88.7%	88.2	157,970	65.5%	774,687	82.7%
01/12/2007	213.0	515,092	74.1%	83.9	99,815	38.8%	614,907	64.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/11/2007	72	50	0.00	73	102	0.05	152
MTD		1,172	1.79		712	1.45	1,884

STREAM FLOWS

Gauging Station	01/11/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	147	3,037
NRTT : Nueces River at Tilden, Texas	36	874
FRTT : Frio River at Tilden, Texas	11	252
SMTT : San Miguel Creek at Tilden, Texas	0	35
ARWT : Atascosa River at Whitsett, Texas	22	1,896
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	127	1,465
NCAT : Nueces River at Calallen, Texas	0	532
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	93	2,603

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Return Flow Credit (Effective: 01/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 2,603	2,500
Estuary Inflows (Measured at NCAT)	532
PassThru Surplus / -Deficit:	-1,304

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2007		Elevation (Ft)	
				Allocation	Remaining	Full	01/12/2007
01/11/2007	143	1,545	1,545	3,050	1,505	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 13, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/13/2006	217.4	616,231	88.6%	88.3	159,067	65.9%	775,298	82.8%
01/13/2007	213.0	515,739	74.2%	83.9	99,582	38.7%	615,321	64.6%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/12/2007	77	25	0.08	77	68	0.02	93
MTD		1,197	1.87		780	1.47	1,977

STREAM FLOWS

Gauging Station	01/12/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	117	3,154
NRTT : Nueces River at Tilden, Texas	24	898
FRTT : Frio River at Tilden, Texas	8	260
SMTT : San Miguel Creek at Tilden, Texas	0	35
ARWT : Atascosa River at Whitsett, Texas	19	1,914
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	125	1,590
NCAT : Nueces River at Calallen, Texas	0	532
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	60	2,663

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Return Flow Credit (Effective: 01/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 2,663	2,500
Estuary Inflows (Measured at NCAT)	532
PassThru Surplus / -Deficit:	-1,304

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2007		Elevation (Ft)	
				Allocation	Remaining	Full	01/13/2007
01/12/2007	144	1,689	1,689	3,050	1,361	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 14, 2007**

RESERVOIR STATISTICS

Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/14/2006	217.4	616,717	88.7%	88.2	157,344	65.2%	774,061	82.7%
01/14/2007	213.0	515,523	74.1%	83.9	100,397	39.0%	615,920	64.7%

Weather Related Information							
Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/13/2007	76	76	0.15	77	34	0.04	110
MTD		1,273	2.02		814	1.51	2,087

STREAM FLOWS

Gauging Station	01/13/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	105	3,259
NRTT : Nueces River at Tilden, Texas	17	916
FRTT : Frio River at Tilden, Texas	11	271
SMTT : San Miguel Creek at Tilden, Texas	0	35
ARWT : Atascosa River at Whitsett, Texas	17	1,931
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	123	1,713
NCAT : Nueces River at Calallen, Texas	42	574
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	50	2,713

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Return Flow Credit (Effective: 01/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 2,713	2,500
Estuary Inflows (Measured at NCAT)	574
PassThru Surplus / -Deficit:	-1,262

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2007		Elevation (Ft)	
				Allocation	Remaining	Full	01/14/2007
01/13/2007	144	1,833	1,833	3,050	1,217	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 15, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/15/2006	217.4	616,474	88.7%	88.1	156,876	65.0%	773,350	82.6%
01/15/2007	213.0	515,523	74.1%	83.9	99,931	38.8%	615,454	64.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/14/2007	52	114	0.17	77	41	0.51	155
MTD		1,387	2.19		855	2.02	2,242

STREAM FLOWS

Gauging Station	01/14/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	3,355
NRTT : Nueces River at Tilden, Texas	12	928
FRTT : Frio River at Tilden, Texas	7	278
SMTT : San Miguel Creek at Tilden, Texas	0	35
ARWT : Atascosa River at Whitsett, Texas	95	2,026
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	123	1,836
NCAT : Nueces River at Calallen, Texas	67	641
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	37	2,750

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Return Flow Credit (Effective: 01/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 2,750	2,500
Estuary Inflows (Measured at NCAT)	641
PassThru Surplus / -Deficit:	-1,195

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2007		Elevation (Ft)	
				Allocation	Remaining	Full	01/15/2007
01/14/2007	144	1,976	1,976	3,050	1,074	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 16, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/16/2006	217.4	617,204	88.8%	88.1	156,565	64.9%	773,769	82.6%
01/16/2007	213.0	514,876	74.1%	84.0	101,215	39.3%	616,091	64.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/15/2007	38	101	0.03	40	0	0.03	101
MTD		1,488	2.22		855	2.05	2,343

STREAM FLOWS

Gauging Station	01/15/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	169	3,523
NRTT : Nueces River at Tilden, Texas	8	936
FRTT : Frio River at Tilden, Texas	6	284
SMTT : San Miguel Creek at Tilden, Texas	0	35
ARWT : Atascosa River at Whitsett, Texas	238	2,265
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	125	1,961
NCAT : Nueces River at Calallen, Texas	38	679
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	110	2,860

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Return Flow Credit (Effective: 01/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 2,860	2,500
Estuary Inflows (Measured at NCAT)	679
PassThru Surplus / -Deficit:	-1,157

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2007		Elevation (Ft)	
				Allocation	Remaining	Full	01/16/2007
01/15/2007	143	2,119	2,119	3,050	931	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 17, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/17/2006	217.4	616,960	88.7%	88.2	157,657	65.4%	774,617	82.7%
01/17/2007	212.9	514,444	74.0%	84.0	100,630	39.1%	615,074	64.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/16/2007	34	25	0.25	37	34	0.08	59
MTD		1,513	2.47		889	2.13	2,402

STREAM FLOWS

Gauging Station	01/16/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	204	3,728
NRTT : Nueces River at Tilden, Texas	4	940
FRTT : Frio River at Tilden, Texas	6	290
SMTT : San Miguel Creek at Tilden, Texas	0	35
ARWT : Atascosa River at Whitsett, Texas	109	2,374
Release from Choke Canyon Reservoir	66	1,048
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	121	2,082
NCAT : Nueces River at Calallen, Texas	67	747
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	145	3,004

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Return Flow Credit (Effective: 01/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 3,004	2,500
Estuary Inflows (Measured at NCAT)	747
PassThru Surplus / -Deficit:	-1,089

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2007		Elevation (Ft)	
				Allocation	Remaining	Full	01/17/2007
01/16/2007	143	2,263	2,263	3,050	787	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 18, 2007**

RESERVOIR STATISTICS

Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/18/2006	217.3	615,501	88.5%	88.1	156,254	64.8%	771,755	82.4%
01/18/2007	212.9	514,229	74.0%	84.0	100,630	39.1%	614,859	64.6%

Weather Related Information							
Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/17/2007	36	88	0.12	38	20	0.00	108
MTD		1,601	2.59		909	2.13	2,510

STREAM FLOWS

Gauging Station	01/17/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	147	3,875
NRTT : Nueces River at Tilden, Texas	3	943
FRTT : Frio River at Tilden, Texas	10	300
SMTT : San Miguel Creek at Tilden, Texas	0	35
ARWT : Atascosa River at Whitsett, Texas	101	2,475
Release from Choke Canyon Reservoir	66	1,114
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	117	2,199
NCAT : Nueces River at Calallen, Texas	50	796
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	91	3,096

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Return Flow Credit (Effective: 01/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 3,096	2,500
Estuary Inflows (Measured at NCAT)	796
PassThru Surplus / -Deficit:	-1,040

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2007		Elevation (Ft)	
				Allocation	Remaining	Full	01/18/2007
01/17/2007	143	2,406	2,406	3,050	644	44.0	44.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 19, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/19/2006	217.3	615,014	88.5%	88.0	155,170	64.3%	770,184	82.2%
01/19/2007	212.9	514,013	73.9%	84.0	100,864	39.2%	614,877	64.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/18/2007	44	63	0.09	45	0	0.12	63
MTD		1,664	2.68		909	2.25	2,573

STREAM FLOWS

Gauging Station	01/18/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	131	4,006
NRTT : Nueces River at Tilden, Texas	2	945
FRTT : Frio River at Tilden, Texas	9	309
SMTT : San Miguel Creek at Tilden, Texas	0	35
ARWT : Atascosa River at Whitsett, Texas	107	2,582
Release from Choke Canyon Reservoir	66	1,179
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	115	2,315
NCAT : Nueces River at Calallen, Texas	19	815
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	75	3,170

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Return Flow Credit (Effective: 01/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 3,170	2,500
Estuary Inflows (Measured at NCAT)	815
PassThru Surplus / -Deficit:	-1,021

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2007		Elevation (Ft)	
				Allocation	Remaining	Full	01/19/2007
01/18/2007	143	2,549	2,549	3,050	501	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 20, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/20/2006	217.3	615,014	88.5%	88.1	155,943	64.6%	770,957	82.3%
01/20/2007	212.9	514,229	74.0%	84.0	101,215	39.3%	615,444	64.6%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/19/2007	44	38	0.21	46	0	0.18	38
MTD		1,702	2.89		909	2.43	2,611

STREAM FLOWS

Gauging Station	01/19/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	147	4,153
NRTT : Nueces River at Tilden, Texas	1	946
FRRT : Frio River at Tilden, Texas	10	319
SMTT : San Miguel Creek at Tilden, Texas	0	35
ARWT : Atascosa River at Whitsett, Texas	139	2,721
Release from Choke Canyon Reservoir	66	1,245
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	117	2,432
NCAT : Nueces River at Calallen, Texas	46	861
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	91	3,262

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Return Flow Credit (Effective: 01/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 3,262	2,500
Estuary Inflows (Measured at NCAT)	861
PassThru Surplus / -Deficit:	-975

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2007		Elevation (Ft)	
				Allocation	Remaining	Full	01/20/2007
01/19/2007	143	2,692	2,692	3,050	358	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 21, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/21/2006	217.3	614,771	88.4%	88.1	156,565	64.9%	771,336	82.4%
01/21/2007	212.9	514,013	73.9%	84.0	101,215	39.3%	615,228	64.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/20/2007	46	25	0.05	48	14	0.21	39
MTD		1,727	2.94		923	2.64	2,650

STREAM FLOWS

Gauging Station	01/20/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	157	4,309
NRTT : Nueces River at Tilden, Texas	1	947
FRTT : Frio River at Tilden, Texas	12	331
SMTT : San Miguel Creek at Tilden, Texas	0	35
ARWT : Atascosa River at Whitsett, Texas	89	2,811
Release from Choke Canyon Reservoir	66	1,310
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	117	2,549
NCAT : Nueces River at Calallen, Texas	38	899
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	103	3,365

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Return Flow Credit (Effective: 01/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 3,365	2,500
Estuary Inflows (Measured at NCAT)	899
PassThru Surplus / -Deficit:	-937

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2007		Elevation (Ft)	
				Allocation	Remaining	Full	01/21/2007
01/20/2007	143	2,835	2,835	3,050	215	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 22, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/22/2006	217.3	614,771	88.4%	88.1	155,943	64.6%	770,714	82.3%
01/22/2007	212.9	513,797	73.9%	84.1	101,802	39.6%	615,599	64.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/21/2007	64	76	0.00	62	62	0.07	138
MTD		1,803	2.94		985	2.71	2,788

STREAM FLOWS

Gauging Station	01/21/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	129	4,438
NRTT : Nueces River at Tilden, Texas	1	948
FRTT : Frio River at Tilden, Texas	10	340
SMTT : San Miguel Creek at Tilden, Texas	0	35
ARWT : Atascosa River at Whitsett, Texas	58	2,868
Release from Choke Canyon Reservoir	66	1,376
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	117	2,666
NCAT : Nueces River at Calallen, Texas	56	954
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	73	3,438

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Return Flow Credit (Effective: 01/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 3,438	2,500
Estuary Inflows (Measured at NCAT)	954
PassThru Surplus / -Deficit:	-882

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2007		Elevation (Ft)	
				Allocation	Remaining	Full	01/22/2007
01/21/2007	143	2,978	2,978	3,050	72	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 23, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/23/2006	217.3	615,014	88.5%	88.1	156,098	64.7%	771,112	82.3%
01/23/2007	212.9	513,581	73.9%	84.1	101,802	39.6%	615,383	64.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/22/2007	50	138	0.00	50	48	0.01		186
MTD		1,941	2.94		1,033	2.72		2,974

STREAM FLOWS

Gauging Station	01/22/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	111	4,550
NRTT : Nueces River at Tilden, Texas	0	948
FRRT : Frio River at Tilden, Texas	8	349
SMTT : San Miguel Creek at Tilden, Texas	0	35
ARWT : Atascosa River at Whitsett, Texas	40	2,908
Release from Choke Canyon Reservoir	66	1,441
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	117	2,783
NCAT : Nueces River at Calallen, Texas	19	974
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	54	3,492

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Return Flow Credit (Effective: 01/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 3,492	2,500
Estuary Inflows (Measured at NCAT)	974
PassThru Surplus / -Deficit:	-862

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2007		Elevation (Ft)	
				Allocation	Remaining	Full	01/23/2007
01/22/2007	143	3,121	3,121	3,050	-71	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 24, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/24/2006	217.3	615,014	88.5%	88.0	155,324	64.4%	770,338	82.3%
01/24/2007	212.9	514,444	74.0%	84.0	101,215	39.3%	615,659	64.6%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/23/2007	43	38	0.85	44	0	0.70	38
MTD		1,979	3.79		1,033	3.42	3,012

STREAM FLOWS

Gauging Station	01/23/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	4,645
NRTT : Nueces River at Tilden, Texas	0	948
FRTT : Frio River at Tilden, Texas	8	357
SMTT : San Miguel Creek at Tilden, Texas	0	35
ARWT : Atascosa River at Whitsett, Texas	32	2,940
Release from Choke Canyon Reservoir	66	1,507
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	117	2,900
NCAT : Nueces River at Calallen, Texas	5	978
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	38	3,530

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Return Flow Credit (Effective: 01/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 3,530	2,500
Estuary Inflows (Measured at NCAT)	978
PassThru Surplus / -Deficit:	-858

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2007		Elevation (Ft)	
				Allocation	Remaining	Full	01/24/2007
01/23/2007	143	3,264	3,264	3,050	-214	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 25, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/25/2006	217.3	614,771	88.4%	88.0	154,862	64.2%	769,633	82.2%
01/25/2007	213.1	517,700	74.5%	84.3	104,171	40.5%	621,871	65.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/24/2007	46	13	1.06	45	0	1.50	13
MTD		1,992	4.85		1,033	4.92	3,025

STREAM FLOWS

Gauging Station	01/24/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	131	4,776
NRTT : Nueces River at Tilden, Texas	9	957
FRRT : Frio River at Tilden, Texas	26	383
SMTT : San Miguel Creek at Tilden, Texas	83	118
ARWT : Atascosa River at Whitsett, Texas	97	3,037
Release from Choke Canyon Reservoir	66	1,572
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	121	3,021
NCAT : Nueces River at Calallen, Texas	95	1,073
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	175	3,705

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Return Flow Credit (Effective: 01/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 3,705	2,500
Estuary Inflows (Measured at NCAT)	1,073
PassThru Surplus / -Deficit:	-763

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2007		Elevation (Ft)	
				Allocation	Remaining	Full	01/25/2007
01/24/2007	146	3,410	3,410	3,050	-360	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 26, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/26/2006	217.3	614,527	88.4%	88.0	154,555	64.1%	769,082	82.1%
01/26/2007	213.1	517,046	74.4%	84.4	105,488	41.0%	622,534	65.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/25/2007	64	126	0.00	64	91	0.00	217
MTD		2,118	4.85		1,124	4.92	3,242

STREAM FLOWS

Gauging Station	01/25/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	850	5,625
NRTT : Nueces River at Tilden, Texas	77	1,035
FRTT : Frio River at Tilden, Texas	151	533
SMTT : San Miguel Creek at Tilden, Texas	40	158
ARWT : Atascosa River at Whitsett, Texas	1,260	4,297
Release from Choke Canyon Reservoir	66	1,638
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	119	3,140
NCAT : Nueces River at Calallen, Texas	270	1,343
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	975	4,679

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Return Flow Credit (Effective: 01/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 4,679	2,500
Estuary Inflows (Measured at NCAT)	1,343
PassThru Surplus / -Deficit:	-493

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2007		Elevation (Ft)	
				Allocation	Remaining	Full	01/26/2007
01/25/2007	149	3,559	3,559	3,050	-509	44.0	44.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 27, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/27/2006	217.3	614,771	88.4%	88.0	154,401	64.0%	769,172	82.1%
01/27/2007	213.1	519,008	74.6%	84.7	109,254	42.5%	628,262	66.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/26/2007	64	127	0.83	65	0	0.79	127
MTD		2,245	5.68		1,124	5.71	3,369

STREAM FLOWS

Gauging Station	01/26/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,104	7,730
NRTT : Nueces River at Tilden, Texas	129	1,164
FRRT : Frio River at Tilden, Texas	81	615
SMTT : San Miguel Creek at Tilden, Texas	2	160
ARWT : Atascosa River at Whitsett, Texas	2,600	6,898
Release from Choke Canyon Reservoir	66	1,703
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	119	3,259
NCAT : Nueces River at Calallen, Texas	248	1,592
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	2,122	6,802

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Return Flow Credit (Effective: 01/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 6,802	2,500
Estuary Inflows (Measured at NCAT)	1,592
PassThru Surplus / -Deficit:	-244

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2007		Elevation (Ft)	
				Allocation	Remaining	Full	01/27/2007
01/26/2007	148	3,707	3,707	3,050	-657	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 28, 2007**

RESERVOIR STATISTICS

Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/28/2006	217.3	614,527	88.4%	87.9	153,634	63.7%	768,161	82.0%
01/28/2007	213.1	518,790	74.6%	85.0	113,605	44.2%	632,395	66.4%

Weather Related Information							
Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/27/2007	69	190	0.00	70	191	0.00	381
MTD		2,435	5.68		1,315	5.71	3,750

STREAM FLOWS

Gauging Station	01/27/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,581	10,310
NRTT : Nueces River at Tilden, Texas	623	1,787
FRTT : Frio River at Tilden, Texas	117	732
SMTT : San Miguel Creek at Tilden, Texas	7	167
ARWT : Atascosa River at Whitsett, Texas	679	7,577
Release from Choke Canyon Reservoir	66	1,769
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	123	3,382
NCAT : Nueces River at Calallen, Texas	197	1,788
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,639	9,440

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Return Flow Credit (Effective: 01/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 9,440	2,500
Estuary Inflows (Measured at NCAT)	1,788
PassThru Surplus / -Deficit:	-48

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2007		Elevation (Ft)	
				Allocation	Remaining	Full	01/28/2007
01/27/2007	148	3,856	3,856	3,050	-806	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 29, 2007**

RESERVOIR STATISTICS

Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)				Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/29/2006	217.3	614,284	88.4%	87.9	154,094	63.9%	768,378	82.0%
01/29/2007	213.1	518,354	74.6%	85.2	115,757	45.0%	634,111	66.6%

Weather Related Information							
Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/28/2007	55	152	0.00	54	96	0.00	248
MTD		2,587	5.68		1,411	5.71	3,998

STREAM FLOWS

Gauging Station	01/28/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,465	11,775
NRTT : Nueces River at Tilden, Texas	780	2,567
FRTT : Frio River at Tilden, Texas	77	809
SMTT : San Miguel Creek at Tilden, Texas	0	167
ARWT : Atascosa River at Whitsett, Texas	200	7,777
Release from Choke Canyon Reservoir	66	1,834
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	99	3,482
NCAT : Nueces River at Calallen, Texas	411	2,199
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,477	10,917

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Return Flow Credit (Effective: 01/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 10,917	2,500
Estuary Inflows (Measured at NCAT)	2,199
PassThru Surplus / -Deficit:	363

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2007		Elevation (Ft)	
				Allocation	Remaining	Full	01/29/2007
01/28/2007	148	4,004	4,004	3,050	-954	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 30, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/30/2006	217.3	614,284	88.4%	87.9	153,941	63.8%	768,225	82.0%
01/30/2007	213.1	518,136	74.5%	85.3	117,163	45.5%	635,299	66.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/29/2007	55	63	0.00	58	7	0.04	70
MTD		2,650	5.68		1,418	5.75	4,068

STREAM FLOWS

Gauging Station	01/29/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,006	12,781
NRTT : Nueces River at Tilden, Texas	945	3,512
FRTT : Frio River at Tilden, Texas	44	853
SMTT : San Miguel Creek at Tilden, Texas	0	167
ARWT : Atascosa River at Whitsett, Texas	109	7,886
Release from Choke Canyon Reservoir	66	1,900
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	3,593
NCAT : Nueces River at Calallen, Texas	270	2,469
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	985	11,902

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Return Flow Credit (Effective: 01/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 11,902	2,500
Estuary Inflows (Measured at NCAT)	2,469
PassThru Surplus / -Deficit:	633

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2007		Elevation (Ft)	
				Allocation	Remaining	Full	01/30/2007
01/29/2007	148	4,152	4,152	3,050	-1,102	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 31, 2007**

RESERVOIR STATISTICS

Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/31/2006	217.3	614,040	88.3%	87.9	153,788	63.7%	767,828	82.0%
01/31/2007	213.1	517,918	74.5%	85.4	117,805	45.8%	635,723	66.7%

Weather Related Information							
Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/30/2007	57	63	0.00	56	37	0.00	100
MTD		2,713	5.68		1,455	5.75	4,168

STREAM FLOWS

Gauging Station	01/30/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	993	13,774
NRTT : Nueces River at Tilden, Texas	1,056	4,568
FRTT : Frio River at Tilden, Texas	28	881
SMTT : San Miguel Creek at Tilden, Texas	0	167
ARWT : Atascosa River at Whitsett, Texas	69	7,956
Release from Choke Canyon Reservoir	66	1,965
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	3,704
NCAT : Nueces River at Calallen, Texas	123	2,592
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	955	12,857

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Return Flow Credit (Effective: 01/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 12,857	2,500
Estuary Inflows (Measured at NCAT)	2,592
PassThru Surplus / -Deficit:	756

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2007		Elevation (Ft)	
				Allocation	Remaining	Full	01/31/2007
01/30/2007	148	4,301	4,301	3,050	-1,251	44.0	44.1