

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 1, 2007**

RESERVOIR STATISTICS

Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/01/2006	217.3	614,040	88.3%	87.9	153,634	63.7%	767,674	82.0%
02/01/2007	213.1	517,918	74.5%	85.4	118,838	46.2%	636,756	66.8%

Weather Related Information							
Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/31/2007	57	51	0.01	50	15	0.17	66
MTD		2,764	5.69		1,470	5.92	4,234

STREAM FLOWS

Gauging Station	01/31/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,072	14,846
NRTT : Nueces River at Tilden, Texas	588	5,155
FRRT : Frio River at Tilden, Texas	11	891
SMTT : San Miguel Creek at Tilden, Texas	0	167
ARWT : Atascosa River at Whitsett, Texas	56	8,011
Release from Choke Canyon Reservoir	66	2,031
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	3,815
NCAT : Nueces River at Calallen, Texas	56	2,648
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,017	13,874

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Return Flow Credit (Effective: 01/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 13,874	2,500
Estuary Inflows (Measured at NCAT)	2,648
PassThru Surplus / -Deficit:	812

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2007		Elevation (Ft)	
				Allocation	Remaining	Full	02/01/2007
01/31/2007	148	4,449	4,449	3,050	-1,399	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 2, 2007

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/02/2006	217.3	613,797	88.3%	87.9	153,634	63.7%	767,431	81.9%
02/02/2007	213.1	517,700	74.5%	85.5	120,266	46.7%	637,966	67.0%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/01/2007	60	63	0.00	62	30	0.03	93
MTD		63	0.00		30	0.03	93

STREAM FLOWS

Gauging Station	02/01/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	665	665
NRTT : Nueces River at Tilden, Texas	238	238
FRTT : Frio River at Tilden, Texas	8	8
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	52	52
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	111
NCAT : Nueces River at Calallen, Texas	34	34
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	607	607

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	812
Return Flow Credit (Effective: 02/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 607	607
Estuary Inflows (Measured at NCAT)	34
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2007		Elevation (Ft)	
				Allocation	Remaining	Full	02/02/2007
02/01/2007	148	148	4,597	3,040	2,892	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 3, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/03/2006	217.2	613,554	88.2%	87.9	153,634	63.7%	767,188	81.9%
02/03/2007	213.1	517,482	74.4%	85.5	119,875	46.6%	637,357	66.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/02/2007	54	76	0.00	52	68	0.00	144
MTD		139	0.00		98	0.03	237

STREAM FLOWS

Gauging Station	02/02/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	349	1,014
NRTT : Nueces River at Tilden, Texas	119	357
FRTT : Frio River at Tilden, Texas	7	14
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	48	99
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	222
NCAT : Nueces River at Calallen, Texas	22	56
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	290	898

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	812
Return Flow Credit (Effective: 02/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 898	898
Estuary Inflows (Measured at NCAT)	56
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2007		Elevation (Ft)	
				Allocation	Remaining	Full	02/03/2007
02/02/2007	148	296	4,745	3,040	2,744	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 4, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/04/2006	217.2	613,554	88.2%	87.9	152,717	63.3%	766,271	81.8%
02/04/2007	213.1	517,264	74.4%	85.5	119,745	46.5%	637,009	66.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/03/2007	55	51	0.00	56	53	0.02	104
MTD		190	0.00		151	0.05	341

STREAM FLOWS

Gauging Station	02/03/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	222	1,237
NRTT : Nueces River at Tilden, Texas	77	435
FRTT : Frio River at Tilden, Texas	4	19
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	44	143
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	333
NCAT : Nueces River at Calallen, Texas	34	89
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	161	1,059

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	812
Return Flow Credit (Effective: 02/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 1,059	1,059
Estuary Inflows (Measured at NCAT)	89
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2007		Elevation (Ft)	
				Allocation	Remaining	Full	02/04/2007
02/03/2007	148	444	4,893	3,040	2,596	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 5, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/05/2006	217.2	613,310	88.2%	87.8	152,107	63.1%	765,417	81.7%
02/05/2007	213.1	517,046	74.4%	85.5	119,486	46.4%	636,532	66.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/04/2007	67	152	0.00	68	76	0.00	228
MTD		342	0.00		227	0.05	569

STREAM FLOWS

Gauging Station	02/04/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	169	1,405
NRTT : Nueces River at Tilden, Texas	54	488
FRTT : Frio River at Tilden, Texas	3	22
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	42	185
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	202	536
NCAT : Nueces River at Calallen, Texas	12	101
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	107	1,165

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	812
Return Flow Credit (Effective: 02/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 1,165	1,165
Estuary Inflows (Measured at NCAT)	101
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2007		Elevation (Ft)	
				Allocation	Remaining	Full	02/05/2007
02/04/2007	52	497	4,945	3,040	2,543	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 6, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/06/2006	217.2	613,554	88.2%	87.8	151,651	62.9%	765,205	81.7%
02/06/2007	213.1	517,046	74.4%	85.5	119,356	46.4%	636,402	66.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/05/2007	68	139	0.00	68	76	0.00	215
MTD		481	0.00		303	0.05	784

STREAM FLOWS

Gauging Station	02/05/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	143	1,548
NRTT : Nueces River at Tilden, Texas	38	526
FRTT : Frio River at Tilden, Texas	3	25
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	40	224
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	254	790
NCAT : Nueces River at Calallen, Texas	0	101
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	80	1,246

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	812
Return Flow Credit (Effective: 02/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 1,246	1,246
Estuary Inflows (Measured at NCAT)	101
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2007		Elevation (Ft)	
				Allocation	Remaining	Full	02/06/2007
02/05/2007	61	557	5,006	3,040	2,483	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 7, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/07/2006	217.2	611,857	88.0%	87.8	152,107	63.1%	763,964	81.6%
02/07/2007	213.1	517,264	74.4%	85.5	119,356	46.4%	636,620	66.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/06/2007	74	127	0.00	72	8	0.03	135
MTD		608	0.00		311	0.08	919

STREAM FLOWS

Gauging Station	02/06/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	125	1,673
NRTT : Nueces River at Tilden, Texas	30	556
FRIT : Frio River at Tilden, Texas	2	27
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	38	262
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	230	1,020
NCAT : Nueces River at Calallen, Texas	1	103
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	62	1,307

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	812
Return Flow Credit (Effective: 02/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 1,307	1,307
Estuary Inflows (Measured at NCAT)	103
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2007		Elevation (Ft)	
				Allocation	Remaining	Full	02/07/2007
02/06/2007	84	641	5,090	3,040	2,399	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 8, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/08/2006	217.2	612,339	88.1%	87.8	151,347	62.7%	763,686	81.5%
02/08/2007	213.1	517,264	74.4%	85.5	119,486	46.4%	636,750	66.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/07/2007	76	139	0.00	77	38	0.00	177
MTD		747	0.00		349	0.08	1,096

STREAM FLOWS

Gauging Station	02/07/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	113	1,787
NRTT : Nueces River at Tilden, Texas	22	578
FRIT : Frio River at Tilden, Texas	2	29
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	36	298
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	1,167
NCAT : Nueces River at Calallen, Texas	42	144
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	49	1,357

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	812
Return Flow Credit (Effective: 02/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 1,357	1,357
Estuary Inflows (Measured at NCAT)	144
PassThru Surplus / -Deficit:	100

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2007		Elevation (Ft)	
				Allocation	Remaining	Full	02/08/2007
02/07/2007	74	715	5,164	3,040	2,325	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 9, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/09/2006	217.2	611,857	88.0%	87.7	151,043	62.6%	762,900	81.5%
02/09/2007	213.0	516,827	74.3%	85.5	119,615	46.5%	636,442	66.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/08/2007	76	114	0.00	76	98	0.00	212	
MTD		861	0.00		447	0.08	1,308	

STREAM FLOWS

Gauging Station	02/08/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	105	1,892
NRTT : Nueces River at Tilden, Texas	18	596
FRIT : Frio River at Tilden, Texas	2	30
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	36	333
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	105	1,272
NCAT : Nueces River at Calallen, Texas	66	210
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	41	1,398

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	812
Return Flow Credit (Effective: 02/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 1,398	1,398
Estuary Inflows (Measured at NCAT)	210
PassThru Surplus / -Deficit:	124

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2007		Elevation (Ft)	
				Allocation	Remaining	Full	02/09/2007
02/08/2007	90	805	5,254	3,040	2,235	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 10, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/10/2006	217.2	611,375	87.9%	87.7	150,589	62.4%	761,964	81.4%
02/10/2007	213.0	516,391	74.3%	85.5	119,745	46.5%	636,136	66.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/09/2007	56	128	0.00	58	136	0.00	264
MTD		989	0.00		583	0.08	1,572

STREAM FLOWS

Gauging Station	02/09/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	97	1,989
NRTT : Nueces River at Tilden, Texas	14	610
FRTT : Frio River at Tilden, Texas	2	32
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	34	367
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	105	1,378
NCAT : Nueces River at Calallen, Texas	40	250
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	33	1,431

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	812
Return Flow Credit (Effective: 02/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 1,431	1,431
Estuary Inflows (Measured at NCAT)	250
PassThru Surplus / -Deficit:	130

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2007		Elevation (Ft)	
				Allocation	Remaining	Full	02/10/2007
02/09/2007	101	905	5,354	3,040	2,135	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 11, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/11/2006	217.1	610,893	87.9%	87.8	151,803	62.9%	762,696	81.4%
02/11/2007	213.0	516,391	74.3%	85.5	119,615	46.5%	636,006	66.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/10/2007	58	51	0.01	48	8	0.00	59
MTD		1,040	0.01		591	0.08	1,631

STREAM FLOWS

Gauging Station	02/10/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	2,084
NRTT : Nueces River at Tilden, Texas	11	620
FRTT : Frio River at Tilden, Texas	1	33
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	30	397
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	107	1,485
NCAT : Nueces River at Calallen, Texas	30	279
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	31	1,462

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	812
Return Flow Credit (Effective: 02/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 1,462	1,462
Estuary Inflows (Measured at NCAT)	279
PassThru Surplus / -Deficit:	129

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2007		Elevation (Ft)	
				Allocation	Remaining	Full	02/11/2007
02/10/2007	106	1,012	5,460	3,040	2,028	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 12, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/12/2006	217.1	610,411	87.8%	87.7	150,437	62.4%	760,848	81.2%
02/12/2007	213.0	516,391	74.3%	85.4	118,708	46.1%	635,099	66.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/11/2007	54	13	0.03	55	8	0.00		21
MTD		1,053	0.04		599	0.08		1,652

STREAM FLOWS

Gauging Station	02/11/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	2,176
NRTT : Nueces River at Tilden, Texas	8	628
FRTT : Frio River at Tilden, Texas	1	34
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	26	423
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	105	1,590
NCAT : Nueces River at Calallen, Texas	28	307
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	27	1,489

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	812
Return Flow Credit (Effective: 02/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 1,489	1,489
Estuary Inflows (Measured at NCAT)	307
PassThru Surplus / -Deficit:	130

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2007		Elevation (Ft)	
				Allocation	Remaining	Full	02/12/2007
02/11/2007	106	1,118	5,566	3,040	1,922	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 13, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/13/2006	217.1	610,170	87.8%	87.7	150,135	62.2%	760,305	81.2%
02/13/2007	213.0	516,391	74.3%	85.5	119,356	46.4%	635,747	66.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/12/2007	68	51	0.00	51	106	0.00	157
MTD		1,104	0.04		705	0.08	1,809

STREAM FLOWS

Gauging Station	02/12/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	85	2,261
NRTT : Nueces River at Tilden, Texas	6	633
FRTT : Frio River at Tilden, Texas	1	35
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	24	447
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	105	1,695
NCAT : Nueces River at Calallen, Texas	15	322
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	21	1,510

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	812
Return Flow Credit (Effective: 02/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 1,510	1,510
Estuary Inflows (Measured at NCAT)	322
PassThru Surplus / -Deficit:	124

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2007		Elevation (Ft)	
				Allocation	Remaining	Full	02/13/2007
02/12/2007	106	1,224	5,672	3,040	1,816	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 14, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/14/2006	217.1	609,929	87.7%	87.7	149,682	62.0%	759,611	81.1%
02/14/2007	213.0	515,739	74.2%	85.5	119,356	46.4%	635,095	66.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/13/2007	67	265	0.00	66	151	0.00	416
MTD		1,369	0.04		856	0.08	2,225

STREAM FLOWS

Gauging Station	02/13/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	119	2,380
NRTT : Nueces River at Tilden, Texas	4	637
FRTT : Frio River at Tilden, Texas	1	36
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	24	470
Release from Choke Canyon Reservoir	220	1,006
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	107	1,802
NCAT : Nueces River at Calallen, Texas	1	323
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	28	1,538

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	812
Return Flow Credit (Effective: 02/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 1,538	1,538
Estuary Inflows (Measured at NCAT)	323
PassThru Surplus / -Deficit:	97

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2007		Elevation (Ft)	
				Allocation	Remaining	Full	02/14/2007
02/13/2007	113	1,336	5,785	3,040	1,704	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 15, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/15/2006	217.1	609,929	87.7%	87.7	149,682	62.0%	759,611	81.1%
02/15/2007	213.0	515,523	74.1%	85.5	119,486	46.4%	635,009	66.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/14/2007	47	177	0.00	47	166	0.00	343
MTD		1,546	0.04		1,022	0.08	2,568

STREAM FLOWS

Gauging Station	02/14/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	306	2,686
NRTT : Nueces River at Tilden, Texas	1	639
FRTT : Frio River at Tilden, Texas	1	37
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	22	492
Release from Choke Canyon Reservoir	294	1,300
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	107	1,910
NCAT : Nueces River at Calallen, Texas	0	323
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	13	1,551

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	812
Return Flow Credit (Effective: 02/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 1,551	1,551
Estuary Inflows (Measured at NCAT)	323
PassThru Surplus / -Deficit:	84

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2007		Elevation (Ft)	
				Allocation	Remaining	Full	02/15/2007
02/14/2007	124	1,461	5,910	3,040	1,579	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 16, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/16/2006	217.1	609,929	87.7%	87.6	148,928	61.7%	758,857	81.0%
02/16/2007	213.0	516,173	74.2%	85.5	119,226	46.3%	635,399	66.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/15/2007	52	Pan Froze	0.00	51	106	0.00	106
MTD		1,546	0.04		1,128	0.08	2,674

STREAM FLOWS

Gauging Station	02/15/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	141	2,827
NRTT : Nueces River at Tilden, Texas	1	639
FRTT : Frio River at Tilden, Texas	0	37
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	22	514
Release from Choke Canyon Reservoir	66	1,366
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	107	2,017
NCAT : Nueces River at Calallen, Texas	0	323
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	76	1,627

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	812
Return Flow Credit (Effective: 02/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 1,627	1,627
Estuary Inflows (Measured at NCAT)	323
PassThru Surplus / -Deficit:	8

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2007		Elevation (Ft)	
				Allocation	Remaining	Full	02/16/2007
02/15/2007	124	1,585	6,033	3,040	1,455	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 17, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/17/2006	217.1	609,447	87.7%	87.8	151,651	62.9%	761,098	81.3%
02/17/2007	213.0	515,955	74.2%	85.5	119,615	46.5%	635,570	66.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/16/2007	59	278	0.00	56	98	0.00	376
MTD		1,824	0.04		1,226	0.08	3,050

STREAM FLOWS

Gauging Station	02/16/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	77	2,904
NRTT : Nueces River at Tilden, Texas	0	640
FRIT : Frio River at Tilden, Texas	0	37
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	22	536
Release from Choke Canyon Reservoir	66	1,431
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	113	2,130
NCAT : Nueces River at Calallen, Texas	0	323
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	12	1,639

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	812
Return Flow Credit (Effective: 02/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 1,639	1,639
Estuary Inflows (Measured at NCAT)	323
PassThru Surplus / -Deficit:	-4

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2007		Elevation (Ft)	
				Allocation	Remaining	Full	02/17/2007
02/16/2007	124	1,708	6,157	3,040	1,332	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 18, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/18/2006	217.0	608,723	87.6%	87.7	150,437	62.4%	759,160	81.1%
02/18/2007	213.0	515,739	74.2%	85.4	118,450	46.0%	634,189	66.6%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/17/2007	70	252	0.00	68	165	0.00	417
MTD		2,076	0.04		1,391	0.08	3,467

STREAM FLOWS

Gauging Station	02/17/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	2,979
NRTT : Nueces River at Tilden, Texas	0	640
FRTT : Frio River at Tilden, Texas	0	38
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	22	558
Release from Choke Canyon Reservoir	66	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	2,281
NCAT : Nueces River at Calallen, Texas	0	323
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	1,649

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	812
Return Flow Credit (Effective: 02/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 1,649	1,649
Estuary Inflows (Measured at NCAT)	323
PassThru Surplus / -Deficit:	-14

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2007		Elevation (Ft)	
				Allocation	Remaining	Full	02/18/2007
02/17/2007	123	1,832	6,280	3,040	1,208	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 19, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/19/2006	217.0	608,241	87.5%	87.6	149,079	61.8%	757,320	80.9%
02/19/2007	213.0	515,308	74.1%	85.4	118,321	46.0%	633,629	66.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/18/2007	67	240	0.00	65	150	0.00	390
MTD		2,316	0.04		1,541	0.08	3,857

STREAM FLOWS

Gauging Station	02/18/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	3,055
NRTT : Nueces River at Tilden, Texas	0	640
FRRT : Frio River at Tilden, Texas	0	38
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	22	580
Release from Choke Canyon Reservoir	66	1,562
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	153	2,434
NCAT : Nueces River at Calallen, Texas	0	323
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	10	1,659

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	812
Return Flow Credit (Effective: 02/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 1,659	1,659
Estuary Inflows (Measured at NCAT)	323
PassThru Surplus / -Deficit:	-25

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2007		Elevation (Ft)	
				Allocation	Remaining	Full	02/19/2007
02/18/2007	123	1,954	6,403	3,040	1,086	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 20, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/20/2006	217.0	607,759	87.4%	87.6	148,627	61.6%	756,386	80.8%
02/20/2007	213.0	514,876	74.1%	85.4	118,321	46.0%	633,197	66.5%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/19/2007	77	227	0.00	80	113	0.00	340
MTD		2,543	0.04		1,654	0.08	4,197

STREAM FLOWS

Gauging Station	02/19/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	3,128
NRTT : Nueces River at Tilden, Texas	0	640
FRRT : Frio River at Tilden, Texas	0	38
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	22	601
Release from Choke Canyon Reservoir	66	1,628
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	167	2,600
NCAT : Nueces River at Calallen, Texas	0	323
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	8	1,668

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	812
Return Flow Credit (Effective: 02/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 1,668	1,668
Estuary Inflows (Measured at NCAT)	323
PassThru Surplus / -Deficit:	-33

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2007		Elevation (Ft)	
				Allocation	Remaining	Full	02/20/2007
02/19/2007	123	2,077	6,526	3,040	963	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 21, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/21/2006	217.0	607,759	87.4%	87.6	148,177	61.4%	755,936	80.7%
02/21/2007	213.0	515,092	74.1%	85.4	118,192	45.9%	633,284	66.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/20/2007	76	189	0.12	81	150	0.00	339
MTD		2,732	0.16		1,804	0.08	4,536

STREAM FLOWS

Gauging Station	02/20/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	3,202
NRTT : Nueces River at Tilden, Texas	0	641
FRTT : Frio River at Tilden, Texas	0	39
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	22	623
Release from Choke Canyon Reservoir	66	1,693
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	177	2,777
NCAT : Nueces River at Calallen, Texas	0	323
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	1,676

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	812
Return Flow Credit (Effective: 02/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 1,676	1,676
Estuary Inflows (Measured at NCAT)	323
PassThru Surplus / -Deficit:	-41

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2007		Elevation (Ft)	
				Allocation	Remaining	Full	02/21/2007
02/20/2007	123	2,200	6,649	3,040	840	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 22, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/22/2006	217.0	608,723	87.6%	87.5	147,727	61.2%	756,450	80.8%
02/22/2007	212.9	514,660	74.0%	85.4	117,934	45.8%	632,594	66.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/21/2007	83	202	0.00	82	113	0.00	315
MTD		2,934	0.16		1,917	0.08	4,851

STREAM FLOWS

Gauging Station	02/21/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	3,275
NRTT : Nueces River at Tilden, Texas	0	641
FRTT : Frio River at Tilden, Texas	0	39
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	22	645
Release from Choke Canyon Reservoir	66	1,759
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	167	2,944
NCAT : Nueces River at Calallen, Texas	0	323
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	1,684

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	812
Return Flow Credit (Effective: 02/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 1,684	1,684
Estuary Inflows (Measured at NCAT)	323
PassThru Surplus / -Deficit:	-49

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2007		Elevation (Ft)	
				Allocation	Remaining	Full	02/22/2007
02/21/2007	124	2,324	6,773	3,040	716	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 23, 2007**

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/23/2006	217.0	608,241	87.5%	87.6	148,627	61.6%	756,868	80.8%
02/23/2007	212.9	514,444	74.0%	85.4	117,805	45.8%	632,249	66.4%

Weather Related Information							
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/22/2007	79	214	0.00	78	112	0.00	326
MTD		3,148	0.16		2,029	0.08	5,177

STREAM FLOWS

Gauging Station	02/22/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	3,349
NRTT : Nueces River at Tilden, Texas	0	641
FRRT : Frio River at Tilden, Texas	1	40
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	22	667
Release from Choke Canyon Reservoir	66	1,824
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	3,105
NCAT : Nueces River at Calallen, Texas	0	323
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	9	1,693

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	812
Return Flow Credit (Effective: 02/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 1,693	1,693
Estuary Inflows (Measured at NCAT)	323
PassThru Surplus / -Deficit:	-58

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2007		Elevation (Ft)	
				Allocation	Remaining	Full	02/23/2007
02/22/2007	124	2,448	6,897	3,040	592	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 24, 2007**

RESERVOIR STATISTICS

Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)				Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/24/2006	217.0	608,241	87.5%	87.5	147,577	61.2%	755,818	80.7%
02/24/2007	212.9	514,229	74.0%	85.3	117,291	45.6%	631,520	66.3%

Weather Related Information							
Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/23/2007	80	151	0.00	79	82	0.00	233
MTD		3,299	0.16		2,111	0.08	5,410

STREAM FLOWS

Gauging Station	02/23/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	3,422
NRTT : Nueces River at Tilden, Texas	0	641
FRTT : Frio River at Tilden, Texas	0	40
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	22	689
Release from Choke Canyon Reservoir	66	1,890
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	3,265
NCAT : Nueces River at Calallen, Texas	1	324
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	1,701

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	812
Return Flow Credit (Effective: 02/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 1,701	1,701
Estuary Inflows (Measured at NCAT)	324
PassThru Surplus / -Deficit:	-65

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2007		Elevation (Ft)	
				Allocation	Remaining	Full	02/24/2007
02/23/2007	124	2,572	7,020	3,040	468	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 25, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/25/2006	217.1	608,965	87.6%	87.5	147,428	61.1%	756,393	80.8%
02/25/2007	212.9	514,013	73.9%	85.4	117,805	45.8%	631,818	66.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/24/2007	80	302	0.00	85	262	0.00	564
MTD		3,601	0.16		2,373	0.08	5,974

STREAM FLOWS

Gauging Station	02/24/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	3,496
NRTT : Nueces River at Tilden, Texas	0	641
FRTT : Frio River at Tilden, Texas	0	40
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	22	711
Release from Choke Canyon Reservoir	66	1,955
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	3,426
NCAT : Nueces River at Calallen, Texas	0	324
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	1,709

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	812
Return Flow Credit (Effective: 02/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 1,709	1,709
Estuary Inflows (Measured at NCAT)	324
PassThru Surplus / -Deficit:	-73

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2007		Elevation (Ft)	
				Allocation	Remaining	Full	02/25/2007
02/24/2007	123	2,695	7,144	3,040	345	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 26, 2007**

RESERVOIR STATISTICS

Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/26/2006	217.0	608,723	87.6%	87.5	147,877	61.3%	756,600	80.8%
02/26/2007	212.9	514,013	73.9%	85.3	117,291	45.6%	631,304	66.3%

Weather Related Information							
Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/25/2007	74	252	0.00	75	105	0.00	357
MTD		3,853	0.16		2,478	0.08	6,331

STREAM FLOWS

Gauging Station	02/25/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	3,567
NRTT : Nueces River at Tilden, Texas	0	642
FRTT : Frio River at Tilden, Texas	0	40
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	20	730
Release from Choke Canyon Reservoir	66	2,021
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	3,587
NCAT : Nueces River at Calallen, Texas	16	341
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	1,716

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	812
Return Flow Credit (Effective: 02/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 1,716	1,716
Estuary Inflows (Measured at NCAT)	341
PassThru Surplus / -Deficit:	-63

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2007		Elevation (Ft)	
				Allocation	Remaining	Full	02/26/2007
02/25/2007	123	2,818	7,267	3,040	222	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 27, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/27/2006	217.0	607,759	87.4%	87.4	146,532	60.7%	754,291	80.5%
02/27/2007	212.9	513,581	73.9%	85.3	117,035	45.5%	630,616	66.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/26/2007	83	151	0.00	88	142	0.00	293
MTD		4,004	0.16		2,620	0.08	6,624

STREAM FLOWS

Gauging Station	02/26/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	3,639
NRTT : Nueces River at Tilden, Texas	0	642
FRTT : Frio River at Tilden, Texas	0	41
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	20	750
Release from Choke Canyon Reservoir	66	2,086
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	3,748
NCAT : Nueces River at Calallen, Texas	26	367
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	1,722

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	812
Return Flow Credit (Effective: 02/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 1,722	1,722
Estuary Inflows (Measured at NCAT)	367
PassThru Surplus / -Deficit:	-43

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2007		Elevation (Ft)	
				Allocation	Remaining	Full	02/27/2007
02/26/2007	123	2,942	7,391	3,040	98	44.0	43.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 28, 2007**

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/28/2006	217.0	607,759	87.4%	87.4	146,085	60.6%	753,844	80.5%
02/28/2007	212.9	513,581	73.9%	85.3	116,523	45.3%	630,104	66.2%

Weather Related Information							
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/27/2007	85	227	0.00	82	164	0.00	391
MTD		4,231	0.16		2,784	0.08	7,015

STREAM FLOWS

Gauging Station	02/27/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	3,710
NRTT : Nueces River at Tilden, Texas	0	642
FRTT : Frio River at Tilden, Texas	0	41
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	18	769
Release from Choke Canyon Reservoir	66	2,152
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	199	3,946
NCAT : Nueces River at Calallen, Texas	26	393
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	1,728

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	812
Return Flow Credit (Effective: 02/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 1,728	1,728
Estuary Inflows (Measured at NCAT)	393
PassThru Surplus / -Deficit:	-23

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2007		Elevation (Ft)	
				Allocation	Remaining	Full	02/28/2007
02/27/2007	124	3,066	7,515	3,040	-26	44.0	43.7