

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 1, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/01/2006	217.0	608,000	87.4%	87.4	145,640	60.4%	753,640	80.5%
03/01/2007	212.9	513,365	73.8%	85.3	116,651	45.3%	630,016	66.1%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/28/2007	83	214	0.00	83	142	0.00	356
MTD		4,445	0.16		2,926	0.08	7,371

STREAM FLOWS

Gauging Station	02/28/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	3,781
NRTT : Nueces River at Tilden, Texas	0	642
FRTT : Frio River at Tilden, Texas	0	41
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	17	786
Release from Choke Canyon Reservoir	66	2,217
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	282	4,228
NCAT : Nueces River at Calallen, Texas	38	430
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	1,734

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	812
Return Flow Credit (Effective: 02/01/2007)	500
Passthru Target: 2,500 Reservoir Inflow: 1,734	1,734
Estuary Inflows (Measured at NCAT)	430
PassThru Surplus / -Deficit:	8

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2007		Elevation (Ft)	
				Allocation	Remaining	Full	03/01/2007
02/28/2007	124	3,190	7,639	3,040	-150	44.0	43.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 2, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/02/2006	217.0	608,241	87.5%	87.4	145,343	60.2%	753,584	80.5%
03/02/2007	212.9	513,365	73.8%	85.2	116,012	45.1%	629,377	66.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/01/2007	77	289	0.00	76	252	0.00	541
MTD		289	0.00		252	0.00	541

STREAM FLOWS

Gauging Station	03/01/2007 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	71	71
<u>NRTT</u> : Nueces River at Tilden, Texas	0	0
<u>FRTT</u> : Frio River at Tilden, Texas	0	0
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	0
<u>ARWT</u> : Atascosa River at Whitsett, Texas	16	16
<u>Release from Choke Canyon Reservoir</u>	66	66
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	282	282
<u>NCAT</u> : Nueces River at Calallen, Texas	83	83
<u>RBP</u> : Rincon Bayou Pipline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	6

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <u>Salinity Relief Credit</u> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	8
Return Flow Credit (Effective: 03/01/2007)	500
Passthru Target: 3,500 Reservoir Inflow: 6	6
Estuary Inflows (NCAT + RBP)	83
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2007		Elevation (Ft)	
				Allocation	Remaining	Full	03/02/2007
03/01/2007	58	58	7,696	3,050	2,992	44.0	43.7

Report Generated: 03/02/2007 at 8:50:41 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 3, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/03/2006	217.0	608,000	87.4%	87.3	144,899	60.1%	752,899	80.4%
03/03/2007	212.9	512,934	73.8%	85.2	115,757	45.0%	628,691	66.0%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/02/2007	77	252	0.00	77	185	0.00	437
MTD		541	0.00		437	0.00	978

STREAM FLOWS

Gauging Station	03/02/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	143
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	15	32
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	282	564
NCAT : Nueces River at Calallen, Texas	56	139
RBP : Rincon Bayou Pipline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	6	12

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	8
Return Flow Credit (Effective: 03/01/2007)	500
Passthru Target: 3,500 Reservoir Inflow: 12	12
Estuary Inflows (NCAT + RBP)	139
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2007		Elevation (Ft)	
				Allocation	Remaining	Full	03/03/2007
03/02/2007	34	92	7,730	3,050	2,958	44.0	43.6

Report Generated: 03/03/2007 at 9:59:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 4, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/04/2006	217.0	608,241	87.5%	87.3	144,606	59.9%	752,847	80.4%
03/04/2007	212.8	512,071	73.7%	85.2	115,630	44.9%	627,701	65.9%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/03/2007	66	377	0.00	69	178	0.00	555
MTD		918	0.00		615	0.00	1,533

STREAM FLOWS

Gauging Station	03/03/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	212
NRTT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	15	46
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	282	846
NCAT : Nueces River at Calallen, Texas	66	204
RBP : Rincon Bayou Pipline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	4	17

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	8
Return Flow Credit (Effective: 03/01/2007)	500
Passthru Target: 3,500 Reservoir Inflow: 17	17
Estuary Inflows (NCAT + RBP)	204
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2007		Elevation (Ft)	
				Allocation	Remaining	Full	03/04/2007
03/03/2007	34	125	7,764	3,050	2,925	44.0	43.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 5, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/05/2006	217.0	608,000	87.4%	87.3	144,170	59.8%	752,170	80.3%
03/05/2007	212.8	511,639	73.6%	85.1	114,742	44.6%	626,381	65.8%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/04/2007	64	251	0.00	63	184	0.00	435
MTD		1,169	0.00		799	0.00	1,968

STREAM FLOWS

Gauging Station	03/04/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	280
NRTT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	14	61
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	282	1,127
NCAT : Nueces River at Calallen, Texas	60	264
RBP : Rincon Bayou Pipline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2	19

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	8
Return Flow Credit (Effective: 03/01/2007)	500
Passthru Target: 3,500 Reservoir Inflow: 19	19
Estuary Inflows (NCAT + RBP)	264
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2007		Elevation (Ft)	
				Allocation	Remaining	Full	03/05/2007
03/04/2007	33	159	7,797	3,050	2,891	44.0	43.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 6, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/06/2006	217.0	607,759	87.4%	87.3	143,880	59.6%	751,639	80.3%
03/06/2007	212.8	511,207	73.5%	85.1	114,110	44.4%	625,317	65.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/05/2007	70	251	0.00	71	110	0.00		361
MTD		1,420	0.00		909	0.00		2,329

STREAM FLOWS

Gauging Station	03/05/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	347
NRTT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	13	74
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	282	1,409
NCAT : Nueces River at Calallen, Texas	26	290
RBP : Rincon Bayou Pipline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2	21

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	8
Return Flow Credit (Effective: 03/01/2007)	500
Passthru Target: 3,500 Reservoir Inflow: 21	21
Estuary Inflows (NCAT + RBP)	290
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2007		Elevation (Ft)	
				Allocation	Remaining	Full	03/06/2007
03/05/2007	33	192	7,831	3,050	2,858	44.0	43.6

Report Generated: 03/06/2007 at 8:12:30 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 7, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/07/2006	217.0	607,759	87.4%	87.2	143,590	59.5%	751,349	80.2%
03/07/2007	212.8	510,992	73.5%	85.0	113,731	44.2%	624,723	65.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/06/2007	73	238	0.00	72	139	0.00	377	
MTD		1,658	0.00		1,048	0.00	2,706	

STREAM FLOWS

Gauging Station	03/06/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	415
NRTT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	13	87
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	260	1,669
NCAT : Nueces River at Calallen, Texas	28	318
RBP : Rincon Bayou Pipline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2	23

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	8
Return Flow Credit (Effective: 03/01/2007)	500
Passthru Target: 3,500 Reservoir Inflow: 23	23
Estuary Inflows (NCAT + RBP)	318
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2007		Elevation (Ft)	
				Allocation	Remaining	Full	03/07/2007
03/06/2007	11	203	7,842	3,050	2,847	44.0	43.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 8, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/08/2006	217.0	607,759	87.4%	87.1	142,148	58.9%	749,907	80.1%
03/08/2007	212.8	510,560	73.4%	85.0	113,605	44.2%	624,165	65.5%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/07/2007	73	276	0.00	78	103	0.00	379
MTD		1,934	0.00		1,151	0.00	3,085

STREAM FLOWS

Gauging Station	03/07/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	482
NRTT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	13	100
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	222	1,892
NCAT : Nueces River at Calallen, Texas	28	345
RBP : Rincon Bayou Pipline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2	25

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	8
Return Flow Credit (Effective: 03/01/2007)	500
Passthru Target: 3,500 Reservoir Inflow: 25	25
Estuary Inflows (NCAT + RBP)	345
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2007		Elevation (Ft)	
				Allocation	Remaining	Full	03/08/2007
03/07/2007	0	203	7,842	3,050	2,847	44.0	43.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 9, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/09/2006	217.0	607,518	87.4%	87.2	142,868	59.2%	750,386	80.1%
03/09/2007	212.7	510,344	73.4%	85.0	113,480	44.1%	623,824	65.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/08/2007	79	276	0.00	78	154	0.00	430
MTD		2,210	0.00		1,305	0.00	3,515

STREAM FLOWS

Gauging Station	03/08/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	552
NRTT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	13	113
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	222	2,114
NCAT : Nueces River at Calallen, Texas	0	345
RBP : Rincon Bayou Pipline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	4	29

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	8
Return Flow Credit (Effective: 03/01/2007)	500
Passthru Target: 3,500 Reservoir Inflow: 29	29
Estuary Inflows (NCAT + RBP)	345
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2007		Elevation (Ft)	
				Allocation	Remaining	Full	03/09/2007
03/08/2007	7	210	7,848	3,050	2,840	44.0	43.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 10, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/10/2006	217.0	607,277	87.3%	87.1	142,005	58.9%	749,282	80.0%
03/10/2007	212.8	510,560	73.4%	85.0	112,977	43.9%	623,537	65.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/09/2007	84	188	0.00	83	80	0.00		268
MTD		2,398	0.00		1,385	0.00		3,783

STREAM FLOWS

Gauging Station	03/09/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	619
NRTT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	13	126
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	222	2,336
NCAT : Nueces River at Calallen, Texas	0	345
RBP : Rincon Bayou Pipline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2	32

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	8
Return Flow Credit (Effective: 03/01/2007)	500
Passthru Target: 3,500 Reservoir Inflow: 32	32
Estuary Inflows (NCAT + RBP)	345
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2007		Elevation (Ft)	
				Allocation	Remaining	Full	03/10/2007
03/09/2007	50	260	7,898	3,050	2,790	44.0	43.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 11, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/11/2006	217.0	607,036	87.3%	87.1	141,431	58.6%	748,467	79.9%
03/11/2007	212.7	510,344	73.4%	84.9	112,477	43.7%	622,821	65.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/10/2007	83	276	0.00	83	175	0.00	451
MTD		2,674	0.00		1,560	0.00	4,234

STREAM FLOWS

Gauging Station	03/10/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	687
NRTT : Nueces River at Tilden, Texas	0	2
FRIT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	13	139
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	220	2,557
NCAT : Nueces River at Calallen, Texas	0	345
RBP : Rincon Bayou Pipline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2	34

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	8
Return Flow Credit (Effective: 03/01/2007)	500
Passthru Target: 3,500 Reservoir Inflow: 34	34
Estuary Inflows (NCAT + RBP)	345
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2007		Elevation (Ft)	
				Allocation	Remaining	Full	03/11/2007
03/10/2007	60	320	7,959	3,050	2,730	44.0	43.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 12, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/12/2006	217.0	607,036	87.3%	87.0	140,431	58.2%	747,467	79.8%
03/12/2007	212.9	513,365	73.8%	85.1	114,488	44.5%	627,853	65.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/11/2007	74	151	0.68	74	133	1.03	284
MTD		2,825	0.68		1,693	1.03	4,518

STREAM FLOWS

Gauging Station	03/11/2007 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	67	754
<u>NRTT</u> : Nueces River at Tilden, Texas	0	2
<u>FRTT</u> : Frio River at Tilden, Texas	0	3
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	0
<u>ARWT</u> : Atascosa River at Whitsett, Texas	13	152
<u>Release from Choke Canyon Reservoir</u>	66	721
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	220	2,777
<u>NCAT</u> : Nueces River at Calallen, Texas	0	345
<u>RBP</u> : Rincon Bayou Pipline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	37

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <u>Salinity Relief Credit</u> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	8
Return Flow Credit (Effective: 03/01/2007)	500
Passthru Target: 3,500 Reservoir Inflow: 37	37
Estuary Inflows (NCAT + RBP)	345
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2007		Elevation (Ft)	
				Allocation	Remaining	Full	03/12/2007
03/11/2007	60	381	8,019	3,050	2,669	44.0	43.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 13, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/13/2006	217.0	606,795	87.3%	87.1	142,005	58.9%	748,800	80.0%
03/13/2007	212.8	512,502	73.7%	85.1	114,488	44.5%	626,990	65.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/12/2007	68	25	0.08	66	81	0.18	106
MTD		2,850	0.76		1,774	1.21	4,624

STREAM FLOWS

Gauging Station	03/12/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	828
NRTT : Nueces River at Tilden, Texas	2	3
FRIT : Frio River at Tilden, Texas	4	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	16	168
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	224	3,001
NCAT : Nueces River at Calallen, Texas	0	346
RBP : Rincon Bayou Pipline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	12	48

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	8
Return Flow Credit (Effective: 03/01/2007)	500
Passthru Target: 3,500 Reservoir Inflow: 48	48
Estuary Inflows (NCAT + RBP)	346
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2007		Elevation (Ft)	
				Allocation	Remaining	Full	03/13/2007
03/12/2007	60	441	8,079	3,050	2,609	44.0	43.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 14, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/14/2006	217.0	606,554	87.2%	87.1	141,718	58.7%	748,272	79.9%
03/14/2007	213.1	518,572	74.6%	85.2	115,885	45.0%	634,457	66.6%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/13/2007	70	13	1.98	77	208	0.27	221
MTD		2,863	2.74		1,982	1.48	4,845

STREAM FLOWS

Gauging Station	03/13/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	139	967
NRTT : Nueces River at Tilden, Texas	8	11
FRIT : Frio River at Tilden, Texas	7	13
SMTT : San Miguel Creek at Tilden, Texas	1,169	1,169
ARWT : Atascosa River at Whittsett, Texas	413	581
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	222	3,224
NCAT : Nueces River at Calallen, Texas	50	395
RBP : Rincon Bayou Pipline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,249	1,298

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	8
Return Flow Credit (Effective: 03/01/2007)	500
Passthru Target: 3,500 Reservoir Inflow: 1,298	1,298
Estuary Inflows (NCAT + RBP)	395
PassThru Surplus / -Deficit:	-394

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2007		Elevation (Ft)	
				Allocation	Remaining	Full	03/14/2007
03/13/2007	60	501	8,140	3,050	2,549	44.0	43.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 15, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/15/2006	216.9	605,831	87.1%	87.0	140,574	58.3%	746,405	79.7%
03/15/2007	213.4	524,025	75.4%	85.9	125,407	48.7%	649,432	68.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/14/2007	84	102	0.02	87	78	0.05	180
MTD		2,965	2.76		2,060	1.53	5,025

STREAM FLOWS

Gauging Station	03/14/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	4,883	5,850
NRTT : Nueces River at Tilden, Texas	7	18
FRIT : Frio River at Tilden, Texas	1,304	1,317
SMTT : San Miguel Creek at Tilden, Texas	2,203	3,373
ARWT : Atascosa River at Whitsett, Texas	8,873	9,454
Release from Choke Canyon Reservoir	30	881
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	234	3,458
NCAT : Nueces River at Calallen, Texas	193	588
RBP : Rincon Bayou Pipline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	8,361	9,658

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	8
Return Flow Credit (Effective: 03/01/2007)	500
Passthru Target: 3,500 Reservoir Inflow: 9,658	3,500
Estuary Inflows (NCAT + RBP)	588
PassThru Surplus / -Deficit:	-2,404

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2007		Elevation (Ft)	
				Allocation	Remaining	Full	03/15/2007
03/14/2007	60	561	8,199	3,050	2,489	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 16, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/16/2006	216.9	605,349	87.1%	87.0	140,146	58.1%	745,495	79.6%
03/16/2007	213.5	526,883	75.8%	86.8	136,616	53.1%	663,499	69.7%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/15/2007	78	141	0.00	75	90	0.00	231
MTD		3,106	2.76		2,150	1.53	5,256

STREAM FLOWS

Gauging Station	03/15/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	10,183	16,033
NRTT : Nueces River at Tilden, Texas	19	37
FRIT : Frio River at Tilden, Texas	572	1,889
SMTT : San Miguel Creek at Tilden, Texas	2,263	5,635
ARWT : Atascosa River at Whitsett, Texas	24,019	33,472
Release from Choke Canyon Reservoir	0	881
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	226	3,684
NCAT : Nueces River at Calallen, Texas	397	985
RBP : Rincon Bayou Pipline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	13,018	22,676

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	8
Return Flow Credit (Effective: 03/01/2007)	500
Passthru Target: 3,500 Reservoir Inflow: 22,676	3,500
Estuary Inflows (NCAT + RBP)	985
PassThru Surplus / -Deficit:	-2,007

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2007		Elevation (Ft)	
				Allocation	Remaining	Full	03/16/2007
03/15/2007	60	621	8,259	3,050	2,429	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 17, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/17/2006	216.9	605,105	87.0%	87.0	140,289	58.2%	745,394	79.6%
03/17/2007	213.6	527,985	75.9%	87.7	149,682	58.2%	677,667	71.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/16/2007	76	334	0.00	76	193	0.00	527
MTD		3,440	2.76		2,343	1.53	5,783

STREAM FLOWS

Gauging Station	03/16/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	16,138	32,171
NRTT : Nueces River at Tilden, Texas	28	65
FRIT : Frio River at Tilden, Texas	304	2,193
SMTT : San Miguel Creek at Tilden, Texas	1,316	6,951
ARWT : Atascosa River at Whitsett, Texas	9,766	43,238
Release from Choke Canyon Reservoir	0	881
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	228	3,912
NCAT : Nueces River at Calallen, Texas	143	1,128
RBP : Rincon Bayou Pipline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	17,758	40,434

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	8
Return Flow Credit (Effective: 03/01/2007)	500
Passthru Target: 3,500 Reservoir Inflow: 40,434	3,500
Estuary Inflows (NCAT + RBP)	1,128
PassThru Surplus / -Deficit:	-1,864

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2007		Elevation (Ft)	
				Allocation	Remaining	Full	03/17/2007
03/16/2007	60	681	8,319	3,050	2,369	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 18, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/18/2006	216.9	604,867	87.0%	87.0	139,436	57.8%	744,303	79.5%
03/18/2007	213.6	528,205	76.0%	88.7	165,558	64.4%	693,763	72.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/17/2007	74	231	0.00	73	84	0.00		315
MTD		3,671	2.76		2,427	1.53		6,098

STREAM FLOWS

Gauging Station	03/17/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	16,734	48,904
NRTT : Nueces River at Tilden, Texas	40	105
FRIT : Frio River at Tilden, Texas	127	2,320
SMTT : San Miguel Creek at Tilden, Texas	292	7,243
ARWT : Atascosa River at Whitsett, Texas	3,196	46,434
Release from Choke Canyon Reservoir	0	881
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	232	4,145
NCAT : Nueces River at Calallen, Texas	81	1,209
RBP : Rincon Bayou Pipline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	17,152	57,586

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	8
Return Flow Credit (Effective: 03/01/2007)	500
Passthru Target: 3,500 Reservoir Inflow: 57,586	3,500
Estuary Inflows (NCAT + RBP)	1,209
PassThru Surplus / -Deficit:	-1,783

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2007		Elevation (Ft)	
				Allocation	Remaining	Full	03/18/2007
03/17/2007	60	740	8,379	3,050	2,310	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 19, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/19/2006	216.9	604,626	87.0%	86.9	138,445	57.4%	743,071	79.3%
03/19/2007	213.6	529,306	76.1%	89.3	174,915	68.0%	704,221	73.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/18/2007	79	219	0.00	79	152	0.00	371
MTD		3,890	2.76		2,579	1.53	6,469

STREAM FLOWS

Gauging Station	03/18/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	7,106	56,011
NRTT : Nueces River at Tilden, Texas	36	141
FRIT : Frio River at Tilden, Texas	71	2,391
SMTT : San Miguel Creek at Tilden, Texas	81	7,325
ARWT : Atascosa River at Whitsett, Texas	474	46,909
Release from Choke Canyon Reservoir	42	923
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	236	4,381
NCAT : Nueces River at Calallen, Texas	73	1,283
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	7,217	64,804

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	8
Return Flow Credit (Effective: 03/01/2007)	500
Passthru Target: 3,500 Reservoir Inflow: 64,804	3,500
Estuary Inflows (NCAT + RBP)	1,283
PassThru Surplus / -Deficit:	-1,709

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2007		Elevation (Ft)	
				Allocation	Remaining	Full	03/19/2007
03/18/2007	60	800	8,439	3,050	2,250	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 20, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/20/2006	217.0	606,554	87.2%	86.9	139,294	57.7%	745,848	79.6%
03/20/2007	213.6	528,866	76.1%	89.3	176,220	68.5%	705,086	74.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/19/2007	79	180	0.00	79	124	0.00	304
MTD		4,070	2.76		2,703	1.53	6,773

STREAM FLOWS

Gauging Station	03/19/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	788	56,799
NRTT : Nueces River at Tilden, Texas	26	166
FRIT : Frio River at Tilden, Texas	44	2,435
SMTT : San Miguel Creek at Tilden, Texas	44	7,368
ARWT : Atascosa River at Whitsett, Texas	296	47,204
Release from Choke Canyon Reservoir	66	989
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	238	4,619
NCAT : Nueces River at Calallen, Texas	64	1,346
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	810	65,614

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	8
Return Flow Credit (Effective: 03/01/2007)	500
Passthru Target: 3,500 Reservoir Inflow: 65,614	3,500
Estuary Inflows (NCAT + RBP)	1,346
PassThru Surplus / -Deficit:	-1,646

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2007		Elevation (Ft)	
				Allocation	Remaining	Full	03/20/2007
03/19/2007	60	860	8,499	3,050	2,190	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 21, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/21/2006	216.9	604,867	87.0%	87.0	139,720	57.9%	744,587	79.5%
03/21/2007	213.6	529,086	76.1%	89.3	175,894	68.4%	704,980	74.0%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/20/2007	79	167	0.00	77	181	0.00	348
MTD		4,237	2.76		2,884	1.53	7,121

STREAM FLOWS

Gauging Station	03/20/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	474	57,273
NRTT : Nueces River at Tilden, Texas	14	180
FRIT : Frio River at Tilden, Texas	26	2,461
SMTT : San Miguel Creek at Tilden, Texas	22	7,390
ARWT : Atascosa River at Whitsett, Texas	226	47,431
Release from Choke Canyon Reservoir	66	1,054
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	238	4,857
NCAT : Nueces River at Calallen, Texas	50	1,396
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	457	66,070

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	8
Return Flow Credit (Effective: 03/01/2007)	500
Passthru Target: 3,500 Reservoir Inflow: 66,070	3,500
Estuary Inflows (NCAT + RBP)	1,396
PassThru Surplus / -Deficit:	-1,596

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2007		Elevation (Ft)	
				Allocation	Remaining	Full	03/21/2007
03/20/2007	60	920	8,558	3,050	2,130	44.0	44.0

Report Generated: 03/21/2007 at 8:17:23 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 22, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/22/2006	216.8	602,939	86.7%	86.9	138,869	57.6%	741,808	79.2%
03/22/2007	213.6	529,527	76.2%	89.3	175,894	68.4%	705,421	74.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/21/2007	79	154	0.02	79	209	0.02	363
MTD		4,391	2.78		3,093	1.55	7,484

STREAM FLOWS

Gauging Station	03/21/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	381	57,654
NRTT : Nueces River at Tilden, Texas	6	187
FRIT : Frio River at Tilden, Texas	17	2,478
SMTT : San Miguel Creek at Tilden, Texas	22	7,412
ARWT : Atascosa River at Whitsett, Texas	189	47,619
Release from Choke Canyon Reservoir	66	1,120
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	236	5,094
NCAT : Nueces River at Calallen, Texas	30	1,426
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	355	66,425

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	8
Return Flow Credit (Effective: 03/01/2007)	500
Passthru Target: 3,500 Reservoir Inflow: 66,425	3,500
Estuary Inflows (NCAT + RBP)	1,426
PassThru Surplus / -Deficit:	-1,566

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2007		Elevation (Ft)	
				Allocation	Remaining	Full	03/22/2007
03/21/2007	71	991	8,630	3,050	2,059	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 23, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/23/2006	216.8	602,457	86.7%	86.9	138,727	57.5%	741,184	79.1%
03/23/2007	213.6	529,306	76.1%	89.3	175,404	68.2%	704,710	74.0%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/22/2007	80	257	0.04	79	133	0.00	390
MTD		4,648	2.82		3,226	1.55	7,874

STREAM FLOWS

Gauging Station	03/22/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	349	58,004
NRTT : Nueces River at Tilden, Texas	2	188
FRIT : Frio River at Tilden, Texas	12	2,490
SMTT : San Miguel Creek at Tilden, Texas	20	7,432
ARWT : Atascosa River at Whitsett, Texas	159	47,778
Release from Choke Canyon Reservoir	66	1,185
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	236	5,330
NCAT : Nueces River at Calallen, Texas	58	1,483
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	315	66,740

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	8
Return Flow Credit (Effective: 03/01/2007)	500
Passthru Target: 3,500 Reservoir Inflow: 66,740	3,500
Estuary Inflows (NCAT + RBP)	1,483
PassThru Surplus / -Deficit:	-1,509

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2007		Elevation (Ft)	
				Allocation	Remaining	Full	03/23/2007
03/22/2007	79	1,070	8,708	3,050	1,980	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 24, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/24/2006	216.8	601,975	86.6%	86.8	137,599	57.0%	739,574	79.0%
03/24/2007	213.6	529,086	76.1%	89.3	175,404	68.2%	704,490	74.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/23/2007	78	231	0.00	78	152	0.00	383
MTD		4,879	2.82		3,378	1.55	8,257

STREAM FLOWS

Gauging Station	03/23/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	310	58,313
NRTT : Nueces River at Tilden, Texas	0	188
FRIT : Frio River at Tilden, Texas	8	2,498
SMTT : San Miguel Creek at Tilden, Texas	16	7,448
ARWT : Atascosa River at Whitsett, Texas	143	47,921
Release from Choke Canyon Reservoir	66	1,251
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	236	5,566
NCAT : Nueces River at Calallen, Texas	60	1,543
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	269	67,009

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	8
Return Flow Credit (Effective: 03/01/2007)	500
Passthru Target: 3,500 Reservoir Inflow: 67,009	3,500
Estuary Inflows (NCAT + RBP)	1,543
PassThru Surplus / -Deficit:	-1,449

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2007		Elevation (Ft)	
				Allocation	Remaining	Full	03/24/2007
03/23/2007	79	1,149	8,787	3,050	1,901	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 25, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/25/2006	216.7	601,492	86.5%	86.8	136,616	56.6%	738,108	78.8%
03/25/2007	213.6	528,866	76.1%	89.3	175,567	68.2%	704,433	74.0%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/24/2007	81	192	0.00	80	219	0.00	411
MTD		5,071	2.82		3,597	1.55	8,668

STREAM FLOWS

Gauging Station	03/24/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	282	58,595
NRTT : Nueces River at Tilden, Texas	1	189
FRIT : Frio River at Tilden, Texas	6	2,504
SMTT : San Miguel Creek at Tilden, Texas	15	7,463
ARWT : Atascosa River at Whitsett, Texas	121	48,042
Release from Choke Canyon Reservoir	66	1,316
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	218	5,784
NCAT : Nueces River at Calallen, Texas	62	1,604
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	238	67,246

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	8
Return Flow Credit (Effective: 03/01/2007)	500
Passthru Target: 3,500 Reservoir Inflow: 67,246	3,500
Estuary Inflows (NCAT + RBP)	1,604
PassThru Surplus / -Deficit:	-1,388

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2007		Elevation (Ft)	
				Allocation	Remaining	Full	03/25/2007
03/24/2007	95	1,244	8,882	3,050	1,806	44.0	44.0

Report Generated: 03/25/2007 at 8:13:58 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 26, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/26/2006	216.7	601,010	86.4%	86.7	136,196	56.5%	737,206	78.7%
03/26/2007	213.6	528,425	76.0%	89.2	173,938	67.6%	702,363	73.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/25/2007	76	90	0.00	78	142	0.00	232
MTD		5,161	2.82		3,739	1.55	8,900

STREAM FLOWS

Gauging Station	03/25/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	252	58,847
NRTT : Nueces River at Tilden, Texas	1	190
FRIT : Frio River at Tilden, Texas	5	2,509
SMTT : San Miguel Creek at Tilden, Texas	11	7,474
ARWT : Atascosa River at Whitsett, Texas	111	48,153
Release from Choke Canyon Reservoir	66	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	218	6,003
NCAT : Nueces River at Calallen, Texas	103	1,708
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	202	67,449

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	8
Return Flow Credit (Effective: 03/01/2007)	500
Passthru Target: 3,500 Reservoir Inflow: 67,449	3,500
Estuary Inflows (NCAT + RBP)	1,708
PassThru Surplus / -Deficit:	-1,284

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2007		Elevation (Ft)	
				Allocation	Remaining	Full	03/26/2007
03/25/2007	106	1,349	8,988	3,050	1,701	44.0	44.0

Report Generated: 03/26/2007 at 8:43:29 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 27, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/27/2006	216.7	600,528	86.4%	86.7	135,219	56.1%	735,747	78.6%
03/27/2007	213.6	529,086	76.1%	89.3	176,220	68.5%	705,306	74.0%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/26/2007	77	129	0.43	77	95	0.43	224
MTD		5,290	3.25		3,834	1.98	9,124

STREAM FLOWS

Gauging Station	03/26/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	240	59,087
NRTT : Nueces River at Tilden, Texas	0	190
FRIT : Frio River at Tilden, Texas	3	2,512
SMTT : San Miguel Creek at Tilden, Texas	12	7,485
ARWT : Atascosa River at Whittsett, Texas	107	48,260
Release from Choke Canyon Reservoir	66	1,447
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	220	6,223
NCAT : Nueces River at Calallen, Texas	77	1,785
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	189	67,638

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	8
Return Flow Credit (Effective: 03/01/2007)	500
Passthru Target: 3,500 Reservoir Inflow: 67,638	3,500
Estuary Inflows (NCAT + RBP)	1,785
PassThru Surplus / -Deficit:	-1,207

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2007		Elevation (Ft)	
				Allocation	Remaining	Full	03/27/2007
03/26/2007	97	1,446	9,085	3,050	1,604	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 28, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/28/2006	216.7	600,289	86.3%	86.7	135,637	56.2%	735,926	78.6%
03/28/2007	213.6	529,747	76.2%	89.3	175,894	68.4%	705,641	74.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/27/2007	85	154	0.00	85	171	0.00	325
MTD		5,444	3.25		4,005	1.98	9,449

STREAM FLOWS

Gauging Station	03/27/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	256	59,344
NRTT : Nueces River at Tilden, Texas	0	190
FRIT : Frio River at Tilden, Texas	2	2,515
SMTT : San Miguel Creek at Tilden, Texas	1,235	8,720
ARWT : Atascosa River at Whitsett, Texas	111	48,371
Release from Choke Canyon Reservoir	66	1,513
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	220	6,443
NCAT : Nueces River at Calallen, Texas	109	1,894
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,428	69,065

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	8
Return Flow Credit (Effective: 03/01/2007)	500
Passthru Target: 3,500 Reservoir Inflow: 69,065	3,500
Estuary Inflows (NCAT + RBP)	1,894
PassThru Surplus / -Deficit:	-1,098

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2007		Elevation (Ft)	
				Allocation	Remaining	Full	03/28/2007
03/27/2007	106	1,552	9,190	3,050	1,498	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 29, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/29/2006	216.7	600,528	86.4%	86.7	135,637	56.2%	736,165	78.6%
03/29/2007	213.7	530,629	76.3%	89.2	174,263	67.7%	704,892	74.0%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/28/2007	84	309	0.00	84	218	0.00	527
MTD		5,753	3.25		4,223	1.98	9,976

STREAM FLOWS

Gauging Station	03/28/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	371	59,715
NRTT : Nueces River at Tilden, Texas	0	190
FRIT : Frio River at Tilden, Texas	8	2,523
SMTT : San Miguel Creek at Tilden, Texas	1,338	10,058
ARWT : Atascosa River at Whitsett, Texas	1,679	50,051
Release from Choke Canyon Reservoir	66	1,578
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	220	6,664
NCAT : Nueces River at Calallen, Texas	66	1,960
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,652	70,717

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	8
Return Flow Credit (Effective: 03/01/2007)	500
Passthru Target: 3,500 Reservoir Inflow: 70,717	3,500
Estuary Inflows (NCAT + RBP)	1,960
PassThru Surplus / -Deficit:	-1,032

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2007		Elevation (Ft)	
				Allocation	Remaining	Full	03/29/2007
03/28/2007	106	1,657	9,296	3,050	1,393	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 30, 2007**

RESERVOIR STATISTICS

Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/30/2006	216.7	600,289	86.3%	86.6	135,080	56.0%	735,369	78.5%
03/30/2007	213.7	531,290	76.4%	89.4	177,202	68.9%	708,492	74.4%

Weather Related Information							
Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/29/2007	78	129	0.00	80	181	0.00	310
MTD		5,882	3.25		4,404	1.98	10,286

STREAM FLOWS

Gauging Station	03/29/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,680	62,395
NRTT : Nueces River at Tilden, Texas	0	191
FRIT : Frio River at Tilden, Texas	464	2,987
SMTT : San Miguel Creek at Tilden, Texas	224	10,282
ARWT : Atascosa River at Whitsett, Texas	3,037	53,088
Release from Choke Canyon Reservoir	66	1,644
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	220	6,884
NCAT : Nueces River at Calallen, Texas	58	2,017
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	3,303	74,020

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	8
Return Flow Credit (Effective: 03/01/2007)	500
Passthru Target: 3,500 Reservoir Inflow: 74,020	3,500
Estuary Inflows (NCAT + RBP)	2,017
PassThru Surplus / -Deficit:	-975

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2007		Elevation (Ft)	
				Allocation	Remaining	Full	03/30/2007
03/29/2007	106	1,763	9,402	3,050	1,287	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 31, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/31/2006	216.7	599,812	86.3%	86.6	134,941	55.9%	734,753	78.5%
03/31/2007	213.8	533,517	76.7%	89.6	180,158	70.0%	713,675	74.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/30/2007	78	194	0.58	80	106	0.00	300
MTD		6,076	3.83		4,510	1.98	10,586

STREAM FLOWS

Gauging Station	03/30/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,700	65,094
NRTT : Nueces River at Tilden, Texas	0	191
FRIT : Frio River at Tilden, Texas	167	3,154
SMTT : San Miguel Creek at Tilden, Texas	143	10,425
ARWT : Atascosa River at Whitsett, Texas	985	54,072
Release from Choke Canyon Reservoir	66	1,709
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	220	7,104
NCAT : Nueces River at Calallen, Texas	99	2,116
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,944	76,964

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	8
Return Flow Credit (Effective: 03/01/2007)	500
Passthru Target: 3,500 Reservoir Inflow: 76,964	3,500
Estuary Inflows (NCAT + RBP)	2,116
PassThru Surplus / -Deficit:	-876

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2007		Elevation (Ft)	
				Allocation	Remaining	Full	03/31/2007
03/30/2007	106	1,869	9,507	3,050	1,181	44.0	44.0