

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 1, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/01/2006	216.3	591,474	85.1%	85.7	122,360	50.7%	713,834	76.2%
05/01/2007	214.0	538,639	77.5%	90.1	188,623	73.3%	727,262	76.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/30/2007	79	169	0.23	85	107	0.01	276
MTD		7,037	2.80		5,401	0.98	12,438

STREAM FLOWS

Gauging Station	04/30/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	175	18,498
NRTT : Nueces River at Tilden, Texas	8	235
FRIT : Frio River at Tilden, Texas	4	5,917
SMTT : San Miguel Creek at Tilden, Texas	6	4,220
ARWT : Atascosa River at Whitsett, Texas	123	11,682
Release from Choke Canyon Reservoir	66	1,965
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	200	6,152
NCAT : Nueces River at Calallen, Texas	22	2,703
RBP : Rincon Bayou Pipeline	0	36
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	119	26,670

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/06/2007)	-747
Return Flow Credit (Effective: 04/06/2007)	500
Passthru Target: 3,500 Reservoir Inflow: 26,670	3,500
Estuary Inflows (NCAT + RBP)	2,739
PassThru Surplus / -Deficit:	-1,008

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2007		Elevation (Ft)	
				Allocation	Remaining	Full	05/01/2007
04/30/2007	134	3,567	13,180	3,050	-517	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 2, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/02/2006	216.3	591,001	85.0%	85.7	122,360	50.7%	713,361	76.2%
05/02/2007	214.0	538,861	77.5%	90.1	188,288	73.2%	727,149	76.3%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/01/2007	87	273	0.00	85	78	0.00	351
MTD		273	0.00		78	0.00	351

STREAM FLOWS

Gauging Station	05/01/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	558	558
NRTT : Nueces River at Tilden, Texas	125	125
FRIT : Frio River at Tilden, Texas	16	16
SMTT : San Miguel Creek at Tilden, Texas	6	6
ARWT : Atascosa River at Whitsett, Texas	1,384	1,384
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	322	322
NCAT : Nueces River at Calallen, Texas	46	46
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	514	514

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-1,008
Return Flow Credit (Effective:)	0
Passthru Target: 25,500 Reservoir Inflow: 514	514
Estuary Inflows (NCAT + RBP)	46
PassThru Surplus / -Deficit:	-1,477

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2007		Elevation (Ft)	
				Allocation	Remaining	Full	05/02/2007
05/01/2007	133	133	13,314	4,100	3,967	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 3, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/03/2006	216.3	590,523	84.9%	85.6	120,526	50.0%	711,049	75.9%
05/03/2007	214.0	538,639	77.5%	90.2	190,800	74.2%	729,439	76.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/02/2007	81	91	0.00	84	10	0.03	101
MTD		364	0.00		88	0.03	452

STREAM FLOWS

Gauging Station	05/02/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,322	2,880
NRTT : Nueces River at Tilden, Texas	42	167
FRIT : Frio River at Tilden, Texas	7	23
SMTT : San Miguel Creek at Tilden, Texas	6	11
ARWT : Atascosa River at Whitsett, Texas	2,997	4,381
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	377	699
NCAT : Nueces River at Calallen, Texas	185	230
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,269	2,784

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-1,008
Return Flow Credit (Effective:)	0
Passthru Target: 25,500 Reservoir Inflow: 2,784	2,784
Estuary Inflows (NCAT + RBP)	230
PassThru Surplus / -Deficit:	-3,561

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2007		Elevation (Ft)	
				Allocation	Remaining	Full	05/03/2007
05/02/2007	133	267	13,447	4,100	3,833	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 4, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/04/2006	216.3	590,285	84.9%	85.6	121,573	50.4%	711,858	76.0%
05/04/2007	214.0	538,639	77.5%	90.3	192,312	74.8%	730,951	76.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/03/2007	85	286	0.00	87	343	0.00	629
MTD		650	0.00		431	0.03	1,081

STREAM FLOWS

Gauging Station	05/03/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,660	5,540
NRTT : Nueces River at Tilden, Texas	26	193
FRIT : Frio River at Tilden, Texas	4	27
SMTT : San Miguel Creek at Tilden, Texas	16	27
ARWT : Atascosa River at Whittsett, Texas	812	5,193
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	407	1,106
NCAT : Nueces River at Calallen, Texas	355	586
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,614	5,397

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-1,008
Return Flow Credit (Effective:)	0
Passthru Target: 25,500 Reservoir Inflow: 5,397	5,397
Estuary Inflows (NCAT + RBP)	586
PassThru Surplus / -Deficit:	-5,820

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2007		Elevation (Ft)	
				Allocation	Remaining	Full	05/04/2007
05/03/2007	134	400	13,581	4,100	3,700	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 5, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/05/2006	216.3	589,807	84.8%	85.6	120,787	50.1%	710,594	75.9%
05/05/2007	214.0	538,861	77.5%	90.3	192,144	74.7%	731,005	76.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/04/2007	88	299	0.00	87	255	0.00	554
MTD		949	0.00		686	0.03	1,635

STREAM FLOWS

Gauging Station	05/04/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	641	6,181
NRTT : Nueces River at Tilden, Texas	22	214
FRIT : Frio River at Tilden, Texas	4	30
SMTT : San Miguel Creek at Tilden, Texas	32	59
ARWT : Atascosa River at Whitsett, Texas	453	5,645
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	359	1,465
NCAT : Nueces River at Calallen, Texas	292	877
RBP : Rincon Bayou Pipeline		0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	611	6,008

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-1,008
Return Flow Credit (Effective:)	0
Passthru Target: 25,500 Reservoir Inflow: 6,008	6,008
Estuary Inflows (NCAT + RBP)	877
PassThru Surplus / -Deficit:	-6,139

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2007		Elevation (Ft)	
				Allocation	Remaining	Full	05/05/2007
05/04/2007	133	534	13,714	4,100	3,566	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 6, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/06/2006	216.2	589,329	84.8%	85.5	120,266	49.9%	709,595	75.8%
05/06/2007	214.0	538,416	77.4%	90.3	191,808	74.6%	730,224	76.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/05/2007	84	195	0.00	87	166	0.00	361
MTD		1,144	0.00		852	0.03	1,996

STREAM FLOWS

Gauging Station	05/05/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	494	6,676
NRTT : Nueces River at Tilden, Texas	16	230
FRIT : Frio River at Tilden, Texas	159	189
SMTT : San Miguel Creek at Tilden, Texas	32	90
ARWT : Atascosa River at Whitsett, Texas	371	6,017
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	216	1,681
NCAT : Nueces River at Calallen, Texas	250	1,127
RBP : Rincon Bayou Pipeline		0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	619	6,628

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/05/2007)	-1,008
Return Flow Credit (Effective: 05/05/2007)	500
Passthru Target: 25,500 Reservoir Inflow: 6,628	6,628
Estuary Inflows (NCAT + RBP)	1,127
PassThru Surplus / -Deficit:	-6,008

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2007		Elevation (Ft)	
				Allocation	Remaining	Full	05/06/2007
05/05/2007	134	668	13,848	4,100	3,432	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 7, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/07/2006	216.2	589,091	84.7%	85.5	120,135	49.8%	709,226	75.7%
05/07/2007	214.0	538,194	77.4%	90.3	192,312	74.8%	730,506	76.7%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/06/2007	84	195	0.01	83	98	0.00	293	
MTD		1,339	0.01		950	0.03	2,289	

STREAM FLOWS

Gauging Station	05/06/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	373	7,049
NRTT : Nueces River at Tilden, Texas	13	243
FRIT : Frio River at Tilden, Texas	266	455
SMTT : San Miguel Creek at Tilden, Texas	52	142
ARWT : Atascosa River at Whitsett, Texas	232	6,249
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	214	1,896
NCAT : Nueces River at Calallen, Texas	151	1,278
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	625	7,253

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/05/2007)	-1,008
Return Flow Credit (Effective: 05/05/2007)	500
Passthru Target: 25,500 Reservoir Inflow: 7,253	7,253
Estuary Inflows (NCAT + RBP)	1,278
PassThru Surplus / -Deficit:	-6,482

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2007		Elevation (Ft)	
				Allocation	Remaining	Full	05/07/2007
05/06/2007	134	801	13,982	4,100	3,299	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 8, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/08/2006	216.2	588,852	84.7%	85.5	119,615	49.6%	708,467	75.6%
05/08/2007	214.1	539,974	77.7%	90.4	193,322	75.1%	733,296	77.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/07/2007	88	417	0.45	89	442	0.08	859
MTD		1,756	0.46		1,392	0.11	3,148

STREAM FLOWS

Gauging Station	05/07/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	250	7,299
NRTT : Nueces River at Tilden, Texas	9	251
FRIT : Frio River at Tilden, Texas	177	632
SMTT : San Miguel Creek at Tilden, Texas	28	170
ARWT : Atascosa River at Whittsett, Texas	147	6,396
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	214	2,110
NCAT : Nueces River at Calallen, Texas	89	1,368
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	389	7,642

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/05/2007)	-1,008
Return Flow Credit (Effective: 05/05/2007)	500
Passthru Target: 25,500 Reservoir Inflow: 7,642	7,642
Estuary Inflows (NCAT + RBP)	1,368
PassThru Surplus / -Deficit:	-6,782

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2007		Elevation (Ft)	
				Allocation	Remaining	Full	05/08/2007
05/07/2007	133	935	14,115	4,100	3,165	44.0	43.9

Report Generated: 05/08/2007 at 8:28:22 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 9, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/09/2006	216.2	588,852	84.7%	85.5	119,096	49.4%	707,948	75.6%
05/09/2007	214.1	539,529	77.6%	90.3	191,976	74.6%	731,505	76.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/08/2007	86	404	0.00	88	313	0.00	717
MTD		2,160	0.46		1,705	0.11	3,865

STREAM FLOWS

Gauging Station	05/08/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	193	7,491
NRTT : Nueces River at Tilden, Texas	12	263
FRIT : Frio River at Tilden, Texas	135	767
SMTT : San Miguel Creek at Tilden, Texas	24	194
ARWT : Atascosa River at Whitsett, Texas	109	6,505
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	214	2,324
NCAT : Nueces River at Calallen, Texas	73	1,441
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	286	7,928

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/05/2007)	-1,008
Return Flow Credit (Effective: 05/05/2007)	500
Passthru Target: 25,500 Reservoir Inflow: 7,928	7,928
Estuary Inflows (NCAT + RBP)	1,441
PassThru Surplus / -Deficit:	-6,995

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2007		Elevation (Ft)	
				Allocation	Remaining	Full	05/09/2007
05/08/2007	133	1,068	14,248	4,100	3,032	44.0	44.0

Report Generated: 05/09/2007 at 8:33:09 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 10, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/10/2006	216.2	588,613	84.7%	85.4	118,321	49.0%	706,934	75.5%
05/10/2007	214.1	539,974	77.7%	90.3	192,985	75.0%	732,959	76.9%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/09/2007	83	274	0.30	84	226	0.05	500
MTD		2,434	0.76		1,931	0.16	4,365

STREAM FLOWS

Gauging Station	05/09/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	155	7,646
NRTT : Nueces River at Tilden, Texas	13	277
FRIT : Frio River at Tilden, Texas	103	870
SMTT : San Miguel Creek at Tilden, Texas	20	213
ARWT : Atascosa River at Whitsett, Texas	81	6,586
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	214	2,539
NCAT : Nueces River at Calallen, Texas	71	1,513
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	212	8,140

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/05/2007)	-1,008
Return Flow Credit (Effective: 05/05/2007)	500
Passthru Target: 25,500 Reservoir Inflow: 8,140	8,140
Estuary Inflows (NCAT + RBP)	1,513
PassThru Surplus / -Deficit:	-7,136

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2007		Elevation (Ft)	
				Allocation	Remaining	Full	05/10/2007
05/09/2007	136	1,204	14,385	4,100	2,896	44.0	44.0

Report Generated: 05/10/2007 at 8:51:25 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 11, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/11/2006	216.2	588,377	84.6%	85.4	118,708	49.2%	707,085	75.5%
05/11/2007	214.2	541,322	77.9%	90.4	193,154	75.1%	734,476	77.1%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/10/2007	82	327	0.80	84	98	0.16	425	
MTD		2,761	1.56		2,029	0.32	4,790	

STREAM FLOWS

Gauging Station	05/10/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	133	7,779
NRTT : Nueces River at Tilden, Texas	18	295
FRIT : Frio River at Tilden, Texas	79	949
SMTT : San Miguel Creek at Tilden, Texas	24	237
ARWT : Atascosa River at Whitsett, Texas	77	6,664
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	214	2,753
NCAT : Nueces River at Calallen, Texas	40	1,552
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	171	8,311

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/05/2007)	-1,008
Return Flow Credit (Effective: 05/05/2007)	500
Passthru Target: 25,500 Reservoir Inflow: 8,311	8,311
Estuary Inflows (NCAT + RBP)	1,552
PassThru Surplus / -Deficit:	-7,267

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2007		Elevation (Ft)	
				Allocation	Remaining	Full	05/11/2007
05/10/2007	137	1,341	14,521	4,100	2,759	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 12, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/12/2006	216.2	587,431	84.5%	85.4	117,805	48.8%	705,236	75.3%
05/12/2007	214.2	542,222	78.0%	90.3	192,649	74.9%	734,871	77.1%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/11/2007	85	327	0.00	85	304	0.00	631
MTD		3,088	1.56		2,333	0.32	5,421

STREAM FLOWS

Gauging Station	05/11/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	145	7,924
NRTT : Nueces River at Tilden, Texas	42	336
FRIT : Frio River at Tilden, Texas	62	1,011
SMTT : San Miguel Creek at Tilden, Texas	50	287
ARWT : Atascosa River at Whitsett, Texas	147	6,811
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	214	2,968
NCAT : Nueces River at Calallen, Texas	73	1,626
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	191	8,501

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/05/2007)	-1,008
Return Flow Credit (Effective: 05/05/2007)	500
Passthru Target: 25,500 Reservoir Inflow: 8,501	8,501
Estuary Inflows (NCAT + RBP)	1,626
PassThru Surplus / -Deficit:	-7,384

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2007		Elevation (Ft)	
				Allocation	Remaining	Full	05/12/2007
05/11/2007	138	1,480	14,660	4,100	2,620	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 13, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/13/2006	216.1	586,249	84.3%	85.3	116,778	48.4%	703,027	75.1%
05/13/2007	214.2	541,997	78.0%	90.3	192,312	74.8%	734,309	77.1%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/12/2007	86	288	0.00	88	323	0.00	611
MTD		3,376	1.56		2,656	0.32	6,032

STREAM FLOWS

Gauging Station	05/12/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	208	8,133
NRTT : Nueces River at Tilden, Texas	42	378
FRIT : Frio River at Tilden, Texas	50	1,061
SMTT : San Miguel Creek at Tilden, Texas	103	390
ARWT : Atascosa River at Whitsett, Texas	206	7,017
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	212	3,180
NCAT : Nueces River at Calallen, Texas	75	1,701
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	296	8,797

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/05/2007)	-1,008
Return Flow Credit (Effective: 05/05/2007)	500
Passthru Target: 25,500 Reservoir Inflow: 8,797	8,797
Estuary Inflows (NCAT + RBP)	1,701
PassThru Surplus / -Deficit:	-7,604

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2007		Elevation (Ft)	
				Allocation	Remaining	Full	05/13/2007
05/12/2007	139	1,619	14,799	4,100	2,481	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 14, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/14/2006	216.1	586,249	84.3%	85.2	115,757	48.0%	702,006	75.0%
05/14/2007	214.1	540,197	77.7%	90.3	191,808	74.6%	732,005	76.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/13/2007	89	352	0.00	92	264	0.00	616
MTD		3,728	1.56		2,920	0.32	6,648

STREAM FLOWS

Gauging Station	05/13/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	216	8,349
NRTT : Nueces River at Tilden, Texas	28	406
FRIT : Frio River at Tilden, Texas	42	1,102
SMTT : San Miguel Creek at Tilden, Texas	73	463
ARWT : Atascosa River at Whitsett, Texas	137	7,154
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	212	3,392
NCAT : Nueces River at Calallen, Texas	77	1,779
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	266	9,063

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/05/2007)	-1,008
Return Flow Credit (Effective: 05/05/2007)	500
Passthru Target: 25,500 Reservoir Inflow: 9,063	9,063
Estuary Inflows (NCAT + RBP)	1,779
PassThru Surplus / -Deficit:	-7,793

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2007		Elevation (Ft)	
				Allocation	Remaining	Full	05/14/2007
05/13/2007	140	1,759	14,939	4,100	2,341	44.0	43.9

Report Generated: 05/14/2007 at 8:10:02 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 15, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/15/2006	216.1	585,781	84.3%	85.3	116,778	48.4%	702,559	75.0%
05/15/2007	214.0	538,861	77.5%	90.3	191,640	74.5%	730,501	76.7%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/14/2007	87	430	0.00	91	313	0.00	743
MTD		4,158	1.56		3,233	0.32	7,391

STREAM FLOWS

Gauging Station	05/14/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	173	8,522
NRTT : Nueces River at Tilden, Texas	22	428
FRIT : Frio River at Tilden, Texas	52	1,154
SMTT : San Miguel Creek at Tilden, Texas	24	487
ARWT : Atascosa River at Whitsett, Texas	75	7,229
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	212	3,605
NCAT : Nueces River at Calallen, Texas	46	1,824
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	183	9,246

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/05/2007)	-1,008
Return Flow Credit (Effective: 05/05/2007)	500
Passthru Target: 25,500 Reservoir Inflow: 9,246	9,246
Estuary Inflows (NCAT + RBP)	1,824
PassThru Surplus / -Deficit:	-7,930

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2007		Elevation (Ft)	
				Allocation	Remaining	Full	05/15/2007
05/14/2007	140	1,899	15,079	4,100	2,201	44.0	43.9

Report Generated: 05/15/2007 at 8:30:30 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 16, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/16/2006	216.0	584,610	84.1%	85.2	115,503	47.9%	700,113	74.8%
05/16/2007	214.0	537,971	77.4%	90.2	191,136	74.3%	729,107	76.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/15/2007	88	403	0.00	90	254	0.00	657
MTD		4,561	1.56		3,487	0.32	8,048

STREAM FLOWS

Gauging Station	05/15/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	125	8,647
NRTT : Nueces River at Tilden, Texas	22	450
FRIT : Frio River at Tilden, Texas	48	1,202
SMTT : San Miguel Creek at Tilden, Texas	10	497
ARWT : Atascosa River at Whitsett, Texas	58	7,287
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	234	3,839
NCAT : Nueces River at Calallen, Texas	5	1,829
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	117	9,363

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/05/2007)	-1,008
Return Flow Credit (Effective: 05/05/2007)	500
Passthru Target: 25,500 Reservoir Inflow: 9,363	9,363
Estuary Inflows (NCAT + RBP)	1,829
PassThru Surplus / -Deficit:	-8,042

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2007		Elevation (Ft)	
				Allocation	Remaining	Full	05/16/2007
05/15/2007	140	2,039	15,219	4,100	2,061	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 17, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/17/2006	216.0	584,141	84.0%	85.1	114,995	47.7%	699,136	74.7%
05/17/2007	214.0	537,526	77.3%	90.2	190,968	74.2%	728,494	76.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/16/2007	86	390	0.00	88	352	0.00	742	
MTD		4,951	1.56		3,839	0.32	8,790	

STREAM FLOWS

Gauging Station	05/16/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	109	8,756
NRTT : Nueces River at Tilden, Texas	20	469
FRIT : Frio River at Tilden, Texas	34	1,235
SMTT : San Miguel Creek at Tilden, Texas	4	502
ARWT : Atascosa River at Whitsett, Texas	58	7,345
Release from Choke Canyon Reservoir	66	1,048
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	272	4,111
NCAT : Nueces River at Calallen, Texas	1	1,829
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	82	9,445

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/05/2007)	-1,008
Return Flow Credit (Effective: 05/05/2007)	500
Passthru Target: 25,500 Reservoir Inflow: 9,445	9,445
Estuary Inflows (NCAT + RBP)	1,829
PassThru Surplus / -Deficit:	-8,123

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2007		Elevation (Ft)	
				Allocation	Remaining	Full	05/17/2007
05/16/2007	141	2,180	15,360	4,100	1,920	44.0	43.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 18, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/18/2006	216.0	583,434	83.9%	85.1	114,362	47.4%	697,796	74.5%
05/18/2007	214.0	538,416	77.4%	90.2	190,129	73.9%	728,545	76.5%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/17/2007	81	312	0.00	84	332	0.00	644
MTD		5,263	1.56		4,171	0.32	9,434

STREAM FLOWS

Gauging Station	05/17/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	105	8,861
NRTT : Nueces River at Tilden, Texas	461	930
FRIT : Frio River at Tilden, Texas	24	1,259
SMTT : San Miguel Creek at Tilden, Texas	2	503
ARWT : Atascosa River at Whitsett, Texas	48	7,392
Release from Choke Canyon Reservoir	66	1,114
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	272	4,383
NCAT : Nueces River at Calallen, Texas	18	1,848
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	65	9,510

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/05/2007)	-1,008
Return Flow Credit (Effective: 05/05/2007)	500
Passthru Target: 25,500 Reservoir Inflow: 9,510	9,510
Estuary Inflows (NCAT + RBP)	1,848
PassThru Surplus / -Deficit:	-8,170

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2007		Elevation (Ft)	
				Allocation	Remaining	Full	05/18/2007
05/17/2007	141	2,321	15,501	4,100	1,779	44.0	43.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 19, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/19/2006	216.0	582,725	83.8%	85.0	113,354	47.0%	696,079	74.3%
05/19/2007	214.0	538,639	77.5%	90.1	189,292	73.6%	727,931	76.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/18/2007	77	247	0.00	77	117	0.00	364
MTD		5,510	1.56		4,288	0.32	9,798

STREAM FLOWS

Gauging Station	05/18/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	254	9,115
NRTT : Nueces River at Tilden, Texas	1,020	1,950
FRIT : Frio River at Tilden, Texas	16	1,276
SMTT : San Miguel Creek at Tilden, Texas	0	503
ARWT : Atascosa River at Whitsett, Texas	44	7,436
Release from Choke Canyon Reservoir	66	1,179
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	272	4,655
NCAT : Nueces River at Calallen, Texas	85	1,933
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	205	9,715

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/05/2007)	-1,008
Return Flow Credit (Effective: 05/05/2007)	500
Passthru Target: 25,500 Reservoir Inflow: 9,715	9,715
Estuary Inflows (NCAT + RBP)	1,933
PassThru Surplus / -Deficit:	-8,290

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2007		Elevation (Ft)	
				Allocation	Remaining	Full	05/19/2007
05/18/2007	142	2,462	15,643	4,100	1,638	44.0	43.5

Report Generated: 05/19/2007 at 7:58:40 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 20, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/20/2006	215.9	581,779	83.7%	85.0	112,977	46.8%	694,756	74.2%
05/20/2007	214.0	538,416	77.4%	90.1	189,459	73.6%	727,875	76.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/19/2007	82	364	0.00	84	332	0.00	696
MTD		5,874	1.56		4,620	0.32	10,494

STREAM FLOWS

Gauging Station	05/19/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	869	9,985
NRTT : Nueces River at Tilden, Texas	1,219	3,169
FRIT : Frio River at Tilden, Texas	14	1,290
SMTT : San Miguel Creek at Tilden, Texas	0	503
ARWT : Atascosa River at Whitsett, Texas	42	7,477
Release from Choke Canyon Reservoir	66	1,245
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	272	4,927
NCAT : Nueces River at Calallen, Texas	113	2,046
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	818	10,533

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/05/2007)	-1,008
Return Flow Credit (Effective: 05/05/2007)	500
Passthru Target: 25,500 Reservoir Inflow: 10,533	10,533
Estuary Inflows (NCAT + RBP)	2,046
PassThru Surplus / -Deficit:	-8,995

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2007		Elevation (Ft)	
				Allocation	Remaining	Full	05/20/2007
05/19/2007	142	2,604	15,784	4,100	1,496	44.0	43.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 21, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/21/2006	215.9	581,309	83.6%	85.0	112,977	46.8%	694,286	74.1%
05/21/2007	214.0	537,971	77.4%	90.2	190,297	74.0%	728,268	76.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/20/2007	77	182	0.01	77	137	0.02	319
MTD		6,056	1.57		4,757	0.34	10,813

STREAM FLOWS

Gauging Station	05/20/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,102	11,086
NRTT : Nueces River at Tilden, Texas	1,310	4,479
FRIT : Frio River at Tilden, Texas	20	1,310
SMTT : San Miguel Creek at Tilden, Texas	0	504
ARWT : Atascosa River at Whitsett, Texas	38	7,515
Release from Choke Canyon Reservoir	66	1,310
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	272	5,199
NCAT : Nueces River at Calallen, Texas	117	2,163
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,056	11,589

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/05/2007)	-1,008
Return Flow Credit (Effective: 05/05/2007)	500
Passthru Target: 25,500 Reservoir Inflow: 11,589	11,589
Estuary Inflows (NCAT + RBP)	2,163
PassThru Surplus / -Deficit:	-9,934

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2007		Elevation (Ft)	
				Allocation	Remaining	Full	05/21/2007
05/20/2007	142	2,746	15,926	4,100	1,354	44.0	43.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 22, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/22/2006	215.9	580,840	83.5%	84.9	112,477	46.6%	693,317	74.0%
05/22/2007	214.0	538,639	77.5%	90.2	190,297	74.0%	728,936	76.5%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/21/2007	81	364	0.80	85	205	0.07	569
MTD		6,420	2.37		4,962	0.41	11,382

STREAM FLOWS

Gauging Station	05/21/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,233	12,319
NRTT : Nueces River at Tilden, Texas	1,360	5,839
FRIT : Frio River at Tilden, Texas	15	1,325
SMTT : San Miguel Creek at Tilden, Texas	0	504
ARWT : Atascosa River at Whitsett, Texas	42	7,557
Release from Choke Canyon Reservoir	66	1,376
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	272	5,471
NCAT : Nueces River at Calallen, Texas	69	2,233
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,183	12,772

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/05/2007)	-1,008
Return Flow Credit (Effective: 05/05/2007)	500
Passthru Target: 25,500 Reservoir Inflow: 12,772	12,772
Estuary Inflows (NCAT + RBP)	2,233
PassThru Surplus / -Deficit:	-11,047

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2007		Elevation (Ft)	
				Allocation	Remaining	Full	05/22/2007
05/21/2007	142	2,888	16,069	4,100	1,212	44.0	43.4

Report Generated: 05/22/2007 at 8:21:01 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 23, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/23/2006	215.9	580,372	83.5%	84.9	111,977	46.4%	692,349	73.9%
05/23/2007	214.0	538,194	77.4%	90.3	191,640	74.5%	729,834	76.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/22/2007	87	351	0.00	89	254	0.00	605
MTD		6,771	2.37		5,216	0.41	11,987

STREAM FLOWS

Gauging Station	05/22/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,322	13,641
NRTT : Nueces River at Tilden, Texas	1,308	7,147
FRIT : Frio River at Tilden, Texas	15	1,340
SMTT : San Miguel Creek at Tilden, Texas	0	504
ARWT : Atascosa River at Whitsett, Texas	56	7,612
Release from Choke Canyon Reservoir	66	1,441
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	296	5,766
NCAT : Nueces River at Calallen, Texas	36	2,268
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,272	14,044

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/05/2007)	-1,008
Return Flow Credit (Effective: 05/05/2007)	500
Passthru Target: 25,500 Reservoir Inflow: 14,044	14,044
Estuary Inflows (NCAT + RBP)	2,268
PassThru Surplus / -Deficit:	-12,283

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2007		Elevation (Ft)	
				Allocation	Remaining	Full	05/23/2007
05/22/2007	109	2,997	16,178	4,100	1,103	44.0	43.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 24, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/24/2006	215.9	580,372	83.5%	84.9	111,977	46.4%	692,349	73.9%
05/24/2007	214.0	537,971	77.4%	90.3	191,808	74.6%	729,779	76.6%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/23/2007	86	325	0.00	86	294	0.00	619	
MTD		7,096	2.37		5,510	0.41	12,606	

STREAM FLOWS

Gauging Station	05/23/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,330	14,971
NRTT : Nueces River at Tilden, Texas	1,008	8,155
FRIT : Frio River at Tilden, Texas	9	1,349
SMTT : San Miguel Creek at Tilden, Texas	0	504
ARWT : Atascosa River at Whitsett, Texas	48	7,660
Release from Choke Canyon Reservoir	66	1,507
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	310	6,076
NCAT : Nueces River at Calallen, Texas	83	2,352
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,273	15,317

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/05/2007)	-1,008
Return Flow Credit (Effective: 05/05/2007)	500
Passthru Target: 25,500 Reservoir Inflow: 15,317	15,317
Estuary Inflows (NCAT + RBP)	2,352
PassThru Surplus / -Deficit:	-13,473

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2007		Elevation (Ft)	
				Allocation	Remaining	Full	05/24/2007
05/23/2007	143	3,140	16,321	4,100	960	44.0	43.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 25, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/25/2006	215.8	579,201	83.3%	84.8	111,355	46.2%	690,556	73.7%
05/25/2007	214.2	541,772	77.9%	90.3	192,480	74.8%	734,252	77.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/24/2007	83	301	2.27	87	196	0.00	497
MTD		7,397	4.64		5,706	0.41	13,103

STREAM FLOWS

Gauging Station	05/24/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,056	16,027
NRTT : Nueces River at Tilden, Texas	758	8,914
FRIT : Frio River at Tilden, Texas	9	1,358
SMTT : San Miguel Creek at Tilden, Texas	0	504
ARWT : Atascosa River at Whitsett, Texas	46	7,706
Release from Choke Canyon Reservoir	66	1,572
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	395	6,471
NCAT : Nueces River at Calallen, Texas	131	2,483
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,000	16,317

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/05/2007)	-1,008
Return Flow Credit (Effective: 05/05/2007)	500
Passthru Target: 25,500 Reservoir Inflow: 16,317	16,317
Estuary Inflows (NCAT + RBP)	2,483
PassThru Surplus / -Deficit:	-14,342

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2007		Elevation (Ft)	
				Allocation	Remaining	Full	05/25/2007
05/24/2007	143	3,283	16,464	4,100	817	44.0	43.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 26, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/26/2006	215.8	578,265	83.2%	84.8	111,106	46.1%	689,371	73.6%
05/26/2007	214.4	545,822	78.5%	90.5	195,347	75.9%	741,169	77.8%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/25/2007	76	250	0.80	75	286	1.80	536
MTD		7,647	5.44		5,992	2.21	13,639

STREAM FLOWS

Gauging Station	05/25/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,125	17,152
NRTT : Nueces River at Tilden, Texas	762	9,676
FRIT : Frio River at Tilden, Texas	121	1,479
SMTT : San Miguel Creek at Tilden, Texas	1,562	2,066
ARWT : Atascosa River at Whitsett, Texas	95	7,801
Release from Choke Canyon Reservoir	66	1,638
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	679	7,150
NCAT : Nueces River at Calallen, Texas	280	2,763
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,743	19,060

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/05/2007)	-1,008
Return Flow Credit (Effective: 05/05/2007)	500
Passthru Target: 25,500 Reservoir Inflow: 19,060	19,060
Estuary Inflows (NCAT + RBP)	2,763
PassThru Surplus / -Deficit:	-16,805

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2007		Elevation (Ft)	
				Allocation	Remaining	Full	05/26/2007
05/25/2007	139	3,423	16,603	4,100	677	44.0	43.4

Report Generated: 05/26/2007 at 8:11:03 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 27, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/27/2006	215.7	577,328	83.0%	84.8	110,734	45.9%	688,062	73.5%
05/27/2007	214.5	549,197	79.0%	90.5	195,347	75.9%	744,544	78.2%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/26/2007	83	264	0.19	84	177	0.00	441	
MTD		7,911	5.63		6,169	2.21	14,080	

STREAM FLOWS

Gauging Station	05/26/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,419	18,572
NRTT : Nueces River at Tilden, Texas	967	10,643
FRIT : Frio River at Tilden, Texas	1,145	2,624
SMTT : San Miguel Creek at Tilden, Texas	2,461	4,528
ARWT : Atascosa River at Whitsett, Texas	383	8,184
Release from Choke Canyon Reservoir	66	1,703
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	953	8,103
NCAT : Nueces River at Calallen, Texas	651	3,414
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	4,961	24,020

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/05/2007)	-1,008
Return Flow Credit (Effective: 05/05/2007)	500
Passthru Target: 25,500 Reservoir Inflow: 24,020	24,020
Estuary Inflows (NCAT + RBP)	3,414
PassThru Surplus / -Deficit:	-21,115

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2007		Elevation (Ft)	
				Allocation	Remaining	Full	05/27/2007
05/26/2007	143	3,565	16,746	4,100	535	44.0	43.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 28, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/28/2006	215.7	576,860	83.0%	84.8	110,487	45.8%	687,347	73.4%
05/28/2007	214.9	557,628	80.2%	90.6	197,209	76.7%	754,837	79.2%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/27/2007	79	213	1.38	79	326	1.32	539	
MTD		8,124	7.01		6,495	3.53	14,619	

STREAM FLOWS

Gauging Station	05/27/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,657	20,229
NRTT : Nueces River at Tilden, Texas	933	11,576
FRIT : Frio River at Tilden, Texas	1,344	3,968
SMTT : San Miguel Creek at Tilden, Texas	1,671	6,199
ARWT : Atascosa River at Whitsett, Texas	786	8,970
Release from Choke Canyon Reservoir	66	1,769
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,370	9,472
NCAT : Nueces River at Calallen, Texas	971	4,385
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	4,607	28,628

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/05/2007)	-1,008
Return Flow Credit (Effective: 05/05/2007)	500
Passthru Target: 25,500 Reservoir Inflow: 28,628	25,500
Estuary Inflows (NCAT + RBP)	4,385
PassThru Surplus / -Deficit:	-21,623

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2007		Elevation (Ft)	
				Allocation	Remaining	Full	05/28/2007
05/27/2007	143	3,708	16,888	4,100	392	44.0	43.4

Report Generated: 05/28/2007 at 8:19:54 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 29, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/29/2006	215.7	576,860	83.0%	84.8	110,734	45.9%	687,594	73.4%
05/29/2007	215.2	566,148	81.4%	90.6	198,057	77.0%	764,205	80.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/28/2007	85	229	0.00	87	198	0.00	427
MTD		8,353	7.01		6,693	3.53	15,046

STREAM FLOWS

Gauging Station	05/28/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,116	23,346
NRTT : Nueces River at Tilden, Texas	1,749	13,324
FRIT : Frio River at Tilden, Texas	3,950	7,918
SMTT : San Miguel Creek at Tilden, Texas	2,700	8,898
ARWT : Atascosa River at Whitsett, Texas	1,880	10,850
Release from Choke Canyon Reservoir	66	1,834
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,064	11,537
NCAT : Nueces River at Calallen, Texas	1,326	5,710
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	9,701	38,328

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/05/2007)	-1,008
Return Flow Credit (Effective: 05/05/2007)	500
Passthru Target: 25,500 Reservoir Inflow: 38,328	25,500
Estuary Inflows (NCAT + RBP)	5,710
PassThru Surplus / -Deficit:	-20,298

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2007		Elevation (Ft)	
				Allocation	Remaining	Full	05/29/2007
05/28/2007	143	3,851	17,031	4,100	249	44.0	43.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 30, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/30/2006	215.9	580,372	83.5%	84.8	110,858	46.0%	691,230	73.8%
05/30/2007	215.5	572,644	82.4%	90.8	200,097	77.8%	772,741	81.1%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/29/2007	87	366	0.00	88	238	0.00	604	
MTD		8,719	7.01		6,931	3.53	15,650	

STREAM FLOWS

Gauging Station	05/29/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	5,082	28,427
NRTT : Nueces River at Tilden, Texas	2,144	15,468
FRIT : Frio River at Tilden, Texas	4,228	12,146
SMTT : San Miguel Creek at Tilden, Texas	2,719	11,618
ARWT : Atascosa River at Whitsett, Texas	4,943	15,793
Release from Choke Canyon Reservoir	42	1,876
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,481	14,018
NCAT : Nueces River at Calallen, Texas	1,951	7,662
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	11,987	50,316

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/05/2007)	-1,008
Return Flow Credit (Effective: 05/05/2007)	500
Passthru Target: 25,500 Reservoir Inflow: 50,316	25,500
Estuary Inflows (NCAT + RBP)	7,662
PassThru Surplus / -Deficit:	-18,346

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2007		Elevation (Ft)	
				Allocation	Remaining	Full	05/30/2007
05/29/2007	143	3,993	17,174	4,100	107	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 31, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/31/2006	215.8	579,904	83.4%	84.8	110,240	45.7%	690,144	73.7%
05/31/2007	215.7	577,796	83.1%	91.0	204,023	79.3%	781,819	82.1%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/30/2007	89	409	0.00	91	229	0.00	638
MTD		9,128	7.01		7,160	3.53	16,288

STREAM FLOWS

Gauging Station	05/30/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	6,412	34,839
NRTT : Nueces River at Tilden, Texas	2,402	17,870
FRTT : Frio River at Tilden, Texas	4,208	16,355
SMTT : San Miguel Creek at Tilden, Texas	725	12,342
ARWT : Atascosa River at Whitsett, Texas	4,546	20,338
Release from Choke Canyon Reservoir	0	1,876
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,382	16,400
NCAT : Nueces River at Calallen, Texas	2,164	9,825
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	11,344	61,660

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/05/2007)	-1,008
Return Flow Credit (Effective: 05/05/2007)	500
Passthru Target: 25,500 Reservoir Inflow: 61,660	25,500
Estuary Inflows (NCAT + RBP)	9,825
PassThru Surplus / -Deficit:	-16,183

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2007		Elevation (Ft)	
				Allocation	Remaining	Full	05/31/2007
05/30/2007	143	4,136	17,316	4,100	-36	44.0	43.9

Report Generated: 05/31/2007 at 7:40:34 AM