

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 1, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/01/2006	215.2	564,761	81.2%	83.7	98,081	40.7%	662,842	70.8%
07/01/2007	218.4	641,492	92.3%	94.0	257,260	100.0%	898,752	94.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/30/2007	89	303	0.10	94	266	0.04	569
MTD		11,040	9.64		8,620	3.80	19,660

STREAM FLOWS

Gauging Station	06/30/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	8,039	107,351
NRTT : Nueces River at Tilden, Texas	6,154	83,741
FRIT : Frio River at Tilden, Texas	2,124	38,968
SMTT : San Miguel Creek at Tilden, Texas	935	13,295
ARWT : Atascosa River at Whitsett, Texas	6,908	32,111
Release from Choke Canyon Reservoir	0	1,802
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	15,543	56,181
NCAT : Nueces River at Calallen, Texas	3,573	32,437
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	11,098	157,810

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/06/2007)	-13,920
Return Flow Credit (Effective: 06/06/2007)	500
Passthru Target: 25,500 Reservoir Inflow: 157,810	25,500
Estuary Inflows (NCAT + RBP)	32,437
PassThru Surplus / -Deficit:	-6,483

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2007		Elevation (Ft)	
				Allocation	Remaining	Full	07/01/2007
06/30/2007	124	3,777	21,236	4,100	323	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 2, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/02/2006	215.2	564,761	81.2%	83.7	97,966	40.6%	662,727	70.8%
07/02/2007	218.6	647,962	93.2%	94.0	257,260	100.0%	905,222	95.0%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/01/2007	87	319	1.08	90	255	1.19	574
MTD		319	1.08		255	1.19	574

STREAM FLOWS

Gauging Station	07/01/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	8,873	8,873
NRTT : Nueces River at Tilden, Texas	9,667	9,667
FRIT : Frio River at Tilden, Texas	3,851	3,851
SMTT : San Miguel Creek at Tilden, Texas	1,308	1,308
ARWT : Atascosa River at Whittsett, Texas	6,709	6,709
Release from Choke Canyon Reservoir	0	0
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	10,163	10,163
NCAT : Nueces River at Calallen, Texas	5,240	5,240
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	14,032	14,032

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-6,483
Return Flow Credit (Effective:)	0
Passthru Target: 6,500 Reservoir Inflow: 14,032	6,500
Estuary Inflows (NCAT + RBP)	5,240
PassThru Surplus / -Deficit:	-7,743

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2007		Elevation (Ft)	
				Allocation	Remaining	Full	07/02/2007
07/01/2007	125	125	21,361	4,100	3,975	44.0	44.0

Report Generated: 07/02/2007 at 8:14:20 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 3, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/03/2006	215.2	564,302	81.2%	83.7	98,196	40.7%	662,498	70.7%
07/03/2007	218.9	654,959	94.2%	94.2	257,260	100.0%	912,219	95.8%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/02/2007	85	234	0.10	86	330	0.46	564	
MTD		553	1.18		585	1.65	1,138	

STREAM FLOWS

Gauging Station	07/02/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	11,592	20,465
NRTT : Nueces River at Tilden, Texas	9,865	19,532
FRIT : Frio River at Tilden, Texas	5,955	9,806
SMTT : San Miguel Creek at Tilden, Texas	609	1,918
ARWT : Atascosa River at Whitsett, Texas	3,732	10,441
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	13,756	23,919
NCAT : Nueces River at Calallen, Texas	11,017	16,257
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	18,091	32,123

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2007)	-6,483
Return Flow Credit (Effective: 07/02/2007)	500
Passthru Target: 6,500 Reservoir Inflow: 32,123	6,500
Estuary Inflows (NCAT + RBP)	16,257
PassThru Surplus / -Deficit:	3,774

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2007		Elevation (Ft)	
				Allocation	Remaining	Full	07/03/2007
07/02/2007	125	249	21,485	4,100	3,851	44.0	44.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 4, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/04/2006	215.1	563,843	81.1%	83.7	98,196	40.7%	662,039	70.7%
07/04/2007	219.2	662,006	95.2%	94.4	257,260	100.0%	919,266	96.5%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/03/2007	83	206	1.90	84	Pan overflow	1.14	206
MTD		759	3.08		585	2.79	1,344

STREAM FLOWS

Gauging Station	07/03/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	12,287	32,753
NRTT : Nueces River at Tilden, Texas	9,032	28,564
FRIT : Frio River at Tilden, Texas	6,094	15,900
SMTT : San Miguel Creek at Tilden, Texas	683	2,600
ARWT : Atascosa River at Whitsett, Texas	1,610	12,051
Release from Choke Canyon Reservoir	0	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	13,657	37,576
NCAT : Nueces River at Calallen, Texas	10,024	26,281
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	19,064	51,187

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2007)	-6,483
Return Flow Credit (Effective: 07/02/2007)	500
Passthru Target: 6,500 Reservoir Inflow: 51,187	6,500
Estuary Inflows (NCAT + RBP)	26,281
PassThru Surplus / -Deficit:	13,798

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2007		Elevation (Ft)	
				Allocation	Remaining	Full	07/04/2007
07/03/2007	125	374	21,610	4,100	3,726	44.0	44.0

Report Generated: 07/04/2007 at 8:50:15 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 5, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/05/2006	215.3	567,307	81.6%	83.7	98,196	40.7%	665,503	71.1%
07/05/2007	220.2	686,992	98.8%	94.1	257,260	100.0%	944,252	99.1%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/04/2007	79	180	1.55	81	Pan overflow	1.83	180
MTD		939	4.63		585	4.62	1,524

STREAM FLOWS

Gauging Station	07/04/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	12,049	44,801
NRTT : Nueces River at Tilden, Texas	11,295	39,859
FRIT : Frio River at Tilden, Texas	7,960	23,860
SMTT : San Miguel Creek at Tilden, Texas	6,154	8,754
ARWT : Atascosa River at Whitsett, Texas	5,558	17,609
Release from Choke Canyon Reservoir	977	977
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	20,446	58,022
NCAT : Nueces River at Calallen, Texas	11,533	37,814
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	25,186	76,438

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2007)	-6,483
Return Flow Credit (Effective: 07/02/2007)	500
Passthru Target: 6,500 Reservoir Inflow: 76,438	6,500
Estuary Inflows (NCAT + RBP)	37,814
PassThru Surplus / -Deficit:	25,331

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2007		Elevation (Ft)	
				Allocation	Remaining	Full	07/05/2007
07/04/2007	125	499	21,735	4,100	3,601	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 6, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/06/2006	215.3	566,843	81.5%	83.8	98,888	41.0%	665,731	71.1%
07/06/2007	221.2	712,564	102.5%	94.0	257,260	100.0%	969,824	101.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/05/2007	88	338	0.00	90	287	0.00	625
MTD		1,277	4.63		872	4.62	2,149

STREAM FLOWS

Gauging Station	07/05/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	19,195	63,996
NRTT : Nueces River at Tilden, Texas	22,629	62,488
FRIT : Frio River at Tilden, Texas	20,446	44,305
SMTT : San Miguel Creek at Tilden, Texas	8,674	17,428
ARWT : Atascosa River at Whitsett, Texas	16,674	34,283
Release from Choke Canyon Reservoir	2,908	3,885
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	23,622	81,643
NCAT : Nueces River at Calallen, Texas	15,066	52,880
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	45,407	121,845

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2007)	-6,483
Return Flow Credit (Effective: 07/02/2007)	500
Passthru Target: 6,500 Reservoir Inflow: 121,845	6,500
Estuary Inflows (NCAT + RBP)	52,880
PassThru Surplus / -Deficit:	40,397

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2007		Elevation (Ft)	
				Allocation	Remaining	Full	07/06/2007
07/05/2007	125	623	21,859	4,100	3,477	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 7, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/07/2006	215.3	566,380	81.5%	83.9	99,698	41.3%	666,078	71.1%
07/07/2007	221.8	729,867	105.0%	94.0	256,530	99.7%	986,397	103.6%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/06/2007	85	234	0.25	90	159	0.06	393
MTD		1,511	4.88		1,031	4.68	2,542

STREAM FLOWS

Gauging Station	07/06/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	26,401	90,397
NRTT : Nueces River at Tilden, Texas	36,723	99,210
FRIT : Frio River at Tilden, Texas	20,446	64,751
SMTT : San Miguel Creek at Tilden, Texas	2,322	19,751
ARWT : Atascosa River at Whittsett, Texas	20,247	54,530
Release from Choke Canyon Reservoir	4,516	8,401
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	19,552	101,195
NCAT : Nueces River at Calallen, Texas	23,026	75,906
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	44,653	166,498

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2007)	-6,483
Return Flow Credit (Effective: 07/02/2007)	500
Passthru Target: 6,500 Reservoir Inflow: 166,498	6,500
Estuary Inflows (NCAT + RBP)	75,906
PassThru Surplus / -Deficit:	63,423

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2007		Elevation (Ft)	
				Allocation	Remaining	Full	07/07/2007
07/06/2007	125	748	21,984	4,100	3,352	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 8, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/08/2006	215.2	565,916	81.4%	84.0	101,567	42.1%	667,483	71.3%
07/08/2007	222.2	739,566	106.4%	93.9	255,072	99.1%	994,638	104.4%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/07/2007	82	205	0.25	87	170	1.25	375
MTD		1,716	5.13		1,201	5.93	2,917

STREAM FLOWS

Gauging Station	07/07/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	33,547	123,943
NRTT : Nueces River at Tilden, Texas	37,318	136,528
FRIT : Frio River at Tilden, Texas	14,907	79,658
SMTT : San Miguel Creek at Tilden, Texas	2,958	22,708
ARWT : Atascosa River at Whitsett, Texas	10,401	64,931
Release from Choke Canyon Reservoir	4,945	13,345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	23,820	125,015
NCAT : Nueces River at Calallen, Texas	26,996	102,902
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	46,467	212,965

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2007)	-6,483
Return Flow Credit (Effective: 07/02/2007)	500
Passthru Target: 6,500 Reservoir Inflow: 212,965	6,500
Estuary Inflows (NCAT + RBP)	102,902
PassThru Surplus / -Deficit:	90,419

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2007		Elevation (Ft)	
				Allocation	Remaining	Full	07/08/2007
07/07/2007	125	873	22,109	4,100	3,227	44.0	44.0

Report Generated: 07/08/2007 at 9:36:10 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 9, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/09/2006	215.2	565,452	81.3%	84.1	102,627	42.5%	668,079	71.3%
07/09/2007	222.3	742,817	106.8%	93.7	252,526	98.2%	995,343	104.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/08/2007	90	427	0.00	91	370	0.00	797
MTD		2,143	5.13		1,571	5.93	3,714

STREAM FLOWS

Gauging Station	07/08/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	36,723	160,666
NRTT : Nueces River at Tilden, Texas	35,929	172,457
FRIT : Frio River at Tilden, Texas	9,091	88,749
SMTT : San Miguel Creek at Tilden, Texas	8,456	31,165
ARWT : Atascosa River at Whitsett, Texas	6,789	71,720
Release from Choke Canyon Reservoir	8,087	21,432
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	28,981	153,996
NCAT : Nueces River at Calallen, Texas	25,805	128,707
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	46,183	259,148

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2007)	-6,483
Return Flow Credit (Effective: 07/02/2007)	500
Passthru Target: 6,500 Reservoir Inflow: 259,148	6,500
Estuary Inflows (NCAT + RBP)	128,707
PassThru Surplus / -Deficit:	116,224

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2007		Elevation (Ft)	
				Allocation	Remaining	Full	07/09/2007
07/08/2007	124	997	22,233	4,100	3,103	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 10, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/10/2006	215.2	564,991	81.3%	84.1	102,745	42.6%	667,736	71.3%
07/10/2007	222.2	740,107	106.4%	93.7	251,982	97.9%	992,089	104.2%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/09/2007	91	442	0.00	91	180	0.00	622
MTD		2,585	5.13		1,751	5.93	4,336

STREAM FLOWS

Gauging Station	07/09/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	37,715	198,381
NRTT : Nueces River at Tilden, Texas	28,386	200,842
FRIT : Frio River at Tilden, Texas	6,689	95,439
SMTT : San Miguel Creek at Tilden, Texas	7,186	38,350
ARWT : Atascosa River at Whitsett, Texas	4,427	76,147
Release from Choke Canyon Reservoir	12,464	33,896
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	32,753	186,749
NCAT : Nueces River at Calallen, Texas	28,386	157,093
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	39,126	298,274

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2007)	-6,483
Return Flow Credit (Effective: 07/02/2007)	500
Passthru Target: 6,500 Reservoir Inflow: 298,274	6,500
Estuary Inflows (NCAT + RBP)	157,093
PassThru Surplus / -Deficit:	144,610

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2007		Elevation (Ft)	
				Allocation	Remaining	Full	07/10/2007
07/09/2007	124	1,121	22,357	4,100	2,979	44.0	44.0

Report Generated: 07/10/2007 at 9:36:12 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 11, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/11/2006	215.2	564,302	81.2%	84.1	102,391	42.4%	666,693	71.2%
07/11/2007	221.7	727,455	104.6%	93.8	253,071	98.4%	980,526	102.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/10/2007	91	468	0.00	91	434	0.00	902
MTD		3,053	5.13		2,185	5.93	5,238

STREAM FLOWS

Gauging Station	07/10/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	38,906	237,287
NRTT : Nueces River at Tilden, Texas	19,850	220,692
FRIT : Frio River at Tilden, Texas	6,630	102,069
SMTT : San Miguel Creek at Tilden, Texas	1,068	39,418
ARWT : Atascosa River at Whitsett, Texas	4,665	80,811
Release from Choke Canyon Reservoir	14,888	48,783
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	34,142	220,891
NCAT : Nueces River at Calallen, Texas	33,944	191,036
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	31,716	329,990

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 4,875 Effective: 07/11/2007	1,625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2007)	-6,483
Return Flow Credit (Effective: 07/02/2007)	500
Passthru Target: 1,625 Reservoir Inflow: 329,990	1,625
Estuary Inflows (NCAT + RBP)	191,036
PassThru Surplus / -Deficit:	183,428

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2007		Elevation (Ft)	
				Allocation	Remaining	Full	07/11/2007
07/10/2007	124	1,245	22,481	4,100	2,855	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 12, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/12/2006	215.1	563,843	81.1%	84.1	102,391	42.4%	666,234	71.1%
07/12/2007	221.2	717,063	103.1%	93.9	255,437	99.3%	972,500	102.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/11/2007	91	494	0.00	92	371	0.00	865
MTD		3,547	5.13		2,556	5.93	6,103

STREAM FLOWS

Gauging Station	07/11/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	39,502	276,788
NRTT : Nueces River at Tilden, Texas	12,744	233,436
FRIT : Frio River at Tilden, Texas	6,273	108,341
SMTT : San Miguel Creek at Tilden, Texas	463	39,881
ARWT : Atascosa River at Whitsett, Texas	3,077	83,888
Release from Choke Canyon Reservoir	14,888	63,671
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	34,936	255,827
NCAT : Nueces River at Calallen, Texas	38,112	229,148
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	31,349	361,339

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 4,875 Effective: 07/11/2007	1,625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2007)	-6,483
Return Flow Credit (Effective: 07/02/2007)	500
Passthru Target: 1,625 Reservoir Inflow: 361,339	1,625
Estuary Inflows (NCAT + RBP)	229,148
PassThru Surplus / -Deficit:	221,540

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2007		Elevation (Ft)	
				Allocation	Remaining	Full	07/12/2007
07/11/2007	123	1,368	22,604	4,100	2,732	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 13, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/13/2006	215.1	563,155	81.0%	84.1	101,802	42.2%	664,957	71.0%
07/13/2007	220.9	704,932	101.4%	94.0	256,895	99.9%	961,827	101.0%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/12/2007	93	535	0.00	93	372	0.00	907
MTD		4,082	5.13		2,928	5.93	7,010

STREAM FLOWS

Gauging Station	07/12/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	37,715	314,503
NRTT : Nueces River at Tilden, Texas	9,270	242,706
FRIT : Frio River at Tilden, Texas	5,022	113,363
SMTT : San Miguel Creek at Tilden, Texas	254	40,135
ARWT : Atascosa River at Whittsett, Texas	677	84,565
Release from Choke Canyon Reservoir	14,888	78,558
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	36,127	291,954
NCAT : Nueces River at Calallen, Texas	40,494	269,642
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	28,104	389,443

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 4,875 Effective: 07/11/2007	1,625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2007)	-6,483
Return Flow Credit (Effective: 07/02/2007)	500
Passthru Target: 1,625 Reservoir Inflow: 389,443	1,625
Estuary Inflows (NCAT + RBP)	269,642
PassThru Surplus / -Deficit:	262,034

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2007		Elevation (Ft)	
				Allocation	Remaining	Full	07/13/2007
07/12/2007	120	1,488	22,724	4,100	2,612	44.0	44.0

Report Generated: 07/13/2007 at 8:32:53 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 14, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/14/2006	215.1	561,997	80.8%	84.0	101,684	42.2%	663,681	70.9%
07/14/2007	220.5	695,531	100.0%	94.0	256,530	99.7%	952,061	100.0%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/13/2007	93	545	0.00	94	393	0.00	938
MTD		4,627	5.13		3,321	5.93	7,948

STREAM FLOWS

Gauging Station	07/13/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	32,951	347,454
NRTT : Nueces River at Tilden, Texas	7,801	250,507
FRIT : Frio River at Tilden, Texas	3,553	116,917
SMTT : San Miguel Creek at Tilden, Texas	181	40,315
ARWT : Atascosa River at Whitsett, Texas	492	85,057
Release from Choke Canyon Reservoir	11,686	90,244
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	38,509	330,463
NCAT : Nueces River at Calallen, Texas	42,281	311,923
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	24,999	414,442

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 4,875 Effective: 07/11/2007	1,625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2007)	-6,483
Return Flow Credit (Effective: 07/02/2007)	500
Passthru Target: 1,625 Reservoir Inflow: 414,442	1,625
Estuary Inflows (NCAT + RBP)	311,923
PassThru Surplus / -Deficit:	304,315

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2007		Elevation (Ft)	
				Allocation	Remaining	Full	07/14/2007
07/13/2007	122	1,611	22,847	4,100	2,489	44.0	44.1

Report Generated: 07/14/2007 at 8:06:10 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 15, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/15/2006	215.0	561,534	80.8%	84.0	101,215	42.0%	662,749	70.8%
07/15/2007	220.4	693,715	99.8%	93.9	254,890	99.1%	948,605	99.6%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/14/2007	90	378	0.00	93	255	0.00	633
MTD		5,005	5.13		3,576	5.93	8,581

STREAM FLOWS

Gauging Station	07/14/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	25,408	372,862
NRTT : Nueces River at Tilden, Texas	6,471	256,978
FRTT : Frio River at Tilden, Texas	2,640	119,557
SMTT : San Miguel Creek at Tilden, Texas	135	40,450
ARWT : Atascosa River at Whitsett, Texas	395	85,452
Release from Choke Canyon Reservoir	3,285	93,529
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	36,921	367,384
NCAT : Nueces River at Calallen, Texas	44,266	356,188
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	24,898	439,340

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 4,875 Effective: 07/11/2007	1,625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2007)	-6,483
Return Flow Credit (Effective: 07/02/2007)	500
Passthru Target: 1,625 Reservoir Inflow: 439,340	1,625
Estuary Inflows (NCAT + RBP)	356,188
PassThru Surplus / -Deficit:	348,580

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2007		Elevation (Ft)	
				Allocation	Remaining	Full	07/15/2007
07/14/2007	122	1,733	22,969	4,100	2,367	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 16, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/16/2006	215.0	561,534	80.8%	84.0	101,098	41.9%	662,632	70.8%
07/16/2007	220.5	695,271	100.0%	93.9	255,983	99.5%	951,254	99.9%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/15/2007	90	288	0.00	93	212	0.00	500
MTD		5,293	5.13		3,788	5.93	9,081

STREAM FLOWS

Gauging Station	07/15/2007 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	16,158	389,020
<u>NRTT</u> : Nueces River at Tilden, Texas	5,518	262,496
<u>FRTT</u> : Frio River at Tilden, Texas	2,005	121,561
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	107	40,558
<u>ARWT</u> : Atascosa River at Whitsett, Texas	335	85,788
<u>Release from Choke Canyon Reservoir</u>	834	94,363
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	27,592	394,975
<u>NCAT</u> : Nueces River at Calallen, Texas	46,449	402,637
<u>RBP</u> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	17,436	456,776

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <u>Salinity Relief Credit</u> : 4,875 Effective: 07/11/2007	1,625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2007)	-6,483
Return Flow Credit (Effective: 07/02/2007)	500
Passthru Target: 1,625 Reservoir Inflow: 456,776	1,625
Estuary Inflows (NCAT + RBP)	402,637
PassThru Surplus / -Deficit:	395,029

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2007		Elevation (Ft)	
				Allocation	Remaining	Full	07/16/2007
07/15/2007	122	1,855	23,091	4,100	2,245	44.0	44.0

Report Generated: 07/16/2007 at 8:28:14 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 17, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/17/2006	215.0	561,070	80.7%	83.9	100,513	41.7%	661,583	70.6%
07/17/2007	220.4	693,196	99.7%	94.0	257,260	100.0%	950,456	99.8%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/16/2007	88	363	0.00	89	234	0.00	597
MTD		5,656	5.13		4,022	5.93	9,678

STREAM FLOWS

Gauging Station	07/16/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	9,508	398,528
NRTT : Nueces River at Tilden, Texas	4,645	267,141
FRIT : Frio River at Tilden, Texas	1,080	122,641
SMTT : San Miguel Creek at Tilden, Texas	89	40,647
ARWT : Atascosa River at Whittsett, Texas	345	86,133
Release from Choke Canyon Reservoir	429	94,792
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	15,682	410,657
NCAT : Nueces River at Calallen, Texas	44,464	447,101
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	10,249	467,025

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 4,875 Effective: 07/11/2007	1,625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2007)	-6,483
Return Flow Credit (Effective: 07/02/2007)	500
Passthru Target: 1,625 Reservoir Inflow: 467,025	1,625
Estuary Inflows (NCAT + RBP)	447,101
PassThru Surplus / -Deficit:	439,493

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2007		Elevation (Ft)	
				Allocation	Remaining	Full	07/17/2007
07/16/2007	122	1,977	23,213	4,100	2,123	44.0	44.0

Report Generated: 07/17/2007 at 9:12:33 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 18, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/18/2006	215.0	560,606	80.6%	83.9	100,047	41.5%	660,653	70.5%
07/18/2007	220.4	693,715	99.8%	94.1	257,260	100.0%	950,975	99.8%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/17/2007	86	378	0.29	87	266	0.19	644
MTD		6,034	5.42		4,288	6.12	10,322

STREAM FLOWS

Gauging Station	07/17/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	6,054	404,583
NRTT : Nueces River at Tilden, Texas	3,831	270,972
FRTT : Frio River at Tilden, Texas	621	123,263
SMTT : San Miguel Creek at Tilden, Texas	75	40,722
ARWT : Atascosa River at Whitsett, Texas	345	86,479
Release from Choke Canyon Reservoir	147	94,939
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	8,337	418,994
NCAT : Nueces River at Calallen, Texas	33,547	480,648
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6,604	473,629

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 4,875 Effective: 07/11/2007	1,625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2007)	-6,483
Return Flow Credit (Effective: 07/02/2007)	500
Passthru Target: 1,625 Reservoir Inflow: 473,629	1,625
Estuary Inflows (NCAT + RBP)	480,648
PassThru Surplus / -Deficit:	473,040

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2007		Elevation (Ft)	
				Allocation	Remaining	Full	07/18/2007
07/17/2007	122	2,098	23,334	4,100	2,002	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 19, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/19/2006	215.0	560,147	80.6%	83.9	99,698	41.3%	659,845	70.5%
07/19/2007	220.5	694,233	99.9%	94.2	257,260	100.0%	951,493	99.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/18/2007	81	181	0.20	83	Pan overflow	1.98	181
MTD		6,215	5.62		4,288	8.10	10,503

STREAM FLOWS

Gauging Station	07/18/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	4,744	409,327
NRTT : Nueces River at Tilden, Texas	2,858	273,831
FRIT : Frio River at Tilden, Texas	520	123,783
SMTT : San Miguel Creek at Tilden, Texas	66	40,788
ARWT : Atascosa River at Whitsett, Texas	304	86,782
Release from Choke Canyon Reservoir	56	94,994
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	4,764	423,758
NCAT : Nueces River at Calallen, Texas	20,843	501,490
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	5,274	478,903

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 4,875 Effective: 07/11/2007	1,625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2007)	-6,483
Return Flow Credit (Effective: 07/02/2007)	500
Passthru Target: 1,625 Reservoir Inflow: 478,903	1,625
Estuary Inflows (NCAT + RBP)	501,490
PassThru Surplus / -Deficit:	493,882

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2007		Elevation (Ft)	
				Allocation	Remaining	Full	07/19/2007
07/18/2007	122	2,220	23,456	4,100	1,880	44.0	44.0

Report Generated: 07/19/2007 at 8:19:13 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 20, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/20/2006	215.0	559,688	80.5%	83.8	99,350	41.2%	659,038	70.4%
07/20/2007	220.5	694,752	99.9%	94.2	257,260	100.0%	952,012	99.9%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/19/2007	85	303	0.48	82	74	1.56	377
MTD		6,518	6.10		4,362	9.66	10,880

STREAM FLOWS

Gauging Station	07/19/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	4,049	413,376
NRTT : Nueces River at Tilden, Texas	1,717	275,548
FRIT : Frio River at Tilden, Texas	466	124,249
SMTT : San Miguel Creek at Tilden, Texas	85	40,873
ARWT : Atascosa River at Whitsett, Texas	387	87,169
Release from Choke Canyon Reservoir	56	95,050
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	5,776	429,534
NCAT : Nueces River at Calallen, Texas	11,970	513,460
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	4,546	483,449

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 4,875 Effective: 07/11/2007	1,625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2007)	-6,483
Return Flow Credit (Effective: 07/02/2007)	500
Passthru Target: 1,625 Reservoir Inflow: 483,449	1,625
Estuary Inflows (NCAT + RBP)	513,460
PassThru Surplus / -Deficit:	505,852

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2007		Elevation (Ft)	
				Allocation	Remaining	Full	07/20/2007
07/19/2007	122	2,342	23,578	4,100	1,758	44.0	44.1

Report Generated: 07/20/2007 at 8:19:39 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 21, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/21/2006	214.9	558,999	80.4%	83.8	98,888	41.0%	657,887	70.2%
07/21/2007	220.5	696,052	100.1%	94.1	257,260	100.0%	953,312	100.1%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/20/2007	81	61	0.58	85	64	0.30	125
MTD		6,579	6.68		4,426	9.96	11,005

STREAM FLOWS

Gauging Station	07/20/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,978	416,354
NRTT : Nueces River at Tilden, Texas	1,165	276,713
FRIT : Frio River at Tilden, Texas	486	124,735
SMTT : San Miguel Creek at Tilden, Texas	141	41,014
ARWT : Atascosa River at Whitsett, Texas	417	87,586
Release from Choke Canyon Reservoir	56	95,105
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	7,206	436,740
NCAT : Nueces River at Calallen, Texas	6,848	520,308
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	3,549	486,998

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 4,875 Effective: 07/11/2007	1,625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2007)	-6,483
Return Flow Credit (Effective: 07/02/2007)	500
Passthru Target: 1,625 Reservoir Inflow: 486,998	1,625
Estuary Inflows (NCAT + RBP)	520,308
PassThru Surplus / -Deficit:	512,700

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2007		Elevation (Ft)	
				Allocation	Remaining	Full	07/21/2007
07/20/2007	122	2,464	23,700	4,100	1,636	44.0	44.1

Report Generated: 07/21/2007 at 8:20:13 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 22, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/22/2006	214.9	558,310	80.3%	83.8	98,657	40.9%	656,967	70.2%
07/22/2007	220.5	696,312	100.1%	94.1	257,260	100.0%	953,572	100.1%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/21/2007	84	197	0.00	87	160	0.01	357
MTD		6,776	6.68		4,586	9.97	11,362

STREAM FLOWS

Gauging Station	07/21/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,633	419,986
NRTT : Nueces River at Tilden, Texas	647	277,360
FRIT : Frio River at Tilden, Texas	599	125,335
SMTT : San Miguel Creek at Tilden, Texas	6,015	47,029
ARWT : Atascosa River at Whitsett, Texas	1,524	89,111
Release from Choke Canyon Reservoir	2,841	97,946
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	5,757	442,496
NCAT : Nueces River at Calallen, Texas	6,233	526,541
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	7,406	494,404

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 4,875 Effective: 07/11/2007	1,625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2007)	-6,483
Return Flow Credit (Effective: 07/02/2007)	500
Passthru Target: 1,625 Reservoir Inflow: 494,404	1,625
Estuary Inflows (NCAT + RBP)	526,541
PassThru Surplus / -Deficit:	518,933

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2007		Elevation (Ft)	
				Allocation	Remaining	Full	07/22/2007
07/21/2007	122	2,586	23,822	4,100	1,514	44.0	44.1

Report Generated: 07/22/2007 at 8:07:23 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 23, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/23/2006	214.9	557,856	80.2%	83.7	98,081	40.7%	655,937	70.0%
07/23/2007	220.5	694,493	99.9%	94.0	256,895	99.9%	951,388	99.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/22/2007	89	348	0.15	91	298	0.00	646
MTD		7,124	6.83		4,884	9.97	12,008

STREAM FLOWS

Gauging Station	07/22/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	8,397	428,383
NRTT : Nueces River at Tilden, Texas	240	277,600
FRIT : Frio River at Tilden, Texas	933	126,268
SMTT : San Miguel Creek at Tilden, Texas	2,362	49,391
ARWT : Atascosa River at Whittsett, Texas	16,198	105,308
Release from Choke Canyon Reservoir	4,512	102,458
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	8,218	450,714
NCAT : Nueces River at Calallen, Texas	5,895	532,437
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	7,180	501,584

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 4,875 Effective: 07/11/2007	1,625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2007)	-6,483
Return Flow Credit (Effective: 07/02/2007)	500
Passthru Target: 1,625 Reservoir Inflow: 501,584	1,625
Estuary Inflows (NCAT + RBP)	532,437
PassThru Surplus / -Deficit:	524,829

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2007		Elevation (Ft)	
				Allocation	Remaining	Full	07/23/2007
07/22/2007	111	2,696	23,932	4,100	1,404	44.0	44.1

Report Generated: 07/23/2007 at 8:35:41 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 24, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/24/2006	214.9	557,174	80.1%	83.7	97,622	40.5%	654,796	69.9%
07/24/2007	220.4	691,380	99.4%	94.0	257,260	100.0%	948,640	99.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/23/2007	91	498	0.24	92	255	0.00	753
MTD		7,622	7.07		5,139	9.97	12,761

STREAM FLOWS

Gauging Station	07/23/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	14,352	442,734
NRTT : Nueces River at Tilden, Texas	1,407	279,008
FRIT : Frio River at Tilden, Texas	1,197	127,465
SMTT : San Miguel Creek at Tilden, Texas	1,131	50,522
ARWT : Atascosa River at Whitsett, Texas	11,017	116,325
Release from Choke Canyon Reservoir	4,516	106,974
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	10,620	461,334
NCAT : Nueces River at Calallen, Texas	5,816	538,253
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	12,164	513,748

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 4,875 Effective: 07/11/2007	1,625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2007)	-6,483
Return Flow Credit (Effective: 07/02/2007)	500
Passthru Target: 1,625 Reservoir Inflow: 513,748	1,625
Estuary Inflows (NCAT + RBP)	538,253
PassThru Surplus / -Deficit:	530,645

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2007		Elevation (Ft)	
				Allocation	Remaining	Full	07/24/2007
07/23/2007	122	2,819	24,055	4,100	1,281	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 25, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/25/2006	214.8	556,492	80.0%	83.7	97,164	40.3%	653,656	69.8%
07/25/2007	220.0	683,374	98.3%	94.0	257,260	100.0%	940,634	98.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/24/2007	86	239	0.04	91	202	0.45	441
MTD		7,861	7.11		5,341	10.42	13,202

STREAM FLOWS

Gauging Station	07/24/2007 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	18,778	461,513
<u>NRTT</u> : Nueces River at Tilden, Texas	1,657	280,665
<u>FRTT</u> : Frio River at Tilden, Texas	1,493	128,958
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	1,810	52,333
<u>ARWT</u> : Atascosa River at Whitsett, Texas	4,843	121,168
<u>Release from Choke Canyon Reservoir</u>	7,301	114,274
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	13,101	474,435
<u>NCAT</u> : Nueces River at Calallen, Texas	7,027	545,280
<u>RBP</u> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	14,780	528,528

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <u>Salinity Relief Credit</u> : 4,875 Effective: 07/11/2007	1,625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2007)	-6,483
Return Flow Credit (Effective: 07/02/2007)	500
Passthru Target: 1,625 Reservoir Inflow: 528,528	1,625
Estuary Inflows (NCAT + RBP)	545,280
PassThru Surplus / -Deficit:	537,672

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2007		Elevation (Ft)	
				Allocation	Remaining	Full	07/25/2007
07/24/2007	123	2,941	24,177	4,100	1,159	44.0	44.0

Report Generated: 07/25/2007 at 8:29:17 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 26, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/26/2006	214.8	555,808	79.9%	83.6	97,049	40.2%	652,857	69.7%
07/26/2007	219.7	675,443	97.1%	93.9	255,983	99.5%	931,426	97.8%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/25/2007	82	178	1.11	86	202	0.66	380
MTD		8,039	8.22		5,543	11.08	13,582

STREAM FLOWS

Gauging Station	07/25/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	21,240	482,752
NRTT : Nueces River at Tilden, Texas	1,874	282,539
FRIT : Frio River at Tilden, Texas	2,283	131,240
SMTT : San Miguel Creek at Tilden, Texas	5,260	57,593
ARWT : Atascosa River at Whitsett, Texas	3,176	124,344
Release from Choke Canyon Reservoir	14,491	130,730
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	17,905	492,340
NCAT : Nueces River at Calallen, Texas	8,714	553,994
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	14,292	540,855

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 4,875 Effective: 07/11/2007	1,625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2007)	-6,483
Return Flow Credit (Effective: 07/02/2007)	500
Passthru Target: 1,625 Reservoir Inflow: 540,855	1,625
Estuary Inflows (NCAT + RBP)	553,994
PassThru Surplus / -Deficit:	546,386

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2007		Elevation (Ft)	
				Allocation	Remaining	Full	07/26/2007
07/25/2007	123	3,064	24,300	4,100	1,036	44.0	44.0

Report Generated: 07/26/2007 at 8:16:43 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 27, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/27/2006	214.8	556,265	80.0%	83.6	96,252	39.9%	652,517	69.7%
07/27/2007	219.7	674,169	97.0%	93.9	255,619	99.4%	929,788	97.6%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/26/2007	82	163	0.19	81	42	0.13	205
MTD		8,202	8.41		5,585	11.21	13,787

STREAM FLOWS

Gauging Station	07/26/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	23,820	506,572
NRTT : Nueces River at Tilden, Texas	2,382	284,921
FRIT : Frio River at Tilden, Texas	4,427	135,667
SMTT : San Miguel Creek at Tilden, Texas	15,146	72,738
ARWT : Atascosa River at Whitsett, Texas	8,952	133,297
Release from Choke Canyon Reservoir	13,554	144,284
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	20,247	512,587
NCAT : Nueces River at Calallen, Texas	15,483	569,477
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	29,839	570,693

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 4,875 Effective: 07/11/2007	1,625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2007)	-6,483
Return Flow Credit (Effective: 07/02/2007)	500
Passthru Target: 1,625 Reservoir Inflow: 570,693	1,625
Estuary Inflows (NCAT + RBP)	569,477
PassThru Surplus / -Deficit:	561,869

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2007		Elevation (Ft)	
				Allocation	Remaining	Full	07/27/2007
07/26/2007	123	3,187	24,423	4,100	913	44.0	44.0

Report Generated: 07/27/2007 at 8:53:50 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 28, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/28/2006	214.8	555,808	79.9%	83.6	96,479	40.0%	652,287	69.7%
07/28/2007	220.0	681,582	98.0%	93.9	255,983	99.5%	937,565	98.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/27/2007	91	314	0.00	91	244	0.00	558
MTD		8,516	8.41		5,829	11.21	14,345

STREAM FLOWS

Gauging Station	07/27/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	26,599	533,171
NRTT : Nueces River at Tilden, Texas	2,561	287,482
FRTT : Frio River at Tilden, Texas	15,483	151,150
SMTT : San Miguel Creek at Tilden, Texas	6,987	79,726
ARWT : Atascosa River at Whitsett, Texas	16,495	149,792
Release from Choke Canyon Reservoir	10,372	154,655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	20,843	533,429
NCAT : Nueces River at Calallen, Texas	21,637	591,113
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	38,698	609,391

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 4,875 Effective: 07/11/2007	1,625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2007)	-6,483
Return Flow Credit (Effective: 07/02/2007)	500
Passthru Target: 1,625 Reservoir Inflow: 609,391	1,625
Estuary Inflows (NCAT + RBP)	591,113
PassThru Surplus / -Deficit:	583,505

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2007		Elevation (Ft)	
				Allocation	Remaining	Full	07/28/2007
07/27/2007	123	3,310	24,546	4,100	790	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 29, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/29/2006	214.8	555,349	79.9%	83.6	96,025	39.8%	651,374	69.6%
07/29/2007	220.5	695,271	100.0%	94.0	256,895	99.9%	952,166	100.0%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/28/2007	91	363	0.00	92	255	0.00	618
MTD		8,879	8.41		6,084	11.21	14,963

STREAM FLOWS

Gauging Station	07/28/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	27,989	561,160
NRTT : Nueces River at Tilden, Texas	2,422	289,903
FRIT : Frio River at Tilden, Texas	27,393	178,543
SMTT : San Miguel Creek at Tilden, Texas	2,303	82,028
ARWT : Atascosa River at Whitsett, Texas	13,617	163,409
Release from Choke Canyon Reservoir	9,429	164,084
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	21,835	555,264
NCAT : Nueces River at Calallen, Texas	25,607	616,720
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	48,255	657,646

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 4,875 Effective: 07/11/2007	1,625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2007)	-6,483
Return Flow Credit (Effective: 07/02/2007)	500
Passthru Target: 1,625 Reservoir Inflow: 657,646	1,625
Estuary Inflows (NCAT + RBP)	616,720
PassThru Surplus / -Deficit:	609,112

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2007		Elevation (Ft)	
				Allocation	Remaining	Full	07/29/2007
07/28/2007	123	3,433	24,669	4,100	667	44.0	44.0

Report Generated: 07/29/2007 at 8:03:36 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 30, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/30/2006	214.8	554,890	79.8%	83.5	95,685	39.7%	650,575	69.5%
07/30/2007	220.9	706,244	101.6%	94.0	257,260	100.0%	963,504	101.2%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/29/2007	89	303	0.00	92	266	0.02	569
MTD		9,182	8.41		6,350	11.23	15,532

STREAM FLOWS

Gauging Station	07/29/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	28,783	589,942
NRTT : Nueces River at Tilden, Texas	2,620	292,523
FRIT : Frio River at Tilden, Texas	21,637	200,179
SMTT : San Miguel Creek at Tilden, Texas	3,533	85,561
ARWT : Atascosa River at Whitsett, Texas	6,134	169,543
Release from Choke Canyon Reservoir	10,467	174,551
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	24,019	579,283
NCAT : Nueces River at Calallen, Texas	26,798	643,517
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	43,485	701,132

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 4,875 Effective: 07/11/2007	1,625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2007)	-6,483
Return Flow Credit (Effective: 07/02/2007)	500
Passthru Target: 1,625 Reservoir Inflow: 701,132	1,625
Estuary Inflows (NCAT + RBP)	643,517
PassThru Surplus / -Deficit:	635,909

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2007		Elevation (Ft)	
				Allocation	Remaining	Full	07/30/2007
07/29/2007	123	3,556	24,792	4,100	544	44.0	44.0

Report Generated: 07/30/2007 at 8:13:34 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 31, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/31/2006	214.7	553,972	79.7%	83.5	95,120	39.4%	649,092	69.3%
07/31/2007	220.8	703,621	101.2%	94.0	257,260	100.0%	960,881	100.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/30/2007	92	320	0.00	93	213	0.00	533
MTD		9,502	8.41		6,563	11.23	16,065

STREAM FLOWS

Gauging Station	07/30/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	26,004	615,946
NRTT : Nueces River at Tilden, Texas	3,494	296,017
FRIT : Frio River at Tilden, Texas	13,419	213,598
SMTT : San Miguel Creek at Tilden, Texas	971	86,532
ARWT : Atascosa River at Whitsett, Texas	3,275	172,818
Release from Choke Canyon Reservoir	13,438	187,989
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	25,210	604,492
NCAT : Nueces River at Calallen, Texas	27,393	670,910
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	26,954	728,086

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 4,875 Effective: 07/11/2007	1,625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2007)	-6,483
Return Flow Credit (Effective: 07/02/2007)	500
Passthru Target: 1,625 Reservoir Inflow: 728,086	1,625
Estuary Inflows (NCAT + RBP)	670,910
PassThru Surplus / -Deficit:	663,302

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2007		Elevation (Ft)	
				Allocation	Remaining	Full	07/31/2007
07/30/2007	123	3,680	24,916	4,100	420	44.0	44.0

Report Generated: 07/31/2007 at 8:47:57 AM