

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 1, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/01/2006	214.7	553,287	79.6%	83.4	94,108	39.0%	647,395	69.1%
08/01/2007	220.6	697,873	100.4%	93.9	255,983	99.5%	953,856	100.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/31/2007	92	440	0.00	92	255	0.00	695
MTD		9,942	8.41		6,818	11.23	16,760

STREAM FLOWS

Gauging Station	07/31/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	24,217	640,163
NRTT : Nueces River at Tilden, Texas	5,280	301,297
FRIT : Frio River at Tilden, Texas	9,230	222,828
SMTT : San Miguel Creek at Tilden, Texas	1,985	88,517
ARWT : Atascosa River at Whitsett, Texas	2,581	175,399
Release from Choke Canyon Reservoir	13,264	201,253
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	25,408	629,900
NCAT : Nueces River at Calallen, Texas	30,371	701,281
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	22,168	750,255

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 4,875 Effective: 07/11/2007	1,625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2007)	-6,483
Return Flow Credit (Effective: 07/02/2007)	500
Passthru Target: 1,625 Reservoir Inflow: 750,255	1,625
Estuary Inflows (NCAT + RBP)	701,281
PassThru Surplus / -Deficit:	693,673

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2007		Elevation (Ft)	
				Allocation	Remaining	Full	08/01/2007
07/31/2007	123	3,803	25,039	4,100	297	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 2, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/02/2006	214.7	552,606	79.5%	83.3	93,326	38.7%	645,932	69.0%
08/02/2007	220.5	696,052	100.1%	93.8	254,344	98.9%	950,396	99.8%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/01/2007	91	424	0.00	92	350	0.00	774
MTD		424	0.00		350	0.00	774

STREAM FLOWS

Gauging Station	08/01/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	22,034	22,034
NRTT : Nueces River at Tilden, Texas	6,511	6,511
FRIT : Frio River at Tilden, Texas	6,981	6,981
SMTT : San Miguel Creek at Tilden, Texas	3,871	3,871
ARWT : Atascosa River at Whitsett, Texas	1,628	1,628
Release from Choke Canyon Reservoir	8,492	8,492
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	24,019	24,019
NCAT : Nueces River at Calallen, Texas	32,157	32,157
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	24,394	24,394

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 6,500 Effective: 08/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 24,394	0
Estuary Inflows (NCAT + RBP)	32,157
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2007		Elevation (Ft)	
				Allocation	Remaining	Full	08/02/2007
08/01/2007	123	123	25,162	4,100	3,977	44.0	44.0

Report Generated: 08/02/2007 at 8:27:54 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 3, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/03/2006	214.6	552,151	79.4%	83.2	92,548	38.4%	644,699	68.8%
08/03/2007	220.4	692,936	99.7%	93.8	254,344	98.9%	947,280	99.4%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/02/2007	92	453	0.00	92	307	0.00	760
MTD		877	0.00		657	0.00	1,534

STREAM FLOWS

Gauging Station	08/02/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	17,190	39,224
NRTT : Nueces River at Tilden, Texas	6,511	13,022
FRIT : Frio River at Tilden, Texas	4,943	11,924
SMTT : San Miguel Creek at Tilden, Texas	365	4,236
ARWT : Atascosa River at Whitsett, Texas	1,467	3,095
Release from Choke Canyon Reservoir	6,150	14,641
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	19,711	43,730
NCAT : Nueces River at Calallen, Texas	31,165	63,322
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	16,348	40,742

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 6,500 Effective: 08/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 40,742	0
Estuary Inflows (NCAT + RBP)	63,322
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2007		Elevation (Ft)	
				Allocation	Remaining	Full	08/03/2007
08/02/2007	124	247	25,286	4,100	3,853	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 4, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/04/2006	214.6	551,696	79.3%	83.2	91,663	38.0%	643,359	68.7%
08/04/2007	220.5	693,974	99.8%	93.9	254,708	99.0%	948,682	99.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/03/2007	92	438	0.11	89	265	0.01	703
MTD		1,315	0.11		922	0.01	2,237

STREAM FLOWS

Gauging Station	08/03/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	13,677	52,900
NRTT : Nueces River at Tilden, Texas	6,074	19,096
FRIT : Frio River at Tilden, Texas	4,982	16,906
SMTT : San Miguel Creek at Tilden, Texas	226	4,462
ARWT : Atascosa River at Whitsett, Texas	597	3,692
Release from Choke Canyon Reservoir	3,208	17,849
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	15,602	59,332
NCAT : Nueces River at Calallen, Texas	28,187	91,509
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	15,678	56,420

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 6,500 Effective: 08/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 56,420	0
Estuary Inflows (NCAT + RBP)	91,509
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2007		Elevation (Ft)	
				Allocation	Remaining	Full	08/04/2007
08/03/2007	123	370	25,409	4,100	3,730	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 5, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/05/2006	214.6	551,242	79.3%	83.1	90,894	37.7%	642,136	68.6%
08/05/2007	220.7	699,699	100.6%	93.8	254,162	98.8%	953,861	100.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/04/2007	90	410	0.00	89	138	0.31	548
MTD		1,725	0.11		1,060	0.32	2,785

STREAM FLOWS

Gauging Station	08/04/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	8,357	61,257
NRTT : Nueces River at Tilden, Texas	5,816	24,912
FRIT : Frio River at Tilden, Texas	7,325	24,231
SMTT : San Miguel Creek at Tilden, Texas	163	4,625
ARWT : Atascosa River at Whitsett, Texas	443	4,135
Release from Choke Canyon Reservoir	645	18,494
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	11,989	71,321
NCAT : Nueces River at Calallen, Texas	23,423	114,932
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	15,199	71,619

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 6,500 Effective: 08/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 71,619	0
Estuary Inflows (NCAT + RBP)	114,932
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2007		Elevation (Ft)	
				Allocation	Remaining	Full	08/05/2007
08/04/2007	123	494	25,533	4,100	3,606	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 6, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/06/2006	214.6	550,787	79.2%	83.1	90,456	37.5%	641,243	68.5%
08/06/2007	220.9	705,718	101.5%	93.9	254,890	99.1%	960,608	100.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/05/2007	93	443	0.00	93	361	0.00	804
MTD		2,168	0.11		1,421	0.32	3,589

STREAM FLOWS

Gauging Station	08/05/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	6,253	67,510
NRTT : Nueces River at Tilden, Texas	5,995	30,906
FRIT : Frio River at Tilden, Texas	7,841	32,072
SMTT : San Miguel Creek at Tilden, Texas	123	4,748
ARWT : Atascosa River at Whitsett, Texas	405	4,540
Release from Choke Canyon Reservoir	1,048	19,542
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	8,456	79,777
NCAT : Nueces River at Calallen, Texas	18,858	133,789
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	13,168	84,787

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 6,500 Effective: 08/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 84,787	0
Estuary Inflows (NCAT + RBP)	133,789
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2007		Elevation (Ft)	
				Allocation	Remaining	Full	08/06/2007
08/05/2007	123	617	25,656	4,100	3,483	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 7, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/07/2006	214.6	550,333	79.2%	83.1	90,565	37.5%	640,898	68.4%
08/07/2007	220.9	705,194	101.4%	94.0	256,348	99.6%	961,542	100.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/06/2007	93	489	0.00	93	329	0.00	818
MTD		2,657	0.11		1,750	0.32	4,407

STREAM FLOWS

Gauging Station	08/06/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	6,451	73,961
NRTT : Nueces River at Tilden, Texas	6,789	37,695
FRIT : Frio River at Tilden, Texas	5,955	38,027
SMTT : San Miguel Creek at Tilden, Texas	97	4,845
ARWT : Atascosa River at Whitsett, Texas	363	4,903
Release from Choke Canyon Reservoir	2,203	21,746
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	5,598	85,375
NCAT : Nueces River at Calallen, Texas	13,399	147,188
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	10,300	95,087

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 6,500 Effective: 08/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 95,087	0
Estuary Inflows (NCAT + RBP)	147,188
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2007		Elevation (Ft)	
				Allocation	Remaining	Full	08/07/2007
08/06/2007	123	740	25,779	4,100	3,360	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 8, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/08/2006	214.5	549,879	79.1%	83.0	90,346	37.5%	640,225	68.4%
08/08/2007	220.9	706,244	101.6%	94.0	256,895	99.9%	963,139	101.1%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/07/2007	92	535	0.00	91	340	0.00	875
MTD		3,192	0.11		2,090	0.32	5,282

STREAM FLOWS

Gauging Station	08/07/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	7,364	81,325
NRTT : Nueces River at Tilden, Texas	7,662	45,357
FRIT : Frio River at Tilden, Texas	3,990	42,016
SMTT : San Miguel Creek at Tilden, Texas	77	4,923
ARWT : Atascosa River at Whitsett, Texas	312	5,215
Release from Choke Canyon Reservoir	2,976	24,721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	5,935	91,310
NCAT : Nueces River at Calallen, Texas	7,186	154,373
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	8,456	103,544

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 6,500 Effective: 08/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 103,544	0
Estuary Inflows (NCAT + RBP)	154,373
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2007		Elevation (Ft)	
				Allocation	Remaining	Full	08/08/2007
08/07/2007	123	863	25,902	4,100	3,237	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 9, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/09/2006	214.5	549,424	79.0%	83.0	90,019	37.3%	639,443	68.3%
08/09/2007	220.7	701,267	100.9%	94.0	257,260	100.0%	958,527	100.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/08/2007	93	487	0.00	93	362	0.00	849
MTD		3,679	0.11		2,452	0.32	6,131

STREAM FLOWS

Gauging Station	08/08/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	7,781	89,107
NRTT : Nueces River at Tilden, Texas	8,178	53,535
FRIT : Frio River at Tilden, Texas	2,719	44,736
SMTT : San Miguel Creek at Tilden, Texas	66	4,988
ARWT : Atascosa River at Whitsett, Texas	288	5,502
Release from Choke Canyon Reservoir	4,034	28,755
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	7,503	98,813
NCAT : Nueces River at Calallen, Texas	5,479	159,852
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	6,533	110,076

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 6,500 Effective: 08/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 110,076	0
Estuary Inflows (NCAT + RBP)	159,852
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2007		Elevation (Ft)	
				Allocation	Remaining	Full	08/09/2007
08/08/2007	123	987	26,026	4,100	3,113	44.0	44.0

Report Generated: 08/09/2007 at 8:24:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 10, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/10/2006	214.5	548,747	78.9%	83.0	89,475	37.1%	638,222	68.1%
08/10/2007	220.6	698,134	100.4%	94.1	257,260	100.0%	955,394	100.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/09/2007	93	486	0.00	92	351	0.00	837
MTD		4,165	0.11		2,803	0.32	6,968

STREAM FLOWS

Gauging Station	08/09/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	10,143	99,250
NRTT : Nueces River at Tilden, Texas	8,357	61,892
FRTT : Frio River at Tilden, Texas	2,045	46,780
SMTT : San Miguel Creek at Tilden, Texas	56	5,044
ARWT : Atascosa River at Whitsett, Texas	268	5,770
Release from Choke Canyon Reservoir	5,564	34,319
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	8,536	107,349
NCAT : Nueces River at Calallen, Texas	5,578	165,430
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6,680	116,756

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 6,500 Effective: 08/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 116,756	0
Estuary Inflows (NCAT + RBP)	165,430
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2007		Elevation (Ft)	
				Allocation	Remaining	Full	08/10/2007
08/09/2007	124	1,110	26,149	4,100	2,990	44.0	44.1

Report Generated: 08/10/2007 at 8:30:51 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 11, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/11/2006	214.5	548,072	78.8%	82.9	88,609	36.7%	636,681	68.0%
08/11/2007	220.5	696,312	100.1%	94.1	257,260	100.0%	953,572	100.1%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/10/2007	93	455	0.00	93	308	0.00	763
MTD		4,620	0.11		3,111	0.32	7,731

STREAM FLOWS

Gauging Station	08/10/2007 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	10,878	110,128
<u>NRTT</u> : Nueces River at Tilden, Texas	8,436	70,329
<u>FRTT</u> : Frio River at Tilden, Texas	1,725	48,505
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	46	5,090
<u>ARWT</u> : Atascosa River at Whitsett, Texas	238	6,009
<u>Release from Choke Canyon Reservoir</u>	3,230	37,548
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	9,647	116,996
<u>NCAT</u> : Nueces River at Calallen, Texas	6,253	171,683
<u>RBP</u> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	9,419	126,175

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <u>Salinity Relief Credit</u> : 6,500 Effective: 08/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 126,175	0
Estuary Inflows (NCAT + RBP)	171,683
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2007		Elevation (Ft)	
				Allocation	Remaining	Full	08/11/2007
08/10/2007	124	1,234	26,273	4,100	2,866	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 12, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/12/2006	214.4	547,397	78.7%	82.8	88,070	36.5%	635,467	67.9%
08/12/2007	220.5	695,791	100.1%	94.1	257,260	100.0%	953,051	100.1%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/11/2007	94	439	0.00	94	308	0.00	747
MTD		5,059	0.11		3,419	0.32	8,478

STREAM FLOWS

Gauging Station	08/11/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	8,615	118,743
NRTT : Nueces River at Tilden, Texas	8,575	78,904
FRIT : Frio River at Tilden, Texas	1,524	50,030
SMTT : San Miguel Creek at Tilden, Texas	40	5,129
ARWT : Atascosa River at Whittsett, Texas	208	6,217
Release from Choke Canyon Reservoir	1,290	38,839
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	10,223	127,219
NCAT : Nueces River at Calallen, Texas	6,987	178,670
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	8,889	135,063

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 6,500 Effective: 08/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 135,063	0
Estuary Inflows (NCAT + RBP)	178,670
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2007		Elevation (Ft)	
				Allocation	Remaining	Full	08/12/2007
08/11/2007	124	1,358	26,396	4,100	2,742	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 13, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/13/2006	214.4	546,722	78.6%	82.8	87,963	36.5%	634,685	67.8%
08/13/2007	220.5	694,752	99.9%	94.0	257,260	100.0%	952,012	99.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/12/2007	95	424	0.00	96	287	0.00	711
MTD		5,483	0.11		3,706	0.32	9,189

STREAM FLOWS

Gauging Station	08/12/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	7,662	126,405
NRTT : Nueces River at Tilden, Texas	8,952	87,856
FRTT : Frio River at Tilden, Texas	1,344	51,374
SMTT : San Miguel Creek at Tilden, Texas	34	5,163
ARWT : Atascosa River at Whitsett, Texas	189	6,406
Release from Choke Canyon Reservoir	1,290	40,129
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	10,183	137,402
NCAT : Nueces River at Calallen, Texas	7,523	186,193
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	7,749	142,813

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 6,500 Effective: 08/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 142,813	0
Estuary Inflows (NCAT + RBP)	186,193
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2007		Elevation (Ft)	
				Allocation	Remaining	Full	08/13/2007
08/12/2007	124	1,481	26,520	4,100	2,619	44.0	44.0

Report Generated: 08/13/2007 at 8:28:04 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 14, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/14/2006	214.4	546,047	78.5%	82.8	87,534	36.3%	633,581	67.7%
08/14/2007	220.5	694,493	99.9%	94.0	256,348	99.6%	950,841	99.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/13/2007	97	484	0.00	97	404	0.00	888
MTD		5,967	0.11		4,110	0.32	10,077

STREAM FLOWS

Gauging Station	08/13/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	7,543	133,948
NRTT : Nueces River at Tilden, Texas	10,203	98,059
FRIT : Frio River at Tilden, Texas	1,197	52,571
SMTT : San Miguel Creek at Tilden, Texas	30	5,193
ARWT : Atascosa River at Whitsett, Texas	179	6,584
Release from Choke Canyon Reservoir	772	40,901
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	9,687	147,089
NCAT : Nueces River at Calallen, Texas	7,722	193,915
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	7,998	150,810

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru	
Monthly Target: 6,500	
Salinity Relief Credit: 6,500 Effective: 08/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2007)	500
Passthru	
Target: 0	
Reservoir Inflow: 150,810	0
Estuary Inflows (NCAT + RBP)	193,915
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2007		Elevation (Ft)	
				Allocation	Remaining	Full	08/14/2007
08/13/2007	124	1,605	26,644	4,100	2,495	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 15, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/15/2006	214.3	545,147	78.4%	82.8	87,212	36.2%	632,359	67.5%
08/15/2007	220.5	695,271	100.0%	93.9	254,890	99.1%	950,161	99.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/14/2007	95	348	0.00	91	170	0.00	518
MTD		6,315	0.11		4,280	0.32	10,595

STREAM FLOWS

Gauging Station	08/14/2007 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	7,146	141,094
<u>NRTT</u> : Nueces River at Tilden, Texas	10,659	108,718
<u>FRTT</u> : Frio River at Tilden, Texas	1,088	53,659
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	24	5,217
<u>ARWT</u> : Atascosa River at Whitsett, Texas	169	6,753
<u>Release from Choke Canyon Reservoir</u>	226	41,127
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	9,330	156,418
<u>NCAT</u> : Nueces River at Calallen, Texas	7,742	201,656
<u>RBP</u> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8,031	158,842

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <u>Salinity Relief Credit</u> : 6,500 Effective: 08/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 158,842	0
Estuary Inflows (NCAT + RBP)	201,656
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2007		Elevation (Ft)	
				Allocation	Remaining	Full	08/15/2007
08/14/2007	128	1,733	26,771	4,100	2,367	44.0	44.0

Report Generated: 08/15/2007 at 8:26:28 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 16, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/16/2006	214.3	544,472	78.3%	82.7	86,892	36.0%	631,364	67.4%
08/16/2007	220.5	695,531	100.0%	93.9	254,526	98.9%	950,057	99.7%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/15/2007	95	363	0.14	95	191	0.02	554
MTD		6,678	0.25		4,471	0.34	11,149

STREAM FLOWS

Gauging Station	08/15/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	7,285	148,379
NRTT : Nueces River at Tilden, Texas	10,342	119,060
FRIT : Frio River at Tilden, Texas	998	54,657
SMTT : San Miguel Creek at Tilden, Texas	22	5,238
ARWT : Atascosa River at Whitsett, Texas	155	6,908
Release from Choke Canyon Reservoir	58	41,185
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	8,615	165,033
NCAT : Nueces River at Calallen, Texas	7,622	209,279
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	8,248	167,089

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 6,500 Effective: 08/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 167,089	0
Estuary Inflows (NCAT + RBP)	209,279
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2007		Elevation (Ft)	
				Allocation	Remaining	Full	08/16/2007
08/15/2007	128	1,860	26,899	4,100	2,240	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 17, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/17/2006	214.3	543,797	78.2%	82.7	86,466	35.8%	630,263	67.3%
08/17/2007	220.5	696,052	100.1%	93.8	254,162	98.8%	950,214	99.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/16/2007	84	288	0.64	95	64	0.01		352
MTD		6,966	0.89		4,535	0.35		11,501

STREAM FLOWS

Gauging Station	08/16/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	7,702	156,081
NRTT : Nueces River at Tilden, Texas	9,488	128,549
FRIT : Frio River at Tilden, Texas	917	55,574
SMTT : San Miguel Creek at Tilden, Texas	24	5,262
ARWT : Atascosa River at Whitsett, Texas	189	7,096
Release from Choke Canyon Reservoir	58	41,242
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	9,071	174,104
NCAT : Nueces River at Calallen, Texas	7,345	216,623
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	8,585	175,674

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru	
Monthly Target: 6,500	
Salinity Relief Credit: 6,500 Effective: 08/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2007)	500
Passthru	
Target: 0	
Reservoir Inflow: 175,674	0
Estuary Inflows (NCAT + RBP)	216,623
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2007		Elevation (Ft)	
				Allocation	Remaining	Full	08/17/2007
08/16/2007	128	1,988	27,027	4,100	2,112	44.0	44.0

Report Generated: 08/17/2007 at 8:25:04 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 18, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/18/2006	214.3	543,572	78.2%	82.7	86,148	35.7%	629,720	67.2%
08/18/2007	220.5	696,312	100.1%	93.8	254,344	98.9%	950,656	99.8%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/17/2007	92	394	0.00	92	339	0.11	733
MTD		7,360	0.89		4,874	0.46	12,234

STREAM FLOWS

Gauging Station	08/17/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	7,920	164,001
NRTT : Nueces River at Tilden, Texas	8,516	137,064
FRRT : Frio River at Tilden, Texas	856	56,430
SMTT : San Miguel Creek at Tilden, Texas	24	5,286
ARWT : Atascosa River at Whitsett, Texas	343	7,440
Release from Choke Canyon Reservoir	185	41,427
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	9,071	183,176
NCAT : Nueces River at Calallen, Texas	7,186	223,809
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	8,615	184,289

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 6,500 Effective: 08/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 184,289	0
Estuary Inflows (NCAT + RBP)	223,809
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2007		Elevation (Ft)	
				Allocation	Remaining	Full	08/18/2007
08/17/2007	127	2,115	27,154	4,100	1,985	44.0	44.0

Report Generated: 08/18/2007 at 8:07:52 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 19, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/19/2006	214.2	543,122	78.1%	82.6	85,619	35.5%	628,741	67.1%
08/19/2007	220.5	696,312	100.1%	93.9	255,437	99.3%	951,749	99.9%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/18/2007	94	500	0.00	93	329	0.00	829	
MTD		7,860	0.89		5,203	0.46	13,063	

STREAM FLOWS

Gauging Station	08/18/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	8,019	172,020
NRTT : Nueces River at Tilden, Texas	7,424	144,488
FRIT : Frio River at Tilden, Texas	804	57,234
SMTT : San Miguel Creek at Tilden, Texas	87	5,373
ARWT : Atascosa River at Whitsett, Texas	1,056	8,496
Release from Choke Canyon Reservoir	397	41,824
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	8,277	191,453
NCAT : Nueces River at Calallen, Texas	7,325	231,133
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	8,514	192,803

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 6,500 Effective: 08/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 192,803	0
Estuary Inflows (NCAT + RBP)	231,133
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2007		Elevation (Ft)	
				Allocation	Remaining	Full	08/19/2007
08/18/2007	127	2,243	27,282	4,100	1,857	44.0	44.0

Report Generated: 08/19/2007 at 7:57:47 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 20, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/20/2006	214.2	542,447	78.0%	82.6	85,408	35.4%	627,855	67.0%
08/20/2007	220.5	696,052	100.1%	94.0	256,348	99.6%	952,400	100.0%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/19/2007	92	409	0.00	94	361	0.00	770
MTD		8,269	0.89		5,564	0.46	13,833

STREAM FLOWS

Gauging Station	08/19/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	8,015	180,036
NRTT : Nueces River at Tilden, Texas	6,237	150,725
FRRT : Frio River at Tilden, Texas	770	58,004
SMTT : San Miguel Creek at Tilden, Texas	770	6,144
ARWT : Atascosa River at Whitsett, Texas	1,054	9,550
Release from Choke Canyon Reservoir	1,032	42,856
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	7,573	199,026
NCAT : Nueces River at Calallen, Texas	7,219	238,353
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	8,524	201,327

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 6,500 Effective: 08/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 201,327	0
Estuary Inflows (NCAT + RBP)	238,353
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2007		Elevation (Ft)	
				Allocation	Remaining	Full	08/20/2007
08/19/2007	128	2,370	27,409	4,100	1,730	44.0	44.0

Report Generated: 08/20/2007 at 8:33:07 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 21, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/21/2006	214.2	541,997	78.0%	82.5	84,882	35.2%	626,879	66.9%
08/21/2007	220.5	695,531	100.0%	94.0	256,348	99.6%	951,879	99.9%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/20/2007	92	454	0.00	92	351	0.00	805
MTD		8,723	0.89		5,915	0.46	14,638

STREAM FLOWS

Gauging Station	08/20/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	8,039	188,075
NRTT : Nueces River at Tilden, Texas	4,685	155,410
FRIT : Frio River at Tilden, Texas	965	58,968
SMTT : San Miguel Creek at Tilden, Texas	2,084	8,228
ARWT : Atascosa River at Whitsett, Texas	1,006	10,556
Release from Choke Canyon Reservoir	2,170	45,026
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	7,940	206,966
NCAT : Nueces River at Calallen, Texas	6,769	245,122
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	8,919	210,245

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 6,500 Effective: 08/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 210,245	0
Estuary Inflows (NCAT + RBP)	245,122
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2007		Elevation (Ft)	
				Allocation	Remaining	Full	08/21/2007
08/20/2007	128	2,498	27,537	4,100	1,602	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 22, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/22/2006	214.2	541,772	77.9%	82.5	84,672	35.1%	626,444	66.9%
08/22/2007	220.5	695,531	100.0%	94.0	257,078	99.9%	952,609	100.0%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/21/2007	91	348	0.16	90	245	0.05	593
MTD		9,071	1.05		6,160	0.51	15,231

STREAM FLOWS

Gauging Station	08/21/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	8,178	196,253
NRTT : Nueces River at Tilden, Texas	3,037	158,447
FRIT : Frio River at Tilden, Texas	1,499	60,467
SMTT : San Miguel Creek at Tilden, Texas	339	8,567
ARWT : Atascosa River at Whitsett, Texas	744	11,301
Release from Choke Canyon Reservoir	2,581	47,606
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	8,516	215,482
NCAT : Nueces River at Calallen, Texas	6,709	251,831
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	7,436	217,681

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 6,500 Effective: 08/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 217,681	0
Estuary Inflows (NCAT + RBP)	251,831
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2007		Elevation (Ft)	
				Allocation	Remaining	Full	08/22/2007
08/21/2007	128	2,625	27,664	4,100	1,475	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 23, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/23/2006	214.2	541,322	77.9%	82.5	84,253	34.9%	625,575	66.8%
08/23/2007	220.5	694,752	99.9%	94.0	257,260	100.0%	952,012	99.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/22/2007	89	227	0.40	89	213	0.53	440
MTD		9,298	1.45		6,373	1.04	15,671

STREAM FLOWS

Gauging Station	08/22/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	7,126	203,379
NRTT : Nueces River at Tilden, Texas	1,507	159,953
FRTT : Frio River at Tilden, Texas	2,858	63,325
SMTT : San Miguel Creek at Tilden, Texas	165	8,732
ARWT : Atascosa River at Whitsett, Texas	312	11,612
Release from Choke Canyon Reservoir	2,581	50,187
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	8,853	224,335
NCAT : Nueces River at Calallen, Texas	7,126	258,957
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	7,569	225,250

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 6,500 Effective: 08/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 225,250	0
Estuary Inflows (NCAT + RBP)	258,957
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2007		Elevation (Ft)	
				Allocation	Remaining	Full	08/23/2007
08/22/2007	128	2,753	27,792	4,100	1,347	44.0	44.1

Report Generated: 08/23/2007 at 8:17:13 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 24, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/24/2006	214.1	540,647	77.8%	82.4	83,628	34.7%	624,275	66.7%
08/24/2007	220.6	696,832	100.2%	94.0	254,890	99.1%	951,722	99.9%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/23/2007	91	440	0.00	92	180	0.00	620
MTD		9,738	1.45		6,553	1.04	16,291

STREAM FLOWS

Gauging Station	08/23/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	5,022	208,401
NRTT : Nueces River at Tilden, Texas	1,231	161,184
FRRT : Frio River at Tilden, Texas	6,114	69,439
SMTT : San Miguel Creek at Tilden, Texas	107	8,839
ARWT : Atascosa River at Whitsett, Texas	260	11,872
Release from Choke Canyon Reservoir	2,581	52,767
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	9,468	233,803
NCAT : Nueces River at Calallen, Texas	7,047	266,004
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	8,663	233,912

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 6,500 Effective: 08/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 233,912	0
Estuary Inflows (NCAT + RBP)	266,004
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2007		Elevation (Ft)	
				Allocation	Remaining	Full	08/24/2007
08/23/2007	128	2,881	27,920	4,100	1,219	44.0	44.0

Report Generated: 08/24/2007 at 8:12:24 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 25, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/25/2006	214.1	540,197	77.7%	82.3	82,901	34.4%	623,098	66.5%
08/25/2007	220.6	698,917	100.5%	94.0	256,895	99.9%	955,812	100.3%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/24/2007	93	425	0.00	93	532	0.00	957
MTD		10,163	1.45		7,085	1.04	17,248

STREAM FLOWS

Gauging Station	08/24/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,970	212,371
NRTT : Nueces River at Tilden, Texas	1,153	162,337
FRIT : Frio River at Tilden, Texas	5,955	75,394
SMTT : San Miguel Creek at Tilden, Texas	77	8,917
ARWT : Atascosa River at Whitsett, Texas	230	12,103
Release from Choke Canyon Reservoir	2,356	55,123
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	5,618	239,421
NCAT : Nueces River at Calallen, Texas	7,245	273,249
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	7,646	241,559

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 6,500 Effective: 08/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 241,559	0
Estuary Inflows (NCAT + RBP)	273,249
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2007		Elevation (Ft)	
				Allocation	Remaining	Full	08/25/2007
08/24/2007	128	3,009	28,048	4,100	1,091	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 26, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/26/2006	214.1	539,752	77.6%	82.3	82,488	34.2%	622,240	66.4%
08/26/2007	220.7	699,178	100.6%	94.1	257,260	100.0%	956,438	100.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/25/2007	93	258	0.00	89	96	0.12	354
MTD		10,421	1.45		7,181	1.16	17,602

STREAM FLOWS

Gauging Station	08/25/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,275	215,646
NRTT : Nueces River at Tilden, Texas	1,112	163,449
FRIT : Frio River at Tilden, Texas	3,236	78,630
SMTT : San Miguel Creek at Tilden, Texas	64	8,980
ARWT : Atascosa River at Whitsett, Texas	161	12,263
Release from Choke Canyon Reservoir	1,983	57,106
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	844	240,264
NCAT : Nueces River at Calallen, Texas	6,431	279,681
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	4,591	246,150

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 6,500 Effective: 08/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 246,150	0
Estuary Inflows (NCAT + RBP)	279,681
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2007		Elevation (Ft)	
				Allocation	Remaining	Full	08/26/2007
08/25/2007	128	3,138	28,176	4,100	962	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 27, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/27/2006	214.0	538,861	77.5%	82.3	82,076	34.0%	620,937	66.3%
08/27/2007	220.6	698,917	100.5%	94.1	257,260	100.0%	956,177	100.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/26/2007	91	380	0.00	89	202	0.00	582
MTD		10,801	1.45		7,383	1.16	18,184

STREAM FLOWS

Gauging Station	08/26/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,057	218,703
NRTT : Nueces River at Tilden, Texas	1,100	164,549
FRIT : Frio River at Tilden, Texas	1,723	80,353
SMTT : San Miguel Creek at Tilden, Texas	56	9,036
ARWT : Atascosa River at Whitsett, Texas	135	12,398
Release from Choke Canyon Reservoir	1,985	59,091
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,442	242,706
NCAT : Nueces River at Calallen, Texas	3,037	282,718
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,850	249,000

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 6,500 Effective: 08/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 249,000	0
Estuary Inflows (NCAT + RBP)	282,718
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2007		Elevation (Ft)	
				Allocation	Remaining	Full	08/27/2007
08/26/2007	128	3,266	28,305	4,100	834	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 28, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/28/2006	214.0	538,194	77.4%	82.2	81,461	33.8%	619,655	66.2%
08/28/2007	220.6	697,092	100.3%	94.1	257,260	100.0%	954,352	100.2%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/27/2007	90	295	0.00	87	160	0.61	455
MTD		11,096	1.45		7,543	1.77	18,639

STREAM FLOWS

Gauging Station	08/27/2007 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	3,017	221,721
<u>NRTT</u> : Nueces River at Tilden, Texas	1,096	165,644
<u>FRTT</u> : Frio River at Tilden, Texas	1,237	81,589
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	46	9,081
<u>ARWT</u> : Atascosa River at Whitsett, Texas	123	12,521
<u>Release from Choke Canyon Reservoir</u>	1,985	61,076
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	3,513	246,219
<u>NCAT</u> : Nueces River at Calallen, Texas	2,759	285,477
<u>RBP</u> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,315	251,315

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <u>Salinity Relief Credit</u> : 6,500 Effective: 08/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 251,315	0
Estuary Inflows (NCAT + RBP)	285,477
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2007		Elevation (Ft)	
				Allocation	Remaining	Full	08/28/2007
08/27/2007	129	3,395	28,433	4,100	705	44.0	44.0

Report Generated: 08/28/2007 at 8:51:43 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 29, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/29/2006	214.0	537,526	77.3%	82.2	81,256	33.7%	618,782	66.1%
08/29/2007	220.6	696,832	100.2%	94.1	257,260	100.0%	954,092	100.2%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/28/2007	89	258	0.30	92	223	0.04	481
MTD		11,354	1.75		7,766	1.81	19,120

STREAM FLOWS

Gauging Station	08/28/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,938	224,658
NRTT : Nueces River at Tilden, Texas	1,086	166,730
FRIT : Frio River at Tilden, Texas	1,032	82,622
SMTT : San Miguel Creek at Tilden, Texas	38	9,119
ARWT : Atascosa River at Whitsett, Texas	117	12,638
Release from Choke Canyon Reservoir	1,612	62,688
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,997	249,217
NCAT : Nueces River at Calallen, Texas	3,077	288,553
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,396	253,711

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 6,500 Effective: 08/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 253,711	0
Estuary Inflows (NCAT + RBP)	288,553
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2007		Elevation (Ft)	
				Allocation	Remaining	Full	08/29/2007
08/28/2007	129	3,523	28,562	4,100	577	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 31, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/31/2006	214.0	537,303	77.3%	82.2	81,052	33.6%	618,355	66.0%
08/31/2007	220.5	696,052	100.1%	94.2	257,260	100.0%	953,312	100.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/30/2007	89	227	0.00	90	245	0.00	472
MTD		11,763	2.71		8,085	2.03	19,848

STREAM FLOWS

Gauging Station	08/30/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,481	229,343
NRTT : Nueces River at Tilden, Texas	1,098	168,900
FRIT : Frio River at Tilden, Texas	844	84,390
SMTT : San Miguel Creek at Tilden, Texas	36	9,187
ARWT : Atascosa River at Whitsett, Texas	202	12,972
Release from Choke Canyon Reservoir	1,116	64,796
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,084	253,405
NCAT : Nueces River at Calallen, Texas	2,402	293,893
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,245	258,123

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 6,500 Effective: 08/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 258,123	0
Estuary Inflows (NCAT + RBP)	293,893
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2007		Elevation (Ft)	
				Allocation	Remaining	Full	08/31/2007
08/30/2007	129	3,781	28,820	4,100	319	44.0	44.0

Report Generated: 08/31/2007 at 8:24:06 AM