

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 1, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/01/2006	213.9	536,412	77.2%	82.1	80,645	33.4%	617,057	65.9%
09/01/2007	220.6	697,092	100.3%	94.2	257,260	100.0%	954,352	100.2%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/31/2007	89	440	1.60	90	245	0.02	685
MTD		12,203	4.31		8,330	2.05	20,533

STREAM FLOWS

Gauging Station	08/31/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,342	231,685
NRTT : Nueces River at Tilden, Texas	1,046	169,946
FRIT : Frio River at Tilden, Texas	790	85,180
SMTT : San Miguel Creek at Tilden, Texas	32	9,218
ARWT : Atascosa River at Whitsett, Texas	109	13,081
Release from Choke Canyon Reservoir	967	65,763
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,382	255,787
NCAT : Nueces River at Calallen, Texas	2,203	296,096
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,197	260,321

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 6,500 Effective: 08/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 260,321	0
Estuary Inflows (NCAT + RBP)	296,096
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2007		Elevation (Ft)	
				Allocation	Remaining	Full	09/01/2007
08/31/2007	129	3,910	28,949	4,100	190	44.0	44.0

Report Generated: 09/01/2007 at 8:27:12 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 2, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/02/2006	213.9	536,189	77.1%	82.1	80,036	33.2%	616,225	65.8%
09/02/2007	220.6	697,092	100.3%	94.3	257,260	100.0%	954,352	100.2%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/01/2007	87	182	1.00	87	223	0.56	405
MTD		182	1.00		223	0.56	405

STREAM FLOWS

Gauging Station	09/01/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,084	2,084
NRTT : Nueces River at Tilden, Texas	973	973
FRIT : Frio River at Tilden, Texas	814	814
SMTT : San Miguel Creek at Tilden, Texas	66	66
ARWT : Atascosa River at Whitsett, Texas	236	236
Release from Choke Canyon Reservoir	596	596
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,442	2,442
NCAT : Nueces River at Calallen, Texas	2,283	2,283
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,368	2,368

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 28,500 Effective: 09/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 2,368	0
Estuary Inflows (NCAT + RBP)	2,283
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2007		Elevation (Ft)	
				Allocation	Remaining	Full	09/02/2007
09/01/2007	129	129	29,079	4,100	3,971	44.0	44.0

Report Generated: 09/02/2007 at 8:21:59 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 3, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/03/2006	213.9	535,744	77.1%	82.0	79,834	33.1%	615,578	65.7%
09/03/2007	220.6	697,092	100.3%	94.2	257,260	100.0%	954,352	100.2%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/02/2007	85	152	0.24	82	64	0.03	216
MTD		334	1.24		287	0.59	621

STREAM FLOWS

Gauging Station	09/02/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,025	4,109
NRTT : Nueces River at Tilden, Texas	959	1,931
FRIT : Frio River at Tilden, Texas	754	1,568
SMTT : San Miguel Creek at Tilden, Texas	32	97
ARWT : Atascosa River at Whitsett, Texas	137	373
Release from Choke Canyon Reservoir	596	1,191
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,494	5,935
NCAT : Nueces River at Calallen, Texas	2,481	4,764
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,215	4,583

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 28,500 Effective: 09/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 4,583	0
Estuary Inflows (NCAT + RBP)	4,764
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2007		Elevation (Ft)	
				Allocation	Remaining	Full	09/03/2007
09/02/2007	129	259	29,208	4,100	3,841	44.0	44.0

Report Generated: 09/03/2007 at 8:14:11 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 4, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/04/2006	213.9	534,853	76.9%	82.0	79,531	33.0%	614,384	65.6%
09/04/2007	220.6	698,395	100.4%	94.3	257,260	100.0%	955,655	100.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/03/2007	78	197	0.75	82	96	0.25	293
MTD		531	1.99		383	0.84	914

STREAM FLOWS

Gauging Station	09/03/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,985	6,094
NRTT : Nueces River at Tilden, Texas	1,088	3,019
FRIT : Frio River at Tilden, Texas	909	2,477
SMTT : San Miguel Creek at Tilden, Texas	28	125
ARWT : Atascosa River at Whitsett, Texas	111	484
Release from Choke Canyon Reservoir	596	1,787
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,660	8,595
NCAT : Nueces River at Calallen, Texas	2,997	7,761
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,326	6,910

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 28,500 Effective: 09/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 6,910	0
Estuary Inflows (NCAT + RBP)	7,761
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2007		Elevation (Ft)	
				Allocation	Remaining	Full	09/04/2007
09/03/2007	130	388	29,338	4,100	3,712	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 5, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/05/2006	213.9	534,631	76.9%	82.0	79,029	32.8%	613,660	65.5%
09/05/2007	220.6	696,572	100.2%	94.3	257,260	100.0%	953,832	100.1%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/04/2007	85	152	0.01	88	138	0.23	290
MTD		683	2.00		521	1.07	1,204

STREAM FLOWS

Gauging Station	09/04/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,184	8,277
NRTT : Nueces River at Tilden, Texas	1,215	4,234
FRIT : Frio River at Tilden, Texas	863	3,341
SMTT : San Miguel Creek at Tilden, Texas	34	159
ARWT : Atascosa River at Whitsett, Texas	286	770
Release from Choke Canyon Reservoir	1,116	2,902
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,700	11,295
NCAT : Nueces River at Calallen, Texas	2,938	10,699
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,965	8,875

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 28,500 Effective: 09/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 8,875	0
Estuary Inflows (NCAT + RBP)	10,699
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2007		Elevation (Ft)	
				Allocation	Remaining	Full	09/05/2007
09/04/2007	130	518	29,467	4,100	3,582	44.0	44.0

Report Generated: 09/05/2007 at 1:49:00 PM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 6, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/06/2006	213.8	533,517	76.7%	81.9	78,229	32.4%	611,746	65.3%
09/06/2007	220.6	697,092	100.3%	94.3	257,260	100.0%	954,352	100.2%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/05/2007	89	318	0.00	90	234	0.00	552
MTD		1,001	2.00		755	1.07	1,756

STREAM FLOWS

Gauging Station	09/05/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,819	11,096
NRTT : Nueces River at Tilden, Texas	1,338	5,572
FRIT : Frio River at Tilden, Texas	806	4,147
SMTT : San Miguel Creek at Tilden, Texas	67	226
ARWT : Atascosa River at Whitsett, Texas	272	1,042
Release from Choke Canyon Reservoir	1,080	3,982
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,236	14,530
NCAT : Nueces River at Calallen, Texas	2,799	13,498
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,612	11,487

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 28,500 Effective: 09/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 11,487	0
Estuary Inflows (NCAT + RBP)	13,498
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2007		Elevation (Ft)	
				Allocation	Remaining	Full	09/06/2007
09/05/2007	130	648	29,597	4,100	3,452	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 7, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/07/2006	213.8	533,294	76.7%	81.9	78,229	32.4%	611,523	65.3%
09/07/2007	220.6	697,353	100.3%	94.2	257,260	100.0%	954,613	100.2%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/06/2007	91	394	0.00	91	351	0.00	745
MTD		1,395	2.00		1,106	1.07	2,501

STREAM FLOWS

Gauging Station	09/06/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,025	13,121
NRTT : Nueces River at Tilden, Texas	1,437	7,009
FRIT : Frio River at Tilden, Texas	842	4,988
SMTT : San Miguel Creek at Tilden, Texas	524	750
ARWT : Atascosa River at Whitsett, Texas	181	1,223
Release from Choke Canyon Reservoir	397	4,379
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,057	17,587
NCAT : Nueces River at Calallen, Texas	2,958	16,456
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,993	14,481

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 28,500 Effective: 09/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 14,481	0
Estuary Inflows (NCAT + RBP)	16,456
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2007		Elevation (Ft)	
				Allocation	Remaining	Full	09/07/2007
09/06/2007	130	778	29,728	4,100	3,322	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 8, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/08/2006	213.8	532,404	76.6%	81.8	77,732	32.2%	610,136	65.1%
09/08/2007	220.6	698,134	100.4%	94.2	257,260	100.0%	955,394	100.3%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/07/2007	93	440	0.00	92	277	0.00	717
MTD		1,835	2.00		1,383	1.07	3,218

STREAM FLOWS

Gauging Station	09/07/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,925	15,046
NRTT : Nueces River at Tilden, Texas	1,544	8,553
FRIT : Frio River at Tilden, Texas	860	5,848
SMTT : San Miguel Creek at Tilden, Texas	455	1,205
ARWT : Atascosa River at Whitsett, Texas	169	1,391
Release from Choke Canyon Reservoir	435	4,814
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,362	19,949
NCAT : Nueces River at Calallen, Texas	2,898	19,354
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,805	17,285

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 28,500 Effective: 09/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 17,285	0
Estuary Inflows (NCAT + RBP)	19,354
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2007		Elevation (Ft)	
				Allocation	Remaining	Full	09/08/2007
09/07/2007	130	909	29,858	4,100	3,191	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 9, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/09/2006	213.7	531,958	76.5%	81.8	77,633	32.2%	609,591	65.1%
09/09/2007	220.6	698,395	100.4%	94.2	257,260	100.0%	955,655	100.3%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/08/2007	92	319	0.00	94	308	0.00	627
MTD		2,154	2.00		1,691	1.07	3,845

STREAM FLOWS

Gauging Station	09/08/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,144	17,190
NRTT : Nueces River at Tilden, Texas	1,570	10,124
FRIT : Frio River at Tilden, Texas	873	6,721
SMTT : San Miguel Creek at Tilden, Texas	274	1,479
ARWT : Atascosa River at Whitsett, Texas	187	1,578
Release from Choke Canyon Reservoir	496	5,310
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,322	22,272
NCAT : Nueces River at Calallen, Texas	2,581	21,934
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,795	20,080

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 28,500 Effective: 09/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 20,080	0
Estuary Inflows (NCAT + RBP)	21,934
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2007		Elevation (Ft)	
				Allocation	Remaining	Full	09/09/2007
09/08/2007	130	1,039	29,988	4,100	3,061	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 10, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/10/2006	213.7	531,513	76.4%	81.8	77,435	32.1%	608,948	65.0%
09/10/2007	220.6	698,656	100.5%	94.2	257,260	100.0%	955,916	100.4%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/09/2007	90	258	0.00	90	170	0.00	428
MTD		2,412	2.00		1,861	1.07	4,273

STREAM FLOWS

Gauging Station	09/09/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,243	19,433
NRTT : Nueces River at Tilden, Texas	1,417	11,541
FRIT : Frio River at Tilden, Texas	1,203	7,924
SMTT : San Miguel Creek at Tilden, Texas	141	1,620
ARWT : Atascosa River at Whitsett, Texas	125	1,703
Release from Choke Canyon Reservoir	786	6,096
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,303	24,574
NCAT : Nueces River at Calallen, Texas	2,402	24,336
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,801	22,881

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 28,500 Effective: 09/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 22,881	0
Estuary Inflows (NCAT + RBP)	24,336
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2007		Elevation (Ft)	
				Allocation	Remaining	Full	09/10/2007
09/09/2007	130	1,169	30,118	4,100	2,931	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 11, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/11/2006	213.7	531,735	76.5%	81.8	77,139	32.0%	608,874	65.0%
09/11/2007	220.6	698,134	100.4%	94.2	257,260	100.0%	955,394	100.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/10/2007	92	319	0.00	92	202	0.00	521
MTD		2,731	2.00		2,063	1.07	4,794

STREAM FLOWS

Gauging Station	09/10/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,402	21,835
NRTT : Nueces River at Tilden, Texas	1,316	12,857
FRIT : Frio River at Tilden, Texas	1,739	9,663
SMTT : San Miguel Creek at Tilden, Texas	81	1,701
ARWT : Atascosa River at Whitsett, Texas	99	1,802
Release from Choke Canyon Reservoir	1,241	7,337
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,283	26,857
NCAT : Nueces River at Calallen, Texas	2,283	26,619
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,981	25,863

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 28,500 Effective: 09/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 25,863	0
Estuary Inflows (NCAT + RBP)	26,619
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2007		Elevation (Ft)	
				Allocation	Remaining	Full	09/11/2007
09/10/2007	131	1,300	30,249	4,100	2,800	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 12, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/12/2006	213.7	531,958	76.5%	81.9	77,931	32.3%	609,889	65.1%
09/12/2007	220.6	697,353	100.3%	94.2	257,260	100.0%	954,613	100.2%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/11/2007	90	440	0.00	92	255	0.00	695
MTD		3,171	2.00		2,318	1.07	5,489

STREAM FLOWS

Gauging Station	09/11/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,839	24,674
NRTT : Nueces River at Tilden, Texas	1,310	14,167
FRIT : Frio River at Tilden, Texas	2,104	11,767
SMTT : San Miguel Creek at Tilden, Texas	54	1,755
ARWT : Atascosa River at Whitsett, Texas	83	1,886
Release from Choke Canyon Reservoir	1,810	9,147
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,640	29,497
NCAT : Nueces River at Calallen, Texas	2,223	28,842
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	3,186	29,048

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 28,500 Effective: 09/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 29,048	0
Estuary Inflows (NCAT + RBP)	28,842
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2007		Elevation (Ft)	
				Allocation	Remaining	Full	09/12/2007
09/11/2007	130	1,430	30,379	4,100	2,670	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 13, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/13/2006	213.8	532,849	76.6%	81.9	77,931	32.3%	610,780	65.2%
09/13/2007	220.6	697,873	100.4%	94.2	257,260	100.0%	955,133	100.3%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/12/2007	89	379	0.00	88	277	0.00	656
MTD		3,550	2.00		2,595	1.07	6,145

STREAM FLOWS

Gauging Station	09/12/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,236	27,909
NRTT : Nueces River at Tilden, Texas	1,350	15,517
FRIT : Frio River at Tilden, Texas	1,862	13,629
SMTT : San Miguel Creek at Tilden, Texas	38	1,792
ARWT : Atascosa River at Whitsett, Texas	73	1,959
Release from Choke Canyon Reservoir	1,449	10,596
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,176	32,673
NCAT : Nueces River at Calallen, Texas	2,501	31,343
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	3,686	32,735

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 28,500 Effective: 09/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 32,735	0
Estuary Inflows (NCAT + RBP)	31,343
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2007		Elevation (Ft)	
				Allocation	Remaining	Full	09/13/2007
09/12/2007	130	1,560	30,509	4,100	2,540	44.0	44.0

Report Generated: 09/13/2007 at 8:33:06 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 14, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/14/2006	213.7	531,958	76.5%	81.9	78,229	32.4%	610,187	65.2%
09/14/2007	220.6	697,873	100.4%	94.2	257,260	100.0%	955,133	100.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/13/2007	91	304	0.00	92	245	0.00	549
MTD		3,854	2.00		2,840	1.07	6,694

STREAM FLOWS

Gauging Station	09/13/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,164	30,073
NRTT : Nueces River at Tilden, Texas	1,431	16,948
FRIT : Frio River at Tilden, Texas	1,443	15,072
SMTT : San Miguel Creek at Tilden, Texas	28	1,820
ARWT : Atascosa River at Whitsett, Texas	71	2,031
Release from Choke Canyon Reservoir	645	11,241
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,164	34,837
NCAT : Nueces River at Calallen, Texas	2,759	34,102
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,989	35,724

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 28,500 Effective: 09/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 35,724	0
Estuary Inflows (NCAT + RBP)	34,102
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2007		Elevation (Ft)	
				Allocation	Remaining	Full	09/14/2007
09/13/2007	130	1,691	30,640	4,100	2,409	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 15, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/15/2006	213.7	531,735	76.5%	81.9	78,229	32.4%	609,964	65.1%
09/15/2007	220.6	697,873	100.4%	94.1	257,260	100.0%	955,133	100.3%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/14/2007	93	410	0.00	92	223	0.00	633
MTD		4,264	2.00		3,063	1.07	7,327

STREAM FLOWS

Gauging Station	09/14/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,925	31,998
NRTT : Nueces River at Tilden, Texas	1,524	18,472
FRIT : Frio River at Tilden, Texas	1,165	16,237
SMTT : San Miguel Creek at Tilden, Texas	20	1,840
ARWT : Atascosa River at Whitsett, Texas	66	2,096
Release from Choke Canyon Reservoir	645	11,886
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,479	36,316
NCAT : Nueces River at Calallen, Texas	2,283	36,385
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,465	38,189

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 28,500 Effective: 09/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 38,189	0
Estuary Inflows (NCAT + RBP)	36,385
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2007		Elevation (Ft)	
				Allocation	Remaining	Full	09/15/2007
09/14/2007	130	1,821	30,770	4,100	2,279	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 16, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/16/2006	213.7	531,290	76.4%	81.9	78,329	32.5%	609,619	65.1%
09/16/2007	220.6	697,613	100.3%	94.2	257,260	100.0%	954,873	100.2%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/15/2007	91	425	0.00	91	202	0.05	627
MTD		4,689	2.00		3,265	1.12	7,954

STREAM FLOWS

Gauging Station	09/15/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,223	34,221
NRTT : Nueces River at Tilden, Texas	1,618	20,090
FRIT : Frio River at Tilden, Texas	1,024	17,262
SMTT : San Miguel Creek at Tilden, Texas	40	1,880
ARWT : Atascosa River at Whitsett, Texas	64	2,160
Release from Choke Canyon Reservoir	645	12,531
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,471	37,786
NCAT : Nueces River at Calallen, Texas	1,652	38,037
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,642	40,831

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 28,500 Effective: 09/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 40,831	0
Estuary Inflows (NCAT + RBP)	38,037
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2007		Elevation (Ft)	
				Allocation	Remaining	Full	09/16/2007
09/15/2007	130	1,951	30,900	4,100	2,149	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 17, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/17/2006	213.7	531,070	76.4%	81.9	78,030	32.3%	609,100	65.0%
09/17/2007	220.6	697,092	100.3%	94.2	257,260	100.0%	954,352	100.2%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/16/2007	89	303	0.00	92	53	0.15	356
MTD		4,992	2.00		3,318	1.27	8,310

STREAM FLOWS

Gauging Station	09/16/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,362	36,584
NRTT : Nueces River at Tilden, Texas	1,697	21,787
FRIT : Frio River at Tilden, Texas	1,020	18,282
SMTT : San Miguel Creek at Tilden, Texas	38	1,918
ARWT : Atascosa River at Whitsett, Texas	60	2,219
Release from Choke Canyon Reservoir	645	13,176
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,886	39,672
NCAT : Nueces River at Calallen, Texas	1,538	39,575
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,775	43,606

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 28,500 Effective: 09/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 43,606	0
Estuary Inflows (NCAT + RBP)	39,575
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2007		Elevation (Ft)	
				Allocation	Remaining	Full	09/17/2007
09/16/2007	130	2,081	31,030	4,100	2,019	44.0	44.0

Report Generated: 09/17/2007 at 8:37:29 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 18, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/18/2006	214.0	537,748	77.3%	82.1	80,239	33.3%	617,987	66.0%
09/18/2007	220.6	697,353	100.3%	94.2	257,260	100.0%	954,613	100.2%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/17/2007	90	288	0.04	92	234	0.17	522
MTD		5,280	2.04		3,552	1.44	8,832

STREAM FLOWS

Gauging Station	09/17/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,442	39,025
NRTT : Nueces River at Tilden, Texas	1,763	23,550
FRIT : Frio River at Tilden, Texas	824	19,106
SMTT : San Miguel Creek at Tilden, Texas	28	1,945
ARWT : Atascosa River at Whitsett, Texas	56	2,275
Release from Choke Canyon Reservoir	645	13,822
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,184	41,856
NCAT : Nueces River at Calallen, Texas	1,858	41,433
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,648	46,254

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 28,500 Effective: 09/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 46,254	0
Estuary Inflows (NCAT + RBP)	41,433
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2007		Elevation (Ft)	
				Allocation	Remaining	Full	09/18/2007
09/17/2007	130	2,210	31,160	4,100	1,890	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 19, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/19/2006	214.0	536,858	77.2%	82.8	87,534	36.3%	624,392	66.7%
09/19/2007	220.6	696,572	100.2%	94.2	257,260	100.0%	953,832	100.1%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/18/2007	91	349	0.00	92	160	0.00	509
MTD		5,629	2.04		3,712	1.44	9,341

STREAM FLOWS

Gauging Station	09/18/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,521	41,546
NRTT : Nueces River at Tilden, Texas	1,806	25,356
FRIT : Frio River at Tilden, Texas	727	19,832
SMTT : San Miguel Creek at Tilden, Texas	24	1,969
ARWT : Atascosa River at Whitsett, Texas	56	2,330
Release from Choke Canyon Reservoir	645	14,467
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,362	44,218
NCAT : Nueces River at Calallen, Texas	2,164	43,597
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,626	48,881

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 28,500 Effective: 09/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 48,881	0
Estuary Inflows (NCAT + RBP)	43,597
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2007		Elevation (Ft)	
				Allocation	Remaining	Full	09/19/2007
09/18/2007	130	2,340	31,289	4,100	1,760	44.0	43.9

Report Generated: 09/19/2007 at 8:08:33 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 20, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/20/2006	213.9	536,189	77.1%	83.2	92,105	38.2%	628,294	67.1%
09/20/2007	220.6	696,572	100.2%	94.2	257,260	100.0%	953,832	100.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/19/2007	85	136	0.18	88	160	0.48	296
MTD		5,765	2.22		3,872	1.92	9,637

STREAM FLOWS

Gauging Station	09/19/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,561	44,107
NRTT : Nueces River at Tilden, Texas	1,792	27,149
FRIT : Frio River at Tilden, Texas	661	20,493
SMTT : San Miguel Creek at Tilden, Texas	18	1,987
ARWT : Atascosa River at Whitsett, Texas	56	2,386
Release from Choke Canyon Reservoir	645	15,112
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,057	47,275
NCAT : Nueces River at Calallen, Texas	2,322	45,919
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,594	51,475

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 28,500 Effective: 09/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 51,475	0
Estuary Inflows (NCAT + RBP)	45,919
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2007		Elevation (Ft)	
				Allocation	Remaining	Full	09/20/2007
09/19/2007	130	2,470	31,419	4,100	1,630	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 21, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/21/2006	213.9	535,521	77.0%	83.4	94,220	39.1%	629,741	67.2%
09/21/2007	220.5	696,052	100.1%	94.2	257,260	100.0%	953,312	100.1%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/20/2007	90	333	0.00	89	223	0.00	556	
MTD		6,098	2.22		4,095	1.92	10,193	

STREAM FLOWS

Gauging Station	09/20/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,561	46,667
NRTT : Nueces River at Tilden, Texas	1,630	28,779
FRIT : Frio River at Tilden, Texas	615	21,108
SMTT : San Miguel Creek at Tilden, Texas	16	2,003
ARWT : Atascosa River at Whitsett, Texas	56	2,442
Release from Choke Canyon Reservoir	645	15,757
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,097	50,371
NCAT : Nueces River at Calallen, Texas	2,739	48,658
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,547	54,022

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 28,500 Effective: 09/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 54,022	0
Estuary Inflows (NCAT + RBP)	48,658
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2007		Elevation (Ft)	
				Allocation	Remaining	Full	09/21/2007
09/20/2007	130	2,599	31,549	4,100	1,501	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 22, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/22/2006	213.9	535,744	77.1%	83.4	94,333	39.1%	630,077	67.3%
09/22/2007	220.5	696,052	100.1%	94.2	257,260	100.0%	953,312	100.1%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/21/2007	90	394	0.00	90	170	0.00	564
MTD		6,492	2.22		4,265	1.92	10,757

STREAM FLOWS

Gauging Station	09/21/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,402	49,069
NRTT : Nueces River at Tilden, Texas	1,364	30,142
FRTT : Frio River at Tilden, Texas	578	21,686
SMTT : San Miguel Creek at Tilden, Texas	12	2,014
ARWT : Atascosa River at Whitsett, Texas	60	2,501
Release from Choke Canyon Reservoir	552	16,309
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,898	53,269
NCAT : Nueces River at Calallen, Texas	2,858	51,517
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,439	56,461

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 28,500 Effective: 09/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 56,461	0
Estuary Inflows (NCAT + RBP)	51,517
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2007		Elevation (Ft)	
				Allocation	Remaining	Full	09/22/2007
09/21/2007	129	2,729	31,678	4,100	1,371	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 23, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/23/2006	213.9	535,076	77.0%	83.4	94,782	39.3%	629,858	67.3%
09/23/2007	220.5	696,052	100.1%	94.1	257,260	100.0%	953,312	100.1%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/22/2007	89	348	0.00	89	181	0.00	529
MTD		6,840	2.22		4,446	1.92	11,286

STREAM FLOWS

Gauging Station	09/22/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,788	50,858
NRTT : Nueces River at Tilden, Texas	1,177	31,319
FRTT : Frio River at Tilden, Texas	548	22,234
SMTT : San Miguel Creek at Tilden, Texas	11	2,025
ARWT : Atascosa River at Whitsett, Texas	62	2,563
Release from Choke Canyon Reservoir	397	16,706
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,223	55,493
NCAT : Nueces River at Calallen, Texas	2,779	54,296
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,950	58,411

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 28,500 Effective: 09/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 58,411	0
Estuary Inflows (NCAT + RBP)	54,296
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2007		Elevation (Ft)	
				Allocation	Remaining	Full	09/23/2007
09/22/2007	129	2,858	31,807	4,100	1,242	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 24, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/24/2006	214.2	542,222	78.0%	83.6	96,593	40.0%	638,815	68.2%
09/24/2007	220.5	695,271	100.0%	94.1	257,260	100.0%	952,531	100.0%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/23/2007	88	363	0.00	89	383	0.00	746	
MTD		7,203	2.22		4,829	1.92	12,032	

STREAM FLOWS

Gauging Station	09/23/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,491	52,348
NRTT : Nueces River at Tilden, Texas	1,058	32,377
FRIT : Frio River at Tilden, Texas	524	22,758
SMTT : San Miguel Creek at Tilden, Texas	12	2,037
ARWT : Atascosa River at Whitsett, Texas	54	2,616
Release from Choke Canyon Reservoir	397	17,103
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,612	57,104
NCAT : Nueces River at Calallen, Texas	2,402	56,698
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,630	60,041

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 28,500 Effective: 09/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 60,041	0
Estuary Inflows (NCAT + RBP)	56,698
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2007		Elevation (Ft)	
				Allocation	Remaining	Full	09/24/2007
09/23/2007	129	2,988	31,937	4,100	1,112	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 25, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/25/2006	214.2	542,222	78.0%	83.7	97,278	40.3%	639,500	68.3%
09/25/2007	220.5	694,493	99.9%	94.2	257,260	100.0%	951,753	99.9%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/24/2007	90	424	0.00	91	362	0.00	786
MTD		7,627	2.22		5,191	1.92	12,818

STREAM FLOWS

Gauging Station	09/24/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,358	53,706
NRTT : Nueces River at Tilden, Texas	979	33,356
FRIT : Frio River at Tilden, Texas	506	23,264
SMTT : San Miguel Creek at Tilden, Texas	11	2,048
ARWT : Atascosa River at Whitsett, Texas	52	2,668
Release from Choke Canyon Reservoir	397	17,500
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	792	57,896
NCAT : Nueces River at Calallen, Texas	1,628	58,325
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,478	61,519

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 28,500 Effective: 09/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 61,519	0
Estuary Inflows (NCAT + RBP)	58,325
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2007		Elevation (Ft)	
				Allocation	Remaining	Full	09/25/2007
09/24/2007	129	3,117	32,066	4,100	983	44.0	43.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 26, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/26/2006	214.2	541,772	77.9%	83.9	100,280	41.6%	642,052	68.6%
09/26/2007	220.5	694,752	99.9%	94.2	257,260	100.0%	952,012	99.9%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/25/2007	91	333	0.00	93	223	0.00	556
MTD		7,960	2.22		5,414	1.92	13,374

STREAM FLOWS

Gauging Station	09/25/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,237	54,943
NRTT : Nueces River at Tilden, Texas	921	34,277
FRIT : Frio River at Tilden, Texas	488	23,753
SMTT : San Miguel Creek at Tilden, Texas	9	2,057
ARWT : Atascosa River at Whitsett, Texas	50	2,717
Release from Choke Canyon Reservoir	185	17,684
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	788	58,685
NCAT : Nueces River at Calallen, Texas	836	59,161
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,549	63,068

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 28,500 Effective: 09/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 63,068	0
Estuary Inflows (NCAT + RBP)	59,161
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2007		Elevation (Ft)	
				Allocation	Remaining	Full	09/26/2007
09/25/2007	129	3,246	32,195	4,100	854	44.0	43.7

Report Generated: 09/26/2007 at 8:28:51 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 27, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/27/2006	214.2	541,322	77.9%	84.1	102,509	42.5%	643,831	68.7%
09/27/2007	220.5	694,493	99.9%	94.2	257,260	100.0%	951,753	99.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/26/2007	93	303	0.00	93	277	0.06	580
MTD		8,263	2.22		5,691	1.98	13,954

STREAM FLOWS

Gauging Station	09/26/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	971	55,913
NRTT : Nueces River at Tilden, Texas	869	35,146
FRIT : Frio River at Tilden, Texas	468	24,221
SMTT : San Miguel Creek at Tilden, Texas	7	2,064
ARWT : Atascosa River at Whitsett, Texas	48	2,765
Release from Choke Canyon Reservoir	58	17,742
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	798	59,483
NCAT : Nueces River at Calallen, Texas	663	59,824
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,389	64,457

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 28,500 Effective: 09/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 64,457	0
Estuary Inflows (NCAT + RBP)	59,824
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2007		Elevation (Ft)	
				Allocation	Remaining	Full	09/27/2007
09/26/2007	129	3,375	32,324	4,100	725	44.0	43.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 28, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/28/2006	214.2	541,322	77.9%	84.3	104,409	43.3%	645,731	69.0%
09/28/2007	220.5	694,493	99.9%	94.2	257,260	100.0%	951,753	99.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/27/2007	93	363	0.00	93	298	0.00	661	
MTD		8,626	2.22		5,989	1.98	14,615	

STREAM FLOWS

Gauging Station	09/27/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	905	56,819
NRTT : Nueces River at Tilden, Texas	830	35,976
FRIT : Frio River at Tilden, Texas	449	24,670
SMTT : San Miguel Creek at Tilden, Texas	6	2,070
ARWT : Atascosa River at Whitsett, Texas	44	2,809
Release from Choke Canyon Reservoir	58	17,799
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	709	60,191
NCAT : Nueces River at Calallen, Texas	637	60,461
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,302	65,759

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 28,500 Effective: 09/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 65,759	0
Estuary Inflows (NCAT + RBP)	60,461
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2007		Elevation (Ft)	
				Allocation	Remaining	Full	09/28/2007
09/27/2007	129	3,503	32,453	4,100	597	44.0	43.6

Report Generated: 09/28/2007 at 8:30:03 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 29, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/29/2006	214.2	541,772	77.9%	84.4	105,488	43.7%	647,260	69.1%
09/29/2007	220.5	694,493	99.9%	94.2	257,260	100.0%	951,753	99.9%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/28/2007	89	318	0.00	90	223	0.45	541
MTD		8,944	2.22		6,212	2.43	15,156

STREAM FLOWS

Gauging Station	09/28/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	858	57,676
NRTT : Nueces River at Tilden, Texas	804	36,780
FRIT : Frio River at Tilden, Texas	431	25,100
SMTT : San Miguel Creek at Tilden, Texas	5	2,075
ARWT : Atascosa River at Whitsett, Texas	44	2,852
Release from Choke Canyon Reservoir	58	17,857
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	669	60,860
NCAT : Nueces River at Calallen, Texas	538	60,999
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,236	66,995

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 28,500 Effective: 09/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 66,995	0
Estuary Inflows (NCAT + RBP)	60,999
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2007		Elevation (Ft)	
				Allocation	Remaining	Full	09/29/2007
09/28/2007	128	3,632	32,581	4,100	468	44.0	43.5

Report Generated: 09/29/2007 at 8:09:52 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 30, 2007**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/30/2006	214.1	541,097	77.8%	84.5	106,694	44.2%	647,791	69.2%
09/30/2007	220.5	694,233	99.9%	94.2	257,260	100.0%	951,493	99.9%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/29/2007	88	287	0.00	84	191	0.17	478
MTD		9,231	2.22		6,403	2.60	15,634

STREAM FLOWS

Gauging Station	09/29/2007 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	828	58,504
NRTT : Nueces River at Tilden, Texas	778	37,558
FRIT : Frio River at Tilden, Texas	415	25,515
SMTT : San Miguel Creek at Tilden, Texas	4	2,080
ARWT : Atascosa River at Whitsett, Texas	40	2,892
Release from Choke Canyon Reservoir	58	17,915
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	663	61,523
NCAT : Nueces River at Calallen, Texas	721	61,720
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,189	68,184

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 28,500 Effective: 09/01/2007	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2007)	500
Passthru Target: 0 Reservoir Inflow: 68,184	0
Estuary Inflows (NCAT + RBP)	61,720
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2007		Elevation (Ft)	
				Allocation	Remaining	Full	09/30/2007
09/29/2007	128	3,760	32,709	4,100	340	44.0	43.5

Report Generated: 09/30/2007 at 8:09:28 AM