Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 1, 2007

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)				Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcF	t) Percent of Capac	ity Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.	695,2	71 10	00%	94.0	257,260	100%	952,531	100%		
12/01/2006	213.	516,1	73 74	.2%	83.6	96,707	40.1%	612,880	65.4%		
12/01/2007	219.	679,2	84 97.	.7%	93.8	254,162	98.8%	933,446	98.0%		
				Weather Rela	ated	Information					
		Chol	te Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined		
Date	A	ir Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
11/30/20	11/30/2007 76 149		0.10		76	64	0.00	213			
MTD	1		6,101	0.84			4,333	0.44	10,434		

STREAM FLOWS

Gauging Station	11/30/2007 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	282	10,127
NRTT: Nueces River at Tilden, Texas	218	8,057
FRTT: Frio River at Tilden, Texas	191	5,737
SMTT: San Miguel Creek at Tilden, Texas	0	10
ARWT: Atascosa River at Whitsett, Texas	30	808
Release from Choke Canyon Reservoir	58	1,727
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	111	4,992
NCAT: Nueces River at Calallen, Texas	85	3,781
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	415	14,148

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit: 6,750 Effective: 11/10/2007	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2007)	500
Passthru Target: 2,250 Reservoir Inflow: 14,148	2,250
Estuary Inflows (NCAT + RBP)	3,781
PassThru Surplus / -Deficit:	2,031

LAKE TEXANA STATISTICS (All values are in AcFt)

Г	Date	Daily Intake MTD YTD No.		Novem	ber 2007	Elevation (Ft)		
	Date	Dany Intake	MILD	110	Allocation	Remaining	Full	12/01/2007
	11/30/2007	142	3,986	40,749	3,050	-936	44.0	44.1

Report Generated: 12/01/2007 at 8:27:46 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 2, 2007

RESERVOIR STATISTICS

	Choke Canyon Reservoir					Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)				Combined Reservoir System		
Date	Elevation ((t) Volum	ne (AcFt)	Percent of Capac	ity Elevation	(Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	22	0.5	695,271	10	00%	94.0	257,260	100%	952,531	100%		
12/02/2006	2/2006 213.0 515,955 74.2%		.2%	83.6	96,82	40.1%	612,776	65.4%				
12/02/2007	21	9.9	679,027	97.	.7%	93.9	255,43	7 99.3%	934,464	98.1%		
					Weather Re	lated	Information					
			Choke (Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined		
Date		Air Temp (°F)		Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
12/01/20	12/01/2007 81 104		0.0	0	81	127	0.00	231				
MTD)			104	0.0	0		127	0.00	231		

STREAM FLOWS

Gauging Station	12/01/2007 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	284	284
NRTT: Nueces River at Tilden, Texas	232	232
FRTT: Frio River at Tilden, Texas	199	199
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	32	32
Release from Choke Canyon Reservoir	58	58
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	111	111
NCAT: Nueces River at Calallen, Texas	97	97
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	425	425

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,031
Return Flow Credit (Effective: 12/01/2007)	500
Passthru Target: 4,500 Reservoir Inflow: 425	425
Estuary Inflows (NCAT + RBP)	97
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD		ber 2007		Elevation (Ft)
Date	Dany Intake	MID	110	Allocation	Remaining	Full	12/02/2007
12/01/200	142	142	40,891	3,050	2,908	44.0	44.1

Report Generated: 12/02/2007 at 8:23:32 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 3, 2007

RESERVOIR STATISTICS

	Choke Canyon Reservoir					Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)				Combined Reservoir System		
Date	Elevation (F) Volume (AcFt)	Percent of Capacit	y Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220	.5 69	95,271	100	%	94.0	257,26	100%	952,531	100%		
12/03/2006	213	.0 5	5,523	74.1	% 8	33.6	96,47	40.0%	612,002	65.3%		
12/03/2007	219	.9 68	30,053	97.8	97.8%		256,53	99.7%	936,583	98.3%		
					Weather Rela	ited	Information					
		(Choke (Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined		
Date		ir Temp (°F)		Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
12/02/2007 81 373		0.00		83	170	0.00	543					
MTD)			477	0.00			297	0.00	774		

STREAM FLOWS

Gauging Station	12/02/2007 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	298	582
NRTT: Nueces River at Tilden, Texas	240	472
FRTT: Frio River at Tilden, Texas	199	397
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	32	64
Release from Choke Canyon Reservoir	58	115
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	113	224
NCAT: Nueces River at Calallen, Texas	139	236
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	439	863

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,031
Return Flow Credit (Effective: 12/01/2007)	500
Passthru Target: 4,500 Reservoir Inflow: 863	863
Estuary Inflows (NCAT + RBP)	236
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	MTD YTD December 2007		Elevation (Ft)		
Date	Dany Intake	MILD	110	Allocation	Remaining	Full	12/03/2007
12/02/2007	143	285	41,034	3,050	2,765	44.0	44.1

Report Generated: 12/04/2007 at 9:47:12 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 4, 2007

RESERVOIR STATISTICS

		Choke Canyon	Reservoir		Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcF	t) Percent of Capac	ity Elevation ((Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,2	71 10	00%	94.0	257,260	100%	952,531	100%
12/04/2006	213.0	514,8	76 74	.1%	83.6	96,252	39.9%	611,128	65.3%
12/04/2007	219.9	679,5	41 97.	.7%	93.9	254,890	99.1%	934,431	98.1%
				Weather Rela	ated	Information			
		Chol	te Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined
Date	Ai	r Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/03/20	007	65	179	0.00		64	180	0.00	359
MTD			656	0.00			477	0.00	1,133

STREAM FLOWS

Gauging Station	12/03/2007 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	304	885
NRTT: Nueces River at Tilden, Texas	236	709
FRTT: Frio River at Tilden, Texas	195	592
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	28	91
Release from Choke Canyon Reservoir	58	173
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	197	421
NCAT: Nueces River at Calallen, Texas	77	314
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	441	1,304

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,031
Return Flow Credit (Effective: 12/01/2007)	500
Passthru Target: 4,500 Reservoir Inflow: 1,304	1,304
Estuary Inflows (NCAT + RBP)	314
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Decem	ber 2007	Elevation (Ft)	
Date	Dany Intake	MID	110	Allocation	Remaining	Full	12/04/2007
12/03/2007	142	427	41,176	3,050	2,623	44.0	44.1

Report Generated: 12/04/2007 at 9:40:49 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 5, 2007

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capaci	ty Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,27	. 100	9%	94.0	257,260	100%	952,531	100%
12/05/2006	212.9	514,013	73.9	9% 8	33.5	95,912	39.8%	609,925	65.1%
12/05/2007	219.9	679,284	97.7	1 %	3.9	254,520	98.9%	933,810	98.0%
				Weather Rela	ted	Information			
		Choke	Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined
Date	Ai	r Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/04/20	007	60	179	0.00		72	148	0.00	327
MTD)		835	0.00			625	0.00	1,460

STREAM FLOWS

Gauging Station	12/04/2007 (AcFt)	MTD (AcFt)					
NTRT: Nueces River at Three Rivers, Texas	298	1,183					
NRTT: Nueces River at Tilden, Texas	230	939					
FRTT: Frio River at Tilden, Texas	189	780					
SMTT: San Miguel Creek at Tilden, Texas	0	0					
ARWT: Atascosa River at Whitsett, Texas	26	117					
Release from Choke Canyon Reservoir	58	230					
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	81	502					
NCAT: Nueces River at Calallen, Texas	121	435					
RBP: Rincon Bayou Pipeline	0	0					
Reservoir Inflow	Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	429	1,733					

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,031
Return Flow Credit (Effective: 12/01/2007)	500
Passthru Target: 4,500 Reservoir Inflow: 1,733	1,733
Estuary Inflows (NCAT + RBP)	435
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Decem	ber 2007	Elevation (Ft)	
Date	Dany Intake	MID	110	Allocation	Remaining	Full	12/05/2007
12/04/2007	143	570	41,319	3,050	2,480	44.0	44.1

Report Generated: 12/05/2007 at 8:30:58 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 6, 2007

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (Ac	Ft) Percent of Capac	eity Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.	695,	271 10	00%	94.0	257,260	100%	952,531	100%
12/06/2006	212.	513,	581 73	.9%	83.5	95,68	5 39.7%	609,266	65.1%
12/06/2007	219.	679,	284 97	.7%	93.9	254,890	99.1%	934,174	98.1%
	Weather Related Information								
		Cho	oke Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined
Date	A	ir Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/05/20	007	80	119	0.00		81	202	0.00	321
MTD			954	0.00			827	0.00	1,781

STREAM FLOWS

Gauging Station	12/05/2007 (AcFt)	MTD (AcFt)					
NTRT: Nueces River at Three Rivers, Texas	292	1,475					
NRTT: Nueces River at Tilden, Texas	228	1,167					
FRTT: Frio River at Tilden, Texas	195	975					
SMTT: San Miguel Creek at Tilden, Texas	0	0					
ARWT: Atascosa River at Whitsett, Texas	26	143					
Release from Choke Canyon Reservoir	58	288					
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	77	580					
Nucat: Nueces River at Calallen, Texas	93	528					
RBP: Rincon Bayou Pipeline	0	0					
Reservoir Inflow	Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	429	2,162					

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,031
Return Flow Credit (Effective: 12/01/2007)	500
Passthru Target: 4,500 Reservoir Inflow: 2,162	2,162
Estuary Inflows (NCAT + RBP)	528
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Decem	ber 2007	Elevation (Ft)	
Date	Dany Intake	MID	110	Allocation	Remaining	Full	12/06/2007
12/05/2007	143	713	41,462	3,050	2,337	44.0	44.0

Report Generated: 12/06/2007 at 8:29:43 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 7, 2007

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capaci	ty Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,27	10	0%	94.0	257,260	100%	952,531	100%
12/07/2006	212.9	513,36	73.	8%	33.5	95,912	39.8%	609,277	65.1%
12/07/2007	219.9	679,28	97.	7%	93.9	254,890	99.1%	934,174	98.1%
				Weather Rela	ited	Information			
		Choke	Canyon Reservoir			Lake	Corpus Christi Reservoir	r	Combined
Date	Ai	r Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/06/20	007	82	134	0.00		81	95	0.00	229
MTD)		1,088	0.00			922	0.00	2,010

STREAM FLOWS

Gauging Station	12/06/2007 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	290	1,765
NRTT: Nueces River at Tilden, Texas	230	1,397
FRTT: Frio River at Tilden, Texas	195	1,169
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	26	169
Release from Choke Canyon Reservoir	58	345
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	117	697
NCAT: Nueces River at Calallen, Texas	24	552
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	427	2,588

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,031
Return Flow Credit (Effective: 12/01/2007)	500
Passthru Target: 4,500 Reservoir Inflow: 2,588	2,588
Estuary Inflows (NCAT + RBP)	552
PassThru Surplus / -Deficit:	494

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Decem	ber 2007	Elevation (Ft)	
Date	Dany Intake	MILD	110	Allocation	Remaining	Full	12/07/2007
12/06/2007	117	830	41,579	3,050	2,220	44.0	44.0

Report Generated: 12/07/2007 at 8:32:32 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 8, 2007

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt	Percent of Capaci	ity Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,27	10	0%	94.0	257,260	100%	952,531	100%
12/08/2006	212.8	512,50	73.	7%	83.6	96,360	39.9%	608,868	65.0%
12/08/2007	219.9	679,54	97.	97.7%		254,890	99.1%	934,431	98.1%
				Weather Rela	ated	Information			
		Choke	Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined
Date	Ai	r Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/07/20	007	85	209	0.00		85	138	0.00	347
MTD)		1,297	0.00			1,060	0.00	2,357

STREAM FLOWS

Gauging Station	12/07/2007 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	290	2,054				
NRTT: Nueces River at Tilden, Texas	238	1,636				
FRTT: Frio River at Tilden, Texas	195	1,364				
SMTT: San Miguel Creek at Tilden, Texas	0	0				
ARWT: Atascosa River at Whitsett, Texas	26	195				
Release from Choke Canyon Reservoir	58	403				
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	117	814				
NCAT: Nueces River at Calallen, Texas	17	569				
RBP: Rincon Bayou Pipeline	0	0				
Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	427	3,015				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,031
Return Flow Credit (Effective: 12/01/2007)	500
Passthru Target: 4,500 Reservoir Inflow: 3,015	3,015
Estuary Inflows (NCAT + RBP)	569
PassThru Surplus / -Deficit:	85

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Decem	ber 2007	Elevation (Ft)	
Date	Dany Intake		110	Allocation	Remaining	Full	12/08/2007
12/07/2007	143	973	41,722	3,050	2,077	44.0	44.0

Report Generated: 12/08/2007 at 8:51:53 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 9, 2007

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcF	t) Percent of Capac	ity Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.	695,2	71 10	00%	94.0	257,260	100%	952,531	100%
12/09/2006	212.	511,8	55 73	.6%	83.5	95,572	39.6%	607,427	64.9%
12/09/2007	219.	679,7	98 97.	.8%	93.9	254,890	99.1%	934,688	98.1%
				Weather Rela	ated	Information			
		Cho	te Canyon Reservoir			Lake	Corpus Christi Reservoir	r	Combined
Date	A	ir Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/08/20	007	83	194	0.00		83	127	0.00	321
MTD)		1,491	0.00			1,187	0.00	2,678

STREAM FLOWS

Gauging Station	12/08/2007 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	296	2,350
NRTT: Nueces River at Tilden, Texas	244	1,880
FRTT: Frio River at Tilden, Texas	197	1,560
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	26	220
Release from Choke Canyon Reservoir	58	461
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	119	933
NCAT: Nueces River at Calallen, Texas	64	633
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	435	3,450

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,031
Return Flow Credit (Effective: 12/01/2007)	500
Passthru Target: 4,500 Reservoir Inflow: 3,450	3,450
Estuary Inflows (NCAT + RBP)	633
PassThru Surplus / -Deficit:	-286

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Decem	ber 2007	Elevation (Ft)	
Date	Dany Intake	MILD	110	Allocation	Remaining	Full	12/09/2007
12/08/2007	143	1,116	41,865	3,050	1,934	44.0	44.0

Report Generated: 12/09/2007 at 8:27:24 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 10, 2007

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)				Combined Reservoir System		
Date	Elevation (Ft	Volume (A	cFt)	Percent of Capaci	ty Elevation	(Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.	5 69:	5,271	100)%	94.0	257,26	100%	952,531	100%	
12/10/2006	212.	8 512	2,286	73.	7%	83.5	95,57	2 39.6%	607,858	64.9%	
12/10/2007	219.	9 680	0,053	97.	3%	93.9	255,61	99.4%	935,672	98.2%	
					Weather Re	ated	Information				
		C	hoke C	Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined	
Date	Date Air Temp Evaporation (AcFt)		•	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
12/09/20	007	83		224	0.00		84	202	0.05	426	
MTD)			1,715	0.00			1,389	0.05	3,104	

STREAM FLOWS

Gauging Station	12/09/2007 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	300	2,650
NRTT: Nueces River at Tilden, Texas	238	2,118
FRTT: Frio River at Tilden, Texas	195	1,755
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	26	246
Release from Choke Canyon Reservoir	58	518
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	119	1,052
NCAT: Nueces River at Calallen, Texas	97	730
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	437	3,887

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,031
Return Flow Credit (Effective: 12/01/2007)	500
Passthru Target: 4,500 Reservoir Inflow: 3,887	3,887
Estuary Inflows (NCAT + RBP)	730
PassThru Surplus / -Deficit:	-626

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Decem	ber 2007	Elevation (Ft)	
Date	Dany Intake	MID	110	Allocation	Remaining	Full	12/10/2007
12/09/2007	143	1,260	42,009	3,050	1,790	44.0	44.0

Report Generated: 12/10/2007 at 8:17:53 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 11, 2007

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)				Combined Reservoir System		
Date	Elevation (I	Ft) Volu	ıme (AcFt)	Percent of Capac	ity Elevation	(Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	22	0.5	695,271	10	0%	94.0	257,260	100%	952,531	100%
12/11/2006	21	2.8	511,639	73.	6%	83.5	95,459	39.6%	607,098	64.8%
12/11/2007	21	9.9	679,798	97.	8%	93.8	253,798	98.7%	933,596	98.0%
					Weather Rel	ated	Information			
			Choke C	Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined
Date		Air Temp	p]	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/10/20	12/10/2007 74 119		0.00		83	106	0.00	225		
MTD)			1,834	0.00			1,495	0.05	3,329

STREAM FLOWS

Gauging Station	12/10/2007 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	298	2,948
NRTT: Nueces River at Tilden, Texas	226	2,344
FRTT: Frio River at Tilden, Texas	191	1,945
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	24	270
Release from Choke Canyon Reservoir	58	576
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	119	1,171
NCAT: Nueces River at Calallen, Texas	48	778
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	431	4,318

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 2,250 Effective: 12/10/2007	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2007)	500
Passthru Target: 2,250 Reservoir Inflow: 4,318	2,250
Estuary Inflows (NCAT + RBP)	778
PassThru Surplus / -Deficit:	-972

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Decem	ber 2007	Elevation (Ft)	
Date	Dany Intake	MILD	110	Allocation	Remaining	Full	12/11/2007
12/10/2007	143	1,403	42,152	3,050	1,647	44.0	44.1

Report Generated: 12/11/2007 at 8:51:32 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 12, 2007

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)				Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcF	t) Percent of Capac	ity Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,2	71 10	00%	94.0	257,260	100%	952,531	100%		
12/12/2006	212.8	512,50	02 73	.7%	83.5	95,459	39.6%	607,961	64.9%		
12/12/2007	219.9	679,5	97.	.7%	93.9	255,619	99.4%	935,160	98.2%		
				Weather Rela	ated	Information					
		Chok	e Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined		
Date	, Ai	r Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
12/11/20	007	87	134	0.01		83	191	0.00	325		
MTD)		1,968	0.01			1,686	0.05	3,654		

STREAM FLOWS

Gauging Station	12/11/2007 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	288	3,236
NRTT: Nueces River at Tilden, Texas	214	2,559
FRTT: Frio River at Tilden, Texas	191	2,136
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	24	294
Release from Choke Canyon Reservoir	58	633
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	119	1,290
NCAT: Nueces River at Calallen, Texas	13	790
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	421	4,738

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 2,250 Effective: 12/10/2007	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2007)	500
Passthru Target: 2,250 Reservoir Inflow: 4,738	2,250
Estuary Inflows (NCAT + RBP)	790
PassThru Surplus / -Deficit:	-960

LAKE TEXANA STATISTICS (All values are in AcFt)

Ì	Date	Daily Intake	MTD	YTD	Decem	ber 2007	Elevation (Ft)	
ĺ	Date	Dany Intake	MILD	110	Allocation	Remaining	Full	12/12/2007
1	12/11/2007	144	1,547	42,296	3,050	1,503	44.0	44.0

Report Generated: 12/12/2007 at 8:36:26 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 13, 2007

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System		
Date	Elevation (Ft	Volume (Ac	Ft) Percent of Capac	Percent of Capacity Elevation (Ft		Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.	5 695.	271 10	00%	94.0	257,260	100%	952,531	100%	
12/13/2006	212.	8 512.	286 73	.7%	83.5	95,459	39.6%	607,745	64.9%	
12/13/2007	219.	9 680,	308 97	.8%	94.0	256,530	99.7%	936,838	98.4%	
				Weather Rela	ated	Information				
		Ch	oke Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined	
Date	A	ir Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/12/20	007	56	90	0.17		77	74	0.55	164	
MTD)		2,058	0.18			1,760	0.60	3,818	

STREAM FLOWS

Gauging Station	12/12/2007 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	280	3,515
NRTT: Nueces River at Tilden, Texas	212	2,771
FRTT: Frio River at Tilden, Texas	195	2,330
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	24	318
Release from Choke Canyon Reservoir	58	691
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	208	1,499
Nucers River at Calallen, Texas	9	800
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	417	5,155

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 2,250 Effective: 12/10/2007	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2007)	500
Passthru Target: 2,250 Reservoir Inflow: 5,155	2,250
Estuary Inflows (NCAT + RBP)	800
PassThru Surplus / -Deficit:	-950

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Decem	ber 2007	Elevation (Ft)	
Date	Dany Intake	MID	110	Allocation	Remaining	Full	12/13/2007
12/12/2007	143	1,690	42,439	3,050	1,360	44.0	44.0

Report Generated: 12/13/2007 at 8:24:15 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 14, 2007

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System			
Date	Elevation (Ft	Volume (A	cFt) Percent of Cap	rcent of Capacity Elevation (F) Volume (A	cFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.	5 695	5,271	100%	94	.0 25	7,260	100%	952,531	100%
12/14/2006	212.	8 512	2,071	73.7%	83	.5 9.	5,233	39.5%	607,304	64.8%
12/14/2007	219.	9 680),308	97.8%	93	.9 25	5,801	99.4%	936,109	98.3%
				V	Veather Relate	d Information	1			
		Cł	noke Canyon Reservoir]	Lake (Corpus Christi Reservoir	r	Combined
Date	A	ir Temp (°F)	Evaporation (AcFt)		Rainfall (Inches)	Air Temp (°F)		Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/13/20	007	58	2	.5	0.00	58		74	0.00	119
MTD			2,10	13	0.18			1,834	0.60	3,937

STREAM FLOWS

Gauging Station	12/13/2007 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	274	3,789
NRTT: Nueces River at Tilden, Texas	210	2,981
FRTT: Frio River at Tilden, Texas	191	2,521
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	24	341
Release from Choke Canyon Reservoir	58	748
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	185	1,683
NCAT: Nueces River at Calallen, Texas	105	905
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	407	5,562

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 2,250 Effective: 12/10/2007	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2007)	500
Passthru Target: 2,250 Reservoir Inflow: 5,562	2,250
Estuary Inflows (NCAT + RBP)	905
PassThru Surplus / -Deficit:	-845

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Decem	ber 2007	Elevation (Ft)	
Date	Dany Intake	MILD	110	Allocation	Remaining	Full	12/14/2007
12/13/2007	143	1,833	42,582	3,050	1,217	44.0	44.0

Report Generated: 12/14/2007 at 8:16:15 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 15, 2007

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)				Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt	Percent of Capac	ity Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,27	1 10	0%	94.0	257,260	100%	952,531	100%	
12/15/2006	212.8	512,50	2 73.	7% 8	33.5	95,120	39.4%	607,622	64.9%	
12/15/2007	219.9	680,56	2 97.	9%	93.9	255,072	99.1%	935,634	98.2%	
				Weather Rela	ited	Information				
		Chok	Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined	
Date	, Ai	r Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/14/20	007	68	60	60 0.02		70	11	0.07	71	
MTD)		2,163	0.20			1,845	0.67	4,008	

STREAM FLOWS

Gauging Station	12/14/2007 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	6	3,796
NRTT: Nueces River at Tilden, Texas	210	3,192
FRTT: Frio River at Tilden, Texas	216	2,737
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	24	365
Release from Choke Canyon Reservoir	58	806
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	117	1,800
NCAT: Nueces River at Calallen, Texas	173	1,078
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	451	6,013

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 2,250 Effective: 12/10/2007	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2007)	500
Passthru Target: 2,250 Reservoir Inflow: 6,013	2,250
Estuary Inflows (NCAT + RBP)	1,078
PassThru Surplus / -Deficit:	-672

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Decem	ber 2007	2007	
Date	Dany Intake	MILD	110	Allocation	Remaining	Full	12/15/2007
12/14/2007	143	1,976	42,725	3,050	1,074	44.0	43.9

Report Generated: 12/15/2007 at 8:09:35 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 16, 2007

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)				Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcF	t) Percent of Capac	ity Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.:	695,2	71 10	0%	94.0	257,260	100%	952,531	100%	
12/16/2006	212.3	512,2	73.	.7%	83.5	95,007	39.4%	607,293	64.8%	
12/16/2007	219.9	680,0	53 97.	8%	93.8	253,980	98.7%	934,033	98.1%	
				Weather Rela	ated	Information				
		Chol	e Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined	
Date	, A	ir Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/15/20	007	64	358	358 0.00		66	307	0.00	665	
MTD)		2,521	0.20			2,152	0.67	4,673	

STREAM FLOWS

Gauging Station	12/15/2007 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	268	4,064
NRTT: Nueces River at Tilden, Texas	214	3,406
FRTT: Frio River at Tilden, Texas	212	2,950
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	24	389
Release from Choke Canyon Reservoir	58	863
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	1,141	2,942
NCAT: Nueces River at Calallen, Texas	77	1,155
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	423	6,436

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 2,250 Effective: 12/10/2007	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2007)	500
Passthru Target: 2,250 Reservoir Inflow: 6,436	2,250
Estuary Inflows (NCAT + RBP)	1,155
PassThru Surplus / -Deficit:	-595

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Decem	ber 2007		Elevation (Ft)
Date	Dany Intake	MILD	110	Allocation	Remaining	Full	12/16/2007
12/15/2007	143	2,119	42,868	3,050	931	44.0	43.9

Report Generated: 12/16/2007 at 8:14:07 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 17, 2007

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)				Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacit	y Elevation (I	Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100	% 9	4.0	257,260	100%	952,531	100%	
12/17/2006	212.8	512,071	73.7	% 8	3.5	94,895	39.3%	606,966	64.8%	
12/17/2007	219.9	678,770	97.6	% 9	3.8	254,162	98.8%	932,932	97.9%	
				Weather Rela	ted :	Information				
		Choke	Canyon Reservoir			Lake (Corpus Christi Reservoir	r	Combined	
Date	Ai	r Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/16/20	007	55	194	0.00		55	148	0.00	342	
MTD)		2,715	0.20			2,300	0.67	5,015	

STREAM FLOWS

Gauging Station	12/16/2007 (AcFt)	MTD (AcFt)
Nucces River at Three Rivers, Texas	266	4,330
NRTT: Nueces River at Tilden, Texas	218	3,625
FRTT: Frio River at Tilden, Texas	210	3,160
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	24	413
Release from Choke Canyon Reservoir	58	921
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	335	3,277
NCAT: Nueces River at Calallen, Texas	822	1,977
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	419	6,855

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 2,250 Effective: 12/10/2007	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2007)	500
Passthru Target: 2,250 Reservoir Inflow: 6,855	2,250
Estuary Inflows (NCAT + RBP)	1,977
PassThru Surplus / -Deficit:	227

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Decem	ber 2007	Elevation (Ft)	
Date	Dany Intake	MILD	110	Allocation	Remaining	Full	12/17/2007
12/16/2007	143	2,261	43,010	3,050	789	44.0	43.9

Report Generated: 12/17/2007 at 8:35:24 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 18, 2007

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)				Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capaci	ty Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,27	. 100	0%	94.0	257,260	100%	952,531	100%	
12/18/2006	212.8	512,07	73.	7%	83.5	94,895	39.3%	606,966	64.8%	
12/18/2007	219.9	678,77	97.	6%	93.8	254,344	98.9%	933,114	98.0%	
				Weather Rela	ated	Information				
		Choke	Canyon Reservoir		Lake Corpus Christi Reservoir				Combined	
Date	Ai	r Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/17/20	007	63	134	0.00		62	117	0.00	251	
MTD)		2,849	0.20			2,417	0.67	5,266	

STREAM FLOWS

Gauging Station	12/17/2007 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	270	4,600
NRTT: Nueces River at Tilden, Texas	228	3,853
FRTT: Frio River at Tilden, Texas	214	3,375
SMTT: San Miguel Creek at Tilden, Texas	13	13
ARWT: Atascosa River at Whitsett, Texas	22	435
Release from Choke Canyon Reservoir	58	979
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	119	3,396
NCAT: Nueces River at Calallen, Texas	492	2,469
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	440	7,294

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 2,250 Effective: 12/10/2007	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2007)	500
Passthru Target: 2,250 Reservoir Inflow: 7,294	2,250
Estuary Inflows (NCAT + RBP)	2,469
PassThru Surplus / -Deficit:	719

LAKE TEXANA STATISTICS (All values are in AcFt)

	Date	Daily Intake	MTD	YTD	Decem	ber 2007	Elevation (Ft)	
1	Date	Dany Intake	MILD	110	Allocation	Remaining	Full	12/18/2007
	12/17/2007	143	2,404	43,153	3,050	646	44.0	43.9

Report Generated: 12/18/2007 at 9:05:02 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 19, 2007

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System		
Date	Elevation (I	t) Volume	(AcFt)	Percent of Capac	ity Elevation	(Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	22).5	695,271	10	00%	94.0	257,260	100%	952,531	100%
12/19/2006	21:	2.8	511,855	73	73.6% 83		94,895	39.3%	606,750	64.8%
12/19/2007	21	9.9	678,513	97	.6%	93.8	254,162	98.8%	932,675	97.9%
					Weather Ro	elated	Information			
			Choke	Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined
Date		Air Temp (°F)		Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/18/20	007	78		89	0.0	0	78	106	0.00	195
MTD				2,938	0.2	.0		2,523	0.67	5,461

STREAM FLOWS

Gauging Station	12/18/2007 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	280	4,879
NRTT: Nueces River at Tilden, Texas	234	4,087
FRTT: Frio River at Tilden, Texas	212	3,587
SMTT: San Miguel Creek at Tilden, Texas	13	27
ARWT: Atascosa River at Whitsett, Texas	22	457
Release from Choke Canyon Reservoir	58	1,036
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	117	3,513
NCAT: Nueces River at Calallen, Texas	121	2,590
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	448	7,742

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 2,250 Effective: 12/10/2007	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2007)	500
Passthru Target: 2,250 Reservoir Inflow: 7,742	2,250
Estuary Inflows (NCAT + RBP)	2,590
PassThru Surplus / -Deficit:	840

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Decem	ber 2007	Elevation (Ft)	
Date	Dany Intake	MILD	110	Allocation	Remaining	Full	12/19/2007
12/18/2007	142	2,546	43,295	3,050	504	44.0	43.9

Report Generated: 12/19/2007 at 8:21:35 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 20, 2007

RESERVOIR STATISTICS

		Choke Canyon R	acarvoir		Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)				Combined Reservoir System	
		Choke Canyon N	escivon						Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capaci	ty Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,27	100)%	94.0	257,260	100%	952,531	100%	
12/20/2006	212.8	512,07	73.3	7%	33.4	94,670	39.2%	606,741	64.8%	
12/20/2007	219.9	219.9 679,541 97.7%		7%	93.9	254,526	98.9%	934,067	98.1%	
				Weather Rela	ted	Information				
		Choke	Canyon Reservoir			Lake	Corpus Christi Reservoir	r	Combined	
Date	Ai	r Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/19/20	007	78	119	0.00		78	95	0.00	214	
MTD)		3,057	0.20			2,618	0.67	5,675	

STREAM FLOWS

Gauging Station	12/19/2007 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	286	5,165
NRTT: Nueces River at Tilden, Texas	238	4,325
FRTT: Frio River at Tilden, Texas	208	3,795
SMTT: San Miguel Creek at Tilden, Texas	15	42
ARWT: Atascosa River at Whitsett, Texas	22	478
Release from Choke Canyon Reservoir	58	1,094
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	115	3,629
NCAT: Nueces River at Calallen, Texas	75	2,666
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	452	8,194

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 2,250 Effective: 12/10/2007	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2007)	500
Passthru Target: 2,250 Reservoir Inflow: 8,194	2,250
Estuary Inflows (NCAT + RBP)	2,666
PassThru Surplus / -Deficit:	916

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Decem	ber 2007		Elevation (Ft)	
	Date	Dany Intake	MILD	110	Allocation	Remaining	Full	12/20/2007
	12/19/2007	142	2,688	43,437	3,050	362	44.0	43.9

Report Generated: 12/20/2007 at 8:24:07 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 21, 2007

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System		
Date	Elevation (F) Volume (A	cFt)	Percent of Capaci	ity Elevati	ion (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220	5 69	5,271	10	0%	94.0	257,260	100%	952,531	100%
12/21/2006	212	8 51	2,071	73.	7%	83.4	94,55	7 39.2%	606,628	64.8%
12/21/2007	219	9 67	9,284	97.	7%	93.8	254,34	98.9%	933,628	98.0%
					Weather	Related	Information			
		C	hoke (Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined
Date	Date 1 1		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
12/20/20	007	75		268	(0.00	80	265	0.00	533
MTD				3,325	(0.20		2,883	0.67	6,208

STREAM FLOWS

Gauging Station	12/20/2007 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	290	5,455
NRTT: Nueces River at Tilden, Texas	236	4,562
FRTT: Frio River at Tilden, Texas	238	4,034
SMTT: San Miguel Creek at Tilden, Texas	17	59
ARWT: Atascosa River at Whitsett, Texas	22	500
Release from Choke Canyon Reservoir	58	1,151
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	151	3,779
NCAT: Nueces River at Calallen, Texas	64	2,729
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	488	8,682

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 2,250 Effective: 12/10/2007	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2007)	500
Passthru Target: 2,250 Reservoir Inflow: 8,682	2,250
Estuary Inflows (NCAT + RBP)	2,729
PassThru Surplus / -Deficit:	979

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Decem	ber 2007		Elevation (Ft)
	Dany Intake	MID	110	Allocation	Remaining	Full	12/21/2007
12/20/2007	142	2,830	43,580	3,050	220	44.0	43.8

Report Generated: 12/21/2007 at 8:19:34 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 22, 2007

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)				Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent o Capacity					Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	10	00%	94.0	257,260		100%	952,53	1 100%	
12/22/2006	212.8	512,286	73	.7%	83.4	83.4 94,782		39.3%	607,06	8 64.8%	
12/22/2007	219.9	679,541	97	97.7%		253,9	980	98.7%	933,52	1 98.0%	
			v	Veather Rel	ated I1	nformatio	n				
		Choke Can	yon Reservoi	r	Lake Corpus Christi Reservo				oir	Combined	
Date	Air To		poration (AcFt)	Rainfall (Inches)	Aiı	r Temp (°F)	I	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/21/200	07 83		224	0.00		83		159	0.00	383	
MTD			3,549	0.20				3,042	0.67	6,591	

STREAM FLOWS

Gauging Station	12/21/2007 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	288	5,743
NRTT: Nucces River at Tilden, Texas	232	4,794
FRTT: Frio River at Tilden, Texas	240	4,274
SMTT: San Miguel Creek at Tilden, Texas	17	76
ARWT: Atascosa River at Whitsett, Texas	22	522
Release from Choke Canyon Reservoir	58	1,209
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	93	3,873
NCAT: Nueces River at Calallen, Texas	48	2,777
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	488	9,170

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 2,250 Effective: 12/10/2007	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2007)	500
Passthru Target: 2,250 Reservoir Inflow: 9,170	2,250
Estuary Inflows (NCAT + RBP)	2,777
PassThru Surplus / -Deficit:	1,027

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	Daily Intake MTD		Decemb	ber 2007	Elevation (Ft)	
Date	Dany Intake	MID	YTD	Allocation	Remaining	Full	12/22/2007
12/21/2007	142	2,973	43,722	3,050	77	44.0	43.8

Report Generated: 12/22/2007 at 8:17:33 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 23, 2007

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)				Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent o Capacity			on Volume (AcFt)		Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	10	00%	94.0	257,2	260	100%	952,53	1 100%	
12/23/2006	212.8	511,423	73	.6%	83.5	83.5 94,895		39.3%	606,31	8 64.7%	
12/23/2007	219.8	678,255	97	97.6%		253,7	798	98.7%	932,05	3 97.9%	
			V	Veather Rel	ated In	nformatio	n				
		Choke Car	yon Reservoi	r	Lake Corpus Christi Reservoir				oir	Combined	
Date	Air To	.	poration (AcFt)	Rainfall (Inches)	Aiı	r Temp (°F)	E	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/22/200	73		492	0.00		73		381	0.00	873	
MTD			4,041	0.20				3,423	0.67	7,464	

STREAM FLOWS

Gauging Station	12/22/2007 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	284	6,027
NRTT: Nueces River at Tilden, Texas	230	5,024
FRTT: Frio River at Tilden, Texas	238	4,512
SMTT: San Miguel Creek at Tilden, Texas	16	92
ARWT: Atascosa River at Whitsett, Texas	24	546
Release from Choke Canyon Reservoir	58	1,266
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	437	4,309
NCAT: Nueces River at Calallen, Texas	56	2,832
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	480	9,650

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru	
Monthly Target: 4,500	2,250
Salinity Relief Credit: 2,250 Effective: 12/10/2007	
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2007)	500
Passthru	
Target: 2,250	2,250
Reservoir Inflow: 9,650	
Estuary Inflows (NCAT + RBP)	2,832
PassThru Surplus / -Deficit:	1,082

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	ntake MTD YTE		Decem	ber 2007	Elevation (Ft)	
Date	Dany Intake	MID	1110	Allocation	Remaining	Full	12/23/2007
12/22/2007	142	3,115	43,864	3,050	-65	44.0	43.8

Report Generated: 12/23/2007 at 8:17:57 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 24, 2007

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)				Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent o Capacity			n Volume (AcFt)		Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	10	00%	94.0	257,2	257,260 10		952,53	1 100%	
12/24/2006	213.0	514,876	74	.1%	83.5	95,4	159	39.6%	610,33	5 65.2%	
12/24/2007	219.8	677,741	97	97.5%		253,4	135	98.5%	931,17	6 97.8%	
			v	Veather Rel	ated Ir	ıformatioı	n				
		Choke Can	yon Reservoi	r	Lake Corpus Christi Reservoi				oir	Combined	
Date	Air Te		poration (AcFt)	Rainfall (Inches)	Ai	r Temp (°F)	I	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/23/200	07 56		119	0.00		55		116	0.00	235	
MTD			4,160	0.20				3,539	0.67	7,699	

STREAM FLOWS

Gauging Station	12/23/2007 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	278	6,305
NRTT: Nueces River at Tilden, Texas	228	5,252
FRTT: Frio River at Tilden, Texas	236	4,748
SMTT: San Miguel Creek at Tilden, Texas	15	108
ARWT: Atascosa River at Whitsett, Texas	24	570
Release from Choke Canyon Reservoir	58	1,324
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	218	4,528
NCAT: Nueces River at Calallen, Texas	274	3,106
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	472	10,122

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 2,250 Effective: 12/10/2007	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Credit / -Deficit From Fevious World (Date Deficit Satisfied.)	0
Return Flow Credit (Effective: 12/01/2007)	500
Passthru	
Target: 2,250	2,250
Reservoir Inflow: 10,122	
Estuary Inflows (NCAT + RBP)	3,106
PassThru Surplus / -Deficit:	1,356

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Decemb	ber 2007	E	levation (Ft)
	Daily Ilitake	MID	1110	Allocation	Remaining	Full	12/24/2007
12/23/2007	141	3,256	44,005	3,050	-206	44.0	43.8

Report Generated: 12/24/2007 at 8:18:31 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 25, 2007

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)				Combined	Reservoir System
Date	Elevation (Ft)	Volume (AcFt)	Percent o Capacity		Elevation (Ft)		Volume Percent of (AcFt) Capacity		Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	10	00%	94.0 257,20		260	100%	952,53	1 100%
12/25/2006	213.0	514,876	74	.1%	83.5 95,91		912	39.8%	610,78	8 65.2%
12/25/2007	219.8	677,484	97	.4%	93.8 253,61		517	98.6%	931,10	1 97.8%
			V	Veather Rela	ted Ir	ıformatioı	n			
		Choke Can	yon Reservoi	r	Lake Corpus Christi Reservo				oir	Combined
Date	Air Te	.	poration AcFt)	Rainfall (Inches)	Aiı	r Temp (°F)	F	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/24/200	07 63		104	0.00		66		95	0.00	199
MTD			4,264	0.20				3,634	0.67	7,898

STREAM FLOWS

Gauging Station	12/24/2007 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	278	6,583
NRTT: Nueces River at Tilden, Texas	228	5,481
FRTT: Frio River at Tilden, Texas	238	4,986
SMTT: San Miguel Creek at Tilden, Texas	15	123
ARWT: Atascosa River at Whitsett, Texas	24	594
Release from Choke Canyon Reservoir	58	1,382
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	89	4,617
NCAT: Nueces River at Calallen, Texas	262	3,368
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	474	10,596

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru	
Monthly Target: 4,500	2,250
Salinity Relief Credit: 2,250 Effective: 12/10/2007	
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2007)	500
Passthru	
Target: 2,250	2,250
Reservoir Inflow: 10,596	
Estuary Inflows (NCAT + RBP)	3,368
PassThru Surplus / -Deficit:	1,618

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Decemb	ber 2007	E	levation (Ft)
Date	Daily Intake	MID	1110	Allocation	Remaining	Full	12/25/2007
12/24/2007	141	3,396	44,146	3,050	-346	44.0	43.8

Report Generated: 12/25/2007 at 8:17:10 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 26, 2007

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)				Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity		Elevation Vo			Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	10	00%	94.0	257,260		100%	952,53	1 100%	
12/26/2006	212.9	514,013	73	.9%	83.5	95,9	95,912 39.8%		609,92	5 65.1%	
12/26/2007	219.8	677,227	97	.4%	93.9	254,708		99.0%	931,93	5 97.8%	
			v	Veather Rel	ated In	ıformatioı	n				
		Choke Can	yon Reservoi	r	Lake Corpus Christi Reservoi				oir	Combined	
Date	Air Te		poration (AcFt)	Rainfall (Inches)	Aiı	r Temp (°F)	F	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/25/200	71		119	0.00		70		95	0.00	214	
MTD			4,383	0.20				3,729	0.67	8,112	

STREAM FLOWS

Gauging Station	12/25/2007 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	276	6,859
NRTT: Nucces River at Tilden, Texas	226	5,707
FRTT: Frio River at Tilden, Texas	240	5,227
SMTT: San Miguel Creek at Tilden, Texas	16	139
ARWT: Atascosa River at Whitsett, Texas	24	617
Release from Choke Canyon Reservoir	58	1,439
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	89	4,706
NCAT: Nueces River at Calallen, Texas	75	3,444
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	475	11,071

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

	-
Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 2,250 Effective: 12/10/2007	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2007)	500
Passthru Target: 2,250 Reservoir Inflow: 11,071	2,250
Estuary Inflows (NCAT + RBP)	3,444
PassThru Surplus / -Deficit:	1,694

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Decemb	ber 2007	E	levation (Ft)
Date	Dany Intake	1111	1110	Allocation	Remaining	Full	12/26/2007
12/25/2007	141	3,537	44,286	3,050	-487	44.0	43.8

Report Generated: 12/26/2007 at 8:27:35 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 27, 2007

RESERVOIR STATISTICS

		Choke Canyor	Reservoir		(ke Corpus Christi TWDB Volumetr Effective June 21	ic Survey	Combined Reservoir System		
Date	Elevation (Ft	Volume (Acl	(t) Percent of Capac	ity Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.	695,2	271 10	00%	94.0	257,260	100%	952,531	100%	
12/27/2006	212.	513,	581 73	.9%	83.5	95,572	39.6%	609,153	65.0%	
12/27/2007	219.	676,9	97	.4%	93.8	253,435	98.5%	930,407	97.7%	
				Weather Rela	ated	Information				
		Cho	ke Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined	
Date	A	ir Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/26/20	007	64	298	0.00		65	222	0.00	520	
MTD)		4,681	0.20			3,951	0.67	8,632	

STREAM FLOWS

Gauging Station	12/26/2007 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	276	7,134
NRTT: Nueces River at Tilden, Texas	218	5,925
FRTT: Frio River at Tilden, Texas	234	5,461
SMTT: San Miguel Creek at Tilden, Texas	17	156
ARWT: Atascosa River at Whitsett, Texas	24	641
Release from Choke Canyon Reservoir	58	1,497
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	369	5,076
NCAT: Nueces River at Calallen, Texas	46	3,489
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	470	11,540

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 2,250 Effective: 12/10/2007	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2007)	500
Passthru Target: 2,250 Reservoir Inflow: 11,540	2,250
Estuary Inflows (NCAT + RBP)	3,489
PassThru Surplus / -Deficit:	1,739

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Decem	ber 2007	Elevation (Ft)	
Date	Dany Intake		110	Allocation	Remaining	Full	12/27/2007
12/26/2007	140	3,677	44,426	3,050	-627	44.0	43.7

Report Generated: 12/27/2007 at 9:10:34 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 28, 2007

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capaci	ty Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,27	10	0%	94.0	257,260	100%	952,531	100%
12/28/2006	212.9	513,15	73.	8%	33.5	94,89	39.3%	608,045	64.9%
12/28/2007	219.8	676,97	97.	4%	93.8	253,980	98.7%	930,952	97.7%
				Weather Rela	ited	Information			
		Choke	Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined
Date	Ai	r Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/27/20	007	68	134	0.00		69	222	0.00	356
MTD)		4,815	0.20			4,173	0.67	8,988

STREAM FLOWS

Gauging Station	12/27/2007 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	270	7,404
NRTT: Nueces River at Tilden, Texas	202	6,128
FRTT: Frio River at Tilden, Texas	234	5,695
SMTT: San Miguel Creek at Tilden, Texas	18	174
ARWT: Atascosa River at Whitsett, Texas	24	665
Release from Choke Canyon Reservoir	58	1,554
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	83	5,159
Nucat: Nueces River at Calallen, Texas	202	3,692
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	464	12,005

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 2,250 Effective: 12/10/2007	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2007)	500
Passthru Target: 2,250 Reservoir Inflow: 12,005	2,250
Estuary Inflows (NCAT + RBP)	3,692
PassThru Surplus / -Deficit:	1,942

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Decem	ber 2007		Elevation (Ft)
Date	Dany Intake	MID	110	Allocation	Remaining	Full	12/28/2007
12/27/2007	140	3,818	44,567	3,050	-768	44.0	43.7

Report Generated: 12/28/2007 at 9:01:06 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 29, 2007

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt	Percent of Capaci	rcent of Capacity Elevation (F		Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,27	1 10	0%	94.0	257,260	100%	952,531	100%	
12/29/2006	212.9	513,58	1 73.	9% 8	33.5	95,459	39.6%	609,040	65.0%	
12/29/2007	219.8	677,74	1 97.	5%	93.8	253,435	98.5%	931,176	97.8%	
				Weather Rela	ited	Information				
		Chok	e Canyon Reservoir			Lake	Corpus Christi Reservoir	r	Combined	
Date	Ai	r Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/28/20	007	64	208	0.00		64	233	0.00	441	
MTD)		5,023	0.20			4,406	0.67	9,429	

STREAM FLOWS

Gauging Station	12/28/2007 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	260	7,664
NRTT: Nueces River at Tilden, Texas	191	6,318
FRTT: Frio River at Tilden, Texas	226	5,921
SMTT: San Miguel Creek at Tilden, Texas	12	186
ARWT: Atascosa River at Whitsett, Texas	24	689
Release from Choke Canyon Reservoir	58	1,612
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	139	5,298
NCAT: Nueces River at Calallen, Texas	81	3,773
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	441	12,446

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 2,250 Effective: 12/10/2007	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2007)	500
Passthru Target: 2,250 Reservoir Inflow: 12,446	2,250
Estuary Inflows (NCAT + RBP)	3,773
PassThru Surplus / -Deficit:	2,023

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Decem	ber 2007		Elevation (Ft)
Date	Dany Intake	MILD	110	Allocation	Remaining	Full	12/29/2007
12/28/2007	141	3,959	44,708	3,050	-909	44.0	43.6

Report Generated: 12/29/2007 at 8:34:30 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 30, 2007

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System		
Date	Date Elevation (Ft) Volume (AcFt) Percent of Capacity		ty Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	100)%	94.0	257,260	100%	952,531	100%	
12/30/2006	213.0	515,523	74.1	1%	33.6	96,139	39.9%	611,662	65.3%	
12/30/2007	219.8	677,227	97.4	1%	93.8	252,890	98.3%	930,117	97.6%	
				Weather Rela	ited	Information				
		Choke	Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined	
Date	Ai	r Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/29/20	007	64	149	0.00		63	85	0.00	234	
MTD)		5,172	0.20			4,491	0.67	9,663	

STREAM FLOWS

Gauging Station	12/29/2007 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	246	7,911
NRTT: Nueces River at Tilden, Texas	183	6,501
FRTT: Frio River at Tilden, Texas	226	6,148
SMTT: San Miguel Creek at Tilden, Texas	2	188
ARWT: Atascosa River at Whitsett, Texas	24	713
Release from Choke Canyon Reservoir	58	1,669
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	77	5,375
NCAT: Nueces River at Calallen, Texas	93	3,867
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	417	12,862

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 2,250 Effective: 12/10/2007	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2007)	500
Passthru Target: 2,250 Reservoir Inflow: 12,862	2,250
Estuary Inflows (NCAT + RBP)	3,867
PassThru Surplus / -Deficit:	2,117

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Decem	ber 2007		Elevation (Ft)
Date	Dany Intake	MILD	110	Allocation	Remaining	Full	12/30/2007
12/29/2007	141	4,100	44,849	3,050	-1,050	44.0	43.6

Report Generated: 12/30/2007 at 8:24:35 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 31, 2007

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)				Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt	Percent of Capaci	ity Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,27	1 10	0%	94.0	257,260	100%	952,531	100%	
12/31/2006	213.0	514,87	6 74.	1%	33.6	96,139	39.9%	611,015	65.2%	
12/31/2007	219.8	676,97	2 97.	4%	93.8	252,890	98.3%	929,862	97.6%	
Weather Related Information										
Choke Canyon Reservoir						Lake	Corpus Christi Reservoi	Combined		
Date	Ai	r Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/30/20	007	71	164	0.00		71	106	0.00	270	
MTD	.		5,336	0.20			4,597	0.67	9,933	

STREAM FLOWS

Gauging Station	12/30/2007 (AcFt)	MTD (AcFt)		
NTRT: Nueces River at Three Rivers, Texas	240	8,151		
NRTT: Nueces River at Tilden, Texas	183	6,683		
FRTT: Frio River at Tilden, Texas	224	6,372		
SMTT: San Miguel Creek at Tilden, Texas	2	190		
ARWT: Atascosa River at Whitsett, Texas	24	736		
Release from Choke Canyon Reservoir	58	1,727		
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	75	5,451		
NCAT: Nueces River at Calallen, Texas	60	3,926		
RBP: Rincon Bayou Pipeline	0	0		
Reservoir Inflow				
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	409	13,271		

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 2,250 Effective: 12/10/2007	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2007)	500
Passthru Target: 2,250 Reservoir Inflow: 13,271	2,250
Estuary Inflows (NCAT + RBP)	3,926
PassThru Surplus / -Deficit:	2,176

LAKE TEXANA STATISTICS (All values are in AcFt)

Г	Date	Daily Intake	MTD	YTD	December 2007		Elevation (Ft)	
	Date				Allocation	Remaining	Full	12/31/2007
	12/30/2007	141	4,241	44,990	3,050	-1,191	44.0	43.6

Report Generated: 12/31/2007 at 8:38:37 AM