Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 1, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)				Combined Reservoir System		
Date	Elevation (Ft	Volume (A	cFt) Percent of Capa	city	Elevation (F	t)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220	5 695	5,271	100%	94	1.0	257,260	100%	952,531	100%
02/01/2007	213	1 517	7,918 7	4.5%	85	5.4	118,838	49.3%	636,756	68.0%
02/01/2008	219	7 675	5,443 9	7.1%	93	3.8	253,435	98.5%	928,878	97.5%
				V	Veather Relat	ed l	Information			
		Ch	noke Canyon Reservoir				Lake	Corpus Christi Reservoi	r	Combined
Date	, A	ir Temp (°F)	Evaporation (AcFt)		Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/31/20	008	66	43	1	0.00		67	371	0.00	802
MTD)		5,18	3	1.08			3,906	2.03	9,094

STREAM FLOWS

Gauging Station	01/31/2008 (AcFt)	MTD (AcFt)					
NTRT: Nueces River at Three Rivers, Texas	214	6,840					
NRTT: Nueces River at Tilden, Texas	155	5,040					
FRTT: Frio River at Tilden, Texas	218	6,973					
SMTT: San Miguel Creek at Tilden, Texas	0	33					
ARWT: Atascosa River at Whitsett, Texas	24	764					
Release from Choke Canyon Reservoir	58	1,785					
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	1,060	4,462					
NCAT: Nueces River at Calallen, Texas	2	1,549					
RBP: Rincon Bayou Pipeline	0	0					
Reservoir Inflow	Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	375	12,062					

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2008)	500
Passthru Target: 2,500 Reservoir Inflow: 12,062	2,500
Estuary Inflows (NCAT + RBP)	1,549
PassThru Surplus / -Deficit:	799

Date	Daily Intake	MTD	YTD	Janua	ry 2008	Elevation (Ft)	
Date	Dany Intake	MILD	1110	Allocation	Remaining	Full	02/01/2008
01/31/2008	142	4,371	4,371	3,050	-1,321	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 2, 2008

RESERVOIR STATISTICS

		Choke Canyon Re	servoir		nke Corpus Christi TWDB Volumetri Effective June 21	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/02/2007	213.1	517,700	74.5%	85.5	120,266	49.9%	637,966	68.1%
02/02/2008	008 219.7 674,934		97.1% 93		253,617	98.6%	928,551	97.5%
			Ţ	Weather Related	Information			
		Choke	Canyon Reservoir		Lake	r	Combined	
Date		Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/01/20	008	66	223	0.00	64	180	0.00	403
MTD)		223	0.00		180	0.00	403

STREAM FLOWS

Gauging Station	02/01/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	210	210
NRTT: Nueces River at Tilden, Texas	149	149
FRTT: Frio River at Tilden, Texas	220	220
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	24	24
Release from Choke Canyon Reservoir	58	58
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	121	121
NCAT: Nueces River at Calallen, Texas	617	617
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	373	373

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	799
Return Flow Credit (Effective: 02/01/2008)	500
Passthru Target: 2,500 Reservoir Inflow: 373	373
Estuary Inflows (NCAT + RBP)	617
PassThru Surplus / -Deficit:	0

Date	Daily Intake	MTD	YTD	Februa	ary 2008	Elevation (Ft)	
Date	Dany Intake	MID	1110	Allocation	Remaining	Full	02/02/2008
02/01/2008	141	141	4,512	3,040	2,899	44.0	44.0

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 3, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)				Combined Reservoir System	
Date	Elevation (Ft)	Volume (Ac	Ft) Percent of Capac	eity Elevation ((Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.	695	271 10	00%	94.0	257,260	100%	952,531	100%	
02/03/2007	213.	517	482 74	.4%	85.5	119,875	5 49.7%	637,357	68.1%	
02/03/2008	219.	7 674	934 97	.1%	93.8	253,435	98.5%	928,369	97.5%	
				Weather Rela	ated	Information				
		Ch	oke Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined	
Date	A	ir Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/02/20	008	79	208	0.00		75	116	0.00	324	
MTD			431	0.00			296	0.00	727	

STREAM FLOWS

Gauging Station	02/02/2008 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	206	417				
NRTT: Nueces River at Tilden, Texas	147	296				
FRTT: Frio River at Tilden, Texas	218	439				
SMTT: San Miguel Creek at Tilden, Texas	0	0				
ARWT: Atascosa River at Whitsett, Texas	26	50				
Release from Choke Canyon Reservoir	58	115				
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	71	193				
NCAT: Nueces River at Calallen, Texas	341	959				
RBP: Rincon Bayou Pipeline	0	0				
Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	367	740				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	799
Return Flow Credit (Effective: 02/01/2008)	500
Passthru Target: 2,500 Reservoir Inflow: 740	740
Estuary Inflows (NCAT + RBP)	959
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Februa	ary 2008	Elevation (Ft)	
Date	Dany Intake	MID	1110	Allocation	Remaining	Full	02/03/2008
02/02/2008	142	283	4,654	3,040	2,757	44.0	44.0

Report Generated: 02/03/2008 at 8:26:33 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 4, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System		
Date	Elevation (F) Volume (A	cFt)	Percent of Capaci	ty Elevation	(Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220	.5 69	5,271	10	0%	94.0	257,260	100%	952,531	100%
02/04/2007	213	.1 51	7,264	74.	4%	85.5	119,74	5 49.6%	637,009	68.0%
02/04/2008	219	.7 67	5,189	97.	1%	93.8	252,890	98.3%	928,079	97.4%
	Weather Related Information									
		C	hoke C	Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined
Date	1	ir Temp (°F)	1	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/03/20	008	84		223	0.00)	85	159	0.00	382
MTD				654	0.00			455	0.00	1,109

STREAM FLOWS

Gauging Station	02/03/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	204	621
NRTT: Nueces River at Tilden, Texas	145	441
FRTT: Frio River at Tilden, Texas	218	657
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	24	73
Release from Choke Canyon Reservoir	58	173
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	69	262
NCAT: Nueces River at Calallen, Texas	73	1,032
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	365	1,106

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	799
Return Flow Credit (Effective: 02/01/2008)	500
Passthru Target: 2,500 Reservoir Inflow: 1,106	1,106
Estuary Inflows (NCAT + RBP)	1,032
PassThru Surplus / -Deficit:	0

Date	Daily Intake	MTD	YTD	Februa	ary 2008	Elevation (Ft)	
Date	Dany Intake	MILD	1110	Allocation	Remaining	Full	02/04/2008
02/03/2008	142	425	4,796	3,040	2,615	44.0	44.0

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 5, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft	Volume (AcI	t) Percent of Capac	ity Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.	695,2	71 10	00%	94.0	257,260	100%	952,531	100%
02/05/2007	213.	517,0	46 74	.4%	85.5	119,486	5 49.5%	636,532	68.0%
02/05/2008	219.	7 674,9	34 97	.1%	93.8	253,253	98.4%	928,187	97.4%
				Weather Rela	ated	Information			
		Cho	ke Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined
Date	A	ir Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/04/20	008	90	297	0.00		88	212	0.00	509
MTD)		951	0.00			667	0.00	1,618

STREAM FLOWS

Gauging Station	02/04/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	202	824
NRTT: Nueces River at Tilden, Texas	143	584
FRTT: Frio River at Tilden, Texas	220	877
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	24	97
Release from Choke Canyon Reservoir	58	230
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	69	331
NCAT: Nueces River at Calallen, Texas	7	1,040
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	365	1,471

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	799
Return Flow Credit (Effective: 02/01/2008)	500
Passthru Target: 2,500 Reservoir Inflow: 1,471	1,471
Estuary Inflows (NCAT + RBP)	1,040
PassThru Surplus / -Deficit:	868

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Februa	ary 2008	Elevation (Ft)	
Date	Dany Intake	MILD	1110	Allocation	Remaining	Full	02/05/2008
02/04/2008	142	567	4,938	3,040	2,473	44.0	44.0

Report Generated: 02/05/2008 at 9:33:10 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 6, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt	Percent of Capac	ity Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,27	1 10	0%	94.0	257,260	100%	952,531	100%
02/06/2007	213.	517,04	6 74.	4%	85.5	119,350	5 49.5%	636,402	68.0%
02/06/2008	219.7	675,44	3 97.	.1%	93.9	255,254	99.2%	930,697	97.7%
				Weather Rela	ated	Information			
		Chok	e Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined
Date	, Ai	r Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/05/20	008	91	386	0.00		94	361	0.00	747
MTD)		1,337	0.00			1,028	0.00	2,365

STREAM FLOWS

Gauging Station	02/05/2008 (AcFt)	MTD (AcFt)					
NTRT: Nueces River at Three Rivers, Texas	199	1,022					
NRTT: Nueces River at Tilden, Texas	141	725					
FRTT: Frio River at Tilden, Texas	214	1,092					
SMTT: San Miguel Creek at Tilden, Texas	0	0					
ARWT: Atascosa River at Whitsett, Texas	24	121					
Release from Choke Canyon Reservoir	58	288					
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	153	484					
Nucat: Nucces River at Calallen, Texas	1	1,041					
RBP: Rincon Bayou Pipeline	0	0					
Reservoir Inflow	Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	355	1,826					

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	799
Return Flow Credit (Effective: 02/01/2008)	500
Passthru Target: 2,500 Reservoir Inflow: 1,826	1,826
Estuary Inflows (NCAT + RBP)	1,041
PassThru Surplus / -Deficit:	514

Date	Daily Intake	MTD	YTD	Februa	ary 2008	Elevation (Ft)	
Date	Dany Intake	MID	1110	Allocation	Remaining	Full	02/06/2008
02/05/2008	142	709	5,080	3,040	2,331	44.0	44.0

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 7, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft	Volume (A	cFt) Percent of Capac	eity Elevation	(Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220	5 695	5,271 10	00%	94.0	257,260	100%	952,531	100%
02/07/2007	213	1 517	7,264 74	.4%	85.5	119,350	5 49.5%	636,620	68.0%
02/07/2008	219	7 675	5,189 97	.1%	93.8	253,07	98.4%	928,260	97.5%
	Weather Related Information								
		Cl	noke Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined
Date	, A	ir Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/06/20	008	66	208	0.00		65	159	0.00	367
MTD)		1,545	0.00			1,187	0.00	2,732

STREAM FLOWS

Gauging Station	02/06/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	193	1,215
NRTT: Nueces River at Tilden, Texas	139	863
FRTT: Frio River at Tilden, Texas	208	1,300
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	22	143
Release from Choke Canyon Reservoir	58	345
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	224	709
NCAT: Nueces River at Calallen, Texas	62	1,102
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	343	2,170

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	799
Return Flow Credit (Effective: 02/01/2008)	500
Passthru Target: 2,500 Reservoir Inflow: 2,170	2,170
Estuary Inflows (NCAT + RBP)	1,102
PassThru Surplus / -Deficit:	232

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2008 Ele			Elevation (Ft)
Date	Dany Intake	MID	1110	Allocation	Remaining	Full	02/07/2008
02/06/2008	142	851	5,222	3,040	2,189	44.0	44.1

Report Generated: 02/07/2008 at 8:12:41 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 8, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)				Combined Reservoir System	
Date	Elevation (Ft	Volume (Ac	Ft) Percent of Capac	eity Elevation ((Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.	5 695	271 10	00%	94.0	257,260	100%	952,531	100%	
02/08/2007	213.	1 517	264 74	.4%	85.5	119,486	49.5%	636,750	68.0%	
02/08/2008	219.	7 674	934 97	.1%	93.8	253,071	98.4%	928,005	97.4%	
	Weather Related Information									
		Ch	oke Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined	
Date	A	ir Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/07/20	008	73	371	0.00		76	148	0.00	519	
MTD)		1,916	0.00			1,335	0.00	3,251	

STREAM FLOWS

Gauging Station	02/07/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	191	1,405
NRTT: Nueces River at Tilden, Texas	135	998
FRTT: Frio River at Tilden, Texas	204	1,505
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	22	165
Release from Choke Canyon Reservoir	58	403
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	67	776
NCAT: Nueces River at Calallen, Texas	185	1,287
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	337	2,507

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	799
Return Flow Credit (Effective: 02/01/2008)	500
Passthru Target: 2,500 Reservoir Inflow: 2,507	2,500
Estuary Inflows (NCAT + RBP)	1,287
PassThru Surplus / -Deficit:	86

Date	Daily Intake	MTD	YTD	Februa	ary 2008	Elevation (Ft)	
Date	Dany Intake	MILD	1110	Allocation	Remaining	Full	02/08/2008
02/07/2008	142	993	5,364	3,040	2,047	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 9, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capaci	ty Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,27	. 100)%	94.0	257,260	100%	952,531	100%
02/09/2007	213.0	516,82	74	3%	35.5	119,615	49.6%	636,442	68.0%
02/09/2008	219.7	674,93	97.	1%	93.8	253,071	98.4%	928,005	97.4%
				Weather Rela	ited	Information			
		Choke	Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined
Date	Ai	r Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/08/20	008	86	267	0.00		84	180	0.00	447
MTD)		2,183	0.00			1,515	0.00	3,698

STREAM FLOWS

Gauging Station	02/08/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	187	1,592
NRTT: Nueces River at Tilden, Texas	139	1,137
FRTT: Frio River at Tilden, Texas	206	1,711
SMTT: San Miguel Creek at Tilden, Texas	1	1
ARWT: Atascosa River at Whitsett, Texas	22	187
Release from Choke Canyon Reservoir	58	461
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	60	836
NCAT: Nueces River at Calallen, Texas	26	1,313
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	336	2,843

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	799
Return Flow Credit (Effective: 02/01/2008)	500
Passthru Target: 2,500 Reservoir Inflow: 2,843	2,500
Estuary Inflows (NCAT + RBP)	1,313
PassThru Surplus / -Deficit:	112

Date	Daily Intake	MTD	YTD	Februa	ary 2008	Elevation (Ft)	
Date	Dany Intake	MILD	1110	Allocation	Remaining	Full	02/09/2008
02/08/2008	142	1,135	5,506	3,040	1,905	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 10, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System		
Date	Elevation (F) Volume (A	cFt) Percent of Capac	Percent of Capacity Elevation (F		Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220	5 695	5,271 10	00%	94.0	257,260	100%	952,531	100%	
02/10/2007	213	0 516	5,391 74	.3%	85.5	119,745	49.6%	636,136	67.9%	
02/10/2008	219	7 674	,934 97	97.1%		253,071	98.4%	928,005	97.4%	
				Weather Rel	ated	Information				
		Cł	oke Canyon Reservoir			Lake	Corpus Christi Reservoir	r	Combined	
Date	A	ir Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/09/20	008	82	163	0.00		81	159	0.00	322	
MTD			2,346	0.00			1,674	0.00	4,020	

STREAM FLOWS

Gauging Station	02/09/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	189	1,781
NRTT: Nueces River at Tilden, Texas	141	1,278
FRTT: Frio River at Tilden, Texas	206	1,918
SMTT: San Miguel Creek at Tilden, Texas	0	1
ARWT: Atascosa River at Whitsett, Texas	22	208
Release from Choke Canyon Reservoir	58	518
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	58	893
NCAT: Nueces River at Calallen, Texas	4	1,316
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	338	3,181

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	799
Return Flow Credit (Effective: 02/01/2008)	500
Passthru Target: 2,500 Reservoir Inflow: 3,181	2,500
Estuary Inflows (NCAT + RBP)	1,316
PassThru Surplus / -Deficit:	115

Date	Daily Intake	MTD	YTD	February 2008		Elevation (Ft)	
Date	Dany Intake	MILD	1110	Allocation	Remaining	Full	02/10/2008
02/09/2008	142	1,276	5,647	3,040	1,764	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 11, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System		
Date	Elevation (F) Volume (A	(CFt)	Percent of Capacity Elevation (F		n (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220	.5 69	5,271	10	0%	94.0	257,260	100%	952,531	100%
02/11/2007	213	.0 51	6,391	74.	3%	85.5	119,61:	49.6%	636,006	67.9%
02/11/2008	219	.7 67	4,934	97.	97.1%		253,433	98.5%	928,369	97.5%
					Weather R	elated	Information			
		C	hoke C	Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined
Date	1	ir Temp (°F)]	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/10/20	008	79		223	0.0	00	79	32	0.00	255
MTD				2,569	0.0	00		1,706	0.00	4,275

STREAM FLOWS

Gauging Station	02/10/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	193	1,973
NRTT: Nueces River at Tilden, Texas	137	1,415
FRTT: Frio River at Tilden, Texas	206	2,124
SMTT: San Miguel Creek at Tilden, Texas	0	1
ARWT: Atascosa River at Whitsett, Texas	22	230
Release from Choke Canyon Reservoir	58	576
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	58	951
NCAT: Nueces River at Calallen, Texas	22	1,338
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	342	3,523

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	799
Return Flow Credit (Effective: 02/01/2008)	500
Passthru Target: 2,500 Reservoir Inflow: 3,523	2,500
Estuary Inflows (NCAT + RBP)	1,338
PassThru Surplus / -Deficit:	137

Date	Daily Intake	MTD	YTD	Februa	ary 2008	Elevation (Ft)	
Date	Dany Intake		110	Allocation	Remaining	Full	02/11/2008
02/10/2008	142	1,418	5,789	3,040	1,622	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 12, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System		
Date	Elevation (Ft	Volume (A	cFt) Percent of Capa	city E	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220	5 69:	5,271 1	00%	94.0	257,260	100%	952,531	100%	
02/12/2007	213	0 510	6,391 7-	74.3%		118,70	3 49.2%	635,099	67.8%	
02/12/2008	219	7 67:	5,689 9	97.2%		252,70	98.2%	928,397	97.5%	
	Weather Related Information									
		C	hoke Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined	
Date	A	ir Temp (°F)	Evaporation (AcFt)		ainfall nches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/11/20	008	80	164		0.00	77	21	0.00	185	
MTD			2,733		0.00		1,727	0.00	4,460	

STREAM FLOWS

Gauging Station	02/11/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	189	2,162
NRTT: Nueces River at Tilden, Texas	137	1,552
FRTT: Frio River at Tilden, Texas	202	2,326
SMTT: San Miguel Creek at Tilden, Texas	0	1
ARWT: Atascosa River at Whitsett, Texas	22	252
Release from Choke Canyon Reservoir	58	633
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	60	1,010
NCAT: Nueces River at Calallen, Texas	24	1,362
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	334	3,856

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	799
Return Flow Credit (Effective: 02/01/2008)	500
Passthru Target: 2,500 Reservoir Inflow: 3,856	2,500
Estuary Inflows (NCAT + RBP)	1,362
PassThru Surplus / -Deficit:	161

Date	Daily Intake	MTD	YTD	Februa	ary 2008	Elevation (Ft)	
	Dany Intake		1110	Allocation	Remaining	Full	02/12/2008
02/11/2008	142	1,560	5,931	3,040	1,480	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 13, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacit	ty Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,27	. 100)%	94.0	257,260	100%	952,531	100%	
02/13/2007	213.0	516,39	74.3	3% 8	35.5	119,350	5 49.5%	635,747	67.9%	
02/13/2008	219.7	675,443	97.1	.%	93.8	253,253	98.4%	928,696	97.5%	
	Weather Related Information									
		Choke	Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined	
Date	Ai	r Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/12/20	008	70	178	0.01		77	243	0.02	421	
MTD)		2,911	0.01			1,970	0.02	4,881	

STREAM FLOWS

Gauging Station	02/12/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	187	2,348
NRTT: Nueces River at Tilden, Texas	133	1,685
FRTT: Frio River at Tilden, Texas	200	2,527
SMTT: San Miguel Creek at Tilden, Texas	0	2
ARWT: Atascosa River at Whitsett, Texas	24	276
Release from Choke Canyon Reservoir	58	691
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	95	1,106
NCAT: Nueces River at Calallen, Texas	2	1,364
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	330	4,186

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	799
Return Flow Credit (Effective: 02/01/2008)	500
Passthru Target: 2,500 Reservoir Inflow: 4,186	2,500
Estuary Inflows (NCAT + RBP)	1,364
PassThru Surplus / -Deficit:	163

Date	Daily Intake	MTD	YTD	Februa	ary 2008	Elevation (Ft)	
Date	Dany Intake	MILD	1110	Allocation	Remaining	Full	02/13/2008
02/12/2008	142	1,701	6,072	3,040	1,339	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 14, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft	Volume (A	cFt) Percent of Capac	eity Elevation	(Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.	5 695	,271 10	00%	94.0	257,260	100%	952,531	100%
02/14/2007	213.	0 515	,739 74	.2%	85.5	119,350	49.5%	635,095	67.8%
02/14/2008	219.	7 674	,679 97	.0%	93.7	252,526	98.2%	927,205	97.3%
				Weather Rel	ated	Information			
		Ch	oke Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined
Date	A	ir Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/13/20	008	72	193	0.00		69	201	0.00	394
MTD)		3,104	0.01			2,171	0.02	5,275

STREAM FLOWS

Gauging Station	02/13/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	185	2,533
NRTT: Nueces River at Tilden, Texas	125	1,810
FRTT: Frio River at Tilden, Texas	193	2,719
SMTT: San Miguel Creek at Tilden, Texas	0	2
ARWT: Atascosa River at Whitsett, Texas	24	300
Release from Choke Canyon Reservoir	58	748
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	93	1,199
Nucat: Nucces River at Calallen, Texas	11	1,375
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	320	4,505

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	799
Return Flow Credit (Effective: 02/01/2008)	500
Passthru Target: 2,500 Reservoir Inflow: 4,505	2,500
Estuary Inflows (NCAT + RBP)	1,375
PassThru Surplus / -Deficit:	174

Date	Daily Intake	MTD	YTD	Februa	ary 2008	Elevation (Ft)	
Date	Dany Intake	MILD	1110	Allocation	Remaining	Full	02/14/2008
02/13/2008	142	1,843	6,214	3,040	1,197	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 15, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt	Percent of Capaci	ity Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,27	1 10	0%	94.0	257,260	100%	952,531	100%
02/15/2007	213.0	515,52	3 74.	1%	35.5	119,480	49.5%	635,009	67.8%
02/15/2008	219.7	674,93	4 97.	1%	93.7	252,520	98.2%	927,460	97.4%
				Weather Rela	ited	Information			
		Chok	Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined
Date	Ai	r Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/14/20	008	81	386	0.00		77	222	0.00	608
MTD)		3,490	0.01			2,393	0.02	5,883

STREAM FLOWS

Gauging Station	02/14/2008 (AcFt)	MTD (AcFt)					
NTRT: Nueces River at Three Rivers, Texas	181	2,713					
NRTT: Nueces River at Tilden, Texas	115	1,925					
FRTT: Frio River at Tilden, Texas	191	2,910					
SMTT: San Miguel Creek at Tilden, Texas	0	2					
ARWT: Atascosa River at Whitsett, Texas	24	324					
Release from Choke Canyon Reservoir	58	806					
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	91	1,290					
NCAT: Nueces River at Calallen, Texas	69	1,444					
RBP: Rincon Bayou Pipeline	0	0					
Reservoir Inflow	Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	314	4,819					

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	799
Return Flow Credit (Effective: 02/01/2008)	500
Passthru Target: 2,500 Reservoir Inflow: 4,819	2,500
Estuary Inflows (NCAT + RBP)	1,444
PassThru Surplus / -Deficit:	243

Date	Daily Intake	MTD	YTD	Februa	ary 2008	Elevation (Ft)	
Date	Dany Intake	MID	1110	Allocation	Remaining	Full	02/15/2008
02/14/2008	142	1,985	6,356	3,040	1,055	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 16, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcF) Percent of Capac	Capacity Elevation (Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.	695,2	1 10	0%	94.0	257,260	100%	952,531	100%	
02/16/2007	213.	516,17	74.	2%	85.5	119,220	49.4%	635,399	67.8%	
02/16/2008	219.	7 675,18	97.	97.1%		252,708	98.2%	927,897	97.4%	
				Weather Rela	ated	Information				
		Chok	e Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined	
Date	, A	ir Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/15/20	008	76	119	0.03		77	42	0.02	161	
MTD)		3,609	0.04			2,435	0.04	6,044	

STREAM FLOWS

Gauging Station	02/15/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	175	2,888
NRTT: Nueces River at Tilden, Texas	107	2,033
FRTT: Frio River at Tilden, Texas	193	3,103
SMTT: San Miguel Creek at Tilden, Texas	0	2
ARWT: Atascosa River at Whitsett, Texas	24	347
Release from Choke Canyon Reservoir	58	863
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	117	1,407
NCAT: Nueces River at Calallen, Texas	22	1,466
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	310	5,129

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	799
Return Flow Credit (Effective: 02/01/2008)	500
Passthru Target: 2,500 Reservoir Inflow: 5,129	2,500
Estuary Inflows (NCAT + RBP)	1,466
PassThru Surplus / -Deficit:	265

Date	Daily Intake	MTD	YTD	Februa	ary 2008	Elevation (Ft)	
Date	Dany Intake	MILD	1110	Allocation	Remaining	Full	02/16/2008
02/15/2008	142	2,127	6,498	3,040	913	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 17, 2008

RESERVOIR STATISTICS

		Choke Canyo	on Reservoir		Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System		
Date	Elevation (Ft) Volume (A	cFt) Percent of Capac	eity Elevation	(Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220	5 695	5,271 10	00%	94.0	257,260	100%	952,531	100%	
02/17/2007	213	0 515	5,955 74	.2%	85.5	119,615	5 49.6%	635,570	67.9%	
02/17/2008	219	7 675	6,443 97	97.1%		253,435	98.5%	928,878	97.5%	
				Weather Rel	ated	Information				
		Ch	oke Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined	
Date	Date Air Temp Evaporation Rainfall Air Temp (AcFt) (Inches) (°F)		Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)					
02/16/20	008	77	223	0.12		81	169	0.08	392	
MTD)		3,832	0.16			2,604	0.12	6,436	

STREAM FLOWS

Gauging Station	02/16/2008 (AcFt)	MTD (AcFt)						
NTRT: Nueces River at Three Rivers, Texas	169	3,057						
NRTT: Nueces River at Tilden, Texas	103	2,136						
FRTT: Frio River at Tilden, Texas	191	3,293						
SMTT: San Miguel Creek at Tilden, Texas	0	2						
ARWT: Atascosa River at Whitsett, Texas	24	371						
Release from Choke Canyon Reservoir	58	921						
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	204	1,612						
Nucat: Nueces River at Calallen, Texas	42	1,508						
RBP: Rincon Bayou Pipeline	0	0						
Reservoir Inflow	Reservoir Inflow							
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	302	5,431						

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	799
Return Flow Credit (Effective: 02/01/2008)	500
Passthru Target: 2,500 Reservoir Inflow: 5,431	2,500
Estuary Inflows (NCAT + RBP)	1,508
PassThru Surplus / -Deficit:	307

Date	Daily Intake	MTD	YTD	Februa	ary 2008	Elevation (Ft)	
Date	Dany Intake	MILD	1110	Allocation	Remaining	Full	02/17/2008
02/16/2008	142	2,269	6,640	3,040	771	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 18, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System		
Date	Elevation (F	t) Volume (AcFt)	Percent of Capaci	ity Elevation	n (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220	.5 6	95,271	10	0%	94.0	257,26	100%	952,531	100%
02/18/2007	213	.0 5	15,739	74.	2%	85.4	118,45	49.1%	634,189	67.7%
02/18/2008	219	.7 6	75,443	97.	97.1%		253,43	98.5%	928,878	97.5%
					Weather I	Related	Information			
		(Choke (Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined
Date	1	Air Temp (°F)		Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/17/20	008	79		282	0.	00	81	212	0.00	494
MTD)			4,114	0.	16		2,816	0.12	6,930

STREAM FLOWS

Gauging Station	02/17/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	165	3,222
NRTT: Nueces River at Tilden, Texas	107	2,243
FRTT: Frio River at Tilden, Texas	189	3,482
SMTT: San Miguel Creek at Tilden, Texas	0	2
ARWT: Atascosa River at Whitsett, Texas	24	395
Release from Choke Canyon Reservoir	58	979
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	147	1,759
NCAT: Nueces River at Calallen, Texas	127	1,635
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	296	5,726

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	799
Return Flow Credit (Effective: 02/01/2008)	500
Passthru Target: 2,500 Reservoir Inflow: 5,726	2,500
Estuary Inflows (NCAT + RBP)	1,635
PassThru Surplus / -Deficit:	434

Date	Daily Intake	MTD	YTD	Februa	ary 2008	Elevation (Ft)	
Date	Dany Intake	MID	1110	Allocation	Remaining	Full	02/18/2008
02/17/2008	142	2,410	6,781	3,040	630	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 19, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)				Combined Reservoir System		
Date	Elevation (F) Volume (A	cFt)	Percent of Capaci	Percent of Capacity Elevation (F		Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220	.5 69	5,271	10	100% 9		257,260	100%	952,531	100%	
02/19/2007	213	.0 51	5,308	74.	1%	85.4	118,32	1 49.0%	633,629	67.7%	
02/19/2008	219	.7 67	675,689 97.2%		2%	93.8	252,70	98.2%	928,397	97.5%	
					Weather Re	lated	Information				
		C	hoke C	Canyon Reservoir		Т	Lake	Corpus Christi Reservoi	r	Combined	
Date	Date Air Temp Evaporation Rainfall (Property) (AcFt) (Inches)			Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
02/18/20	008	69		253	0.00		69	201	0.00	454	
MTD				4,367	0.10	6		3,017	0.12	7,384	

STREAM FLOWS

Gauging Station	02/18/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	159	3,380
NRTT: Nueces River at Tilden, Texas	117	2,360
FRTT: Frio River at Tilden, Texas	187	3,668
SMTT: San Miguel Creek at Tilden, Texas	0	2
ARWT: Atascosa River at Whitsett, Texas	22	417
Release from Choke Canyon Reservoir	58	1,036
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	135	1,894
NCAT: Nueces River at Calallen, Texas	71	1,706
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	288	6,014

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	799
Return Flow Credit (Effective: 02/01/2008)	500
Passthru Target: 2,500 Reservoir Inflow: 6,014	2,500
Estuary Inflows (NCAT + RBP)	1,706
PassThru Surplus / -Deficit:	505

Date	Daily Intake	MTD	YTD	Februa	ary 2008	Elevation (Ft)	
Date	Dany Intake	MID	1110	Allocation	Remaining	Full	02/19/2008
02/18/2008	142	2,552	6,923	3,040	488	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 20, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)				Combined Reservoir System		
Date	Elevation (Ft	Volume (A	EFt) Percent of Capac	ity Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220	5 695	,271 10	00%	94.0	257,260	100%	952,531	100%		
02/20/2007	213	0 514	,876 74	.1%	85.4	118,321	49.0%	633,197	67.6%		
02/20/2008	219	7 675	675,443 97.1%		93.7	252,345	98.1%	927,788	97.4%		
				Weather Rela	ated	Information					
		Ch	oke Canyon Reservoir			Lake	Corpus Christi Reservoir	r	Combined		
Date	Date Air Temp Evaporation Rainfall (Pr) (AcFt) (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)					
02/19/20	008	70	149	0.00		68	116	0.02	265		
MTD)		4,516	0.16			3,133	0.14	7,649		

STREAM FLOWS

Gauging Station	02/19/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	165	3,545
NRTT: Nueces River at Tilden, Texas	117	2,477
FRTT: Frio River at Tilden, Texas	185	3,853
SMTT: San Miguel Creek at Tilden, Texas	0	2
ARWT: Atascosa River at Whitsett, Texas	22	439
Release from Choke Canyon Reservoir	58	1,094
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	133	2,027
NCAT: Nueces River at Calallen, Texas	46	1,752
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	292	6,306

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	799
Return Flow Credit (Effective: 02/01/2008)	500
Passthru Target: 2,500 Reservoir Inflow: 6,306	2,500
Estuary Inflows (NCAT + RBP)	1,752
PassThru Surplus / -Deficit:	551

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Februa	ary 2008	Elevation (Ft)	
Date	Dany Intake	MID	1110	Allocation	Remaining	Full	02/20/2008
02/19/2008	142	2,694	7,065	3,040	346	44.0	44.1

Report Generated: 02/20/2008 at 8:30:21 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 21, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System			
Date	Elevation (Ft)	Volume (Ac	Ft) Percent of Cap	acity	Elevation (I	(t)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	22	0.5	695,	271	100% 9		4.0	257,260	100%	952,531	100%
02/21/2007	21	3.0	515,	092	74.1%		5.4	118,192	2 49.0%	633,284	67.6%
02/21/2008	219.7 675,189 97.19		97.1%	9	3.7	252,345	98.1%	927,534	97.4%		
					V	Veather Rela	ted	Information			
			Cho	ke Canyon Reservoir	r			Lake	Corpus Christi Reservoi	r	Combined
Date	Date Air Temp Evaporation Rainfall (Pr) (AcFt) (Inches)			Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
02/20/20	008	•	77	5	59	0.00		80	63	0.01	122
MTD)			4,57	75	0.16			3,196	0.15	7,771

STREAM FLOWS

Gauging Station	02/20/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	169	3,714
NRTT: Nueces River at Tilden, Texas	109	2,586
FRTT: Frio River at Tilden, Texas	183	4,036
SMTT: San Miguel Creek at Tilden, Texas	0	2
ARWT: Atascosa River at Whitsett, Texas	24	463
Release from Choke Canyon Reservoir	58	1,151
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	133	2,160
NCAT: Nueces River at Calallen, Texas	83	1,835
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	294	6,600

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	799
Return Flow Credit (Effective: 02/01/2008)	500
Passthru Target: 2,500 Reservoir Inflow: 6,600	2,500
Estuary Inflows (NCAT + RBP)	1,835
PassThru Surplus / -Deficit:	634

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Februa	ary 2008	Elevation (Ft)	
Date	Dany Intake	MID	1110	Allocation	Remaining	Full	02/21/2008
02/20/2008	142	2,836	7,207	3,040	204	44.0	44.1

Report Generated: 02/21/2008 at 8:21:18 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 22, 2008

RESERVOIR STATISTICS

		Choke Canyon F	eservoir		Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt	Percent of Capaci	apacity Elevation (Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,27	1 100)%	94.0	257,260	100%	952,531	100%	
02/22/2007	212.9	514,66	74.0)% 8	35.4	117,934	48.9%	632,594	67.5%	
02/22/2008	219.7	675,18	97.	1%	93.8	253,617	98.6%	928,806	97.5%	
				Weather Rela	ited	Information				
		Choke	Canyon Reservoir			Lake	Corpus Christi Reservoir	r	Combined	
Date	Date Air Temp		Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/21/20	008	83	178	0.00		82	127	0.04	305	
MTD)		4,753	0.16			3,323	0.19	8,076	

STREAM FLOWS

Gauging Station	02/21/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	167	3,881
NRTT: Nueces River at Tilden, Texas	101	2,688
FRTT: Frio River at Tilden, Texas	183	4,218
SMTT: San Miguel Creek at Tilden, Texas	0	2
ARWT: Atascosa River at Whitsett, Texas	24	486
Release from Choke Canyon Reservoir	58	1,209
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	133	2,293
NCAT: Nueces River at Calallen, Texas	77	1,913
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	292	6,891

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	799
Return Flow Credit (Effective: 02/01/2008)	500
Passthru Target: 2,500 Reservoir Inflow: 6,891	2,500
Estuary Inflows (NCAT + RBP)	1,913
PassThru Surplus / -Deficit:	712

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Februa	ary 2008	Elevation (Ft)	
Date	Dany Intake	MID	1110	Allocation	Remaining	Full	02/22/2008
02/21/2008	142	2,977	7,348	3,040	63	44.0	44.1

Report Generated: 02/22/2008 at 8:26:59 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 23, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System		
Date	Elevation (Ft	Volume (Acl	(t) Percent of Capac	Percent of Capacity Elevation (F		Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.	5 695,2	271 10	100% 9		257,260	100%	952,531	100%	
02/23/2007	212.	9 514,4	44 74	.0%	85.4	117,80	5 48.8%	632,249	67.5%	
02/23/2008	219.	219.7 675,189 97.1%		.1%	93.7	251,982	97.9%	927,171	97.3%	
				Weather Rela	ated	Information				
		Cho	ke Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined	
Date	Date Air Temp Evaporation Rainfall Air Temp (°F) (AcFt) (Inches) (°F)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
02/22/20	008	80	297	0.00		79	222	0.00	519	
MTD)		5,050	0.16			3,545	0.19	8,595	

STREAM FLOWS

Gauging Station	02/22/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	161	4,041
NRTT: Nueces River at Tilden, Texas	97	2,785
FRTT: Frio River at Tilden, Texas	183	4,401
SMTT: San Miguel Creek at Tilden, Texas	0	2
ARWT: Atascosa River at Whitsett, Texas	24	510
Release from Choke Canyon Reservoir	58	1,266
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	139	2,432
Nucat: Nueces River at Calallen, Texas	16	1,929
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	286	7,177

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	799
Return Flow Credit (Effective: 02/01/2008)	500
Passthru Target: 2,500 Reservoir Inflow: 7,177	2,500
Estuary Inflows (NCAT + RBP)	1,929
PassThru Surplus / -Deficit:	728

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Februa	ary 2008		Elevation (Ft)	
Date	Dany Intake	MID	1110	Allocation	Remaining	Full	02/23/2008	
02/22/2008	141	3,119	7,490	3,040	-79	44.0	44.1	

Report Generated: 02/23/2008 at 8:27:54 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 24, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)				Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcF	t) Percent of Capac	Capacity Elevation (t)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	22	20.5	695,2	71 10	00% 9		4.0	257,260	100%	952,531	100%
02/24/2007	21	12.9	514,2	29 74	74.0%		5.3	117,29	48.6%	631,520	67.4%
02/24/2008	21	19.7	675,1	97	97.1%		3.7	252,526	98.2%	927,715	97.4%
					W	eather Relat	ed	Information			
			Chol	e Canyon Reservoir				Lake	Corpus Christi Reservoi	r	Combined
Date	Date Air Temp Evaporation Rainfall Air Tem (°F) (AcFt) (Inches) (°F)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)					
02/23/20	008	8	82	267		0.00		80	169	0.00	436
MTD				5,317		0.16			3,714	0.19	9,031

STREAM FLOWS

Gauging Station	02/23/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	153	4,194
NRTT: Nueces River at Tilden, Texas	87	2,872
FRTT: Frio River at Tilden, Texas	185	4,585
SMTT: San Miguel Creek at Tilden, Texas	0	2
ARWT: Atascosa River at Whitsett, Texas	22	532
Release from Choke Canyon Reservoir	58	1,324
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	131	2,563
NCAT: Nueces River at Calallen, Texas	81	2,010
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	280	7,457

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	799
Return Flow Credit (Effective: 02/01/2008)	500
Passthru Target: 2,500 Reservoir Inflow: 7,457	2,500
Estuary Inflows (NCAT + RBP)	2,010
PassThru Surplus / -Deficit:	809

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Februa	ary 2008	Elevation (Ft)	
Date	Dany Intake	MILD	1110	Allocation	Remaining	Full	02/24/2008
02/23/2008	141	3,260	7,631	3,040	-220	44.0	44.1

Report Generated: 02/24/2008 at 8:24:06 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 25, 2008

RESERVOIR STATISTICS

		Choke Canyon R	eservoir		Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	y Elevation (l	Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100	% 9	4.0	257,260	100%	952,531	100%	
02/25/2007	212.9	514,013	73.9	% 8	5.4	117,805	48.8%	631,818	67.5%	
02/25/2008	219.3	674,934	97.1	% 9	3.7	251,619	97.8%	926,553	97.3%	
				Weather Rela	ted	Information				
		Choke	Canyon Reservoir			Lake	Corpus Christi Reservoir	r	Combined	
Date	Ai	r Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/24/20	008	87	357	0.00		85	222	0.00	579	
MTD			5,674	0.16			3,936	0.19	9,610	

STREAM FLOWS

Gauging Station	02/24/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	145	4,339
NRTT: Nueces River at Tilden, Texas	83	2,956
FRTT: Frio River at Tilden, Texas	187	4,772
SMTT: San Miguel Creek at Tilden, Texas	0	2
ARWT: Atascosa River at Whitsett, Texas	22	554
Release from Choke Canyon Reservoir	58	1,382
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	131	2,694
NCAT: Nueces River at Calallen, Texas	99	2,109
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	274	7,731

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	799
Return Flow Credit (Effective: 02/01/2008)	500
Passthru Target: 2,500 Reservoir Inflow: 7,731	2,500
Estuary Inflows (NCAT + RBP)	2,109
PassThru Surplus / -Deficit:	908

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Februa	ary 2008	Elevation (Ft)	
Date	Dany Intake	MILD	1110	Allocation	Remaining	Full	02/25/2008
02/24/2008	141	3,402	7,773	3,040	-362	44.0	44.1

Report Generated: 02/25/2008 at 8:45:01 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 26, 2008

RESERVOIR STATISTICS

		Choke Canyon Reservoir			(ke Corpus Christi TWDB Volumetr Effective June 21	ic Survey	Combined Reservoir System		
Date	Elevation (Ft)	Volume (Ad	Ft) Percent of Capac	eity Elevation ((Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.:	695	,271 10	00%	94.0	257,260	100%	952,531	100%	
02/26/2007	212.9	514	,013 73	.9%	85.3	117,291	1 48.6%	631,304	67.4%	
02/26/2008	219.	675	,189 97	.1%	93.8	253,798	98.7%	928,987	97.5%	
				Weather Rela	ated	Information				
		Ch	oke Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined	
Date	A	r Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/25/20	008	95	609	0.00		93	338	0.00	947	
MTD			6,283	0.16			4,274	0.19	10,557	

STREAM FLOWS

Gauging Station	02/25/2008 (AcFt)	MTD (AcFt)					
NTRT: Nueces River at Three Rivers, Texas	139	4,478					
NRTT: Nueces River at Tilden, Texas	95	3,051					
FRTT: Frio River at Tilden, Texas	187	4,959					
SMTT: San Miguel Creek at Tilden, Texas	0	2					
ARWT: Atascosa River at Whitsett, Texas	22	576					
Release from Choke Canyon Reservoir	58	1,439					
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	135	2,829					
NCAT: Nueces River at Calallen, Texas	38	2,147					
RBP: Rincon Bayou Pipeline	0	0					
Reservoir Inflow	Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	268	7,999					

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	799
Return Flow Credit (Effective: 02/01/2008)	500
Passthru Target: 2,500 Reservoir Inflow: 7,999	2,500
Estuary Inflows (NCAT + RBP)	2,147
PassThru Surplus / -Deficit:	946

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Februa	ary 2008	Elevation (Ft)	
Date	Daily Intake		1110	Allocation	Remaining	Full	02/26/2008
02/25/2008	141	3,543	7,914	3,040	-503	44.0	44.1

Report Generated: 02/26/2008 at 8:58:58 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 27, 2008

RESERVOIR STATISTICS

		Choke Canyon R	eservoir		Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capaci	ty Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100)%	94.0	257,260	100%	952,531	100%	
02/27/2007	212.9	513,581	73.9	9%	35.3	117,03	5 48.5%	630,616	67.3%	
02/27/2008	219.7	674,679	97.0)%	93.7	251,619	97.8%	926,298	97.2%	
				Weather Rela	ited	Information				
		Choke	Canyon Reservoir			Lake	Corpus Christi Reservoir	r	Combined	
Date	Ai	r Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/26/20	008	70	475	0.00		68	402	0.00	877	
MTD)		6,758	0.16			4,676	0.19	11,434	

STREAM FLOWS

Gauging Station	02/26/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	139	4,617
NRTT: Nueces River at Tilden, Texas	107	3,158
FRTT: Frio River at Tilden, Texas	202	5,161
SMTT: San Miguel Creek at Tilden, Texas	0	2
ARWT: Atascosa River at Whitsett, Texas	22	597
Release from Choke Canyon Reservoir	58	1,497
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	314	3,142
NCAT: Nueces River at Calallen, Texas	3	2,150
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	284	8,283

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	799
Return Flow Credit (Effective: 02/01/2008)	500
Passthru Target: 2,500 Reservoir Inflow: 8,283	2,500
Estuary Inflows (NCAT + RBP)	2,150
PassThru Surplus / -Deficit:	949

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Februa	ary 2008	Elevation (Ft)	
Date	Dany Intake	MILD	1110	Allocation	Remaining	Full	02/27/2008
02/26/2008	141	3,684	8,055	3,040	-644	44.0	44.1

Report Generated: 02/27/2008 at 8:51:23 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 28, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcF	t) Percent of Capac	ity Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.:	695,2	71 10	0%	94.0	257,260	100%	952,531	100%
02/28/2007	212.9	513,5	73.	3.9% 8		116,523	48.3%	630,104	67.3%
02/28/2008	008 219.7 673,914 96.9%		9%	93.6	250,169	97.2%	924,083	97.0%	
	Weather Related Information								
Choke Canyon Reservoir						Lake	Corpus Christi Reservoi	r	Combined
Date	, A	ir Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/27/20	008	66	297	0.00		66	222	0.00	519
MTD)		7,055	0.16			4,898	0.19	11,953

STREAM FLOWS

Gauging Station	02/27/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	149	4,766
NRTT: Nueces River at Tilden, Texas	103	3,261
FRTT: Frio River at Tilden, Texas	195	5,356
SMTT: San Miguel Creek at Tilden, Texas	0	2
ARWT: Atascosa River at Whitsett, Texas	20	617
Release from Choke Canyon Reservoir	58	1,554
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	175	3,317
NCAT: Nueces River at Calallen, Texas	171	2,321
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	286	8,569

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500	
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	799	
Return Flow Credit (Effective: 02/01/2008)		
Passthru Target: 2,500 Reservoir Inflow: 8,569	2,500	
Estuary Inflows (NCAT + RBP)	2,321	
PassThru Surplus / -Deficit:	1,120	

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Februa	ary 2008	Elevation (Ft)	
Date	Dany Intake	MILD	1110	Allocation	Remaining	Full	02/28/2008
02/27/2008	141	3,825	8,196	3,040	-785	44.0	44.0

Report Generated: 02/28/2008 at 8:43:20 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 29, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcF	t) Percent of Capac	ity Elevation ((Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.:	695,2	71 10	00%	94.0	257,260	100%	952,531	100%
02/28/2007	212.9	513,5	513,581 73.9%		85.3	116,523	3 48.3%	630,104	67.3%
02/29/2008	9/2008 219.7 673,405 96.9%		.9%	93.6	249,80	7 97.1%	923,212	96.9%	
	Weather Related Information								
Choke Canyon Reservoir					Lake Corpus Christi Reservoir				
Date	, A	ir Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/28/20	008	81	341	0.00		78	274	0.00	615
MTD)		7,396	0.16			5,172	0.19	12,568

STREAM FLOWS

Gauging Station	02/28/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	151	4,768
NRTT: Nueces River at Tilden, Texas	95	3,356
FRTT: Frio River at Tilden, Texas	193	5,549
SMTT: San Miguel Creek at Tilden, Texas	0	2
ARWT: Atascosa River at Whitsett, Texas	20	637
Release from Choke Canyon Reservoir	58	1,612
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	187	3,504
NCAT: Nueces River at Calallen, Texas	143	2,464
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	286	8,855

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	799
Return Flow Credit (Effective: 02/01/2008)	500
Passthru Target: 2,500 Reservoir Inflow: 8,569	2,500
Estuary Inflows (NCAT + RBP)	2,464
PassThru Surplus / -Deficit:	1,263

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Februa	ary 2008	Elevation (Ft)	
Date	Dany Intake	MILD	1110	Allocation	Remaining	Full	02/29/2008
02/28/2008	141	3,825	8,196	3,040	-785	44.0	44.0

Report Generated: 02/29/2008 at 10:13:19 AM