

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 1, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/01/2007	212.9	513,365	73.8%	85.3	116,651	48.4%	630,016	67.3%
03/01/2008	219.7	673,659	96.9%	93.6	249,988	97.2%	923,647	97.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/29/2008	82	326	0.00	79	232	0.00	558	
MTD		7,722	0.16		5,404	0.19	13,126	

STREAM FLOWS

Gauging Station	02/29/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	147	5,064
NRTT : Nueces River at Tilden, Texas	89	3,446
FRTT : Frio River at Tilden, Texas	191	5,739
SMTT : San Miguel Creek at Tilden, Texas	0	2
ARWT : Atascosa River at Whitsett, Texas	18	655
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	167	3,670
NCAT : Nueces River at Calallen, Texas	71	2,535
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	280	9,135

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	799
Return Flow Credit (Effective: 02/01/2008)	500
Passthru Target: 2,500 Reservoir Inflow: 9,135	2,500
Estuary Inflows (NCAT + RBP)	2,535
PassThru Surplus / -Deficit:	1,334

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2008		Elevation (Ft)	
				Allocation	Remaining	Full	03/01/2008
02/29/2008	141	4,108	8,479	3,040	-1,068	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 2, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/02/2007	212.9	513,365	73.8%	85.2	116,012	48.1%	629,377	67.2%
03/02/2008	219.7	673,405	96.9%	93.6	249,626	97.0%	923,031	96.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/01/2008	84	267	0.00	81	169	0.00		436
MTD		267	0.00		169	0.00		436

STREAM FLOWS

Gauging Station	03/01/2008 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	143	143
<u>NRTT</u> : Nueces River at Tilden, Texas	81	81
<u>FRTT</u> : Frio River at Tilden, Texas	189	189
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	0
<u>ARWT</u> : Atascosa River at Whitsett, Texas	18	18
<u>Release from Choke Canyon Reservoir</u>	58	58
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	95	95
<u>NCAT</u> : Nueces River at Calallen, Texas	143	143
<u>RBP</u> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	274	274

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <u>Salinity Relief Credit</u> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,334
Return Flow Credit (Effective: 03/01/2008)	500
Passthru Target: 3,500 Reservoir Inflow: 274	274
Estuary Inflows (NCAT + RBP)	143
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2008		Elevation (Ft)	
				Allocation	Remaining	Full	03/02/2008
03/01/2008	141	141	8,620	3,050	2,909	44.0	44.0

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 3, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/03/2007	212.9	512,934	73.8%	85.2	115,757	48.0%	628,691	67.1%
03/03/2008	219.7	673,914	96.9%	93.5	248,360	96.5%	922,274	96.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/02/2008	82	252	0.00	80	211	0.00	463	
MTD		519	0.00		380	0.00	899	

STREAM FLOWS

Gauging Station	03/02/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	137	280
NRTT : Nueces River at Tilden, Texas	79	161
FRTT : Frio River at Tilden, Texas	197	385
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	18	37
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	97	193
NCAT : Nueces River at Calallen, Texas	75	218
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	276	550

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,334
Return Flow Credit (Effective: 03/01/2008)	500
Passthru Target: 3,500 Reservoir Inflow: 550	550
Estuary Inflows (NCAT + RBP)	218
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2008		Elevation (Ft)	
				Allocation	Remaining	Full	03/03/2008
03/02/2008	141	283	8,762	3,050	2,767	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 4, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/04/2007	212.8	512,071	73.7%	85.2	115,630	47.9%	627,701	67.0%
03/04/2008	219.7	673,659	96.9%	93.5	248,541	96.6%	922,200	96.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/03/2008	75	475	0.00	77	379	0.00		854
MTD		994	0.00		759	0.00		1,753

STREAM FLOWS

Gauging Station	03/03/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	131	411
NRTT : Nueces River at Tilden, Texas	62	222
FRTT : Frio River at Tilden, Texas	189	574
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	16	53
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	607	800
NCAT : Nueces River at Calallen, Texas	17	235
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	262	812

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,334
Return Flow Credit (Effective: 03/01/2008)	500
Passthru Target: 3,500 Reservoir Inflow: 812	812
Estuary Inflows (NCAT + RBP)	235
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2008		Elevation (Ft)	
				Allocation	Remaining	Full	03/04/2008
03/03/2008	141	424	8,903	3,050	2,626	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 5, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/05/2007	212.8	511,639	73.6%	85.1	114,742	47.6%	626,381	66.9%
03/05/2008	219.6	673,150	96.8%	93.5	247,818	96.3%	920,968	96.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/04/2008	72	222	0.00	71	126	0.00	348	
MTD		1,216	0.00		885	0.00	2,101	

STREAM FLOWS

Gauging Station	03/04/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	139	550
NRTT : Nueces River at Tilden, Texas	58	280
FRTT : Frio River at Tilden, Texas	177	750
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	16	70
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	165	965
NCAT : Nueces River at Calallen, Texas	310	545
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	258	1,070

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,334
Return Flow Credit (Effective: 03/01/2008)	500
Passthru Target: 3,500 Reservoir Inflow: 1,070	1,070
Estuary Inflows (NCAT + RBP)	545
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2008		Elevation (Ft)	
				Allocation	Remaining	Full	03/05/2008
03/04/2008	141	565	9,043	3,050	2,485	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 6, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/06/2007	212.8	511,207	73.5%	85.1	114,110	47.3%	625,317	66.8%
03/06/2008	219.6	671,373	96.6%	93.5	247,999	96.4%	919,372	96.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/05/2008	81	444	0.00	80	242	0.00		686
MTD		1,660	0.00		1,127	0.00		2,787

STREAM FLOWS

Gauging Station	03/05/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	153	703
NRTT : Nueces River at Tilden, Texas	56	335
FRIT : Frio River at Tilden, Texas	175	925
SMIT : San Miguel Creek at Tilden, Texas	4	4
ARWT : Atascosa River at Whitsett, Texas	16	85
Release from Choke Canyon Reservoir	328	558
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	1,076
NCAT : Nueces River at Calallen, Texas	234	779
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRTT+FRIT+SMIT+ARWT	250	1,319

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,334
Return Flow Credit (Effective: 03/01/2008)	500
Passthru Target: 3,500 Reservoir Inflow: 1,319	1,319
Estuary Inflows (NCAT + RBP)	779
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2008		Elevation (Ft)	
				Allocation	Remaining	Full	03/06/2008
03/05/2008	141	705	9,184	3,050	2,345	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 7, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/07/2007	212.8	510,992	73.5%	85.0	113,731	47.1%	624,723	66.7%
03/07/2008	219.6	673,150	96.8%	93.5	248,722	96.7%	921,872	96.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/06/2008	81	237	0.37	78	84	0.01	321	
MTD		1,897	0.37		1,211	0.01	3,108	

STREAM FLOWS

Gauging Station	03/06/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	544	1,247
NRTT : Nueces River at Tilden, Texas	58	393
FRIT : Frio River at Tilden, Texas	177	1,102
SMIT : San Miguel Creek at Tilden, Texas	6	9
ARWT : Atascosa River at Whitsett, Texas	18	103
Release from Choke Canyon Reservoir	596	1,153
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	333	1,409
NCAT : Nueces River at Calallen, Texas	62	840
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRTT+FRIT+SMIT+ARWT	258	1,577

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,334
Return Flow Credit (Effective: 03/01/2008)	500
Passthru Target: 3,500 Reservoir Inflow: 1,577	1,577
Estuary Inflows (NCAT + RBP)	840
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2008		Elevation (Ft)	
				Allocation	Remaining	Full	03/07/2008
03/06/2008	140	846	9,325	3,050	2,204	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 8, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/08/2007	212.8	510,560	73.4%	85.0	113,605	47.1%	624,165	66.6%
03/08/2008	219.5	670,615	96.5%	93.5	247,457	96.2%	918,072	96.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/07/2008	63	296	0.00	62	210	0.00	506	
MTD		2,193	0.37		1,421	0.01	3,614	

STREAM FLOWS

Gauging Station	03/07/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	586	1,832
NRTT : Nueces River at Tilden, Texas	58	451
FRIT : Frio River at Tilden, Texas	169	1,270
SMTT : San Miguel Creek at Tilden, Texas	3	12
ARWT : Atascosa River at Whitsett, Texas	24	127
Release from Choke Canyon Reservoir	596	1,749
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	466	1,876
NCAT : Nueces River at Calallen, Texas	232	1,073
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	253	1,830

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,334
Return Flow Credit (Effective: 03/01/2008)	500
Passthru Target: 3,500 Reservoir Inflow: 1,830	1,830
Estuary Inflows (NCAT + RBP)	1,073
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2008		Elevation (Ft)	
				Allocation	Remaining	Full	03/08/2008
03/07/2008	140	986	9,465	3,050	2,064	44.0	44.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 9, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/09/2007	212.7	510,344	73.4%	85.0	113,480	47.0%	623,824	66.6%
03/09/2008	219.5	670,110	96.4%	93.5	247,277	96.1%	917,387	96.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/08/2008	72	399	0.00	72	158	0.00	557	
MTD		2,592	0.37		1,579	0.01	4,171	

STREAM FLOWS

Gauging Station	03/08/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	592	2,424
NRTT : Nueces River at Tilden, Texas	58	508
FRIT : Frio River at Tilden, Texas	171	1,441
SMIT : San Miguel Creek at Tilden, Texas	3	15
ARWT : Atascosa River at Whitsett, Texas	20	146
Release from Choke Canyon Reservoir	596	2,344
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	129	2,005
NCAT : Nueces River at Calallen, Texas	385	1,458
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRTT+FRIT+SMIT+ARWT	251	2,081

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,334
Return Flow Credit (Effective: 03/01/2008)	500
Passthru Target: 3,500 Reservoir Inflow: 2,081	2,081
Estuary Inflows (NCAT + RBP)	1,458
PassThru Surplus / -Deficit:	1,211

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2008		Elevation (Ft)	
				Allocation	Remaining	Full	03/09/2008
03/08/2008	140	1,126	9,605	3,050	1,924	44.0	44.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 10, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/10/2007	212.8	510,560	73.4%	85.0	112,977	46.8%	623,537	66.6%
03/10/2008	219.5	669,095	96.2%	93.5	248,180	96.5%	917,275	96.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/09/2008	73	192	0.00	70	116	0.00		308
MTD		2,784	0.37		1,695	0.01		4,479

STREAM FLOWS

Gauging Station	03/09/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	590	3,013
NRTT : Nueces River at Tilden, Texas	56	564
FRIT : Frio River at Tilden, Texas	177	1,618
SMIT : San Miguel Creek at Tilden, Texas	3	18
ARWT : Atascosa River at Whitsett, Texas	18	165
Release from Choke Canyon Reservoir	596	2,940
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	125	2,130
NCAT : Nueces River at Calallen, Texas	139	1,597
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRTT+FRIT+SMIT+ARWT	253	2,334

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,334
Return Flow Credit (Effective: 03/01/2008)	500
Passthru Target: 3,500 Reservoir Inflow: 2,334	2,334
Estuary Inflows (NCAT + RBP)	1,597
PassThru Surplus / -Deficit:	1,096

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2008		Elevation (Ft)	
				Allocation	Remaining	Full	03/10/2008
03/09/2008	140	1,267	9,746	3,050	1,783	44.0	44.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 11, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/11/2007	212.7	510,344	73.4%	84.9	112,477	46.6%	622,821	66.5%
03/11/2008	219.5	668,586	96.2%	93.6	250,169	97.2%	918,755	96.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/10/2008	74	163	0.19	83	232	0.10	395	
MTD		2,947	0.56		1,927	0.11	4,874	

STREAM FLOWS

Gauging Station	03/10/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	592	3,605
NRTT : Nueces River at Tilden, Texas	56	619
FRIT : Frio River at Tilden, Texas	173	1,790
SMTT : San Miguel Creek at Tilden, Texas	4	22
ARWT : Atascosa River at Whitsett, Texas	19	183
Release from Choke Canyon Reservoir	596	3,535
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	187	2,316
NCAT : Nueces River at Calallen, Texas	99	1,696
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	251	2,585

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,334
Return Flow Credit (Effective: 03/01/2008)	500
Passthru Target: 3,500 Reservoir Inflow: 2,585	2,585
Estuary Inflows (NCAT + RBP)	1,696
PassThru Surplus / -Deficit:	945

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2008		Elevation (Ft)	
				Allocation	Remaining	Full	03/11/2008
03/10/2008	140	1,407	9,886	3,050	1,643	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 12, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/12/2007	212.9	513,365	73.8%	85.1	114,488	47.5%	627,853	67.0%
03/12/2008	219.5	668,841	96.2%	93.6	249,807	97.1%	918,648	96.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/11/2008	73	266	0.00	71	179	0.00		445
MTD		3,213	0.56		2,106	0.11		5,319

STREAM FLOWS

Gauging Station	03/11/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	597	4,202
NRTT : Nueces River at Tilden, Texas	46	665
FRTT : Frio River at Tilden, Texas	169	1,959
SMTT : San Miguel Creek at Tilden, Texas	3	25
ARWT : Atascosa River at Whitsett, Texas	28	211
Release from Choke Canyon Reservoir	596	4,131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	125	2,442
NCAT : Nueces River at Calallen, Texas	52	1,748
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	174	2,759

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,334
Return Flow Credit (Effective: 03/01/2008)	500
Passthru Target: 3,500 Reservoir Inflow: 2,759	2,759
Estuary Inflows (NCAT + RBP)	1,748
PassThru Surplus / -Deficit:	822

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2008		Elevation (Ft)	
				Allocation	Remaining	Full	03/12/2008
03/11/2008	140	1,547	10,026	3,050	1,503	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 13, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/13/2007	212.8	512,502	73.7%	85.1	114,488	47.5%	626,990	66.9%
03/13/2008	219.5	668,331	96.1%	93.6	249,626	97.0%	917,957	96.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/12/2008	78	325	0.00	76	232	0.00		557
MTD		3,538	0.56		2,338	0.11		5,876

STREAM FLOWS

Gauging Station	03/12/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	597	4,800
NRTT : Nueces River at Tilden, Texas	38	703
FRTT : Frio River at Tilden, Texas	167	2,126
SMTT : San Miguel Creek at Tilden, Texas	4	29
ARWT : Atascosa River at Whitsett, Texas	22	233
Release from Choke Canyon Reservoir	596	4,726
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	117	2,559
NCAT : Nueces River at Calallen, Texas	83	1,831
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	172	2,931

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,334
Return Flow Credit (Effective: 03/01/2008)	500
Passthru Target: 3,500 Reservoir Inflow: 2,931	2,931
Estuary Inflows (NCAT + RBP)	1,831
PassThru Surplus / -Deficit:	734

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2008		Elevation (Ft)	
				Allocation	Remaining	Full	03/13/2008
03/12/2008	140	1,687	10,166	3,050	1,363	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 14, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/14/2007	213.1	518,572	74.6%	85.2	115,885	48.0%	634,457	67.7%
03/14/2008	219.4	667,821	96.1%	93.6	250,350	97.3%	918,171	96.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/13/2008	85	207	0.00	81	169	0.00	376	
MTD		3,745	0.56		2,507	0.11	6,252	

STREAM FLOWS

Gauging Station	03/13/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	582	5,381
NRTT : Nueces River at Tilden, Texas	34	736
FRIT : Frio River at Tilden, Texas	173	2,299
SMIT : San Miguel Creek at Tilden, Texas	3	32
ARWT : Atascosa River at Whitsett, Texas	24	257
Release from Choke Canyon Reservoir	596	5,322
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	115	2,674
NCAT : Nueces River at Calallen, Texas	93	1,924
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRTT+FRIT+SMIT+ARWT	233	3,165

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,334
Return Flow Credit (Effective: 03/01/2008)	500
Passthru Target: 3,500 Reservoir Inflow: 3,165	3,165
Estuary Inflows (NCAT + RBP)	1,924
PassThru Surplus / -Deficit:	593

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2008		Elevation (Ft)	
				Allocation	Remaining	Full	03/14/2008
03/13/2008	140	1,828	10,307	3,050	1,222	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 15, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/15/2007	213.4	524,025	75.4%	85.9	125,407	52.0%	649,432	69.3%
03/15/2008	219.4	667,312	96.0%	93.7	251,619	97.8%	918,931	96.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/14/2008	98	443	0.00	101	328	0.00	771	
MTD		4,188	0.56		2,835	0.11	7,023	

STREAM FLOWS

Gauging Station	03/14/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	578	5,959
NRTT : Nueces River at Tilden, Texas	30	766
FRIT : Frio River at Tilden, Texas	169	2,467
SMIT : San Miguel Creek at Tilden, Texas	3	35
ARWT : Atascosa River at Whitsett, Texas	26	282
Release from Choke Canyon Reservoir	596	5,917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	115	2,789
NCAT : Nueces River at Calallen, Texas	79	2,004
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRTT+FRIT+SMIT+ARWT	227	3,392

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,334
Return Flow Credit (Effective: 03/01/2008)	500
Passthru Target: 3,500 Reservoir Inflow: 3,392	3,392
Estuary Inflows (NCAT + RBP)	2,004
PassThru Surplus / -Deficit:	445

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2008		Elevation (Ft)	
				Allocation	Remaining	Full	03/15/2008
03/14/2008	140	1,968	10,447	3,050	1,082	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 16, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/16/2007	213.5	526,883	75.8%	86.8	136,616	56.6%	663,499	70.8%
03/16/2008	219.4	666,047	95.8%	93.7	250,894	97.5%	916,941	96.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/15/2008	92	575	0.00	92	391	0.00	966	
MTD		4,763	0.56		3,226	0.11	7,989	

STREAM FLOWS

Gauging Station	03/15/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	578	6,537
NRTT : Nueces River at Tilden, Texas	26	792
FRTT : Frio River at Tilden, Texas	187	2,654
SMTT : San Miguel Creek at Tilden, Texas	3	38
ARWT : Atascosa River at Whitsett, Texas	20	302
Release from Choke Canyon Reservoir	596	6,513
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	117	2,906
NCAT : Nueces River at Calallen, Texas	38	2,041
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	235	3,628

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,334
Return Flow Credit (Effective: 03/01/2008)	500
Passthru Target: 3,500 Reservoir Inflow: 3,628	3,500
Estuary Inflows (NCAT + RBP)	2,041
PassThru Surplus / -Deficit:	375

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2008		Elevation (Ft)	
				Allocation	Remaining	Full	03/16/2008
03/15/2008	140	2,109	10,588	3,050	941	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 17, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/17/2007	213.6	527,985	75.9%	87.7	149,682	62.0%	677,667	72.4%
03/17/2008	219.3	664,785	95.6%	93.6	249,626	97.0%	914,411	96.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/16/2008	83	206	0.00	83	253	0.00	459	
MTD		4,969	0.56		3,479	0.11	8,448	

STREAM FLOWS

Gauging Station	03/16/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	564	7,100
NRTT : Nueces River at Tilden, Texas	22	814
FRIT : Frio River at Tilden, Texas	218	2,872
SMIT : San Miguel Creek at Tilden, Texas	3	41
ARWT : Atascosa River at Whitsett, Texas	19	321
Release from Choke Canyon Reservoir	596	7,108
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	115	3,021
NCAT : Nueces River at Calallen, Texas	56	2,097
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRTT+FRIT+SMIT+ARWT	262	3,890

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,334
Return Flow Credit (Effective: 03/01/2008)	500
Passthru Target: 3,500 Reservoir Inflow: 3,890	3,500
Estuary Inflows (NCAT + RBP)	2,097
PassThru Surplus / -Deficit:	431

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2008		Elevation (Ft)	
				Allocation	Remaining	Full	03/17/2008
03/16/2008	140	2,249	10,728	3,050	801	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 18, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/18/2007	213.6	528,205	76.0%	88.7	165,558	68.6%	693,763	74.1%
03/18/2008	219.3	665,290	95.7%	93.5	248,541	96.6%	913,831	95.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/17/2008	88	354	0.00	86	284	0.00	638	
MTD		5,323	0.56		3,763	0.11	9,086	

STREAM FLOWS

Gauging Station	03/17/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	560	7,660
NRTT : Nueces River at Tilden, Texas	22	836
FRIT : Frio River at Tilden, Texas	202	3,075
SMIT : San Miguel Creek at Tilden, Texas	3	44
ARWT : Atascosa River at Whitsett, Texas	19	340
Release from Choke Canyon Reservoir	596	7,704
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	115	3,136
NCAT : Nueces River at Calallen, Texas	69	2,166
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRTT+FRIT+SMIT+ARWT	246	4,136

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,334
Return Flow Credit (Effective: 03/01/2008)	500
Passthru Target: 3,500 Reservoir Inflow: 4,136	3,500
Estuary Inflows (NCAT + RBP)	2,166
PassThru Surplus / -Deficit:	500

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2008		Elevation (Ft)	
				Allocation	Remaining	Full	03/18/2008
03/17/2008	140	2,389	10,868	3,050	661	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 19, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/19/2007	213.6	529,306	76.1%	89.3	174,915	72.5%	704,221	75.2%
03/19/2008	219.4	668,076	96.1%	93.8	252,890	98.3%	920,966	96.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/18/2008	78	399	0.08	85	381	0.00		780
MTD		5,722	0.64		4,144	0.11		9,866

STREAM FLOWS

Gauging Station	03/18/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	556	8,216
NRTT : Nueces River at Tilden, Texas	19	854
FRIT : Frio River at Tilden, Texas	179	3,253
SMTT : San Miguel Creek at Tilden, Texas	3	47
ARWT : Atascosa River at Whitsett, Texas	18	358
Release from Choke Canyon Reservoir	596	8,299
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	510	3,646
NCAT : Nueces River at Calallen, Texas	58	2,224
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	219	4,354

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,334
Return Flow Credit (Effective: 03/01/2008)	500
Passthru Target: 3,500 Reservoir Inflow: 4,354	3,500
Estuary Inflows (NCAT + RBP)	2,224
PassThru Surplus / -Deficit:	558

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2008		Elevation (Ft)	
				Allocation	Remaining	Full	03/19/2008
03/18/2008	140	2,529	11,008	3,050	521	44.0	44.0

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 20, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/20/2007	213.6	528,866	76.1%	89.3	176,220	73.0%	705,086	75.3%
03/20/2008	219.3	664,027	95.5%	93.6	250,531	97.4%	914,558	96.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/19/2008	75	441	0.00	72	338	0.00		779
MTD		6,163	0.64		4,482	0.11		10,645

STREAM FLOWS

Gauging Station	03/19/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	554	8,770
NRTT : Nueces River at Tilden, Texas	16	871
FRIT : Frio River at Tilden, Texas	171	3,424
SMTT : San Miguel Creek at Tilden, Texas	3	50
ARWT : Atascosa River at Whitsett, Texas	17	375
Release from Choke Canyon Reservoir	596	8,895
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	592	4,238
NCAT : Nueces River at Calallen, Texas	306	2,530
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	207	4,561

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,334
Return Flow Credit (Effective: 03/01/2008)	500
Passthru Target: 3,500 Reservoir Inflow: 4,561	3,500
Estuary Inflows (NCAT + RBP)	2,530
PassThru Surplus / -Deficit:	864

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2008		Elevation (Ft)	
				Allocation	Remaining	Full	03/20/2008
03/19/2008	140	2,668	11,147	3,050	382	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 21, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/21/2007	213.6	529,086	76.1%	89.3	175,894	72.9%	704,980	75.3%
03/21/2008	219.2	663,016	95.4%	93.6	250,350	97.3%	913,366	95.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/20/2008	77	441	0.00	76	295	0.00		736
MTD		6,604	0.64		4,777	0.11		11,381

STREAM FLOWS

Gauging Station	03/20/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	548	9,318
NRTT : Nueces River at Tilden, Texas	14	885
FRIT : Frio River at Tilden, Texas	167	3,591
SMIT : San Miguel Creek at Tilden, Texas	3	53
ARWT : Atascosa River at Whitsett, Texas	16	391
Release from Choke Canyon Reservoir	596	9,490
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	103	4,341
NCAT : Nueces River at Calallen, Texas	451	2,980
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRTT+FRIT+SMIT+ARWT	199	4,760

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,334
Return Flow Credit (Effective: 03/01/2008)	500
Passthru Target: 3,500 Reservoir Inflow: 4,760	3,500
Estuary Inflows (NCAT + RBP)	2,980
PassThru Surplus / -Deficit:	1,314

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2008		Elevation (Ft)	
				Allocation	Remaining	Full	03/21/2008
03/20/2008	126	2,794	11,273	3,050	256	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 22, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/22/2007	213.6	529,527	76.2%	89.3	175,894	72.9%	705,421	75.3%
03/22/2008	219.2	662,511	95.3%	93.7	250,894	97.5%	913,405	95.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/21/2008	82	412	0.00	81	264	0.00		676
MTD		7,016	0.64		5,041	0.11		12,057

STREAM FLOWS

Gauging Station	03/21/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	516	9,834
NRTT : Nueces River at Tilden, Texas	13	897
FRTT : Frio River at Tilden, Texas	161	3,752
SMTT : San Miguel Creek at Tilden, Texas	3	56
ARWT : Atascosa River at Whitsett, Texas	15	406
Release from Choke Canyon Reservoir	328	9,818
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	101	4,442
NCAT : Nueces River at Calallen, Texas	115	3,095
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	352	5,112

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,334
Return Flow Credit (Effective: 03/01/2008)	500
Passthru Target: 3,500 Reservoir Inflow: 5,112	3,500
Estuary Inflows (NCAT + RBP)	3,095
PassThru Surplus / -Deficit:	1,429

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2008		Elevation (Ft)	
				Allocation	Remaining	Full	03/22/2008
03/21/2008	140	2,934	11,413	3,050	116	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 23, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/23/2007	213.6	529,306	76.1%	89.3	175,404	72.7%	704,710	75.2%
03/23/2008	219.2	662,259	95.3%	93.7	250,894	97.5%	913,153	95.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/22/2008	82	353	0.00	79	264	0.00		617
MTD		7,369	0.64		5,305	0.11		12,674

STREAM FLOWS

Gauging Station	03/22/2008 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	139	9,973
<u>NRTT</u> : Nueces River at Tilden, Texas	12	910
<u>FRTT</u> : Frio River at Tilden, Texas	155	3,906
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	2	58
<u>ARWT</u> : Atascosa River at Whitsett, Texas	14	420
<u>Release from Choke Canyon Reservoir</u>	58	9,875
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	99	4,542
<u>NCAT</u> : Nueces River at Calallen, Texas	38	3,133
<u>RBP</u> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	239	5,351

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <u>Salinity Relief Credit</u> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,334
Return Flow Credit (Effective: 03/01/2008)	500
Passthru Target: 3,500 Reservoir Inflow: 5,351	3,500
Estuary Inflows (NCAT + RBP)	3,133
PassThru Surplus / -Deficit:	1,467

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2008		Elevation (Ft)	
				Allocation	Remaining	Full	03/23/2008
03/22/2008	139	3,073	11,552	3,050	-23	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 24, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/24/2007	213.6	529,086	76.1%	89.3	175,404	72.7%	704,490	75.2%
03/24/2008	219.2	662,006	95.2%	93.6	250,713	97.5%	912,719	95.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/23/2008	72	338	0.00	73	253	0.00		591
MTD		7,707	0.64		5,558	0.11		13,265

STREAM FLOWS

Gauging Station	03/23/2008 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	95	10,068
<u>NRTT</u> : Nueces River at Tilden, Texas	11	921
<u>FRTT</u> : Frio River at Tilden, Texas	153	4,059
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	2	60
<u>ARWT</u> : Atascosa River at Whitsett, Texas	14	434
<u>Release from Choke Canyon Reservoir</u>	58	9,933
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	99	4,641
<u>NCAT</u> : Nueces River at Calallen, Texas	58	3,191
<u>RBP</u> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	193	5,544

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <u>Salinity Relief Credit</u> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,334
Return Flow Credit (Effective: 03/01/2008)	500
Passthru Target: 3,500 Reservoir Inflow: 5,544	3,500
Estuary Inflows (NCAT + RBP)	3,191
PassThru Surplus / -Deficit:	1,525

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2008		Elevation (Ft)	
				Allocation	Remaining	Full	03/24/2008
03/23/2008	139	3,213	11,692	3,050	-163	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 25, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/25/2007	213.6	528,866	76.1%	89.3	175,567	72.8%	704,433	75.2%
03/25/2008	219.2	661,249	95.1%	93.6	249,445	97.0%	910,694	95.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/24/2008	74	367	0.00	73	285	0.00		652
MTD		8,074	0.64		5,843	0.11		13,917

STREAM FLOWS

Gauging Station	03/24/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	89	10,157
NRTT : Nueces River at Tilden, Texas	10	931
FRTT : Frio River at Tilden, Texas	97	4,157
SMTT : San Miguel Creek at Tilden, Texas	2	63
ARWT : Atascosa River at Whitsett, Texas	14	448
Release from Choke Canyon Reservoir	58	9,991
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	115	4,756
NCAT : Nueces River at Calallen, Texas	71	3,262
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	131	5,675

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,334
Return Flow Credit (Effective: 03/01/2008)	500
Passthru Target: 3,500 Reservoir Inflow: 5,675	3,500
Estuary Inflows (NCAT + RBP)	3,262
PassThru Surplus / -Deficit:	1,596

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2008		Elevation (Ft)	
				Allocation	Remaining	Full	03/25/2008
03/24/2008	139	3,352	11,831	3,050	-302	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 26, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/26/2007	213.6	528,425	76.0%	89.2	173,938	72.1%	702,363	75.0%
03/26/2008	219.2	661,249	95.1%	93.5	248,903	96.8%	910,152	95.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/25/2008	78	294	0.00	77	200	0.00		494
MTD		8,368	0.64		6,043	0.11		14,411

STREAM FLOWS

Gauging Station	03/25/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	89	10,247
NRTT : Nueces River at Tilden, Texas	17	947
FRTT : Frio River at Tilden, Texas	99	4,256
SMTT : San Miguel Creek at Tilden, Texas	2	64
ARWT : Atascosa River at Whitsett, Texas	14	462
Release from Choke Canyon Reservoir	58	10,048
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	131	4,887
NCAT : Nueces River at Calallen, Texas	24	3,286
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	133	5,808

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,334
Return Flow Credit (Effective: 03/01/2008)	500
Passthru Target: 3,500 Reservoir Inflow: 5,808	3,500
Estuary Inflows (NCAT + RBP)	3,286
PassThru Surplus / -Deficit:	1,620

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2008		Elevation (Ft)	
				Allocation	Remaining	Full	03/26/2008
03/25/2008	139	3,491	11,970	3,050	-441	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 27, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/27/2007	213.6	529,086	76.1%	89.3	176,220	73.0%	705,306	75.3%
03/27/2008	219.2	660,996	95.1%	93.5	248,541	96.6%	909,537	95.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/26/2008	89	499	0.00	88	421	0.00		920
MTD		8,867	0.64		6,464	0.11		15,331

STREAM FLOWS

Gauging Station	03/26/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	89	10,336
NRTT : Nueces River at Tilden, Texas	22	969
FRTT : Frio River at Tilden, Texas	99	4,355
SMTT : San Miguel Creek at Tilden, Texas	2	66
ARWT : Atascosa River at Whitsett, Texas	15	477
Release from Choke Canyon Reservoir	58	10,106
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	113	5,000
NCAT : Nueces River at Calallen, Texas	30	3,316
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	133	5,940

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,334
Return Flow Credit (Effective: 03/01/2008)	500
Passthru Target: 3,500 Reservoir Inflow: 5,940	3,500
Estuary Inflows (NCAT + RBP)	3,316
PassThru Surplus / -Deficit:	1,650

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2008		Elevation (Ft)	
				Allocation	Remaining	Full	03/27/2008
03/26/2008	139	3,630	12,109	3,050	-580	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 28, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/28/2007	213.6	529,747	76.2%	89.3	175,894	72.9%	705,641	75.3%
03/28/2008	219.2	661,249	95.1%	93.5	248,722	96.7%	909,971	95.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/27/2008	88	396	0.00	85	232	0.00		628
MTD		9,263	0.64		6,696	0.11		15,959

STREAM FLOWS

Gauging Station	03/27/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	89	10,425
NRTT : Nueces River at Tilden, Texas	22	991
FRTT : Frio River at Tilden, Texas	97	4,452
SMTT : San Miguel Creek at Tilden, Texas	1	67
ARWT : Atascosa River at Whitsett, Texas	15	492
Release from Choke Canyon Reservoir	58	10,163
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	113	5,113
NCAT : Nueces River at Calallen, Texas	26	3,342
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	130	6,071

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,334
Return Flow Credit (Effective: 03/01/2008)	500
Passthru Target: 3,500 Reservoir Inflow: 6,071	3,500
Estuary Inflows (NCAT + RBP)	3,342
PassThru Surplus / -Deficit:	1,676

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2008		Elevation (Ft)	
				Allocation	Remaining	Full	03/28/2008
03/27/2008	139	3,769	12,248	3,050	-719	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 29, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/29/2007	213.7	530,629	76.3%	89.2	174,263	72.2%	704,892	75.3%
03/29/2008	219.2	660,996	95.1%	93.5	248,903	96.8%	909,899	95.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/28/2008	82	308	0.00	83	211	0.00		519
MTD		9,571	0.64		6,907	0.11		16,478

STREAM FLOWS

Gauging Station	03/28/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	10,521
NRTT : Nueces River at Tilden, Texas	20	1,011
FRTT : Frio River at Tilden, Texas	95	4,548
SMTT : San Miguel Creek at Tilden, Texas	1	69
ARWT : Atascosa River at Whitsett, Texas	14	506
Release from Choke Canyon Reservoir	58	10,221
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	113	5,227
NCAT : Nueces River at Calallen, Texas	30	3,371
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	134	6,205

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,334
Return Flow Credit (Effective: 03/01/2008)	500
Passthru Target: 3,500 Reservoir Inflow: 6,205	3,500
Estuary Inflows (NCAT + RBP)	3,371
PassThru Surplus / -Deficit:	1,705

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2008		Elevation (Ft)	
				Allocation	Remaining	Full	03/29/2008
03/28/2008	139	3,908	12,387	3,050	-858	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 29, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/29/2007	213.7	530,629	76.3%	89.2	174,263	72.2%	704,892	75.3%
03/29/2008	219.2	660,996	95.1%	93.5	248,903	96.8%	909,899	95.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/28/2008	82	308	0.00	83	211	0.00	519	
MTD		9,571	0.64		6,907	0.11	16,478	

STREAM FLOWS

Gauging Station	03/28/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	10,521
NRTT : Nueces River at Tilden, Texas	20	1,011
FRTT : Frio River at Tilden, Texas	95	4,548
SMTT : San Miguel Creek at Tilden, Texas	1	69
ARWT : Atascosa River at Whitsett, Texas	14	506
Release from Choke Canyon Reservoir	58	10,221
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	113	5,227
NCAT : Nueces River at Calallen, Texas	30	3,371
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	134	6,205

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,334
Return Flow Credit (Effective: 03/01/2008)	500
Passthru Target: 3,500 Reservoir Inflow: 6,205	3,500
Estuary Inflows (NCAT + RBP)	3,371
PassThru Surplus / -Deficit:	1,705

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2008		Elevation (Ft)	
				Allocation	Remaining	Full	03/29/2008
03/28/2008	139	3,908	12,387	3,050	-858	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 31, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/31/2007	213.8	533,517	76.7%	89.6	180,158	74.7%	713,675	76.2%
03/31/2008	219.2	660,996	95.1%	93.5	247,818	96.3%	908,814	95.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/30/2008	88	264	0.02	87	242	0.00	506	
MTD		9,996	0.70		7,359	0.11	17,355	

STREAM FLOWS

Gauging Station	03/30/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	10,711
NRTT : Nueces River at Tilden, Texas	19	1,049
FRTT : Frio River at Tilden, Texas	93	4,736
SMTT : San Miguel Creek at Tilden, Texas	1	71
ARWT : Atascosa River at Whitsett, Texas	14	533
Release from Choke Canyon Reservoir	58	10,336
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	113	5,453
NCAT : Nueces River at Calallen, Texas	46	3,465
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	132	6,472

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,334
Return Flow Credit (Effective: 03/01/2008)	500
Passthru Target: 3,500 Reservoir Inflow: 6,472	3,500
Estuary Inflows (NCAT + RBP)	3,465
PassThru Surplus / -Deficit:	1,799

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2008		Elevation (Ft)	
				Allocation	Remaining	Full	03/31/2008
03/30/2008	139	4,186	12,665	3,050	-1,136	44.0	43.8