

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 1, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/01/2007	214.0	538,639	77.5%	90.1	188,623	78.2%	727,262	77.7%
05/01/2008	219.0	657,479	94.6%	93.0	238,478	92.7%	895,957	94.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/30/2008	84	366	0.00	82	312	0.00	678
MTD		11,919	1.89		8,709	2.85	20,628

STREAM FLOWS

Gauging Station	04/30/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	125	3,492
NRTT : Nueces River at Tilden, Texas	4	242
FRTT : Frio River at Tilden, Texas	52	2,090
SMTT : San Miguel Creek at Tilden, Texas	0	208
ARWT : Atascosa River at Whitsett, Texas	32	1,537
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	210	5,046
NCAT : Nueces River at Calallen, Texas	85	1,169
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	119	4,062

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 04/01/2008)	500
Passthru Target: 3,500 Reservoir Inflow: 4,062	3,500
Estuary Inflows (NCAT + RBP)	1,169
PassThru Surplus / -Deficit:	-81

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2008		Elevation (Ft)	
				Allocation	Remaining	Full	05/01/2008
04/30/2008	139	4,146	16,950	3,050	-1,096	44.0	42.9

Report Generated: 05/01/2008 at 8:09:20 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 2, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/02/2007	214.0	538,861	77.5%	90.1	188,288	78.0%	727,149	77.6%
05/02/2008	219.0	656,727	94.5%	92.9	238,121	92.6%	894,848	93.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/01/2008	91	322	0.00	89	416	0.00	738
MTD		322	0.00		416	0.00	738

STREAM FLOWS

Gauging Station	05/01/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	115	115
NRTT : Nueces River at Tilden, Texas	7	7
FRIT : Frio River at Tilden, Texas	46	46
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	26	26
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	204	204
NCAT : Nueces River at Calallen, Texas	85	85
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	104	104

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-81
Return Flow Credit (Effective: 05/01/2008)	500
Passthru Target: 25,500 Reservoir Inflow: 104	104
Estuary Inflows (NCAT + RBP)	85
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2008		Elevation (Ft)	
				Allocation	Remaining	Full	05/02/2008
05/01/2008	139	139	17,088	4,100	3,961	44.0	42.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 3, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/03/2007	214.0	538,639	77.5%	90.2	190,800	79.1%	729,439	77.9%
05/03/2008	219.0	657,229	94.5%	93.0	239,193	93.0%	896,422	94.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/02/2008	89	307	0.00	90	146	0.00	453
MTD		629	0.00		562	0.00	1,191

STREAM FLOWS

Gauging Station	05/02/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	89	204
NRTT : Nueces River at Tilden, Texas	18	26
FRTT : Frio River at Tilden, Texas	46	91
SMTT : San Miguel Creek at Tilden, Texas	0	1
ARWT : Atascosa River at Whitsett, Texas	20	46
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	181	385
NCAT : Nueces River at Calallen, Texas	81	167
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	78	181

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-81
Return Flow Credit (Effective: 05/01/2008)	500
Passthru Target: 25,500 Reservoir Inflow: 181	181
Estuary Inflows (NCAT + RBP)	167
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2008		Elevation (Ft)	
				Allocation	Remaining	Full	05/03/2008
05/02/2008	139	278	17,227	4,100	3,822	44.0	42.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 4, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/04/2007	214.0	538,639	77.5%	90.3	192,312	79.7%	730,951	78.1%
05/04/2008	219.0	656,727	94.5%	93.0	238,478	92.7%	895,205	94.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/03/2008	81	585	0.00	81	364	0.00	949
MTD		1,214	0.00		926	0.00	2,140

STREAM FLOWS

Gauging Station	05/03/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	83	288
NRTT : Nueces River at Tilden, Texas	8	34
FRIT : Frio River at Tilden, Texas	44	135
SMTT : San Miguel Creek at Tilden, Texas	0	1
ARWT : Atascosa River at Whitsett, Texas	16	62
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	568
NCAT : Nueces River at Calallen, Texas	66	232
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	70	251

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-81
Return Flow Credit (Effective: 05/01/2008)	500
Passthru Target: 25,500 Reservoir Inflow: 251	251
Estuary Inflows (NCAT + RBP)	232
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2008		Elevation (Ft)	
				Allocation	Remaining	Full	05/04/2008
05/03/2008	139	417	17,366	4,100	3,683	44.0	42.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 5, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/05/2007	214.0	538,861	77.5%	90.3	192,144	79.6%	731,005	78.1%
05/05/2008	219.0	656,474	94.4%	92.9	237,229	92.2%	893,703	93.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/04/2008	80	175	0.18	79	114	0.02	289
MTD		1,389	0.18		1,040	0.02	2,429

STREAM FLOWS

Gauging Station	05/04/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	79	367
NRTT : Nueces River at Tilden, Texas	6	40
FRIT : Frio River at Tilden, Texas	42	177
SMTT : San Miguel Creek at Tilden, Texas	0	1
ARWT : Atascosa River at Whitsett, Texas	13	74
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	165	732
NCAT : Nueces River at Calallen, Texas	56	288
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	64	315

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru	25,500
Monthly Target: 25,500	
Salinity Relief Credit : 0 Effective:	
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-81
Return Flow Credit (Effective: 05/01/2008)	500
Passthru	315
Target: 25,500	
Reservoir Inflow: 315	
Estuary Inflows (NCAT + RBP)	288
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2008		Elevation (Ft)	
				Allocation	Remaining	Full	05/05/2008
05/04/2008	139	556	17,505	4,100	3,544	44.0	42.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 6, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/06/2007	214.0	538,416	77.4%	90.3	191,808	79.5%	730,224	78.0%
05/06/2008	219.0	656,222	94.4%	92.9	237,764	92.4%	893,986	93.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/05/2008	85	234	0.46	84	260	0.28	494
MTD		1,623	0.64		1,300	0.30	2,923

STREAM FLOWS

Gauging Station	05/05/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	83	451
NRTT : Nueces River at Tilden, Texas	8	48
FRTT : Frio River at Tilden, Texas	46	222
SMTT : San Miguel Creek at Tilden, Texas	0	1
ARWT : Atascosa River at Whitsett, Texas	12	86
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	881
NCAT : Nueces River at Calallen, Texas	60	347
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	72	386

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-81
Return Flow Credit (Effective: 05/01/2008)	500
Passthru Target: 25,500 Reservoir Inflow: 386	386
Estuary Inflows (NCAT + RBP)	347
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2008		Elevation (Ft)	
				Allocation	Remaining	Full	05/06/2008
05/05/2008	139	695	17,645	4,100	3,405	44.0	42.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 7, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/07/2007	214.0	538,194	77.4%	90.3	192,312	79.7%	730,506	78.0%
05/07/2008	219.0	656,474	94.4%	92.9	237,050	92.1%	893,524	93.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/06/2008	88	292	0.26	89	260	0.04	552
MTD		1,915	0.90		1,560	0.34	3,475

STREAM FLOWS

Gauging Station	05/06/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	85	536
NRTT : Nueces River at Tilden, Texas	9	57
FRTT : Frio River at Tilden, Texas	46	268
SMTT : San Miguel Creek at Tilden, Texas	0	2
ARWT : Atascosa River at Whitsett, Texas	12	97
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	1,030
NCAT : Nueces River at Calallen, Texas	48	395
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	74	460

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-81
Return Flow Credit (Effective: 05/01/2008)	500
Passthru Target: 25,500 Reservoir Inflow: 460	460
Estuary Inflows (NCAT + RBP)	395
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2008		Elevation (Ft)	
				Allocation	Remaining	Full	05/07/2008
05/06/2008	139	834	17,784	4,100	3,266	44.0	42.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 8, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/08/2007	214.1	539,974	77.7%	90.4	193,322	80.1%	733,296	78.3%
05/08/2008	219.1	658,981	94.8%	92.9	238,121	92.6%	897,102	94.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/07/2008	90	440	0.00	98	322	0.00	762
MTD		2,355	0.90		1,882	0.34	4,237

STREAM FLOWS

Gauging Station	05/07/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	83	619
NRTT : Nueces River at Tilden, Texas	9	66
FRTT : Frio River at Tilden, Texas	42	310
SMTT : San Miguel Creek at Tilden, Texas	0	2
ARWT : Atascosa River at Whitsett, Texas	11	108
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	1,177
NCAT : Nueces River at Calallen, Texas	67	463
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	68	528

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru	25,500
Monthly Target: 25,500	
Salinity Relief Credit : 0 Effective:	
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-81
Return Flow Credit (Effective: 05/01/2008)	500
Passthru	
Target: 25,500	
Reservoir Inflow: 528	528
Estuary Inflows (NCAT + RBP)	463
PassThru Surplus / -Deficit:	354

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2008		Elevation (Ft)	
				Allocation	Remaining	Full	05/08/2008
05/07/2008	139	974	17,923	4,100	3,126	44.0	42.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 9, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/09/2007	214.1	539,529	77.6%	90.3	191,976	79.6%	731,505	78.1%
05/09/2008	219.1	658,480	94.7%	92.9	236,872	92.1%	895,352	94.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/08/2008	96	469	0.00	95	322	0.00	791
MTD		2,824	0.90		2,204	0.34	5,028

STREAM FLOWS

Gauging Station	05/08/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	81	701
NRTT : Nueces River at Tilden, Texas	7	73
FRTT : Frio River at Tilden, Texas	44	353
SMTT : San Miguel Creek at Tilden, Texas	0	2
ARWT : Atascosa River at Whitsett, Texas	9	118
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	1,322
NCAT : Nueces River at Calallen, Texas	34	496
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	68	595

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-81
Return Flow Credit (Effective: 05/01/2008)	500
Passthru Target: 25,500 Reservoir Inflow: 595	595
Estuary Inflows (NCAT + RBP)	496
PassThru Surplus / -Deficit:	320

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2008		Elevation (Ft)	
				Allocation	Remaining	Full	05/09/2008
05/08/2008	139	1,113	18,063	4,100	2,987	44.0	42.7

Report Generated: 05/09/2008 at 8:27:08 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 10, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/10/2007	214.1	539,974	77.7%	90.3	192,985	80.0%	732,959	78.3%
05/10/2008	219.0	656,474	94.4%	92.8	236,337	91.9%	892,811	93.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/09/2008	92	395	0.00	91	291	0.00	686
MTD		3,219	0.90		2,495	0.34	5,714

STREAM FLOWS

Gauging Station	05/09/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	776
NRTT : Nueces River at Tilden, Texas	6	79
FRTT : Frio River at Tilden, Texas	44	397
SMTT : San Miguel Creek at Tilden, Texas	0	2
ARWT : Atascosa River at Whitsett, Texas	9	126
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	173	1,495
NCAT : Nueces River at Calallen, Texas	9	505
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	62	657

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-81
Return Flow Credit (Effective: 05/01/2008)	500
Passthru Target: 25,500 Reservoir Inflow: 657	657
Estuary Inflows (NCAT + RBP)	505
PassThru Surplus / -Deficit:	267

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2008		Elevation (Ft)	
				Allocation	Remaining	Full	05/10/2008
05/09/2008	139	1,252	18,202	4,100	2,848	44.0	42.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 11, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/11/2007	214.2	541,322	77.9%	90.4	193,154	80.1%	734,476	78.4%
05/11/2008	219.0	656,222	94.4%	93.0	238,300	92.6%	894,522	93.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/10/2008	96	453	0.00	101	312	0.00	765
MTD		3,672	0.90		2,807	0.34	6,479

STREAM FLOWS

Gauging Station	05/10/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	852
NRTT : Nueces River at Tilden, Texas	5	83
FRTT : Frio River at Tilden, Texas	42	439
SMTT : San Miguel Creek at Tilden, Texas	0	2
ARWT : Atascosa River at Whitsett, Texas	8	135
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	222	1,717
NCAT : Nueces River at Calallen, Texas	32	537
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	60	717

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru	25,500
Monthly Target: 25,500	
Salinity Relief Credit : 0 Effective:	
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-81
Return Flow Credit (Effective: 05/01/2008)	500
Passthru	717
Target: 25,500	
Reservoir Inflow: 717	
Estuary Inflows (NCAT + RBP)	537
PassThru Surplus / -Deficit:	239

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2008		Elevation (Ft)	
				Allocation	Remaining	Full	05/11/2008
05/10/2008	140	1,392	18,342	4,100	2,708	44.0	42.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 12, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/12/2007	214.2	542,222	78.0%	90.3	192,649	79.9%	734,871	78.5%
05/12/2008	219.0	657,229	94.5%	92.8	236,159	91.8%	893,388	93.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/11/2008	83	629	0.00	83	426	0.00	1,055
MTD		4,301	0.90		3,233	0.34	7,534

STREAM FLOWS

Gauging Station	05/11/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	925
NRTT : Nueces River at Tilden, Texas	4	87
FRTT : Frio River at Tilden, Texas	40	478
SMTT : San Miguel Creek at Tilden, Texas	0	2
ARWT : Atascosa River at Whitsett, Texas	8	143
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	189	1,906
NCAT : Nueces River at Calallen, Texas	103	640
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	56	773

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-81
Return Flow Credit (Effective: 05/01/2008)	500
Passthru Target: 25,500 Reservoir Inflow: 773	773
Estuary Inflows (NCAT + RBP)	640
PassThru Surplus / -Deficit:	286

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2008		Elevation (Ft)	
				Allocation	Remaining	Full	05/12/2008
05/11/2008	140	1,532	18,482	4,100	2,568	44.0	42.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 13, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/13/2007	214.2	541,997	78.0%	90.3	192,312	79.7%	734,309	78.4%
05/13/2008	219.0	655,969	94.3%	92.7	234,379	91.1%	890,348	93.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/12/2008	85	322	0.00	84	259	0.00	581
MTD		4,623	0.90		3,492	0.34	8,115

STREAM FLOWS

Gauging Station	05/12/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	996
NRTT : Nueces River at Tilden, Texas	3	90
FRIT : Frio River at Tilden, Texas	36	514
SMTT : San Miguel Creek at Tilden, Texas	0	2
ARWT : Atascosa River at Whitsett, Texas	7	150
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	173	2,078
NCAT : Nueces River at Calallen, Texas	42	681
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	50	822

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-81
Return Flow Credit (Effective: 05/01/2008)	500
Passthru Target: 25,500 Reservoir Inflow: 822	822
Estuary Inflows (NCAT + RBP)	681
PassThru Surplus / -Deficit:	278

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2008		Elevation (Ft)	
				Allocation	Remaining	Full	05/13/2008
05/12/2008	140	1,672	18,621	4,100	2,428	44.0	42.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 14, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/14/2007	214.1	540,197	77.7%	90.3	191,808	79.5%	732,005	78.2%
05/14/2008	219.0	655,969	94.3%	92.7	234,557	91.2%	890,526	93.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/13/2008	92	380	0.00	90	155	0.00	535
MTD		5,003	0.90		3,647	0.34	8,650

STREAM FLOWS

Gauging Station	05/13/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	1,068
NRTT : Nueces River at Tilden, Texas	3	93
FRTT : Frio River at Tilden, Texas	40	554
SMTT : San Miguel Creek at Tilden, Texas	0	2
ARWT : Atascosa River at Whitsett, Texas	6	156
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	173	2,251
NCAT : Nueces River at Calallen, Texas	44	725
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	54	876

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-81
Return Flow Credit (Effective: 05/01/2008)	500
Passthru Target: 25,500 Reservoir Inflow: 876	876
Estuary Inflows (NCAT + RBP)	725
PassThru Surplus / -Deficit:	268

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2008		Elevation (Ft)	
				Allocation	Remaining	Full	05/14/2008
05/13/2008	140	1,812	18,761	4,100	2,288	44.0	42.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 15, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/15/2007	214.0	538,861	77.5%	90.3	191,640	79.4%	730,501	78.0%
05/15/2008	218.9	655,212	94.2%	92.8	235,981	91.7%	891,193	93.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/14/2008	89	336	0.24	88	332	0.07	668
MTD		5,339	1.14		3,979	0.41	9,318

STREAM FLOWS

Gauging Station	05/14/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	1,139
NRTT : Nueces River at Tilden, Texas	3	95
FRIT : Frio River at Tilden, Texas	42	596
SMTT : San Miguel Creek at Tilden, Texas	0	3
ARWT : Atascosa River at Whitsett, Texas	7	163
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	173	2,424
NCAT : Nueces River at Calallen, Texas	28	753
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	56	932

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-81
Return Flow Credit (Effective: 05/01/2008)	500
Passthru Target: 25,500 Reservoir Inflow: 932	932
Estuary Inflows (NCAT + RBP)	753
PassThru Surplus / -Deficit:	240

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2008		Elevation (Ft)	
				Allocation	Remaining	Full	05/15/2008
05/14/2008	140	1,952	18,901	4,100	2,148	44.0	42.5