

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 1, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/01/2007	215.9	582,016	83.7%	91.2	206,766	85.7%	788,782	84.2%
06/01/2008	218.6	647,962	93.2%	92.4	227,828	88.6%	875,790	91.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/31/2008	96	581	0.00	94	545	0.00	1,126
MTD		14,125	1.53		9,872	1.47	23,997

STREAM FLOWS

Gauging Station	05/31/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	133	2,801
NRTT : Nueces River at Tilden, Texas	60	1,055
FRTT : Frio River at Tilden, Texas	28	1,217
SMTT : San Miguel Creek at Tilden, Texas	0	3
ARWT : Atascosa River at Whitsett, Texas	3	255
Release from Choke Canyon Reservoir	58	1,785
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	195	5,348
NCAT : Nueces River at Calallen, Texas	1	1,240
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	103	2,236

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru	25,500
Monthly Target: 25,500	
Salinity Relief Credit : 0 Effective:	
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-81
Return Flow Credit (Effective: 05/01/2008)	500
Passthru	
Target: 25,500	
Reservoir Inflow: 2,236	2,236
Estuary Inflows (NCAT + RBP)	1,240
PassThru Surplus / -Deficit:	-577

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2008		Elevation (Ft)	
				Allocation	Remaining	Full	06/01/2008
05/31/2008	143	4,368	21,318	4,100	-268	44.0	41.9

Report Generated: 06/01/2008 at 8:09:32 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 2, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/02/2007	216.0	584,375	84.0%	91.2	207,281	85.9%	791,656	84.5%
06/02/2008	218.6	647,218	93.1%	92.3	227,299	88.4%	874,517	91.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/01/2008	97	711	0.00	94	329	0.00	1,040
MTD		711	0.00		329	0.00	1,040

STREAM FLOWS

Gauging Station	06/01/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	107	107
NRTT : Nueces River at Tilden, Texas	44	44
FRTT : Frio River at Tilden, Texas	24	24
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	3
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	216	216
NCAT : Nueces River at Calallen, Texas	30	30
RBP : Rincon Bayou Pipeline	12	12
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	73	73

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-577
Return Flow Credit (Effective:)	0
Passthru Target: 25,500 Reservoir Inflow: 73	73
Estuary Inflows (NCAT + RBP)	42
PassThru Surplus / -Deficit:	-609

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2008		Elevation (Ft)	
				Allocation	Remaining	Full	06/02/2008
06/01/2008	144	144	21,461	4,100	3,956	44.0	41.9

Report Generated: 06/02/2008 at 3:12:00 PM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 3, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/03/2007	216.2	589,568	84.8%	91.1	206,251	85.5%	795,819	85.0%
06/03/2008	218.6	646,469	93.0%	92.3	226,242	87.9%	872,711	91.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/02/2008	98	609	0.00	96	431	0.00	1,040
MTD		1,320	0.00		760	0.00	2,080

STREAM FLOWS

Gauging Station	06/02/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	202
NRTT : Nueces River at Tilden, Texas	34	77
FRTT : Frio River at Tilden, Texas	38	62
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	5
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	230	447
NCAT : Nueces River at Calallen, Texas	24	54
RBP : Rincon Bayou Pipeline	0	12
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	75	149

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-577
Return Flow Credit (Effective:)	0
Passthru Target: 25,500 Reservoir Inflow: 149	149
Estuary Inflows (NCAT + RBP)	66
PassThru Surplus / -Deficit:	-660

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2008		Elevation (Ft)	
				Allocation	Remaining	Full	06/03/2008
06/02/2008	144	287	21,605	4,100	3,813	44.0	41.8

Report Generated: 06/03/2008 at 8:39:28 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 4, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity

FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/04/2007	216.4	593,366	85.3%	91.2	206,938	85.8%	800,304	85.5%
06/04/2008	218.6	645,719	92.9%	92.2	224,659	87.3%	870,378	91.4%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/03/2008	99	652	0.00	96	522	0.00	1,174
MTD		1,972	0.00		1,282	0.00	3,254

STREAM FLOWS

Gauging Station	06/03/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	87	290
NRTT : Nueces River at Tilden, Texas	26	103
FRIT : Frio River at Tilden, Texas	36	97
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	8
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	240	687
NCAT : Nueces River at Calallen, Texas	34	87
RBP : Rincon Bayou Pipeline	0	12
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	66	214

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-577
Return Flow Credit (Effective:)	0
Passthru Target: 25,500 Reservoir Inflow: 214	214
Estuary Inflows (NCAT + RBP)	99
PassThru Surplus / -Deficit:	-692

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2008		Elevation (Ft)	
				Allocation	Remaining	Full	06/04/2008
06/03/2008	144	431	21,749	4,100	3,669	44.0	41.7

Report Generated: 06/04/2008 at 8:23:47 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 5, 2008

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/05/2007	216.5	594,798	85.5%	91.1	205,564	85.2%	800,362	85.5%

06/05/2008	218.5	645,218	92.8%	92.1	223,957	87.1%	869,175	91.2%
------------	-------	---------	-------	------	---------	-------	---------	-------

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/04/2008	99	580	0.00	95	450	0.00	1,030
MTD		2,552	0.00		1,732	0.00	4,284

STREAM FLOWS

Gauging Station	06/04/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	81	371
NRTT : Nueces River at Tilden, Texas	20	123
FRTT : Frio River at Tilden, Texas	34	131
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	10
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	240	927
NCAT : Nueces River at Calallen, Texas	44	131
RBP : Rincon Bayou Pipeline	0	12
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	58	272

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-577
Return Flow Credit (Effective:)	0
Passthru Target: 25,500 Reservoir Inflow: 272	272
Estuary Inflows (NCAT + RBP)	143
PassThru Surplus / -Deficit:	-706

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2008		Elevation (Ft)	
				Allocation	Remaining	Full	06/05/2008
06/04/2008	144	575	21,893	4,100	3,525	44.0	41.6

Report Generated: 06/05/2008 at 11:18:03 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 6, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/06/2007	216.6	597,663	86.0%	91.2	207,625	86.1%	805,288	86.0%
06/06/2008	218.5	644,219	92.7%	92.1	223,781	87.0%	868,000	91.1%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/05/2008	93	623	0.00	93	378	0.00	1,001
MTD		3,175	0.00		2,110	0.00	5,285

STREAM FLOWS

Gauging Station	06/05/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	447
NRTT : Nueces River at Tilden, Texas	16	139
FRTT : Frio River at Tilden, Texas	32	163
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	12
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	262	1,189
NCAT : Nueces River at Calallen, Texas	62	193
RBP : Rincon Bayou Pipeline	0	12
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	50	322

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-577
Return Flow Credit (Effective:)	0
Passthru Target: 25,500 Reservoir Inflow: 322	322
Estuary Inflows (NCAT + RBP)	204
PassThru Surplus / -Deficit:	-694

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2008		Elevation (Ft)	
				Allocation	Remaining	Full	06/06/2008
06/05/2008	145	720	22,038	4,100	3,380	44.0	41.6

Report Generated: 06/06/2008 at 8:47:20 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 7, 2008

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/07/2007	216.6	597,186	85.9%	91.3	208,830	86.6%	806,016	86.1%
06/07/2008	218.5	643,475	92.6%	92.1	223,430	86.8%	866,905	91.0%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp	Evaporation	Rainfall	Air Temp	Evaporation	Rainfall	Evaporation	

	(°F)	(AcFt)	(Inches)	(°F)	(AcFt)	(Inches)	(AcFt)
06/06/2008	95	579	0.00	95	235	0.00	814
MTD		3,754	0.00		2,345	0.00	6,099

STREAM FLOWS

Gauging Station	06/06/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	520
NRTT : Nueces River at Tilden, Texas	12	151
FRTT : Frio River at Tilden, Texas	30	193
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	12
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	347	1,536
NCAT : Nueces River at Calallen, Texas	58	250
RBP : Rincon Bayou Pipeline	0	12
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	46	367

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-577
Return Flow Credit (Effective:)	0
Passthru Target: 25,500 Reservoir Inflow: 367	367
Estuary Inflows (NCAT + RBP)	262
PassThru Surplus / -Deficit:	-682

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2008		Elevation (Ft)	
				Allocation	Remaining	Full	06/07/2008
06/06/2008	145	865	22,182	4,100	3,235	44.0	41.5

Report Generated: 06/07/2008 at 8:37:34 AM

Choke Canyon / Lake Corpus Christi Reservoir System

Daily Pass-Thru Status Report

Report Date: June 8, 2008

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/08/2007	216.6	598,380	86.1%	91.5	212,109	87.9%	810,489	86.5%
06/08/2008	218.5	643,228	92.5%	92.1	222,904	86.6%	866,132	90.9%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/07/2008	96	535	0.02	94	378	0.00	913

MTD		4,289	0.02		2,723	0.00	7,012
-----	--	-------	------	--	-------	------	-------

STREAM FLOWS

Gauging Station	06/07/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	590
NRRT : Nueces River at Tilden, Texas	9	160
FRRT : Frio River at Tilden, Texas	28	220
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	12
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	403	1,939
NCAT : Nueces River at Calallen, Texas	171	421
RBP : Rincon Bayou Pipeline	0	12
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	40	407

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-577
Return Flow Credit (Effective:)	0
Passthru Target: 25,500 Reservoir Inflow: 407	407
Estuary Inflows (NCAT + RBP)	433
PassThru Surplus / -Deficit:	-551

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2008		Elevation (Ft)	
				Allocation	Remaining	Full	06/08/2008
06/07/2008	144	1,009	22,327	4,100	3,091	44.0	41.5

Report Generated: 06/08/2008 at 8:21:10 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 9, 2008

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/09/2007	216.6	598,857	86.1%	91.6	215,228	89.2%	814,085	86.9%
06/09/2008	218.4	642,732	92.4%	92.1	222,554	86.5%	865,286	90.8%
Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/08/2008	95	564	0.00	95	418	0.00	982	

MTD		4,853	0.02		3,141	0.00	7,994
-----	--	-------	------	--	-------	------	-------

STREAM FLOWS

Gauging Station	06/08/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	657
NRTT : Nueces River at Tilden, Texas	7	167
FRTT : Frio River at Tilden, Texas	26	246
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	12
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	306	2,245
NCAT : Nueces River at Calallen, Texas	228	649
RBP : Rincon Bayou Pipeline	0	12
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	36	443

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/08/2008)	-577
Return Flow Credit (Effective: 06/08/2008)	500
Passthru Target: 25,500 Reservoir Inflow: 443	443
Estuary Inflows (NCAT + RBP)	661
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2008		Elevation (Ft)	
				Allocation	Remaining	Full	06/09/2008
06/08/2008	145	1,154	22,471	4,100	2,946	44.0	41.5

Report Generated: 06/09/2008 at 9:18:30 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 10, 2008

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/10/2007	216.6	598,618	86.1%	91.8	217,314	90.1%	815,932	87.1%
06/10/2008	218.4	642,236	92.4%	92.0	222,203	86.4%	864,439	90.8%
Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/09/2008	96	622	0.00	95	408	0.00	1,030	
MTD		5,475	0.02		3,549	0.00	9,024	

STREAM FLOWS

Gauging Station	06/09/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	723
NRTT : Nueces River at Tilden, Texas	5	171
FRTT : Frio River at Tilden, Texas	24	270
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	12
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	199	2,444
NCAT : Nueces River at Calallen, Texas	125	774
RBP : Rincon Bayou Pipeline	4	16
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	32	474

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/08/2008)	-577
Return Flow Credit (Effective: 06/08/2008)	500
Passthru Target: 25,500 Reservoir Inflow: 474	474
Estuary Inflows (NCAT + RBP)	790
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2008		Elevation (Ft)	
				Allocation	Remaining	Full	06/10/2008
06/09/2008	119	1,273	22,590	4,100	2,827	44.0	41.4

Report Generated: 06/10/2008 at 8:44:25 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 11, 2008

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/11/2007	216.6	598,141	86.0%	91.9	220,279	91.3%	818,420	87.4%
06/11/2008	218.4	641,740	92.3%	92.0	220,978	85.9%	862,718	90.6%
Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/10/2008	98	592	0.00	97	428	0.00	1,020	
MTD		6,067	0.02		3,977	0.00	10,044	

STREAM FLOWS

Gauging Station	06/10/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	790
NRTT : Nueces River at Tilden, Texas	3	174
FRTT : Frio River at Tilden, Texas	24	294
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	14
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	218	2,662
NCAT : Nueces River at Calallen, Texas	28	802
RBP : Rincon Bayou Pipeline	0	16
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	34	508

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/08/2008)	-577
Return Flow Credit (Effective: 06/08/2008)	500
Passthru Target: 25,500 Reservoir Inflow: 508	508
Estuary Inflows (NCAT + RBP)	818
PassThru Surplus / -Deficit:	233

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2008		Elevation (Ft)	
				Allocation	Remaining	Full	06/11/2008
06/10/2008	145	1,418	22,735	4,100	2,682	44.0	41.4

Report Generated: 06/11/2008 at 9:35:55 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 12, 2008

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/12/2007	216.6	597,425	85.9%	92.1	222,554	92.3%	819,979	87.6%
06/12/2008	218.4	640,749	92.2%	92.0	220,629	85.8%	861,378	90.4%
Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/11/2008	97	635	0.00	95	468	0.00	1,103	
MTD		6,702	0.02		4,445	0.00	11,147	

STREAM FLOWS

Gauging Station	06/11/2008 (AcFt)	MTD (AcFt)
-----------------	----------------------	---------------

NTRT : Nueces River at Three Rivers, Texas	71	861
NRTT : Nueces River at Tilden, Texas	2	177
FRTT : Frio River at Tilden, Texas	24	318
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	16
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	262	2,924
NCAT : Nueces River at Calallen, Texas	15	817
RBP : Rincon Bayou Pipeline	0	16
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	38	546

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/08/2008)	-577
Return Flow Credit (Effective: 06/08/2008)	500
Passthru Target: 25,500 Reservoir Inflow: 546	546
Estuary Inflows (NCAT + RBP)	833
PassThru Surplus / -Deficit:	210

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2008		Elevation (Ft)	
				Allocation	Remaining	Full	06/12/2008
06/11/2008	145	1,563	22,881	4,100	2,537	44.0	41.3

Report Generated: 06/12/2008 at 8:31:39 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 13, 2008

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/13/2007	216.6	597,425	85.9%	92.2	224,835	93.2%	822,260	87.8%
06/13/2008	218.3	640,253	92.1%	91.9	219,580	85.4%	859,833	90.3%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/12/2008	97	606	0.00	95	376	0.00	982	
MTD		7,308	0.02		4,821	0.00	12,129	

STREAM FLOWS

Gauging Station	06/12/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	917
NRTT : Nueces River at Tilden, Texas	2	179

FRTT : Frio River at Tilden, Texas	22	339
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	18
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	260	3,184
NCAT : Nueces River at Calallen, Texas	67	884
RBP : Rincon Bayou Pipeline	0	16
Reservoir Inflow		
Computed as: NRMT+FRTT+SMTT+ARWT	26	572

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/08/2008)	-577
Return Flow Credit (Effective: 06/08/2008)	500
Passthru Target: 25,500 Reservoir Inflow: 572	572
Estuary Inflows (NCAT + RBP)	900
PassThru Surplus / -Deficit:	251

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2008		Elevation (Ft)	
				Allocation	Remaining	Full	06/13/2008
06/12/2008	145	1,708	23,026	4,100	2,392	44.0	41.3

Report Generated: 06/13/2008 at 9:07:22 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 14, 2008

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/14/2007	216.6	596,947	85.9%	92.3	226,946	94.1%	823,893	88.0%
06/14/2008	218.3	639,263	91.9%	91.9	219,406	85.3%	858,669	90.1%
Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/13/2008	97	606	0.00	97	447	0.00	1,053	
MTD		7,914	0.02		5,268	0.00	13,182	

STREAM FLOWS

Gauging Station	06/13/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	993
NRTT : Nueces River at Tilden, Texas	1	180
FRTT : Frio River at Tilden, Texas	19	359
SMTT : San Miguel Creek at Tilden, Texas	0	0

ARWT : Atascosa River at Whitsett, Texas	2	21
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	250	3,434
NCAT : Nueces River at Calallen, Texas	44	928
RBP : Rincon Bayou Pipeline	0	16
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	37	609

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/08/2008)	-577
Return Flow Credit (Effective: 06/08/2008)	500
Passthru Target: 25,500 Reservoir Inflow: 609	609
Estuary Inflows (NCAT + RBP)	944
PassThru Surplus / -Deficit:	258

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2008		Elevation (Ft)	
				Allocation	Remaining	Full	06/14/2008
06/13/2008	145	1,854	23,171	4,100	2,246	44.0	41.3

Report Generated: 06/14/2008 at 9:10:58 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 15, 2008

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/15/2007	216.5	595,276	85.6%	92.4	228,710	94.8%	823,986	88.0%
06/15/2008	218.3	639,018	91.9%	91.8	218,185	84.8%	857,203	90.0%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/14/2008	98	591	0.00	95	345	0.00	936	
MTD		8,505	0.02		5,613	0.00	14,118	

STREAM FLOWS

Gauging Station	06/14/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	79	1,072
NRRT : Nueces River at Tilden, Texas	1	181
FRIT : Frio River at Tilden, Texas	18	377
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	23
Release from Choke Canyon Reservoir	58	806

NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	248	3,682
NCAT: Nueces River at Calallen, Texas	64	992
RBP: Rincon Bayou Pipeline	0	16
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	40	649

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthu Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/08/2008)	-577
Return Flow Credit (Effective: 06/08/2008)	500
Passthu Target: 25,500 Reservoir Inflow: 649	649
Estuary Inflows (NCAT + RBP)	1,007
PassThru Surplus / -Deficit:	282

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2008		Elevation (Ft)	
				Allocation	Remaining	Full	06/15/2008
06/14/2008	145	1,999	23,316	4,100	2,101	44.0	41.3

Report Generated: 06/15/2008 at 8:32:32 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 16, 2008

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/16/2007	216.4	593,843	85.4%	92.5	231,008	95.8%	824,851	88.1%
06/16/2008	218.3	638,281	91.8%	91.8	217,837	84.7%	856,118	89.9%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/15/2008	98	490	0.00	98	436	0.00	926
MTD		8,995	0.02		6,049	0.00	15,044

STREAM FLOWS

Gauging Station	06/15/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	79	1,151
NRTT: Nueces River at Tilden, Texas	1	182
FRTT: Frio River at Tilden, Texas	17	394
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	2	25
Release from Choke Canyon Reservoir	58	863
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	240	3,922
NCAT: Nueces River at Calallen, Texas	66	1,057

RBP : Rincon Bayou Pipeline	0	16
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	39	687

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/08/2008)	-577
Return Flow Credit (Effective: 06/08/2008)	500
Passthru Target: 25,500 Reservoir Inflow: 687	687
Estuary Inflows (NCAT + RBP)	1,073
PassThru Surplus / -Deficit:	308

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2008		Elevation (Ft)	
				Allocation	Remaining	Full	06/16/2008
06/15/2008	145	2,144	23,462	4,100	1,956	44.0	41.3

Report Generated: 06/16/2008 at 9:05:22 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 17, 2008

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/17/2007	216.6	598,380	86.1%	92.8	234,735	91.2%	833,115	87.5%
06/17/2008	218.2	637,543	91.7%	91.8	217,488	84.5%	855,031	89.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/16/2008	99	648	0.00	97	416	0.00	1,064
MTD		9,643	0.02		6,465	0.00	16,108

STREAM FLOWS

Gauging Station	06/16/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	77	1,229
NRTT : Nueces River at Tilden, Texas	1	183
FRTT : Frio River at Tilden, Texas	17	410
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	27
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	234	4,157
NCAT : Nueces River at Calallen, Texas	56	1,113
RBP : Rincon Bayou Pipeline	0	16
Reservoir Inflow		

Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	37	724
---	----	-----

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/08/2008)	-577
Return Flow Credit (Effective: 06/08/2008)	500
Passthru Target: 25,500 Reservoir Inflow: 724	724
Estuary Inflows (NCAT + RBP)	1,128
PassThru Surplus / -Deficit:	327

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2008		Elevation (Ft)	
				Allocation	Remaining	Full	06/17/2008
06/16/2008	145	2,289	23,607	4,100	1,811	44.0	41.2

Report Generated: 06/17/2008 at 8:22:04 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 18, 2008

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/18/2007	216.8	601,734	86.5%	92.8	235,981	91.7%	837,715	87.9%
06/18/2008	218.2	638,035	91.8%	91.7	216,444	84.1%	854,479	89.7%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/17/2008	99	648	0.00	99	446	0.00	1,094	
MTD		10,291	0.02		6,911	0.00	17,202	

STREAM FLOWS

Gauging Station	06/17/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	77	1,306
NRTT : Nueces River at Tilden, Texas	0	183
FRRT : Frio River at Tilden, Texas	16	426
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	28
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	224	4,381
NCAT : Nueces River at Calallen, Texas	22	1,134
RBP : Rincon Bayou Pipeline	0	16
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	36	760

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/08/2008)	-577
Return Flow Credit (Effective: 06/08/2008)	500
Passthru Target: 25,500 Reservoir Inflow: 760	760
Estuary Inflows (NCAT + RBP)	1,150
PassThru Surplus / -Deficit:	314

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2008		Elevation (Ft)	
				Allocation	Remaining	Full	06/18/2008
06/17/2008	145	2,435	23,752	4,100	1,665	44.0	41.1

Report Generated: 06/18/2008 at 8:44:39 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 19, 2008

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/19/2007	216.9	604,385	86.9%	92.8	236,159	91.8%	840,544	88.2%
06/19/2008	218.2	636,308	91.5%	91.7	215,749	83.9%	852,057	89.5%
Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/18/2008	99	561	0.00	99	415	0.00	976	
MTD		10,852	0.02		7,326	0.00	18,178	

STREAM FLOWS

Gauging Station	06/18/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	1,382
NRTT : Nueces River at Tilden, Texas	0	183
FRTT : Frio River at Tilden, Texas	14	440
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	29
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	226	4,607
NCAT : Nueces River at Calallen, Texas	2	1,137
RBP : Rincon Bayou Pipeline	0	16
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	32	792

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/08/2008)	-577
Return Flow Credit (Effective: 06/08/2008)	500
Passthru Target: 25,500 Reservoir Inflow: 792	792
Estuary Inflows (NCAT + RBP)	1,152
PassThru Surplus / -Deficit:	284

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2008		Elevation (Ft)	
				Allocation	Remaining	Full	06/19/2008
06/18/2008	145	2,580	23,898	4,100	1,520	44.0	41.1

Report Generated: 06/19/2008 at 9:01:58 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 20, 2008

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/20/2007	216.9	606,072	87.2%	93.2	242,059	94.1%	848,131	89.0%
06/20/2008	218.2	636,060	91.5%	91.6	215,054	83.6%	851,114	89.4%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/19/2008	101	690	0.00	100	435	0.00	1,125	
MTD		11,542	0.02		7,761	0.00	19,303	

STREAM FLOWS

Gauging Station	06/19/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	1,455
NRTT : Nueces River at Tilden, Texas	0	184
FRTT : Frio River at Tilden, Texas	13	454
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	31
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	244	4,851
NCAT : Nueces River at Calallen, Texas	0	1,137
RBP : Rincon Bayou Pipeline	0	16
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	29	821

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
--	--------

Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/08/2008)	-577
Return Flow Credit (Effective: 06/08/2008)	500
Passthru Target: 25,500 Reservoir Inflow: 821	821
Estuary Inflows (NCAT + RBP)	1,152
PassThru Surplus / -Deficit:	255

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2008		Elevation (Ft)	
				Allocation	Remaining	Full	06/20/2008
06/19/2008	145	2,726	24,043	4,100	1,374	44.0	41.0

Report Generated: 06/20/2008 at 8:53:30 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 21, 2008

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/21/2007	217.1	609,447	87.7%	93.4	245,654	95.5%	855,101	89.8%
06/21/2008	218.1	635,317	91.4%	91.6	214,707	83.5%	850,024	89.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/20/2008	96	431	0.05	96	374	0.00	805
MTD		11,973	0.07		8,135	0.00	20,108

STREAM FLOWS

Gauging Station	06/20/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	1,528
NRTT : Nueces River at Tilden, Texas	0	184
FRIT : Frio River at Tilden, Texas	12	466
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	33
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	278	5,129
NCAT : Nueces River at Calallen, Texas	1	1,138
RBP : Rincon Bayou Pipeline	0	16
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	28	849

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/08/2008)	-577
Return Flow Credit (Effective: 06/08/2008)	500

Passthru Target: 25,500 Reservoir Inflow: 849	849
Estuary Inflows (NCAT + RBP)	1,154
PassThru Surplus / -Deficit:	227

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2008		Elevation (Ft)	
				Allocation	Remaining	Full	06/21/2008
06/20/2008	145	2,871	24,188	4,100	1,229	44.0	41.0

Report Generated: 06/21/2008 at 8:37:26 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 22, 2008

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/22/2007	217.2	611,616	88.0%	93.4	247,096	96.0%	858,712	90.2%
06/22/2008	218.1	634,821	91.3%	91.6	214,187	83.3%	849,008	89.1%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/21/2008	99	589	0.00	98	444	0.01	1,033	
MTD		12,562	0.07		8,579	0.01	21,141	

STREAM FLOWS

Gauging Station	06/21/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	1,602
NRTT : Nueces River at Tilden, Texas	0	184
FRTT : Frio River at Tilden, Texas	12	477
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	35
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	294	5,423
NCAT : Nueces River at Calallen, Texas	60	1,197
RBP : Rincon Bayou Pipeline	0	16
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	27	876

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/08/2008)	-577
Return Flow Credit (Effective: 06/08/2008)	500
Passthru Target: 25,500 Reservoir Inflow: 876	876

Estuary Inflows (NCAT + RBP)	1,213
PassThru Surplus / -Deficit:	260

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2008		Elevation (Ft)	
				Allocation	Remaining	Full	06/22/2008
06/21/2008	145	3,016	24,333	4,100	1,084	44.0	41.0

Report Generated: 06/22/2008 at 8:30:39 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 23, 2008

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/23/2007	217.3	614,284	88.4%	93.6	249,084	96.8%	863,368	90.6%
06/23/2008	218.1	634,327	91.2%	91.5	213,320	82.9%	847,647	89.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/22/2008	99	632	0.00	97	363	0.00	995
MTD		13,194	0.07		8,942	0.01	22,136

STREAM FLOWS

Gauging Station	06/22/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	1,677
NRTT : Nueces River at Tilden, Texas	0	185
FRIT : Frio River at Tilden, Texas	12	489
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	37
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	294	5,717
NCAT : Nueces River at Calallen, Texas	95	1,292
RBP : Rincon Bayou Pipeline	0	16
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	30	906

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthu Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/08/2008)	-577
Return Flow Credit (Effective: 06/08/2008)	500
Passthu Target: 25,500 Reservoir Inflow: 906	906
Estuary Inflows (NCAT + RBP)	1,308
Pass Thru Surplus / -Deficit:	325

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2008		Elevation (Ft)	
				Allocation	Remaining	Full	06/23/2008
06/22/2008	145	3,160	24,478	4,100	940	44.0	41.0

Report Generated: 06/23/2008 at 8:24:55 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 24, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/24/2007	217.3	615,257	88.5%	93.6	249,988	97.2%	865,245	90.8%
06/24/2008	218.1	633,345	91.1%	91.5	212,628	82.7%	845,973	88.8%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/23/2008	98	646	0.00	96	403	0.00	1,049
MTD		13,840	0.07		9,345	0.01	23,185

STREAM FLOWS

Gauging Station	06/23/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	1,751
NRTT : Nueces River at Tilden, Texas	0	185
FRTT : Frio River at Tilden, Texas	11	500
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	39
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	292	6,009
NCAT : Nueces River at Calallen, Texas	71	1,364
RBP : Rincon Bayou Pipeline	0	16
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	27	933

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru	
Monthly Target: 25,500	25,500
Salinity Relief Credit: 0 Effective:	
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/08/2008)	-577
Return Flow Credit (Effective: 06/08/2008)	500
Passthru	
Target: 25,500	
Reservoir Inflow: 933	933
Estuary Inflows (NCAT + RBP)	1,380
PassThru Surplus / -Deficit:	370

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2008		Elevation (Ft)	
				Allocation	Remaining	Full	06/24/2008
06/23/2008	145	3,305	24,623	4,100	795	44.0	41.0

Report Generated: 06/24/2008 at 10:02:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 25, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/25/2007	217.5	618,664	89.0%	93.8	252,890	98.3%	871,554	91.5%
06/25/2008	218.0	633,099	91.1%	91.4	211,763	82.3%	844,862	88.7%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/24/2008	98	473	0.23	95	141	0.00	614	
MTD		14,313	0.30		9,486	0.01	23,799	

STREAM FLOWS

Gauging Station	06/24/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	1,822
NRTT : Nueces River at Tilden, Texas	1	186
FRTT : Frio River at Tilden, Texas	10	510
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	41
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	260	6,269
NCAT : Nueces River at Calallen, Texas	129	1,493
RBP : Rincon Bayou Pipeline	0	16
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	24	956

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/08/2008)	-577
Return Flow Credit (Effective: 06/08/2008)	500
Passthru Target: 25,500 Reservoir Inflow: 956	956
Estuary Inflows (NCAT + RBP)	1,509
PassThru Surplus / -Deficit:	475

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2008		Elevation (Ft)	
				Allocation	Remaining	Full	06/25/2008

06/24/2008	145	3,450	24,767	4,100	650	44.0	40.9
------------	-----	-------	--------	-------	-----	------	------

Report Generated: 06/25/2008 at 8:21:36 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 26, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/26/2007	217.5	620,854	89.3%	93.9	255,437	99.3%	876,291	92.0%
06/26/2008	218.0	632,363	91.0%	91.4	211,072	82.0%	843,435	88.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/25/2008	98	660	0.00	95	282	0.00	942
MTD		14,973	0.30		9,768	0.01	24,741

STREAM FLOWS

Gauging Station	06/25/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	1,896
NRTT : Nueces River at Tilden, Texas	0	186
FRTT : Frio River at Tilden, Texas	9	518
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	43
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	236	6,505
NCAT : Nueces River at Calallen, Texas	111	1,604
RBP : Rincon Bayou Pipeline	0	16
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	24	981

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/08/2008)	-577
Return Flow Credit (Effective: 06/08/2008)	500
Passthru Target: 25,500 Reservoir Inflow: 981	981
Estuary Inflows (NCAT + RBP)	1,620
PassThru Surplus / -Deficit:	562

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2008		Elevation (Ft)	
				Allocation	Remaining	Full	06/26/2008
06/25/2008	145	3,595	24,912	4,100	505	44.0	40.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 27, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/27/2007	217.6	623,044	89.6%	93.9	255,254	99.2%	878,298	92.2%
06/27/2008	218.0	631,626	90.8%	91.4	210,381	81.8%	842,007	88.4%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/26/2008	99	630	0.00	96	442	0.00	1,072
MTD		15,603	0.30		10,210	0.01	25,813

STREAM FLOWS

Gauging Station	06/26/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	1,967
NRTT : Nueces River at Tilden, Texas	0	186
FRTT : Frio River at Tilden, Texas	8	527
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	44
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	258	6,763
NCAT : Nueces River at Calallen, Texas	40	1,644
RBP : Rincon Bayou Pipeline	0	16
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	22	1,003

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/08/2008)	-577
Return Flow Credit (Effective: 06/08/2008)	500
Passthru Target: 25,500 Reservoir Inflow: 1,003	1,003
Estuary Inflows (NCAT + RBP)	1,660
PassThru Surplus / -Deficit:	580

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2008		Elevation (Ft)	
				Allocation	Remaining	Full	06/27/2008
06/26/2008	145	3,740	25,057	4,100	360	44.0	40.9

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 28, 2008

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/28/2007	217.8	627,204	90.2%	93.9	255,437	99.3%	882,641	92.7%
06/28/2008	217.9	630,643	90.7%	91.3	209,691	81.5%	840,334	88.2%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/27/2008	99	730	0.00	96	372	0.00	1,102	
MTD		16,333	0.30		10,582	0.01	26,915	

STREAM FLOWS

Gauging Station	06/27/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	2,037
NRTT : Nueces River at Tilden, Texas	0	187
FRTT : Frio River at Tilden, Texas	8	535
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	46
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	266	7,029
NCAT : Nueces River at Calallen, Texas	30	1,674
RBP : Rincon Bayou Pipeline	0	16
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	20	1,023

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru	
Monthly Target: 25,500	25,500
Salinity Relief Credit: 0 Effective:	
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/08/2008)	-577
Return Flow Credit (Effective: 06/08/2008)	500
Passthru	
Target: 25,500	1,023
Reservoir Inflow: 1,023	
Estuary Inflows (NCAT + RBP)	1,689
PassThru Surplus / -Deficit:	589

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2008		Elevation (Ft)	
				Allocation	Remaining	Full	06/28/2008
06/27/2008	145	3,885	25,202	4,100	215	44.0	40.9

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 29, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/29/2007	218.1	634,327	91.2%	94.0	257,260	100.0%	891,587	93.6%
06/29/2008	217.9	629,906	90.6%	91.3	209,174	81.3%	839,080	88.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/28/2008	98	644	0.00	94	522	0.00	1,166
MTD		16,977	0.30		11,104	0.01	28,081

STREAM FLOWS

Gauging Station	06/28/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	2,104
NRTT : Nueces River at Tilden, Texas	0	187
FRTT : Frio River at Tilden, Texas	7	542
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	48
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	278	7,307
NCAT : Nueces River at Calallen, Texas	28	1,701
RBP : Rincon Bayou Pipeline	0	16
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	17	1,040

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru	
Monthly Target: 25,500	25,500
Salinity Relief Credit: 0 Effective:	
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/08/2008)	-577
Return Flow Credit (Effective: 06/08/2008)	500
Passthru	
Target: 25,500	1,040
Reservoir Inflow: 1,040	
Estuary Inflows (NCAT + RBP)	1,717
PassThru Surplus / -Deficit:	600

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2008		Elevation (Ft)	
				Allocation	Remaining	Full	06/29/2008
06/28/2008	145	4,030	25,347	4,100	70	44.0	40.9

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 30, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/30/2007	218.3	638,281	91.8%	94.0	257,260	100.0%	895,541	94.0%
06/30/2008	217.9	629,414	90.5%	91.3	208,485	81.0%	837,899	88.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/29/2008	99	586	0.00	96	371	0.00	957
MTD		17,563	0.30		11,475	0.01	29,038

STREAM FLOWS

Gauging Station	06/29/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	2,168
NRTT : Nueces River at Tilden, Texas	0	187
FRTT : Frio River at Tilden, Texas	6	548
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	49
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	262	7,569
NCAT : Nueces River at Calallen, Texas	58	1,759
RBP : Rincon Bayou Pipeline	0	16
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	1,052

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru	
Monthly Target: 25,500	25,500
Salinity Relief Credit : 0 Effective:	
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/08/2008)	-577
Return Flow Credit (Effective: 06/08/2008)	500
Passthru	
Target: 25,500	
Reservoir Inflow: 1,052	1,052
Estuary Inflows (NCAT + RBP)	1,775
PassThru Surplus / -Deficit:	645

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2008		Elevation (Ft)	
				Allocation	Remaining	Full	06/30/2008
06/29/2008	145	4,175	25,492	4,100	-75	44.0	40.9

Report Generated: 06/30/2008 at 8:15:14 AM