Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: July 1, 2008

RESERVOIR STATISTICS

| | | Choke Canyon Re | servoir | Lake Corpus Christi Reservoir Combined Reservoir System | | Reservoir System | | | |
|------------|-----------------------------|-----------------|---------------------|---|---------------|---------------------|---------------|---------------------|--|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity | |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% | |
| 07/01/2007 | 218.4 | 641,492 | 92.3% | 94.0 | 257,260 | 100.0% | 898,752 | 94.4% | |
| 07/01/2008 | 217.9 | 628,923 | 90.5% | 91.2 | 207,969 | 80.8% | 836,892 | 87.9% | |
| | Weather Related Information | | | | | | | | |

| | Weather Related Information | | | | | | | | | | | |
|------------|-----------------------------|-----------------------|----------------------|------------------|-----------------------|----------------------|--------------------|--|--|--|--|--|
| | C | hoke Canyon Reservoir | | Lak | Combined | | | | | | | |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) | | | | | |
| 06/30/2008 | 97 | 586 | 0.00 | 97 | 431 | 0.00 | 1,017 | | | | | |
| MTD | | 18,149 | 0.30 | | 11,906 | 0.01 | 30,055 | | | | | |

STREAM FLOWS

| Gauging Station | 06/30/2008 (AcFt) | MTD (AcFt) |
|---|----------------------|---------------|
| NTRT: Nueces River at Three Rivers, Texas | 64 | 2,231 |
| NRTT: Nueces River at Tilden, Texas | 0 | 187 |
| FRTT: Frio River at Tilden, Texas | 5 | 553 |
| SMTT: San Miguel Creek at Tilden, Texas | 0 | 0 |
| ARWT: Atascosa River at Whitsett, Texas | 1 | 51 |
| Release from Choke Canyon Reservoir | 58 | 1,727 |
| NRMT: Nueces River at Mathis, Texas (La Fruta Bridge) | 260 | 7,829 |
| NCAT: Nueces River at Calallen, Texas | 44 | 1,803 |
| RBP: Rincon Bayou Pipeline | 0 | 16 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 11 | 1,063 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

| Target Passthru Monthly Target: 25,500 Salinity Relief Credit: 0 Effective: | 25,500 |
|---|--------|
| Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/08/2008) | -577 |
| Return Flow Credit (Effective: 06/08/2008) | 500 |
| Passthru Target: 25,500 Reservoir Inflow: 1,063 | 1,063 |
| Estuary Inflows (NCAT + RBP) | 1,818 |
| PassThru Surplus / -Deficit: | 678 |

LAKE TEXANA STATISTICS (All values are in AcFt)

| Date | Daily Intake | MTD | YTD | June 2008 | | Elevation (Ft) | |
|------------|---------------|-------|--------|------------|-----------|----------------|------------|
| Date | Daily Ilitake | MIID | | Allocation | Remaining | Full | 07/01/2008 |
| 06/30/2008 | 145 | 4,320 | 25,637 | 4,100 | -220 | 44.0 | 40.7 |

Report Generated: 07/01/2008 at 8:38:34 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: July 2, 2008

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | | Lake Corpus Christi Reservoir | | | | Combined Reservoir System | |
|------------|------------------------|---------------|-----------------------|----------------------|-------------------------------|-------|--------------------------|----------------------|---------------------------|--|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (F | t) Volume (Ad | cFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity | |
| FULL | 220.5 | 695,271 | 100 | % 9. | 1.0 257 | ,260 | 100% | 952,531 | 100% | |
| 07/02/2007 | 218.6 | 647,962 | 93.29 | % 9. | 1.0 257 | ,260 | 100.0% | 905,222 | 95.0% | |
| 07/02/2008 | 217.9 | 628,923 | 90.59 | % 9 | 1.2 208 | 3,141 | 80.9% | 837,064 | 87.9% | |
| | | | | Weather Relat | ed Information | | | | | |
| | | Choke | Canyon Reservoir | | L | ake C | Corpus Christi Reservoir | | Combined | |
| Date | Aiı | Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) | |
| 07/01/20 | 008 | 90 | 357 | 0.08 | 92 | | 160 | 0.45 | 517 | |
| MTD |) | | 357 | 0.08 | | | 160 | 0.45 | 517 | |

STREAM FLOWS

| Gauging Station | 07/01/2008 (AcFt) | MTD (AcFt) |
|---|----------------------|---------------|
| NTRT: Nueces River at Three Rivers, Texas | 64 | 64 |
| NRTT: Nueces River at Tilden, Texas | 0 | 0 |
| FRTT: Frio River at Tilden, Texas | 5 | 5 |
| SMTT: San Miguel Creek at Tilden, Texas | 0 | 0 |
| ARWT: Atascosa River at Whitsett, Texas | 1 | 1 |
| Release from Choke Canyon Reservoir | 58 | 58 |
| NRMT: Nueces River at Mathis, Texas (La Fruta Bridge) | 262 | 262 |
| NCAT: Nueces River at Calallen, Texas | 17 | 17 |
| RBP: Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 11 | 11 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

| Target Passthru Monthly Target: 6,500 Salinity Relief Credit: 0 Effective: | 6,500 |
|--|-------|
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 678 |
| Return Flow Credit (Effective: 07/01/2008) | 500 |
| Passthru Target: 6,500 Reservoir Inflow: 11 | 11 |
| Estuary Inflows (NCAT + RBP) | 17 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS (All values are in AcFt)

| Date Daily Intake MTD YTD | | July | 2008 | Elevation (Ft) | | | |
|---------------------------|-------------|------|--------|----------------|-----------|------|------------|
| Date | Dany Intake | WIID | 110 | Allocation | Remaining | Full | 07/02/2008 |
| 07/01/2008 | 145 | 145 | 25,782 | 4,100 | 3,955 | 44.0 | 40.7 |

Report Generated: 07/02/2008 at 8:54:23 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: July 3, 2008

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | Lal | ke Corpus Christi I | Combined Reservoir System | | |
|------------|------------------------|---------------|---------------------|----------------|---------------------|---------------------------|---------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 07/03/2007 | 218.9 | 654,959 | 94.2% | 94.2 | 257,260 | 100.0% | 912,219 | 95.8% |
| 07/03/2008 | 217.9 | 628,432 | 90.4% | 91.2 | 207,625 | 80.7% | 836,057 | 87.8% |

| | Weather Related Information | | | | | | | | | | | |
|------------|-----------------------------|-----------------------|----------------------|------------------|-----------------------|----------------------|--------------------|--|--|--|--|--|
| | C | hoke Canyon Reservoir | | Lake | Combined | | | | | | | |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) | | | | | |
| 07/02/2008 | 88 | 186 | 0.00 | 85 | 371 | 1.25 | 557 | | | | | |
| MTD | | 543 | 0.08 | | 531 | 1.70 | 1,074 | | | | | |

STREAM FLOWS

| Gauging Station | 07/02/2008 (AcFt) | MTD (AcFt) |
|---|----------------------|---------------|
| NTRT: Nueces River at Three Rivers, Texas | 67 | 131 |
| NRTT: Nueces River at Tilden, Texas | 2 | 2 |
| FRTT: Frio River at Tilden, Texas | 4 | 9 |
| SMTT: San Miguel Creek at Tilden, Texas | 0 | 0 |
| ARWT: Atascosa River at Whitsett, Texas | 2 | 4 |
| Release from Choke Canyon Reservoir | 58 | 115 |
| NRMT: Nueces River at Mathis, Texas (La Fruta Bridge) | 266 | 528 |
| NCAT: Nueces River at Calallen, Texas | 95 | 112 |
| RBP: Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 14 | 25 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

| Target Passthru Monthly Target: 6,500 Salinity Relief Credit: 0 Effective: | 6,500 |
|--|-------|
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 678 |
| Return Flow Credit (Effective: 07/01/2008) | 500 |
| Passthru Target: 6,500 Reservoir Inflow: 25 | 25 |
| Estuary Inflows (NCAT + RBP) | 112 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS (All values are in AcFt)

| Data | Daily Intake | MTD | YTD | July | 2008 | | Elevation (Ft) |
|------------|--------------|-----|--------|------------|-----------|------|----------------|
| Date | рану іптаке | MID | YID | Allocation | Remaining | Full | 07/03/2008 |
| 07/02/2008 | 146 | 291 | 25,928 | 4,100 | 3,809 | 44.0 | 40.6 |

Report Generated: 07/03/2008 at 8:26:56 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: July 4, 2008

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | Lai | ke Corpus Christi I | Combined Reservoir System | | |
|------------|------------------------|---------------|---------------------|----------------|---------------------|---------------------------|---------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 07/04/2007 | 219.2 | 662,006 | 95.2% | 94.4 | 257,260 | 100.0% | 919,266 | 96.5% |
| 07/04/2008 | 217.8 | 628,186 | 90.4% | 91.2 | 207,969 | 80.8% | 836,155 | 87.8% |

| | Weather Related Information | | | | | | | | | |
|------------|-----------------------------|-----------------------|----------------------|------------------|----------------------------|----------------------|--------------------|--|--|--|
| | Choke Canyon Reservoir | | | | e Corpus Christi Reservoir | r | Combined | | | |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) | | | |
| 07/03/2008 | 89 | 157 | 0.12 | 86 | 190 | 0.22 | 347 | | | |
| MTD | | 700 | 0.20 | | 721 | 1.92 | 1,421 | | | |

STREAM FLOWS

| Gauging Station | 07/03/2008 (AcFt) | MTD (AcFt) |
|---|----------------------|---------------|
| NTRT: Nueces River at Three Rivers, Texas | 69 | 200 |
| NRTT: Nueces River at Tilden, Texas | 0 | 3 |
| FRTT: Frio River at Tilden, Texas | 3 | 12 |
| SMTT: San Miguel Creek at Tilden, Texas | 0 | 0 |
| ARWT: Atascosa River at Whitsett, Texas | 6 | 10 |
| Release from Choke Canyon Reservoir | 58 | 173 |
| NRMT: Nueces River at Mathis, Texas (La Fruta Bridge) | 264 | 792 |
| NCAT: Nueces River at Calallen, Texas | 123 | 235 |
| RBP: Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 15 | 40 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

| Target Passthru Monthly Target: 6,500 Salinity Relief Credit: 0 Effective: | 6,500 |
|--|-------|
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 678 |
| Return Flow Credit (Effective: 07/01/2008) | 500 |
| Passthru Target: 6,500 Reservoir Inflow: 40 | 40 |
| Estuary Inflows (NCAT + RBP) | 235 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS (All values are in AcFt)

| Data | Daily Intake | MTD | YTD | July | 2008 | | Elevation (Ft) |
|------------|--------------|-----|--------|------------|-----------|------|----------------|
| Date | | MID | YID | Allocation | Remaining | Full | 07/04/2008 |
| 07/03/2008 | 145 | 437 | 26,074 | 4,100 | 3,663 | 44.0 | 40.6 |

Report Generated: 07/28/2008 at 12:27:55 PM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: July 5, 2008

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | Lai | ke Corpus Christi l | Combined Reservoir System | | |
|------------|------------------------|---------------|---------------------|----------------|---------------------|---------------------------|---------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 07/05/2007 | 220.2 | 686,992 | 98.8% | 94.1 | 257,260 | 100.0% | 944,252 | 99.1% |
| 07/05/2008 | 217.8 | 627,695 | 90.3% | 91.2 | 207,625 | 80.7% | 835,320 | 87.7% |
| | | | XX | 7 41 D L 4 L | T 0 4 | | | |

| | Weather Related Information | | | | | | | | | |
|------------|-----------------------------|-----------------------|----------------------|------------------|----------------------------|----------------------|--------------------|--|--|--|
| | C | hoke Canyon Reservoir | | Lake | e Corpus Christi Reservoir | : | Combined | | | |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) | | | |
| 07/04/2008 | 84 | 271 | 0.14 | 85 | 160 | 0.03 | 431 | | | |
| MTD | | 971 | 0.34 | | 881 | 1.95 | 1,852 | | | |

STREAM FLOWS

| Gauging Station | 07/04/2008 (AcFt) | MTD (AcFt) |
|---|----------------------|---------------|
| NTRT: Nueces River at Three Rivers, Texas | 62 | 262 |
| NRTT: Nueces River at Tilden, Texas | 0 | 3 |
| FRTT: Frio River at Tilden, Texas | 3 | 15 |
| SMTT: San Miguel Creek at Tilden, Texas | 0 | 0 |
| ARWT: Atascosa River at Whitsett, Texas | 8 | 17 |
| Release from Choke Canyon Reservoir | 58 | 230 |
| NRMT: Nueces River at Mathis, Texas (La Fruta Bridge) | 264 | 1,056 |
| NCAT: Nueces River at Calallen, Texas | 139 | 374 |
| RBP: Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 7 | 47 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

| Target Passthru Monthly Target: 6,500 Salinity Relief Credit: 0 Effective: | 6,500 |
|--|-------|
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 678 |
| Return Flow Credit (Effective: 07/01/2008) | 500 |
| Passthru Target: 6,500 Reservoir Inflow: 47 | 47 |
| Estuary Inflows (NCAT + RBP) | 374 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS (All values are in AcFt)

| Data | Daily Intake | MTD | YTD | July | 2008 | | Elevation (Ft) |
|------------|--------------------|-----|--------|------------|-----------|------|----------------|
| Date | Dany Intake | | 110 | Allocation | Remaining | Full | 07/05/2008 |
| 07/04/2008 | 146 | 582 | 26,220 | 4,100 | 3,518 | 44.0 | 40.6 |

Report Generated: 07/28/2008 at 12:28:52 PM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: July 6, 2008

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | La | ke Corpus Christi | Combined Reservoir System | | |
|-----------------------------|------------------------|---------------|-------------------------------|----------------------|-------------------|---------------------------|----------------------|-----------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 07/06/2007 | 221.2 | 712,564 | 102.5% | 94.0 | 257,260 | 100.0% | 969,824 | 101.8% |
| 07/06/2008 | 217.8 | 627,204 | 90.2% | 91.2 | 207,969 | 80.8% | 835,173 | 87.7% |
| Weather Related Information | | | | | | | | |
| Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | | Combined | |
| Date | · | Temp (°F) | | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |

STREAM FLOWS

0.00

0.34

87

190

1,071

0.45

2.40

476

2,328

286

1,257

07/05/2008

MTD

90

| Gauging Station | 07/05/2008 (AcFt) | MTD (AcFt) |
|---|----------------------|---------------|
| NTRT: Nueces River at Three Rivers, Texas | 62 | 324 |
| NRTT: Nueces River at Tilden, Texas | 0 | 3 |
| FRTT: Frio River at Tilden, Texas | 3 | 18 |
| SMTT: San Miguel Creek at Tilden, Texas | 0 | 0 |
| ARWT: Atascosa River at Whitsett, Texas | 18 | 35 |
| Release from Choke Canyon Reservoir | 58 | 288 |
| NRMT: Nueces River at Mathis, Texas (La Fruta Bridge) | 264 | 1,320 |
| NCAT: Nueces River at Calallen, Texas | 139 | 513 |
| RBP: Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 7 | 54 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

| Target Passthru Monthly Target: 6,500 Salinity Relief Credit: 0 Effective: | 6,500 |
|--|-------|
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 678 |
| Return Flow Credit (Effective: 07/01/2008) | 500 |
| Passthru Target: 6,500 Reservoir Inflow: 54 | 54 |
| Estuary Inflows (NCAT + RBP) | 513 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS (All values are in AcFt)

| Data | Daily Intake | MTD | YTD | July | 2008 | Elevation (Ft) | |
|------------|--------------|-----|--------|------------|-----------|----------------|------------|
| Date | Dany Intake | | | Allocation | Remaining | Full | 07/06/2008 |
| 07/05/2008 | 146 | 728 | 26,365 | 4,100 | 3,372 | 44.0 | 40.6 |

Report Generated: 07/28/2008 at 12:29:44 PM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: July 7, 2008

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | La | ke Corpus Christi | Combined Reservoir System | | | |
|------------------------|-----------------------------|---------------|-----------------------|----------------------|--------------------------|---------------------------|----------------------|-----------------------|--|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity | |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% | |
| 07/07/2007 | 221.8 | 729,867 | 105.0% | 94.0 | 256,530 | 99.7% | 986,397 | 103.6% | |
| 07/07/2008 | 217.8 | 626,467 | 90.1% | 91.2 | 207,625 | 80.7% | 834,092 | 87.6% | |
| | Weather Related Information | | | | | | | | |
| Choke Canyon Reservoir | | | | Lake (| Corpus Christi Reservoir | | Combined | | |
| Date | | Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) | |

STREAM FLOWS

0.11

0.45

87

280

1,351

0.06

2.46

737

3,065

457

1,714

91

07/06/2008

MTD

| Gauging Station | 07/06/2008 (AcFt) | MTD (AcFt) | | | | |
|---|----------------------|---------------|--|--|--|--|
| NTRT: Nueces River at Three Rivers, Texas | 64 | 387 | | | | |
| NRTT: Nueces River at Tilden, Texas | 0 | 4 | | | | |
| FRTT: Frio River at Tilden, Texas | 4 | 23 | | | | |
| SMTT: San Miguel Creek at Tilden, Texas | 0 | 0 | | | | |
| ARWT: Atascosa River at Whitsett, Texas | 30 | 65 | | | | |
| Release from Choke Canyon Reservoir | 58 | 345 | | | | |
| NRMT: Nueces River at Mathis, Texas (La Fruta Bridge) | 264 | 1,584 | | | | |
| NCAT: Nueces River at Calallen, Texas | 195 | 707 | | | | |
| RBP: Rincon Bayou Pipeline | 0 | 0 | | | | |
| Reservoir Inflow | | | | | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 10 | 64 | | | | |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

| Target Passthru Monthly Target: 6,500 Salinity Relief Credit: 0 Effective: | 6,500 |
|--|-------|
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 678 |
| Return Flow Credit (Effective: 07/01/2008) | 500 |
| Passthru Target: 6,500 Reservoir Inflow: 64 | 64 |
| Estuary Inflows (NCAT + RBP) | 707 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS (All values are in AcFt)

| Data | Daily Intake | MTD | YTD | July | 2008 | Elevation (Ft) | |
|------------|--------------|-----|--------|------------|-----------|----------------|------------|
| Date | Dany Intake | | | Allocation | Remaining | Full | 07/07/2008 |
| 07/06/2008 | 146 | 874 | 26,511 | 4,100 | 3,226 | 44.0 | 40.6 |

Report Generated: 07/28/2008 at 12:32:44 PM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: July 8, 2008

RESERVOIR STATISTICS

| Choke Canyon Reservoir | | | Lai | ke Corpus Christi | Combined Reservoir System | | | |
|-----------------------------|----------------|---------------|---------------------|-------------------|---------------------------|---------------------|---------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 07/08/2007 | 222.2 | 739,566 | 106.4% | 93.9 | 255,072 | 99.1% | 994,638 | 104.4% |
| 07/08/2008 | 217.9 | 628,432 | 90.4% | 91.2 | 208,313 | 81.0% | 836,745 | 87.8% |
| Weather Related Information | | | | | | | | |

| | Weather Related Information | | | | | | | | |
|------------|-----------------------------|-----------------------|----------------------|------------------|--------------------|----------------------|--------------------|--|--|
| | C | hoke Canyon Reservoir | | Lak | Combined | | | | |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) | | |
| 07/07/2008 | 87 | 200 | 1.09 | 89 | 40 | 0.71 | 240 | | |
| MTD | | 1,914 | 1.54 | | 1,391 | 3.17 | 3,305 | | |

STREAM FLOWS

| Gauging Station | 07/07/2008 (AcFt) | MTD (AcFt) |
|---|----------------------|---------------|
| NTRT: Nueces River at Three Rivers, Texas | 79 | 466 |
| NRTT: Nueces River at Tilden, Texas | 1 | 5 |
| FRTT: Frio River at Tilden, Texas | 7 | 30 |
| SMTT: San Miguel Creek at Tilden, Texas | 0 | 0 |
| ARWT: Atascosa River at Whitsett, Texas | 19 | 84 |
| Release from Choke Canyon Reservoir | 58 | 403 |
| NRMT: Nueces River at Mathis, Texas (La Fruta Bridge) | 264 | 1,848 |
| NCAT: Nueces River at Calallen, Texas | 169 | 876 |
| RBP: Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 29 | 93 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

| Target Passthru Monthly Target: 6,500 Salinity Relief Credit: 0 Effective: | 6,500 |
|--|-------|
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 678 |
| Return Flow Credit (Effective: 07/01/2008) | 500 |
| Passthru Target: 6,500 Reservoir Inflow: 93 | 93 |
| Estuary Inflows (NCAT + RBP) | 876 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS (All values are in AcFt)

| Date | Daily Intake | MTD | YTD | July 2008 | | | Elevation (Ft) |
|------------|--------------|-------|--------|------------|-----------|------|----------------|
| Date | Dany Intake | MID | 110 | Allocation | Remaining | Full | 07/08/2008 |
| 07/07/2008 | 146 | 1,020 | 26,657 | 4,100 | 3,080 | 44.0 | 40.6 |

Report Generated: 07/28/2008 at 12:34:30 PM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: July 9, 2008

RESERVOIR STATISTICS

| Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | T7 1 (4 T0) | | | | | |
|-----------------------------|---------------|--------------------------------|---|--|--|--|--|--|--|
| 220.5 | | | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity | | |
| 220.3 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% | | |
| 222.3 | 742,817 | 106.8% | 93.7 | 252,526 | 98.2% | 995,343 | 104.5% | | |
| 217.9 | 629,660 | 90.6% | 91.3 | 209,174 | 81.3% | 838,834 | 88.1% | | |
| Weather Related Information | | | | | | | | | |
| Choke Canyon Reservoir | | | | Lake C | Corpus Christi Reservoir | | Combined | | |
| | 222.3 | 222.3 742,817 217.9 629,660 | 222.3 742,817 106.8% 217.9 629,660 90.6% | 222.3 742,817 106.8% 93.7 217.9 629,660 90.6% 91.3 Weather Related | 222.3 742,817 106.8% 93.7 252,526 217.9 629,660 90.6% 91.3 209,174 Weather Related Information | 222.3 742,817 106.8% 93.7 252,526 98.2% 217.9 629,660 90.6% 91.3 209,174 81.3% Weather Related Information | 222.3 742,817 106.8% 93.7 252,526 98.2% 995,343 217.9 629,660 90.6% 91.3 209,174 81.3% 838,834 Weather Related Information | | |

| | weather Related Information | | | | | | | | | |
|------------|-----------------------------|-----------------------|--|-----|-------|----------|--------------------|--|--|--|
| | Choke Canyon Reservoir | | | Lak | r | Combined | | | | |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall Air Temp Evaporation Rainfall (Inches) (°F) (AcFt) (Inches) | | | | Evaporation (AcFt) | | | |
| 07/08/2008 | 85 | 143 | 1.32 | 87 | 120 | 0.12 | 263 | | | |
| MTD | | 2,057 | 2.86 | | 1,511 | 3.29 | 3,568 | | | |

STREAM FLOWS

| Gauging Station | 07/08/2008 (AcFt) | MTD (AcFt) |
|---|----------------------|---------------|
| NTRT: Nueces River at Three Rivers, Texas | 75 | 542 |
| NRTT: Nueces River at Tilden, Texas | 1 | 6 |
| FRTT: Frio River at Tilden, Texas | 16 | 46 |
| SMTT: San Miguel Creek at Tilden, Texas | 0 | 0 |
| ARWT: Atascosa River at Whitsett, Texas | 34 | 118 |
| Release from Choke Canyon Reservoir | 58 | 461 |
| NRMT: Nueces River at Mathis, Texas (La Fruta Bridge) | 244 | 2,092 |
| NCAT: Nueces River at Calallen, Texas | 153 | 1,029 |
| RBP: Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 34 | 127 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

| Target Passthru Monthly Target: 6,500 Salinity Relief Credit: 0 Effective: | 6,500 |
|--|-------|
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 678 |
| Return Flow Credit (Effective: 07/01/2008) | 500 |
| Passthru Target: 6,500 Reservoir Inflow: 127 | 127 |
| Estuary Inflows (NCAT + RBP) | 1,029 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS (All values are in AcFt)

| Date | Daily Intake | MTD | YTD | July 2008 | | | Elevation (Ft) |
|------------|--------------|-------|--------|------------|-----------|------|----------------|
| Date | Dany Intake | MID | 110 | Allocation | Remaining | Full | 07/09/2008 |
| 07/08/2008 | 146 | 1,166 | 26,803 | 4,100 | 2,934 | 44.0 | 40.6 |

Report Generated: 07/29/2008 at 8:02:45 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: July 10, 2008

RESERVOIR STATISTICS

| Choke Canyon Reservoir | | | La | ke Corpus Christi | Combined Reservoir System | | | | |
|--|-----------------------------|---------------|---------------------|-------------------|---------------------------|---------------------|---------------|---------------------|--|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity | |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% | |
| 07/10/2007 | 222.2 | 740,107 | 106.4% | 93.7 | 251,982 | 97.9% | 992,089 | 104.2% | |
| 07/10/2008 | 217.9 | 629,414 | 90.5% | 91.3 | 208,658 | 81.1% | 838,072 | 88.0% | |
| | Weather Related Information | | | | | | | | |
| Choke Canyon Reservoir Lake Corpus Christi Reservoir | | | | | | | Combined | | |

| | Weather Related Information | | | | | | | | | | |
|------------|---|-------|------|----|-------------------------------|------|-----------------------|--|--|--|--|
| | Choke Canyon Reservoir | | | | Lake Corpus Christi Reservoir | | | | | | |
| Date | Air Temp Evaporation Rainfall Air Temp Evaporation Rainfall (°F) (AcFt) (Inches) (°F) (AcFt) (Inches) | | | | | | Evaporation (AcFt) | | | | |
| 07/09/2008 | 93 | 486 | 0.00 | 90 | 281 | 0.10 | 767 | | | | |
| MTD | | 2,543 | 2.86 | | 1,792 | 3.39 | 4,335 | | | | |

STREAM FLOWS

| Gauging Station | 07/09/2008 (AcFt) | MTD (AcFt) |
|---|----------------------|---------------|
| NTRT: Nueces River at Three Rivers, Texas | 85 | 627 |
| NRTT: Nueces River at Tilden, Texas | 3 | 9 |
| FRTT: Frio River at Tilden, Texas | 14 | 60 |
| SMTT: San Miguel Creek at Tilden, Texas | 0 | 0 |
| ARWT: Atascosa River at Whitsett, Texas | 54 | 172 |
| Release from Choke Canyon Reservoir | 58 | 518 |
| NRMT: Nueces River at Mathis, Texas (La Fruta Bridge) | 222 | 2,315 |
| NCAT: Nueces River at Calallen, Texas | 153 | 1,182 |
| RBP: Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 42 | 170 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

| Target Passthru Monthly Target: 6,500 Salinity Relief Credit: 0 Effective: | 6,500 |
|--|-------|
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 678 |
| Return Flow Credit (Effective: 07/01/2008) | 500 |
| Passthru Target: 6,500 Reservoir Inflow: 170 | 170 |
| Estuary Inflows (NCAT + RBP) | 1,182 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS (All values are in AcFt)

| Date | Daily Intake | MTD | YTD | July 2008 | | | Elevation (Ft) |
|------------|--------------|-------|--------|------------|-----------|------|----------------|
| Date | Dany Intake | MID | 110 | Allocation | Remaining | Full | 07/10/2008 |
| 07/09/2008 | 146 | 1,312 | 26,949 | 4,100 | 2,788 | 44.0 | 40.6 |

Report Generated: 07/28/2008 at 12:35:41 PM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: July 11, 2008

RESERVOIR STATISTICS

| Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | | | | |
|------------------------|-----------------------------|---------------|-------------------------------|----------------|---------------|---------------------------|---------------|---------------------|--|--|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity | | |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% | | |
| 07/11/2007 | 221.7 | 727,455 | 104.6% | 93.8 | 253,071 | 98.4% | 980,526 | 102.9% | | |
| 07/11/2008 | 217.9 | 628,678 | 90.4% | 91.2 | 207,969 | 80.8% | 836,647 | 87.8% | | |
| | Weather Related Information | | | | | | | | | |
| | Choke Canyon Reservoir | | | | Lake (| Corpus Christi Reservoir | | Combined | | |
| | | ZD. | | D 1 0 11 | 4.1 700 | T | D | T (1 | | |

| Weather Related find matter | | | | | | | | | |
|-----------------------------|------------------------|--------------------|----------------------|------------------|-----------------------|----------------------|--------------------|--|--|
| | Choke Canyon Reservoir | | | Lake | Combined | | | | |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) | | |
| 07/10/2008 | 94 | 529 | 0.00 | 92 | 331 | 0.00 | 860 | | |
| MTD | | 3,072 | 2.86 | | 2,123 | 3.39 | 5,195 | | |

STREAM FLOWS

| Gauging Station | 07/10/2008 (AcFt) | MTD (AcFt) |
|---|----------------------|---------------|
| NTRT: Nueces River at Three Rivers, Texas | 127 | 754 |
| NRTT: Nueces River at Tilden, Texas | 3 | 12 |
| FRTT: Frio River at Tilden, Texas | 11 | 71 |
| SMTT: San Miguel Creek at Tilden, Texas | 0 | 0 |
| ARWT: Atascosa River at Whitsett, Texas | 54 | 225 |
| Release from Choke Canyon Reservoir | 58 | 576 |
| NRMT: Nueces River at Mathis, Texas (La Fruta Bridge) | 220 | 2,535 |
| NCAT: Nueces River at Calallen, Texas | 139 | 1,321 |
| RBP: Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 80 | 250 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

| Target Passthru Monthly Target: 6,500 Salinity Relief Credit: 0 Effective: | 6,500 |
|--|-------|
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 678 |
| Return Flow Credit (Effective: 07/01/2008) | 500 |
| Passthru Target: 6,500 Reservoir Inflow: 250 | 250 |
| Estuary Inflows (NCAT + RBP) | 1,321 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS (All values are in AcFt)

| Data | Daily Intake | MTD | YTD | July | 2008 | Elevation (Ft) | |
|------------|--------------------|-------|--------|------------|-----------|----------------|------------|
| Date | Dany Intake | MID | YID | Allocation | Remaining | Full | 07/11/2008 |
| 07/10/2008 | 146 | 1,458 | 27,095 | 4,100 | 2,642 | 44.0 | 40.5 |

Report Generated: 07/28/2008 at 12:36:50 PM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: July 12, 2008

RESERVOIR STATISTICS

| Choke Canyon Reservoir | | | Lai | ke Corpus Christi l | Combined Reservoir System | | | | | |
|------------------------|---------------------|---------------|---------------------|---------------------|---------------------------|---------------------|---------------|---------------------|--|--|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity | | |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% | | |
| 07/12/2007 | 221.2 | 717,063 | 103.1% | 93.9 | 255,437 | 99.3% | 972,500 | 102.1% | | |
| 07/12/2008 | 217.9 | 628,432 | 90.4% | 91.2 | 207,281 | 80.6% | 835,713 | 87.7% | | |
| | W. d. D.L. IV.C. d. | | | | | | | | | |

| | Weather Related Information | | | | | | | | |
|------------|-----------------------------|--------------------|----------------------|------------------|--------------------|----------------------|--------------------|--|--|
| | Choke Canyon Reservoir | | | Lake | Combined | | | | |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) | | |
| 07/11/2008 | 96 | 600 | 0.00 | 94 | 330 | 0.00 | 930 | | |
| MTD | | 3,672 | 2.86 | | 2,453 | 3.39 | 6,125 | | |

STREAM FLOWS

| Gauging Station | 07/11/2008 (AcFt) | MTD (AcFt) | | | | | |
|---|----------------------|---------------|--|--|--|--|--|
| NTRT: Nueces River at Three Rivers, Texas | 103 | 858 | | | | | |
| NRTT: Nueces River at Tilden, Texas | 2 | 13 | | | | | |
| FRTT: Frio River at Tilden, Texas | 8 | 79 | | | | | |
| SMTT: San Miguel Creek at Tilden, Texas | 0 | 0 | | | | | |
| ARWT: Atascosa River at Whitsett, Texas | 50 | 275 | | | | | |
| Release from Choke Canyon Reservoir | 58 | 633 | | | | | |
| NRMT: Nueces River at Mathis, Texas (La Fruta Bridge) | 222 | 2,757 | | | | | |
| NCAT: Nueces River at Calallen, Texas | 89 | 1,410 | | | | | |
| RBP: Rincon Bayou Pipeline | 0 | 0 | | | | | |
| Reservoir Inflow | Reservoir Inflow | | | | | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 54 | 303 | | | | | |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

| Target Passthru Monthly Target: 6,500 Salinity Relief Credit: 0 Effective: | 6,500 |
|--|-------|
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 678 |
| Return Flow Credit (Effective: 07/01/2008) | 500 |
| Passthru Target: 6,500 Reservoir Inflow: 303 | 303 |
| Estuary Inflows (NCAT + RBP) | 1,410 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS (All values are in AcFt)

| Data | Daily Intake | MTD | YTD | July 2008 | | | Elevation (Ft) |
|------------|--------------|-------|--------|------------|-----------|------|----------------|
| Date | Dany Intake | MIID | YID | Allocation | Remaining | Full | 07/12/2008 |
| 07/11/2008 | 146 | 1,604 | 27,241 | 4,100 | 2,496 | 44.0 | 40.5 |

Report Generated: 07/28/2008 at 12:37:31 PM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: July 13, 2008

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | La | ke Corpus Christi | Combined Reservoir System | | |
|------------------------|------------------------|---------------|-------------------------------|----------------------|-------------------|---------------------------|----------------------|-----------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 07/13/2007 | 220.9 | 704,932 | 101.4% | 94.0 | 256,895 | 99.9% | 961,827 | 101.0% |
| 07/13/2008 | 217.8 | 627,941 | 90.3% | 91.2 | 207,281 | 80.6% | 835,222 | 87.7% |
| | | | v | Veather Related | Information | | | |
| Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | | Combined | |
| Date | | Temp (°F) | | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |

92

0.00

3.39

340

2,793

854

6,979

STREAM FLOWS

0.00

2.86

95

07/12/2008

MTD

514

4,186

| Gauging Station | 07/12/2008 (AcFt) | MTD (AcFt) |
|---|----------------------|---------------|
| NTRT: Nueces River at Three Rivers, Texas | 93 | 951 |
| NRTT: Nueces River at Tilden, Texas | 1 | 15 |
| FRTT: Frio River at Tilden, Texas | 9 | 87 |
| SMTT: San Miguel Creek at Tilden, Texas | 0 | 0 |
| ARWT: Atascosa River at Whitsett, Texas | 40 | 315 |
| Release from Choke Canyon Reservoir | 58 | 691 |
| NRMT: Nueces River at Mathis, Texas (La Fruta Bridge) | 220 | 2,978 |
| NCAT: Nueces River at Calallen, Texas | 77 | 1,488 |
| RBP: Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 44 | 347 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

| Target Passthru Monthly Target: 6,500 Salinity Relief Credit: 0 Effective: | 6,500 |
|--|-------|
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 678 |
| Return Flow Credit (Effective: 07/01/2008) | 500 |
| Passthru Target: 6,500 Reservoir Inflow: 347 | 347 |
| Estuary Inflows (NCAT + RBP) | 1,488 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS (All values are in AcFt)

| Date | Daily Intake MTD | | July 2008 | | MTD YTD July 2008 | | | Elevation (Ft) |
|------------|--------------------|-------|-----------|------------|-------------------|------|------------|----------------|
| Date | Дану Іптаке | MID | YID | Allocation | Remaining | Full | 07/13/2008 | |
| 07/12/2008 | 146 | 1,749 | 27,386 | 4,100 | 2,351 | 44.0 | 40.5 | |

Report Generated: 07/28/2008 at 12:38:09 PM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: July 14, 2008

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | Lal | ke Corpus Christi I | Combined Reservoir System | | |
|------------|------------------------|---------------|---------------------|----------------|---------------------|---------------------------|---------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 07/14/2007 | 220.5 | 695,531 | 100.0% | 94.0 | 256,530 | 99.7% | 952,061 | 100.0% |
| 07/14/2008 | 217.8 | 627,695 | 90.3% | 91.1 | 206,422 | 80.2% | 834,117 | 87.6% |

| | Weather Related Information | | | | | | | | | |
|------------|-----------------------------|-------|------|----|-------------------------------|----------------------|--------------------|--|--|--|
| | Choke Canyon Reservoir | | | | Lake Corpus Christi Reservoir | | | | | |
| Date | | | | | | Rainfall (Inches) | Evaporation (AcFt) | | | |
| 07/13/2008 | 96 | 586 | 0.00 | 95 | 340 | 0.00 | 926 | | | |
| MTD | | 4,772 | 2.86 | | 3,133 | 3.39 | 7,905 | | | |

STREAM FLOWS

| Gauging Station | 07/13/2008 (AcFt) | MTD (AcFt) |
|---|----------------------|---------------|
| NTRT: Nueces River at Three Rivers, Texas | 83 | 1,034 |
| NRTT: Nueces River at Tilden, Texas | 1 | 16 |
| FRTT: Frio River at Tilden, Texas | 14 | 101 |
| SMTT: San Miguel Creek at Tilden, Texas | 0 | 0 |
| ARWT: Atascosa River at Whitsett, Texas | 32 | 346 |
| Release from Choke Canyon Reservoir | 58 | 748 |
| NRMT: Nueces River at Mathis, Texas (La Fruta Bridge) | 220 | 3,198 |
| NCAT: Nueces River at Calallen, Texas | 83 | 1,571 |
| RBP: Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 40 | 387 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

| Target Passthru Monthly Target: 6,500 Salinity Relief Credit: 0 Effective: | 6,500 |
|--|-------|
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 678 |
| Return Flow Credit (Effective: 07/01/2008) | 500 |
| Passthru Target: 6,500 Reservoir Inflow: 387 | 387 |
| Estuary Inflows (NCAT + RBP) | 1,571 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS (All values are in AcFt)

| Date | Daily Intake | MTD YTD | | July 2008 | | | Elevation (Ft) |
|------------|--------------|---------|--------|------------|-----------|------|----------------|
| Date | Dany Intake | MIID | 110 | Allocation | Remaining | Full | 07/14/2008 |
| 07/13/2008 | 146 | 1,895 | 27,532 | 4,100 | 2,205 | 44.0 | 40.5 |

Report Generated: 07/28/2008 at 12:38:52 PM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: July 15, 2008

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | La | ke Corpus Christi | Combined Reservoir System | | |
|------------|-----------------------------|---------------|---------------------|----------------|-------------------|----------------------------|---------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 07/15/2007 | 220.4 | 693,715 | 99.8% | 93.9 | 254,890 | 99.1% | 948,605 | 99.6% |
| 07/15/2008 | 217.8 | 627,204 | 90.2% | 91.1 | 205,907 | 80.0% | 833,111 | 87.5% |
| | Weather Related Information | | | | | | | |
| | | Chalra (| Comprom Docompoin | | I also (| Communa Chuisti Bassamusia | | Combined |

| | Weather Related Information | | | | | | | | | |
|------------|-----------------------------|--------------------|----------------------|------------------|-----------------------|----------------------|--------------------|--|--|--|
| | Choke Canyon Reservoir | | | Lake | | Combined | | | | |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) | | | |
| 07/14/2008 | 97 | 585 | 0.00 | 96 | 360 | 0.00 | 945 | | | |
| MTD | | 5,357 | 2.86 | | 3,493 | 3.39 | 8,850 | | | |

STREAM FLOWS

| Gauging Station | 07/14/2008 (AcFt) | MTD (AcFt) |
|---|----------------------|---------------|
| NTRT: Nueces River at Three Rivers, Texas | 79 | 1,114 |
| NRTT: Nueces River at Tilden, Texas | 1 | 17 |
| FRTT: Frio River at Tilden, Texas | 13 | 115 |
| SMTT: San Miguel Creek at Tilden, Texas | 0 | 0 |
| ARWT: Atascosa River at Whitsett, Texas | 19 | 366 |
| Release from Choke Canyon Reservoir | 58 | 806 |
| NRMT: Nueces River at Mathis, Texas (La Fruta Bridge) | 222 | 3,420 |
| NCAT: Nueces River at Calallen, Texas | 56 | 1,627 |
| RBP: Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 35 | 422 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

| Target Passthru Monthly Target: 6,500 Salinity Relief Credit: 0 Effective: | 6,500 |
|--|-------|
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 678 |
| Return Flow Credit (Effective: 07/01/2008) | 500 |
| Passthru Target: 6,500 Reservoir Inflow: 422 | 422 |
| Estuary Inflows (NCAT + RBP) | 1,627 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS (All values are in AcFt)

| Date | | Daily Intake | MTD YTD | | July 2008 | | | Elevation (Ft) |
|-----------|---|--------------------|---------|--------|------------|-----------|------|----------------|
| Date | | Дану Іптаке | MIID | 110 | Allocation | Remaining | Full | 07/15/2008 |
| 07/14/200 | 3 | 146 | 2,041 | 27,678 | 4,100 | 2,059 | 44.0 | 40.5 |

Report Generated: 07/28/2008 at 12:39:30 PM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: July 16, 2008

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | Lai | ke Corpus Christi | Reservoir | Combined Reservoir System | |
|------------------------|-----------------------------|---------------|---------------------|----------------|-------------------|--------------------------|---------------------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 07/16/2007 | 220.5 | 695,271 | 100.0% | 93.9 | 255,983 | 99.5% | 951,254 | 99.9% |
| 07/16/2008 | 217.8 | 626,713 | 90.1% | 91.1 | 205,393 | 79.8% | 832,106 | 87.4% |
| | Weather Related Information | | | | | | | |
| Choke Canyon Reservoir | | | | | Lake C | Corpus Christi Reservoir | | Combined |

| | weather Related Information | | | | | | | | | |
|------------|-----------------------------|-----------------------|----------------------|------------------|-----------------------|----------------------|-----------------------|--|--|--|
| | Choke Canyon Reservoir | | | Lak | | Combined | | | | |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) | | | |
| 07/15/2008 | 97 | 557 | 0.00 | 96 | 400 | 0.00 | 957 | | | |
| MTD | | 5,914 | 2.86 | | 3,893 | 3.39 | 9,807 | | | |

STREAM FLOWS

| Gauging Station | 07/15/2008 (AcFt) | MTD (AcFt) |
|---|----------------------|---------------|
| NTRT: Nueces River at Three Rivers, Texas | 69 | 1,183 |
| NRTT: Nueces River at Tilden, Texas | 1 | 18 |
| FRTT: Frio River at Tilden, Texas | 12 | 127 |
| SMTT: San Miguel Creek at Tilden, Texas | 0 | 0 |
| ARWT: Atascosa River at Whitsett, Texas | 14 | 380 |
| Release from Choke Canyon Reservoir | 58 | 863 |
| NRMT: Nueces River at Mathis, Texas (La Fruta Bridge) | 220 | 3,640 |
| NCAT: Nueces River at Calallen, Texas | 60 | 1,686 |
| RBP: Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 24 | 446 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

| Target Passthru Monthly Target: 6,500 Salinity Relief Credit: 0 Effective: | 6,500 |
|--|-------|
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 678 |
| Return Flow Credit (Effective: 07/01/2008) | 500 |
| Passthru Target: 6,500 Reservoir Inflow: 446 | 446 |
| Estuary Inflows (NCAT + RBP) | 1,686 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS (All values are in AcFt)

| Data | Daily Intake | MTD | YTD | July 2008 | | | Elevation (Ft) |
|------------|--------------|-------|--------|------------|-----------|------|----------------|
| Date | Daily Intake | MID | YID | Allocation | Remaining | Full | 07/16/2008 |
| 07/15/2008 | 146 | 2,186 | 27,823 | 4,100 | 1,914 | 44.0 | 40.4 |

Report Generated: 07/28/2008 at 12:40:21 PM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: July 17, 2008

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | La | ke Corpus Christi | Combined Reservoir System | | |
|------------|-----------------------------|---------------|---------------------|----------------|-------------------|------------------------------|---------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 07/17/2007 | 220.4 | 693,196 | 99.7% | 94.0 | 257,260 | 100.0% | 950,456 | 99.8% |
| 07/17/2008 | 217.8 | 625,976 | 90.0% | 91.1 | 205,050 | 79.7% | 831,026 | 87.2% |
| | Weather Related Information | | | | | | | |
| | | Chalra (| Comprom Docompoin | | L also C | Company Charleti Baccarrelia | | Combined |

| | weather Related Information | | | | | | | | | |
|------------|-----------------------------|-----------------------|----------------------|------------------|--------------------|----------------------|-----------------------|--|--|--|
| | Choke Canyon Reservoir | | | Lake | | Combined | | | | |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) | | | |
| 07/16/2008 | 94 | 499 | 0.00 | 95 | 280 | 0.00 | 779 | | | |
| MTD | | 6,413 | 2.86 | | 4,173 | 3.39 | 10,586 | | | |

STREAM FLOWS

| Gauging Station | 07/16/2008 (AcFt) | MTD (AcFt) |
|---|----------------------|---------------|
| NTRT: Nueces River at Three Rivers, Texas | 67 | 1,251 |
| NRTT: Nueces River at Tilden, Texas | 1 | 19 |
| FRTT: Frio River at Tilden, Texas | 12 | 138 |
| SMTT: San Miguel Creek at Tilden, Texas | 0 | 0 |
| ARWT: Atascosa River at Whitsett, Texas | 11 | 391 |
| Release from Choke Canyon Reservoir | 58 | 921 |
| NRMT: Nueces River at Mathis, Texas (La Fruta Bridge) | 220 | 3,861 |
| NCAT: Nueces River at Calallen, Texas | 50 | 1,736 |
| RBP: Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 22 | 468 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

| Target Passthru Monthly Target: 6,500 Salinity Relief Credit: 0 Effective: | 6,500 |
|--|-------|
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 678 |
| Return Flow Credit (Effective: 07/01/2008) | 500 |
| Passthru Target: 6,500 Reservoir Inflow: 468 | 468 |
| Estuary Inflows (NCAT + RBP) | 1,736 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS (All values are in AcFt)

| Data | Daily Intake | MTD | YTD | July 2008 | | | Elevation (Ft) |
|------------|---------------|-------|--------|------------|-----------|------|----------------|
| Date | Daily Ilitake | MIID | 110 | Allocation | Remaining | Full | 07/17/2008 |
| 07/16/2008 | 146 | 2,332 | 27,969 | 4,100 | 1,768 | 44.0 | 40.4 |

Report Generated: 07/28/2008 at 12:40:59 PM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: July 18, 2008

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | La | ke Corpus Christi | Combined Reservoir System | | | | |
|------------|-----------------------------|---------------|---------------------|-------------------|---------------------------|--------------------------|---------------|---------------------|--|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity | |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% | |
| 07/18/2007 | 220.4 | 693,715 | 99.8% | 94.1 | 257,260 | 100.0% | 950,975 | 99.8% | |
| 07/18/2008 | 217.7 | 624,994 | 89.9% | 91.0 | 204,536 | 79.5% | 829,530 | 87.1% | |
| | Weather Related Information | | | | | | | | |
| | Choke Canyon Reservoir | | | | Lake C | Corpus Christi Reservoir | | Combined | |

| | | | weather Keia | ted information | | | |
|------------|------------------------|-----------------------|----------------------|------------------|-----------------------|----------------------|-----------------------|
| | Choke Canyon Reservoir | | | Lak | | Combined | |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 07/17/2008 | 94 | 499 | 0.00 | 93 | 339 | 0.00 | 838 |
| MTD | | 6,912 | 2.86 | | 4,512 | 3.39 | 11,424 |

STREAM FLOWS

| Gauging Station | 07/17/2008 (AcFt) | MTD (AcFt) |
|---|----------------------|---------------|
| NTRT: Nueces River at Three Rivers, Texas | 6 | 1,314 |
| NRTT: Nueces River at Tilden, Texas | | 19 |
| FRTT: Frio River at Tilden, Texas | 1 | 150 |
| SMTT: San Miguel Creek at Tilden, Texas | | 0 |
| ARWT: Atascosa River at Whitsett, Texas | | 400 |
| Release from Choke Canyon Reservoir | 5 | 979 |
| NRMT: Nueces River at Mathis, Texas (La Fruta Bridge) | 22 | 4,089 |
| NCAT: Nueces River at Calallen, Texas | 3 | 1,771 |
| RBP: Rincon Bayou Pipeline | 1- | 14 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 1 | 485 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

| Target Passthru Monthly Target: 6,500 Salinity Relief Credit: 0 Effective: | 6,500 |
|--|-------|
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 678 |
| Return Flow Credit (Effective: 07/01/2008) | 500 |
| Passthru Target: 6,500 Reservoir Inflow: 485 | 485 |
| Estuary Inflows (NCAT + RBP) | 1,785 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS (All values are in AcFt)

| Date | Daily Intake | MTD | YTD | July | 2008 | | Elevation (Ft) |
|------------|---------------|-------|--------|------------|-----------|------|----------------|
| Date | Daily Ilitake | MID | 110 | Allocation | Remaining | Full | 07/18/2008 |
| 07/17/2008 | 146 | 2,478 | 28,115 | 4,100 | 1,622 | 44.0 | 40.4 |

Report Generated: 07/28/2008 at 12:41:36 PM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: July 19, 2008

RESERVOIR STATISTICS

| Choke Canyon Reservoir | | | Lal | ke Corpus Christi l | Combined Reservoir System | | | |
|------------------------|----------------|---------------|---------------------|---------------------|---------------------------|---------------------|---------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 07/19/2007 | 220.5 | 694,233 | 99.9% | 94.2 | 257,260 | 100.0% | 951,493 | 99.9% |
| 07/19/2008 | 217.7 | 624,261 | 89.8% | 91.0 | 203,509 | 79.1% | 827,770 | 86.9% |
| | | | V | leather Related | Information | | | |

| | Weather Related Information | | | | | | | | | | |
|-------|-----------------------------|------------------|-----------------------|----------------------|---------------------------|--------------------|----------------------|--------------------|--|--|--|
| | Choke Canyon Reservoir | | | Lak | e Corpus Christi Reservoi | r | Combined | | | | |
| Da | ate | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) | | | |
| 07/18 | 3/2008 | 95 | 570 | 0.00 | 95 | 369 | 0.00 | 939 | | | |
| M | TD | | 7,482 | 2.86 | | 4,881 | 3.39 | 12,363 | | | |

STREAM FLOWS

| Gauging Station | 07/18/2008 (AcFt) | MTD (AcFt) |
|---|----------------------|---------------|
| NTRT: Nueces River at Three Rivers, Texas | 73 | 1,388 |
| NRTT: Nueces River at Tilden, Texas | 0 | 20 |
| FRTT: Frio River at Tilden, Texas | 11 | 161 |
| SMTT: San Miguel Creek at Tilden, Texas | 0 | 0 |
| ARWT: Atascosa River at Whitsett, Texas | 7 | 408 |
| Release from Choke Canyon Reservoir | 58 | 1,036 |
| NRMT: Nueces River at Mathis, Texas (La Fruta Bridge) | 250 | 4,339 |
| NCAT: Nueces River at Calallen, Texas | 3 | 1,775 |
| RBP: Rincon Bayou Pipeline | 16 | 30 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 27 | 512 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

| Target Passthru Monthly Target: 6,500 Salinity Relief Credit: 0 Effective: | 6,500 |
|--|-------|
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 678 |
| Return Flow Credit (Effective: 07/01/2008) | 500 |
| Passthru Target: 6,500 Reservoir Inflow: 512 | 512 |
| Estuary Inflows (NCAT + RBP) | 1,805 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS (All values are in AcFt)

| Date | Daily Intake | MTD | YTD | July | 2008 | | Elevation (Ft) |
|------------|--------------|---------|------------|-----------|-------|------------|----------------|
| Date | Dany Intake | MID IID | Allocation | Remaining | Full | 07/19/2008 | |
| 07/18/2008 | 146 | 2,624 | 28,261 | 4,100 | 1,476 | 44.0 | 40.4 |

Report Generated: 07/28/2008 at 12:42:20 PM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: July 20, 2008

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | Lal | ke Corpus Christi l | Combined Reservoir System | | |
|------------|------------------------|---------------|---------------------|----------------|---------------------|---------------------------|---------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 07/20/2007 | 220.5 | 694,752 | 99.9% | 94.2 | 257,260 | 100.0% | 952,012 | 99.9% |
| 07/20/2008 | 217.7 | 624,261 | 89.8% | 91.0 | 203,338 | 79.0% | 827,599 | 86.9% |

| | Weather Related Information | | | | | | | | | |
|------------------------|-----------------------------|-----------------------|----------------------|------------------|-----------------------|----------------------|-----------------------|--|--|--|
| Choke Canyon Reservoir | | | | Lake | Combined | | | | | |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) | | | |
| 07/19/2008 | 95 | 499 | 0.00 | 94 | 339 | 0.00 | 838 | | | |
| MTD | | 7,981 | 2.86 | | 5,220 | 3.39 | 13,201 | | | |

STREAM FLOWS

| Gauging Station | 07/19/2008 (AcFt) | MTD (AcFt) |
|---|----------------------|---------------|
| NTRT: Nueces River at Three Rivers, Texas | 73 | 1,461 |
| NRTT: Nueces River at Tilden, Texas | 0 | 20 |
| FRTT: Frio River at Tilden, Texas | 9 | 170 |
| SMTT: San Miguel Creek at Tilden, Texas | 0 | 0 |
| ARWT: Atascosa River at Whitsett, Texas | 7 | 414 |
| Release from Choke Canyon Reservoir | 58 | 1,094 |
| NRMT: Nueces River at Mathis, Texas (La Fruta Bridge) | 250 | 4,589 |
| NCAT: Nueces River at Calallen, Texas | 22 | 1,797 |
| RBP: Rincon Bayou Pipeline | 0 | 30 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 25 | 537 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

| Target Passthru Monthly Target: 6,500 Salinity Relief Credit: 0 Effective: | 6,500 |
|--|-------|
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 678 |
| Return Flow Credit (Effective: 07/01/2008) | 500 |
| Passthru Target: 6,500 Reservoir Inflow: 537 | 537 |
| Estuary Inflows (NCAT + RBP) | 1,826 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS (All values are in AcFt)

| Date | Daily Intake | MTD | YTD | July | 2008 | | Elevation (Ft) |
|------------|---------------|-------|---------|------------|-----------|------|----------------|
| Date | Daily Ilitake | MID | MID IID | Allocation | Remaining | Full | 07/20/2008 |
| 07/19/2008 | 146 | 2,769 | 28,406 | 4,100 | 1,331 | 44.0 | 40.4 |

Report Generated: 07/28/2008 at 12:42:51 PM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: July 21, 2008

RESERVOIR STATISTICS

| | | Choke Canyon Re | | Lake Corpus Christi Reservoir | | | | Combined Reservoir System | | |
|------------|-----------------------------|-----------------|-----------------------|-------------------------------|------------------|-------|--------------------------|---------------------------|---------------------|--|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacit | Elevation (F | t) Volume (Ac | Ft) | Percent of Capacity | Volume (AcFt) | Percent of Capacity | |
| FULL | 220.5 | 695,271 | 100 | % 9. | 1.0 257, | 260 | 100% | 952,531 | 100% | |
| 07/21/2007 | 220.5 | 696,052 | 100.1 | % 9. | 1.1 257, | 260 | 100.0% | 953,312 | 100.1% | |
| 07/21/2008 | 217.7 | 623,531 | 89.7 | % 9 | 0.9 202, | 655 | 78.8% | 826,186 | 86.7% | |
| | Weather Related Information | | | | | | | | | |
| | | Choke | Canyon Reservoir | | La | ike C | Corpus Christi Reservoir | r | Combined | |
| Date | Aiı | Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) | |
| 07/20/20 | 800 | 96 | 555 | 0.00 | 94 | | 338 | 0.00 | 893 | |
| MTD |) | | 8,536 | 2.86 | | | 5,558 | 3.39 | 14,094 | |

STREAM FLOWS

| Gauging Station | 07/20/2008 (AcFt) | MTD (AcFt) |
|---|----------------------|---------------|
| NTRT: Nueces River at Three Rivers, Texas | 71 | 1,532 |
| NRTT: Nueces River at Tilden, Texas | 0 | 20 |
| FRTT: Frio River at Tilden, Texas | 7 | 177 |
| SMTT: San Miguel Creek at Tilden, Texas | 0 | 0 |
| ARWT: Atascosa River at Whitsett, Texas | 6 | 420 |
| Release from Choke Canyon Reservoir | 58 | 1,151 |
| NRMT: Nueces River at Mathis, Texas (La Fruta Bridge) | 250 | 4,839 |
| NCAT: Nueces River at Calallen, Texas | 34 | 1,830 |
| RBP: Rincon Bayou Pipeline | 0 | 30 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 21 | 558 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

| Target Passthru Monthly Target: 6,500 Salinity Relief Credit: 0 Effective: | 6,500 |
|--|-------|
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 678 |
| Return Flow Credit (Effective: 07/01/2008) | 500 |
| Passthru Target: 6,500 Reservoir Inflow: 558 | 558 |
| Estuary Inflows (NCAT + RBP) | 1,860 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS (All values are in AcFt)

| Date | Daily Intake | MTD | YTD | July | 2008 | Elevation (Ft) | |
|------------|--------------|-------|--------|------------|-----------|----------------|------------|
| Date | Dany Intake | WIID | | Allocation | Remaining | Full | 07/21/2008 |
| 07/20/2008 | 146 | 2,915 | 28,552 | 4,100 | 1,185 | 44.0 | 40.4 |

Report Generated: 07/28/2008 at 12:43:29 PM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: July 22, 2008

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | L | ake Corpus Christi | Combined Reservoir System | | |
|------------|------------------------|---------------|-----------------------|----------------------|--------------------|---------------------------|----------------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 07/22/2007 | 220.5 | 696,312 | 100.1% | 94.1 | 257,260 | 100.0% | 953,572 | 100.1% |
| 07/22/2008 | 217.6 | 622,801 | 89.6% | 90.9 | 202,142 | 78.6% | 824,943 | 86.6% |
| | | | 1 | Weather Related | Information | | | |
| | | Choke (| Canyon Reservoir | | Lake | Corpus Christi Reservoir | r | Combined |
| Date | · I | Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 07/21/20 | 008 | 100 | 583 | 0.00 | 98 | 358 | 0.00 | 941 |
| MTD |) | | 9,119 | 2.86 | | 5.916 | 3.39 | 15,035 |

STREAM FLOWS

| Gauging Station | 07/21/2008 (AcFt) | MTD (AcFt) | | | | |
|---|----------------------|---------------|--|--|--|--|
| NTRT: Nueces River at Three Rivers, Texas | 69 | 1,602 | | | | |
| NRTT: Nueces River at Tilden, Texas | 0 | 21 | | | | |
| FRTT: Frio River at Tilden, Texas | 6 | 183 | | | | |
| SMTT: San Miguel Creek at Tilden, Texas | 0 | 0 | | | | |
| ARWT: Atascosa River at Whitsett, Texas | 5 | 426 | | | | |
| Release from Choke Canyon Reservoir | 58 | 1,209 | | | | |
| NRMT: Nueces River at Mathis, Texas (La Fruta Bridge) | 250 | 5,090 | | | | |
| NCAT: Nueces River at Calallen, Texas | 9 | 1,840 | | | | |
| RBP: Rincon Bayou Pipeline | 0 | 30 | | | | |
| Reservoir Inflow | | | | | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 18 | 576 | | | | |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

| Target Passthru Monthly Target: 6,500 Salinity Relief Credit: 0 Effective: | 6,500 |
|--|-------|
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 678 |
| Return Flow Credit (Effective: 07/01/2008) | 500 |
| Passthru Target: 6,500 Reservoir Inflow: 576 | 576 |
| Estuary Inflows (NCAT + RBP) | 1,869 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS (All values are in AcFt)

| Date | Daily Intake | MTD | YTD | July | 2008 | Elevation (Ft) | |
|------------|---------------|-------|--------|------------|-----------|----------------|------------|
| Date | Daily Ilitake | MIID | | Allocation | Remaining | Full | 07/22/2008 |
| 07/21/2008 | 146 | 3,061 | 28,698 | 4,100 | 1,039 | 44.0 | 40.2 |

Report Generated: 07/28/2008 at 12:51:47 PM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: July 23, 2008

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | La | ake Corpus Christi | Combined Reservoir System | | |
|------------|------------------------|---------------|-----------------------|----------------------|--------------------|---------------------------|----------------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 07/23/2007 | 220.5 | 694,493 | 99.9% | 94.0 | 256,895 | 99.9% | 951,388 | 99.9% |
| 07/23/2008 | 217.6 | 621,827 | 89.4% | 90.9 | 202,142 | 78.6% | 823,969 | 86.5% |
| | | | 1 | Weather Related | Information | | | |
| | | Choke (| Canyon Reservoir | | Lake | Corpus Christi Reservoir | r | Combined |
| Date | | Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 07/22/20 | 008 | 99 | 583 | 0.00 | 96 | 129 | 0.01 | 712 |
| MTE | | | 9,702 | 2.86 | | 6.045 | 3.40 | 15,747 |

STREAM FLOWS

| Gauging Station | 07/22/2008 (AcFt) | MTD (AcFt) | | | | |
|---|----------------------|---------------|--|--|--|--|
| NTRT: Nueces River at Three Rivers, Texas | 69 | 1,671 | | | | |
| NRTT: Nueces River at Tilden, Texas | 0 | 21 | | | | |
| FRTT: Frio River at Tilden, Texas | 5 | 188 | | | | |
| SMTT: San Miguel Creek at Tilden, Texas | 0 | 0 | | | | |
| ARWT: Atascosa River at Whitsett, Texas | 5 | 430 | | | | |
| Release from Choke Canyon Reservoir | 58 | 1,266 | | | | |
| NRMT: Nueces River at Mathis, Texas (La Fruta Bridge) | 250 | 5,340 | | | | |
| NCAT: Nueces River at Calallen, Texas | 50 | 1,889 | | | | |
| RBP: Rincon Bayou Pipeline | 0 | 30 | | | | |
| Reservoir Inflow | | | | | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 17 | 593 | | | | |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

| Target Passthru Monthly Target: 6,500 Salinity Relief Credit: 0 Effective: | 6,500 |
|--|-------|
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 678 |
| Return Flow Credit (Effective: 07/01/2008) | 500 |
| Passthru Target: 6,500 Reservoir Inflow: 593 | 593 |
| Estuary Inflows (NCAT + RBP) | 1,919 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS (All values are in AcFt)

| Date | Daily Intake | MTD | YTD | July | 2008 | Elevation (Ft) | |
|------------|--------------|-------|--------|------------|-----------|----------------|------------|
| Date | Dany Intake | MIID | | Allocation | Remaining | Full | 07/23/2008 |
| 07/22/2008 | 146 | 3,206 | 28,843 | 4,100 | 894 | 44.0 | 40.2 |

Report Generated: 07/28/2008 at 12:52:30 PM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: July 24, 2008

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | La | ke Corpus Christi | Combined Reservoir System | | | | |
|------------|-----------------------------|---------------|---------------------|----------------|-------------------------------|---------------------------|---------------|---------------------|--|--|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity | | |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% | | |
| 07/24/2007 | 220.4 | 691,380 | 99.4% | 94.0 | 257,260 | 100.0% | 948,640 | 99.6% | | |
| 07/24/2008 | 217.6 | 623,288 | 89.6% | 90.9 | 202,142 | 78.6% | 825,430 | 86.7% | | |
| | Weather Related Information | | | | | | | | | |
| | Choke Canyon Reservoir | | | | Lake Corpus Christi Reservoir | | | Combined | | |

| | Weather Related filled madeli | | | | | | | | | | |
|------------|-------------------------------|-----------------------|----------------------|------------------|-----------------------|----------------------|--------------------|--|--|--|--|
| | C | hoke Canyon Reservoir | | Lake | r | Combined | | | | | |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) | | | | |
| 07/23/2008 | 86 | 427 | 2.32 | 80 | 567 | 1.41 | 994 | | | | |
| MTD | | 10,129 | 5.18 | | 6,612 | 4.81 | 16,741 | | | | |

STREAM FLOWS

| Gauging Station | 07/23/2008 (AcFt) | MTD (AcFt) |
|---|----------------------|---------------|
| NTRT: Nueces River at Three Rivers, Texas | 67 | 1,739 |
| NRTT: Nueces River at Tilden, Texas | 1 | 22 |
| FRTT: Frio River at Tilden, Texas | 5 | 193 |
| SMTT: San Miguel Creek at Tilden, Texas | 0 | 0 |
| ARWT: Atascosa River at Whitsett, Texas | 4 | 435 |
| Release from Choke Canyon Reservoir | 58 | 1,324 |
| NRMT: Nueces River at Mathis, Texas (La Fruta Bridge) | 232 | 5,572 |
| NCAT: Nueces River at Calallen, Texas | 147 | 2,036 |
| RBP: Rincon Bayou Pipeline | 0 | 30 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 15 | 608 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

| Target Passthru Monthly Target: 6,500 Salinity Relief Credit: 0 Effective: | 6,500 |
|--|-------|
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 678 |
| Return Flow Credit (Effective: 07/01/2008) | 500 |
| Passthru Target: 6,500 Reservoir Inflow: 608 | 608 |
| Estuary Inflows (NCAT + RBP) | 2,066 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS (All values are in AcFt)

| Date | Daily Intake | MTD | YTD | July 2008 | | Elevation (Ft) | |
|------------|---------------|-------|--------|------------|-----------|----------------|------------|
| | Daily Ilitake | MID | | Allocation | Remaining | Full | 07/24/2008 |
| 07/23/2008 | 146 | 3,352 | 28,989 | 4,100 | 748 | 44.0 | 40.2 |

Report Generated: 07/28/2008 at 12:53:09 PM

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | |] | ake Corpus Christ | Combined Reservoir System | | |
|------------|------------------------|---------------|-----------------------|----------------------|-------------------|---------------------------|----------------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (F |) Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 1009 | 6 94 | 0 257,260 | 100% | 952,531 | 100% |
| 07/25/2007 | 220.0 | 683,374 | 98.39 | 6 94 | 0 257,260 | 100.0% | 940,634 | 98.8% |
| 07/25/2008 | 217.7 | 625,239 | 89.99 | 6 91 | 1 206,25 | 80.2% | 831,490 | 87.3% |
| | | | | Weather Relate | d Information | | | |
| | | Choke (| Canyon Reservoir | | Lake | Corpus Christi Reservoir | r | Combined |
| Date | Air | Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 07/24/20 | 008 | 80 | 124 | 0.54 | 84 | Pan overflow | 1.62 | 124 |
| MTD |) | | 10,253 | 5.72 | | 6,612 | 6.43 | 16,865 |

STREAM FLOWS

| Gauging Station | 07/24/2008 (AcFt) | MTD (AcFt) |
|---|----------------------|---------------|
| NTRT: Nueces River at Three Rivers, Texas | 200 | 1,939 |
| NRTT: Nueces River at Tilden, Texas | 2 | 23 |
| FRTT: Frio River at Tilden, Texas | 8 | 201 |
| SMTT: San Miguel Creek at Tilden, Texas | 5 | 5 |
| ARWT: Atascosa River at Whitsett, Texas | 343 | 778 |
| Release from Choke Canyon Reservoir | 58 | 1,382 |
| NRMT: Nueces River at Mathis, Texas (La Fruta Bridge) | 224 | 5,796 |
| NCAT: Nueces River at Calallen, Texas | 256 | 2,292 |
| RBP: Rincon Bayou Pipeline | 0 | 30 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 156 | 764 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

| Target Passthru Monthly Target: 6,500 Salinity Relief Credit: 0 Effective: | 6,500 |
|--|-------|
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 678 |
| Return Flow Credit (Effective: 07/01/2008) | 500 |
| Passthru Target: 6,500 Reservoir Inflow: 764 | 764 |
| Estuary Inflows (NCAT + RBP) | 2,322 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS (All values are in AcFt)

| Date | Daily Intaka | Daily Intake MTD | | July | 2008 | Elevation (Ft) | |
|------------|---------------|------------------|--------|------------|-----------|----------------|------------|
| | Daily Ilitake | WIID | YTD | Allocation | Remaining | Full | 07/25/2008 |
| 07/24/2008 | 145 | 3,497 | 29,134 | 4,100 | 603 | 44.0 | 40.2 |

Report Generated: 07/28/2008 at 12:54:01 PM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: July 26, 2008

| | Choke Canyon Reservoir | | | Lal | ke Corpus Christi l | Combined Reservoir System | | |
|------------|------------------------|---------------|---------------------|----------------|---------------------|---------------------------|---------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 07/26/2007 | 219.7 | 675,443 | 97.1% | 93.9 | 255,983 | 99.5% | 931,426 | 97.8% |
| 07/26/2008 | 217.7 | 624,748 | 89.9% | 91.2 | 207,625 | 80.7% | 832,373 | 87.4% |

| | Weather Related Information | | | | | | | | | | | |
|------------|-----------------------------|-----------------------|----------------------|------------------|-----------------------|----------------------|-----------------------|--|--|--|--|--|
| | C | hoke Canyon Reservoir | | Lake | Combined | | | | | | | |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) | | | | | |
| 07/25/2008 | 91 | 427 | 0.00 | 89 | 220 | 0.00 | 647 | | | | | |
| MTD | | 10,680 | 5.72 | | 6,832 | 6.43 | 17,512 | | | | | |

| Gauging Station | 07/25/2008 (AcFt) | MTD (AcFt) |
|---|----------------------|---------------|
| NTRT: Nueces River at Three Rivers, Texas | 1,646 | 3,585 |
| NRTT: Nueces River at Tilden, Texas | 1 | 25 |
| FRTT: Frio River at Tilden, Texas | 7 | 208 |
| SMTT: San Miguel Creek at Tilden, Texas | 7 | 12 |
| ARWT: Atascosa River at Whitsett, Texas | 1,401 | 2,179 |
| Release from Choke Canyon Reservoir | 58 | 1,439 |
| NRMT: Nueces River at Mathis, Texas (La Fruta Bridge) | 220 | 6,017 |
| Nucat: Nueces River at Calallen, Texas | 131 | 2,423 |
| RBP: Rincon Bayou Pipeline | 0 | 30 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 1,601 | 2,365 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

| Target Passthru Monthly Target: 6,500 Salinity Relief Credit: 0 Effective: | 6,500 |
|--|-------|
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 678 |
| Return Flow Credit (Effective: 07/01/2008) | 500 |
| Passthru Target: 6,500 Reservoir Inflow: 2,365 | 2,365 |
| Estuary Inflows (NCAT + RBP) | 2,453 |
| PassThru Surplus / -Deficit: | 1,266 |

LAKE TEXANA STATISTICS (All values are in AcFt)

| Date | Daily Intake | MTD | YTD | July | 2008 | | Elevation (Ft) |
|------------|--------------|-------|--------|------------|-----------|------|----------------|
| Date | рапу іптаке | | 110 | Allocation | Remaining | Full | 07/26/2008 |
| 07/25/2008 | 145 | 3,642 | 29,280 | 4,100 | 458 | 44.0 | 40.2 |

Report Generated: 07/28/2008 at 12:58:05 PM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: July 27, 2008

| | Choke Canyon Reservoir | | Lai | ke Corpus Christi | Combined Reservoir System | | | |
|------|------------------------|---------------|---------------------|-------------------|---------------------------|---------------------|---------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |

| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
|------------|-------|---------|-------|------|---------|-------|---------|-------|
| 07/27/2007 | 219.7 | 674,169 | 97.0% | 93.9 | 255,619 | 99.4% | 929,788 | 97.6% |
| 07/27/2008 | 217.7 | 624,505 | 89.8% | 91.2 | 208,313 | 81.0% | 832,818 | 87.4% |

| | Weather Related Information | | | | | | | | | | | |
|------------|-----------------------------|-----------------------|----------------------|------------------|----------------------------|----------------------|--------------------|--|--|--|--|--|
| | C | hoke Canyon Reservoir | | Lake | e Corpus Christi Reservoir | r | Combined | | | | | |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) | | | | | |
| 07/26/2008 | 94 | 499 | 0.00 | 93 | 321 | 0.00 | 820 | | | | | |
| MTD | | 11,179 | 5.72 | | 7,153 | 6.43 | 18,332 | | | | | |

| Gauging Station | 07/26/2008 (AcFt) | MTD (AcFt) |
|---|----------------------|---------------|
| NTRT: Nueces River at Three Rivers, Texas | 1,602 | 5,187 |
| NRTT: Nueces River at Tilden, Texas | 2 | 26 |
| FRTT: Frio River at Tilden, Texas | 6 | 214 |
| SMTT: San Miguel Creek at Tilden, Texas | 0 | 12 |
| ARWT: Atascosa River at Whitsett, Texas | 985 | 3,164 |
| Release from Choke Canyon Reservoir | 58 | 1,497 |
| NRMT: Nueces River at Mathis, Texas (La Fruta Bridge) | 218 | 6,235 |
| NCAT: Nueces River at Calallen, Texas | 111 | 2,534 |
| RBP: Rincon Bayou Pipeline | 0 | 30 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 1,551 | 3,916 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

| Target Passthru Monthly Target: 6,500 Salinity Relief Credit: 0 Effective: | 6,500 |
|--|-------|
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 678 |
| Return Flow Credit (Effective: 07/01/2008) | 500 |
| Passthru Target: 6,500 Reservoir Inflow: 3,916 | 3,916 |
| Estuary Inflows (NCAT + RBP) | 2,564 |
| PassThru Surplus / -Deficit: | -174 |

LAKE TEXANA STATISTICS (All values are in AcFt)

| Date | Daily Intake | MTD | YTD | July 2008 | | | Elevation (Ft) |
|------------|--------------|-------|--------|------------|-----------|------|----------------|
| Date | Dany Intake | MID | 110 | Allocation | Remaining | Full | 07/27/2008 |
| 07/26/2008 | 145 | 3,788 | 29,425 | 4,100 | 312 | 44.0 | 40.2 |

Report Generated: 07/28/2008 at 12:59:02 PM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: July 28, 2008

| | Choke Canyon Reservoir | | | Lal | ke Corpus Christi l | Combined Reservoir System | | |
|------------|------------------------|---------------|---------------------|----------------|---------------------|---------------------------|---------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 07/28/2007 | 220.0 | 681,582 | 98.0% | 93.9 | 255,983 | 99.5% | 937,565 | 98.4% |

| 07/28/2008 | 217.7 | 624,261 | 89.8 | % 9 | 1.3 208,6 | 81.1% | 832,919 | 87.4% | | | |
|------------|-----------------------------|--------------|-----------------------|----------------------|------------------|--------------------|----------------------|--------------------|--|--|--|
| | Weather Related Information | | | | | | | | | | |
| | Choke Canyon Reservoir | | | | Lak | r | Combined | | | | |
| Date | | Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) | | | |
| 07/27/200 | 08 | 94 | 484 | 0.00 | 95 | 431 | 0.00 | 915 | | | |
| MTD | | | 11,663 | 5.72 | | 7,584 | 6.43 | 19,247 | | | |

| Gauging Station | 07/27/2008 (AcFt) | MTD (AcFt) |
|---|----------------------|---------------|
| NTRT: Nueces River at Three Rivers, Texas | 721 | 5,907 |
| NRTT: Nueces River at Tilden, Texas | 4 | 31 |
| FRTT: Frio River at Tilden, Texas | 8 | 222 |
| SMTT: San Miguel Creek at Tilden, Texas | | 12 |
| ARWT: Atascosa River at Whitsett, Texas | 248 | 3,412 |
| Release from Choke Canyon Reservoir | 58 | 1,554 |
| NRMT: Nueces River at Mathis, Texas (La Fruta Bridge) | 218 | 6,453 |
| NCAT: Nueces River at Calallen, Texas | 95 | 2,630 |
| RBP: Rincon Bayou Pipeline | | 30 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 671 | 4,587 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

| Target Passthru Monthly Target: 6,500 Salinity Relief Credit: 0 Effective: | 6,500 |
|--|-------|
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 678 |
| Return Flow Credit (Effective: 07/01/2008) | 500 |
| Passthru Target: 6,500 Reservoir Inflow: 4,587 | 4,587 |
| Estuary Inflows (NCAT + RBP) | 2,660 |
| PassThru Surplus / -Deficit: | -749 |

LAKE TEXANA STATISTICS (All values are in AcFt)

|] | Date | Daily Intake | MTD | YTD | July | 2008 |] | Elevation (Ft) |
|---|------------|--------------|-------|--------|------------|-------------------|------|----------------|
| 1 | Date | Dany Intake | WIID | 110 | Allocation | ocation Remaining | Full | 07/28/2008 |
| 1 | 07/27/2008 | 145 | 3,933 | 29,570 | 4,100 | 167 | 44.0 | 40.2 |

Report Generated: 07/28/2008 at 2:35:38 PM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: July 29, 2008

| | Choke Canyon Reservoir | | | Lal | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|----------------|-------------------------------|---------------------|---------------|---------------------------|--|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity | |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% | |
| 07/29/2007 | 220.5 | 695,271 | 100.0% | 94.0 | 256,895 | 99.9% | 952,166 | 100.0% | |

| 07/29/2008 | 217.7 | 623,531 | 89.7 | /% 9 | 1.3 208,4 | 85 81.0% | 832,010 | 5 87.3% | | | |
|------------|-----------------------------|--------------|-----------------------|----------------------|------------------|----------------------------|----------------------|--------------------|--|--|--|
| | Weather Related Information | | | | | | | | | | |
| | | Choke (| Canyon Reservoir | | La | ke Corpus Christi Reservoi | r | Combined | | | |
| Date | Air | Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) | | | |
| 07/28/20 | 08 | 95 | 498 | 0.00 | 94 | 351 | 0.00 | 849 | | | |
| MTD | | | 12,161 | 5.72 | | 7,935 | 6.43 | 20,096 | | | |

| Gauging Station | 07/28/2008 (AcFt) | MTD (AcFt) |
|---|----------------------|---------------|
| NTRT: Nueces River at Three Rivers, Texas | 228 | 6,136 |
| NRTT: Nueces River at Tilden, Texas | 3 | 34 |
| FRTT: Frio River at Tilden, Texas | 9 | 231 |
| SMTT: San Miguel Creek at Tilden, Texas | 0 | 12 |
| ARWT: Atascosa River at Whitsett, Texas | 101 | 3,513 |
| Release from Choke Canyon Reservoir | 58 | 1,612 |
| NRMT: Nueces River at Mathis, Texas (La Fruta Bridge) | 218 | 6,672 |
| Nucat: Nucces River at Calallen, Texas | 46 | 2,675 |
| RBP: Rincon Bayou Pipeline | 0 | 30 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 180 | 4,767 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

| Target Passthru Monthly Target: 6,500 Salinity Relief Credit: 0 Effective: | 6,500 | | |
|--|-------|--|--|
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 678 | | |
| Return Flow Credit (Effective: 07/01/2008) | | | |
| Passthru Target: 6,500 Reservoir Inflow: 4,767 | 4,767 | | |
| Estuary Inflows (NCAT + RBP) | 2,705 | | |
| PassThru Surplus / -Deficit: | -883 | | |

LAKE TEXANA STATISTICS (All values are in AcFt)

|] | Date | Daily Intake | MTD | YTD | July | July 2008 | | Elevation (Ft) | |
|---|------------|--------------|-------|--------|------------|-----------|------|----------------|--|
| | Date | Dany Intake | WIID | 110 | Allocation | Remaining | Full | 07/29/2008 | |
| 1 | 07/28/2008 | 145 | 4,078 | 29,715 | 4,100 | 22 | 44.0 | 40.2 | |

Report Generated: 07/29/2008 at 8:50:10 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: July 30, 2008

| | | Choke Canyon Re | servoir | Lai | ke Corpus Christi l | Reservoir | Combined Reservoir System | |
|------------|----------------|-----------------|---------------------|----------------|---------------------|---------------------|---------------------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 07/30/2007 | 220.9 | 706,244 | 101.6% | 94.0 | 257,260 | 100.0% | 963,504 | 101.2% |

| 07/30/2008 | 217.6 | 623,044 | 89.6 | % 9 | 1.2 207,9 | 59 80.8% | 831,013 | 87.2% | | |
|------------|-----------------------------|-----------|---------------------|----------------------|------------------|---------------------------|----------------------|-----------------------|--|--|
| | Weather Related Information | | | | | | | | | |
| | | Choke Can | yon Reservoir | | Lak | e Corpus Christi Reservoi | r | Combined | | |
| Date | Air Temp (°F) | | aporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) | | |
| 07/29/2008 | 93 | | 541 | 0.00 | 92 | 351 | 0.00 | 892 | | |
| MTD | | | 12,702 | 5.72 | | 8,286 | 6.43 | 20,988 | | |

| Gauging Station | 07/29/2008 (AcFt) | MTD (AcFt) |
|---|----------------------|---------------|
| NTRT: Nueces River at Three Rivers, Texas | 147 | 6,283 |
| NRTT: Nueces River at Tilden, Texas | 0 | 34 |
| FRTT: Frio River at Tilden, Texas | 11 | 242 |
| SMTT: San Miguel Creek at Tilden, Texas | 0 | 12 |
| ARWT: Atascosa River at Whitsett, Texas | 64 | 3,577 |
| Release from Choke Canyon Reservoir | 58 | 1,669 |
| NRMT: Nueces River at Mathis, Texas (La Fruta Bridge) | 242 | 6,914 |
| Nucat: Nucces River at Calallen, Texas | 50 | 2,725 |
| RBP: Rincon Bayou Pipeline | 0 | 30 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 100 | 4,867 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

| Target Passthru Monthly Target: 6,500 Salinity Relief Credit: 0 Effective: | 6,500 |
|--|-------|
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 678 |
| Return Flow Credit (Effective: 07/01/2008) | 500 |
| Passthru Target: 6,500 Reservoir Inflow: 4,867 | 4,867 |
| Estuary Inflows (NCAT + RBP) | 2,755 |
| PassThru Surplus / -Deficit: | -934 |

LAKE TEXANA STATISTICS (All values are in AcFt)

| | Date | Daily Intake | MTD | YTD | July | 2008 | Elevation (Ft) | |
|---|------------|--------------|-------|--------|------------|-----------|----------------|------------|
| | Date | Dany Intake | MIID | 110 | Allocation | Remaining | Full | 07/30/2008 |
| 1 | 07/29/2008 | 145 | 4,223 | 29,860 | 4,100 | -123 | 44.0 | 40.1 |

Report Generated: 07/30/2008 at 9:46:49 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: July 31, 2008

| | Choke Canyon Reservoir | | | Lai | ke Corpus Christi | Combined Reservoir System | | |
|------|------------------------|---------------|---------------------|----------------|-------------------|---------------------------|---------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |

| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
|------------|-------|---------|--------|------|---------|--------|---------|--------|
| 07/31/2007 | 220.8 | 703,621 | 101.2% | 94.0 | 257,260 | 100.0% | 960,881 | 100.9% |
| 07/31/2008 | 217.6 | 622,314 | 89.5% | 91.2 | 207,625 | 80.7% | 829,939 | 87.1% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|----------------------|------------------|-----------------------|----------------------|--------------------|
| | Choke Canyon Reservoir | | | Lake | Combined | | |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 07/30/2008 | 93 | 469 | 0.00 | 96 | 381 | 0.00 | 850 |
| MTD | | 13,171 | 5.72 | | 8,667 | 6.43 | 21,838 |

| Gauging Station | 07/30/2008 (AcFt) | MTD (AcFt) |
|---|----------------------|---------------|
| NTRT: Nueces River at Three Rivers, Texas | 113 | 6,396 |
| NRTT: Nueces River at Tilden, Texas | 0 | 34 |
| FRTT: Frio River at Tilden, Texas | 10 | 252 |
| SMTT: San Miguel Creek at Tilden, Texas | 0 | 12 |
| ARWT: Atascosa River at Whitsett, Texas | 54 | 3,630 |
| Release from Choke Canyon Reservoir | 58 | 1,727 |
| NRMT: Nueces River at Mathis, Texas (La Fruta Bridge) | 262 | 7,176 |
| Nucat: Nucces River at Calallen, Texas | 66 | 2,791 |
| RBP: Rincon Bayou Pipeline | 0 | 30 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 66 | 4,933 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

| Target Passthru Monthly Target: 6,500 Salinity Relief Credit: 0 Effective: | 6,500 |
|--|-------|
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 678 |
| Return Flow Credit (Effective: 07/01/2008) | 500 |
| Passthru Target: 6,500 Reservoir Inflow: 4,933 | 4,933 |
| Estuary Inflows (NCAT + RBP) | 2,820 |
| PassThru Surplus / -Deficit: | -934 |

LAKE TEXANA STATISTICS (All values are in AcFt)

| | Date | Daily Intake | MTD | YTD | July 2008 | | Elevation (Ft) | |
|---|------------|--------------|-------|--------|----------------------|------|----------------|------------|
| | Date | Dany Intake | WIID | 110 | Allocation Remaining | | Full | 07/31/2008 |
| , | 07/30/2008 | 145 | 4,369 | 30,006 | 4,100 | -269 | 44.0 | 40.0 |

Report Generated: 07/31/2008 at 8:30:35 AM