

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 1, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/01/2007	220.6	697,092	100.3%	94.2	257,260	100.0%	954,352	100.2%
09/01/2008	217.3	615,987	88.6%	91.2	208,141	80.9%	824,128	86.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/31/2008	92	297	0.00	92	241	0.00	538
MTD		12,121	3.81		8,585	6.45	20,706

STREAM FLOWS

Gauging Station	08/31/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	260	4,974
NRTT : Nueces River at Tilden, Texas	421	1,192
FRTT : Frio River at Tilden, Texas	40	487
SMTT : San Miguel Creek at Tilden, Texas	1	386
ARWT : Atascosa River at Whitsett, Texas	50	3,532
Release from Choke Canyon Reservoir	58	1,785
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	7,213
NCAT : Nueces River at Calallen, Texas	46	4,161
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	243	4,062

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/06/2008)	-927
Return Flow Credit (Effective: 08/06/2008)	500
Passthru Target: 6,500 Reservoir Inflow: 4,062	4,062
Estuary Inflows (NCAT + RBP)	4,161
PassThru Surplus / -Deficit:	-328

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2008		Elevation (Ft)	
				Allocation	Remaining	Full	09/01/2008
08/31/2008	142	4,446	34,596	4,100	-346	44.0	40.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 2, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/02/2007	220.6	697,092	100.3%	94.3	257,260	100.0%	954,352	100.2%
09/02/2008	217.3	615,501	88.5%	91.2	208,141	80.9%	823,642	86.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/01/2008	95	410	0.00	94	361	0.00	771
MTD		410	0.00		361	0.00	771

STREAM FLOWS

Gauging Station	09/01/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	379	379
NRTT : Nueces River at Tilden, Texas	403	403
FRIT : Frio River at Tilden, Texas	36	36
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	46	46
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	206	206
NCAT : Nueces River at Calallen, Texas	36	36
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	358	358

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-328
Return Flow Credit (Effective:)	0
Passthru Target: 28,500 Reservoir Inflow: 358	358
Estuary Inflows (NCAT + RBP)	36
PassThru Surplus / -Deficit:	-650

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2008		Elevation (Ft)	
				Allocation	Remaining	Full	09/02/2008
09/01/2008	142	142	34,738	4,100	3,958	44.0	40.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 3, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/03/2007	220.6	697,092	100.3%	94.2	257,260	100.0%	954,352	100.2%
09/03/2008	217.3	615,014	88.5%	91.2	208,313	81.0%	823,327	86.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/02/2008	100	424	0.00	98	241	0.00	665
MTD		834	0.00		602	0.00	1,436

STREAM FLOWS

Gauging Station	09/02/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	391	770
NRTT : Nueces River at Tilden, Texas	371	774
FRIT : Frio River at Tilden, Texas	30	66
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	42	87
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	234	441
NCAT : Nueces River at Calallen, Texas	14	50
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	363	721

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-328
Return Flow Credit (Effective:)	0
Passthru Target: 28,500 Reservoir Inflow: 721	721
Estuary Inflows (NCAT + RBP)	50
PassThru Surplus / -Deficit:	-999

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2008		Elevation (Ft)	
				Allocation	Remaining	Full	09/03/2008
09/02/2008	141	283	34,880	4,100	3,817	44.0	39.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 4, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/04/2007	220.6	698,395	100.4%	94.3	257,260	100.0%	955,655	100.3%
09/04/2008	217.3	614,527	88.4%	91.2	207,797	80.8%	822,324	86.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/03/2008	97	523	0.00	94	401	0.00	924
MTD		1,357	0.00		1,003	0.00	2,360

STREAM FLOWS

Gauging Station	09/03/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	345	1,116
NRTT : Nueces River at Tilden, Texas	538	1,312
FRIT : Frio River at Tilden, Texas	26	91
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	36	123
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	280	721
NCAT : Nueces River at Calallen, Texas	36	85
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	314	1,035

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru	28,500
Monthly Target: 28,500	
Salinity Relief Credit : 0 Effective:	
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-328
Return Flow Credit (Effective:)	0
Passthru	1,035
Target: 28,500	
Reservoir Inflow: 1,035	
Estuary Inflows (NCAT + RBP)	85
PassThru Surplus / -Deficit:	-1,277

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2008		Elevation (Ft)	
				Allocation	Remaining	Full	09/04/2008
09/03/2008	141	425	35,021	4,100	3,675	44.0	39.8

Report Generated: 09/04/2008 at 8:45:54 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 5, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/05/2007	220.6	696,572	100.2%	94.3	257,260	100.0%	953,832	100.1%
09/05/2008	217.3	614,284	88.4%	91.2	207,281	80.6%	821,565	86.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/04/2008	94	381	0.00	91	320	0.00	701
MTD		1,738	0.00		1,323	0.00	3,061

STREAM FLOWS

Gauging Station	09/04/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	463	1,578
NRTT : Nueces River at Tilden, Texas	590	1,902
FRIT : Frio River at Tilden, Texas	22	113
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	32	155
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	284	1,004
NCAT : Nueces River at Calallen, Texas	77	163
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	427	1,461

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-328
Return Flow Credit (Effective:)	0
Passthru Target: 28,500 Reservoir Inflow: 1,461	1,461
Estuary Inflows (NCAT + RBP)	163
PassThru Surplus / -Deficit:	-1,627

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2008		Elevation (Ft)	
				Allocation	Remaining	Full	09/05/2008
09/04/2008	141	566	35,162	4,100	3,534	44.0	39.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 6, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/06/2007	220.6	697,092	100.3%	94.3	257,260	100.0%	954,352	100.2%
09/06/2008	217.3	613,797	88.3%	91.2	206,938	80.4%	820,735	86.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/05/2008	94	424	0.00	93	220	0.00	644
MTD		2,162	0.00		1,543	0.00	3,705

STREAM FLOWS

Gauging Station	09/05/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	524	2,102
NRTT : Nueces River at Tilden, Texas	433	2,334
FRIT : Frio River at Tilden, Texas	20	133
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	30	185
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	339	1,344
NCAT : Nueces River at Calallen, Texas	77	240
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	486	1,948

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-328
Return Flow Credit (Effective:)	0
Passthru Target: 28,500 Reservoir Inflow: 1,948	1,948
Estuary Inflows (NCAT + RBP)	240
PassThru Surplus / -Deficit:	-2,035

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2008		Elevation (Ft)	
				Allocation	Remaining	Full	09/06/2008
09/05/2008	141	707	35,303	4,100	3,393	44.0	39.8

Report Generated: 09/06/2008 at 8:35:09 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 7, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/07/2007	220.6	697,353	100.3%	94.2	257,260	100.0%	954,613	100.2%
09/07/2008	217.2	613,310	88.2%	91.1	206,594	80.3%	819,904	86.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/06/2008	92	409	0.00	91	340	0.00	749
MTD		2,571	0.00		1,883	0.00	4,454

STREAM FLOWS

Gauging Station	09/06/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	431	2,533
NRTT : Nueces River at Tilden, Texas	199	2,533
FRTT : Frio River at Tilden, Texas	20	153
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	32	216
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	369	1,713
NCAT : Nueces River at Calallen, Texas	169	409
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	393	2,341

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/06/2008)	-328
Return Flow Credit (Effective: 09/06/2008)	500
Passthru Target: 28,500 Reservoir Inflow: 2,341	2,341
Estuary Inflows (NCAT + RBP)	409
PassThru Surplus / -Deficit:	-1,760

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2008		Elevation (Ft)	
				Allocation	Remaining	Full	09/07/2008
09/06/2008	141	848	35,445	4,100	3,252	44.0	39.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 8, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/08/2007	220.6	698,134	100.4%	94.2	257,260	100.0%	955,394	100.3%
09/08/2008	217.2	612,580	88.1%	91.1	206,251	80.2%	818,831	86.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/07/2008	93	339	0.00	89	120	0.00	459
MTD		2,910	0.00		2,003	0.00	4,913

STREAM FLOWS

Gauging Station	09/07/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	250	2,783
NRTT : Nueces River at Tilden, Texas	139	2,672
FRIT : Frio River at Tilden, Texas	22	175
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	30	246
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	298	2,011
NCAT : Nueces River at Calallen, Texas	220	629
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	214	2,555

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/06/2008)	-328
Return Flow Credit (Effective: 09/06/2008)	500
Passthru Target: 28,500 Reservoir Inflow: 2,555	2,555
Estuary Inflows (NCAT + RBP)	629
PassThru Surplus / -Deficit:	-1,754

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2008		Elevation (Ft)	
				Allocation	Remaining	Full	09/08/2008
09/07/2008	141	989	35,585	4,100	3,111	44.0	39.8

Report Generated: 09/08/2008 at 8:41:28 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 9, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/09/2007	220.6	698,395	100.4%	94.2	257,260	100.0%	955,655	100.3%
09/09/2008	217.2	611,616	88.0%	91.1	206,079	80.1%	817,695	85.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/08/2008	94	352	0.00	92	260	0.12	612
MTD		3,262	0.00		2,263	0.12	5,525

STREAM FLOWS

Gauging Station	09/08/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	206	2,989
NRTT : Nueces River at Tilden, Texas	115	2,787
FRIT : Frio River at Tilden, Texas	15	190
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	26	272
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	230	2,241
NCAT : Nueces River at Calallen, Texas	147	776
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	164	2,719

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/06/2008)	-328
Return Flow Credit (Effective: 09/06/2008)	500
Passthru Target: 28,500 Reservoir Inflow: 2,719	2,719
Estuary Inflows (NCAT + RBP)	776
PassThru Surplus / -Deficit:	-1,771

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2008		Elevation (Ft)	
				Allocation	Remaining	Full	09/09/2008
09/08/2008	140	1,129	35,726	4,100	2,971	44.0	39.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 10, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/10/2007	220.6	698,656	100.5%	94.2	257,260	100.0%	955,916	100.4%
09/10/2008	217.2	611,857	88.0%	91.1	205,736	80.0%	817,593	85.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/09/2008	92	437	0.64	88	170	0.16	607
MTD		3,699	0.64		2,433	0.28	6,132

STREAM FLOWS

Gauging Station	09/09/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	191	3,180
NRTT : Nueces River at Tilden, Texas	79	2,866
FRTT : Frio River at Tilden, Texas	14	204
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	24	296
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	242	2,483
NCAT : Nueces River at Calallen, Texas	93	869
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	147	2,867

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/06/2008)	-328
Return Flow Credit (Effective: 09/06/2008)	500
Passthru Target: 28,500 Reservoir Inflow: 2,867	2,867
Estuary Inflows (NCAT + RBP)	869
PassThru Surplus / -Deficit:	-1,825

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2008		Elevation (Ft)	
				Allocation	Remaining	Full	09/10/2008
09/09/2008	140	1,270	35,866	4,100	2,830	44.0	39.5

Report Generated: 09/10/2008 at 8:23:44 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 11, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/11/2007	220.6	698,134	100.4%	94.2	257,260	100.0%	955,394	100.3%
09/11/2008	217.1	611,134	87.9%	91.1	205,050	79.7%	816,184	85.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/10/2008	92	366	0.00	93	299	0.00	665
MTD		4,065	0.64		2,732	0.28	6,797

STREAM FLOWS

Gauging Station	09/10/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	163	3,343
NRTT : Nueces River at Tilden, Texas	60	2,926
FRTT : Frio River at Tilden, Texas	16	220
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	24	320
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	276	2,759
NCAT : Nueces River at Calallen, Texas	121	991
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	121	2,988

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/06/2008)	-328
Return Flow Credit (Effective: 09/06/2008)	500
Passthru Target: 28,500 Reservoir Inflow: 2,988	2,988
Estuary Inflows (NCAT + RBP)	991
PassThru Surplus / -Deficit:	-1,825

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2008		Elevation (Ft)	
				Allocation	Remaining	Full	09/11/2008
09/10/2008	139	1,409	36,005	4,100	2,691	44.0	39.5

Report Generated: 09/11/2008 at 8:19:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 12, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/12/2007	220.6	697,353	100.3%	94.2	257,260	100.0%	954,613	100.2%
09/12/2008	217.1	610,652	87.8%	91.1	205,221	79.8%	815,873	85.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/11/2008	93	380	0.00	93	230	0.00	610
MTD		4,445	0.64		2,962	0.28	7,407

STREAM FLOWS

Gauging Station	09/11/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	147	3,490
NRTT : Nueces River at Tilden, Texas	48	2,974
FRTT : Frio River at Tilden, Texas	16	236
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	22	341
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	308	3,067
NCAT : Nueces River at Calallen, Texas	169	1,159
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	105	3,093

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/06/2008)	-328
Return Flow Credit (Effective: 09/06/2008)	500
Passthru Target: 28,500 Reservoir Inflow: 3,093	3,093
Estuary Inflows (NCAT + RBP)	1,159
PassThru Surplus / -Deficit:	-1,762

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2008		Elevation (Ft)	
				Allocation	Remaining	Full	09/12/2008
09/11/2008	140	1,549	36,146	4,100	2,551	44.0	39.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 13, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/13/2007	220.6	697,873	100.4%	94.2	257,260	100.0%	955,133	100.3%
09/13/2008	217.1	610,652	87.8%	91.0	204,023	79.3%	814,675	85.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/12/2008	96	432	0.00	94	209	0.00	641
MTD		4,877	0.64		3,171	0.28	8,048

STREAM FLOWS

Gauging Station	09/12/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	135	3,625
NRTT : Nueces River at Tilden, Texas	46	3,019
FRTT : Frio River at Tilden, Texas	28	264
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	14	355
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	308	3,375
NCAT : Nueces River at Calallen, Texas	242	1,401
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	105	3,198

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/06/2008)	-328
Return Flow Credit (Effective: 09/06/2008)	500
Passthru Target: 28,500 Reservoir Inflow: 3,198	3,198
Estuary Inflows (NCAT + RBP)	1,401
PassThru Surplus / -Deficit:	-1,625

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2008		Elevation (Ft)	
				Allocation	Remaining	Full	09/13/2008
09/12/2008	140	1,689	36,286	4,100	2,411	44.0	39.5

Report Generated: 09/13/2008 at 8:21:48 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 14, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/14/2007	220.6	697,873	100.4%	94.2	257,260	100.0%	955,133	100.3%
09/14/2008	217.1	609,929	87.7%	90.9	203,167	79.0%	813,096	85.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/13/2008	100	464	0.00	103	398	0.00	862
MTD		5,341	0.64		3,569	0.28	8,910

STREAM FLOWS

Gauging Station	09/13/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	125	3,750
NRTT : Nueces River at Tilden, Texas	32	3,051
FRTT : Frio River at Tilden, Texas	28	292
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	12	367
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	308	3,682
NCAT : Nueces River at Calallen, Texas	276	1,677
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	95	3,294

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/06/2008)	-328
Return Flow Credit (Effective: 09/06/2008)	500
Passthru Target: 28,500 Reservoir Inflow: 3,294	3,294
Estuary Inflows (NCAT + RBP)	1,677
PassThru Surplus / -Deficit:	-1,444

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2008		Elevation (Ft)	
				Allocation	Remaining	Full	09/14/2008
09/13/2008	140	1,829	36,426	4,100	2,271	44.0	39.5

Report Generated: 09/14/2008 at 8:25:31 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 15, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/15/2007	220.6	697,873	100.4%	94.1	257,260	100.0%	955,133	100.3%
09/15/2008	217.0	608,000	87.4%	91.0	203,852	79.2%	811,852	85.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/14/2008	90	492	0.00	91	159	0.08	651
MTD		5,833	0.64		3,728	0.36	9,561

STREAM FLOWS

Gauging Station	09/14/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	117	3,867
NRTT : Nueces River at Tilden, Texas	26	3,077
FRTT : Frio River at Tilden, Texas	24	316
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	13	380
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	280	3,962
NCAT : Nueces River at Calallen, Texas	214	1,892
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	83	3,377

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/06/2008)	-328
Return Flow Credit (Effective: 09/06/2008)	500
Passthru Target: 28,500 Reservoir Inflow: 3,377	3,377
Estuary Inflows (NCAT + RBP)	1,892
PassThru Surplus / -Deficit:	-1,313

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2008		Elevation (Ft)	
				Allocation	Remaining	Full	09/15/2008
09/14/2008	140	1,970	36,566	4,100	2,130	44.0	39.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 16, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/16/2007	220.6	697,613	100.3%	94.2	257,260	100.0%	954,873	100.2%
09/16/2008	217.0	607,277	87.3%	90.9	202,997	78.9%	810,274	85.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/15/2008	82	492	0.00	219	79	0.00	571
MTD		6,325	0.64		3,807	0.36	10,132

STREAM FLOWS

Gauging Station	09/15/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	113	3,980
NRTT : Nueces River at Tilden, Texas	20	3,096
FRIT : Frio River at Tilden, Texas	24	339
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	390
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	224	4,186
NCAT : Nueces River at Calallen, Texas	185	2,076
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	79	3,456

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/06/2008)	-328
Return Flow Credit (Effective: 09/06/2008)	500
Passthru Target: 28,500 Reservoir Inflow: 3,456	3,456
Estuary Inflows (NCAT + RBP)	2,076
PassThru Surplus / -Deficit:	-1,208

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2008		Elevation (Ft)	
				Allocation	Remaining	Full	09/16/2008
09/15/2008	141	2,111	36,707	4,100	1,989	44.0	40.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 17, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/17/2007	220.6	697,092	100.3%	94.2	257,260	100.0%	954,352	100.2%
09/17/2008	217.0	606,554	87.2%	90.9	202,142	78.6%	808,696	84.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/16/2008	84	407	0.00	82	219	0.00	626
MTD		6,732	0.64		4,166	0.36	10,898

STREAM FLOWS

Gauging Station	09/16/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	107	4,087
NRTT : Nueces River at Tilden, Texas	14	3,111
FRTT : Frio River at Tilden, Texas	24	363
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	9	399
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	195	4,381
NCAT : Nueces River at Calallen, Texas	171	2,247
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	73	3,530

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/06/2008)	-328
Return Flow Credit (Effective: 09/06/2008)	500
Passthru Target: 28,500 Reservoir Inflow: 3,530	3,530
Estuary Inflows (NCAT + RBP)	2,247
PassThru Surplus / -Deficit:	-1,111

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2008		Elevation (Ft)	
				Allocation	Remaining	Full	09/17/2008
09/16/2008	141	2,252	36,849	4,100	1,848	44.0	41.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 18, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/18/2007	220.6	697,353	100.3%	94.2	257,260	100.0%	954,613	100.2%
09/18/2008	216.9	605,590	87.1%	90.9	201,972	78.5%	807,562	84.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/17/2008	86	365	0.00	81	229	0.00	594
MTD		7,097	0.64		4,395	0.36	11,492

STREAM FLOWS

Gauging Station	09/17/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	103	4,190
NRTT : Nueces River at Tilden, Texas	19	3,130
FRTT : Frio River at Tilden, Texas	24	387
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	9	408
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	195	4,575
NCAT : Nueces River at Calallen, Texas	87	2,334
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	69	3,599

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/06/2008)	-328
Return Flow Credit (Effective: 09/06/2008)	500
Passthru Target: 28,500 Reservoir Inflow: 3,599	3,599
Estuary Inflows (NCAT + RBP)	2,334
PassThru Surplus / -Deficit:	-1,093

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2008		Elevation (Ft)	
				Allocation	Remaining	Full	09/18/2008
09/17/2008	141	2,393	36,990	4,100	1,707	44.0	41.9

Report Generated: 09/18/2008 at 8:12:23 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 19, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/19/2007	220.6	696,572	100.2%	94.2	257,260	100.0%	953,832	100.1%
09/19/2008	216.9	604,867	87.0%	90.8	201,290	78.2%	806,157	84.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/18/2008	81	252	0.00	80	89	0.00	341
MTD		7,349	0.64		4,484	0.36	11,833

STREAM FLOWS

Gauging Station	09/18/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	99	4,290
NRTT : Nueces River at Tilden, Texas	22	3,152
FRTT : Frio River at Tilden, Texas	22	409
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	416
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	220	4,796
NCAT : Nueces River at Calallen, Texas	52	2,386
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	64	3,663

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/06/2008)	-328
Return Flow Credit (Effective: 09/06/2008)	500
Passthru Target: 28,500 Reservoir Inflow: 3,663	3,663
Estuary Inflows (NCAT + RBP)	2,386
PassThru Surplus / -Deficit:	-1,105

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2008		Elevation (Ft)	
				Allocation	Remaining	Full	09/19/2008
09/18/2008	142	2,535	37,132	4,100	1,565	44.0	42.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 20, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/20/2007	220.6	696,572	100.2%	94.2	257,260	100.0%	953,832	100.1%
09/20/2008	216.9	604,385	86.9%	90.8	200,949	78.1%	805,334	84.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/19/2008	88	364	0.00	85	218	0.00	582
MTD		7,713	0.64		4,702	0.36	12,415

STREAM FLOWS

Gauging Station	09/19/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	99	4,389
NRTT : Nueces River at Tilden, Texas	137	3,289
FRIT : Frio River at Tilden, Texas	22	431
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	423
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	226	5,022
NCAT : Nueces River at Calallen, Texas	48	2,434
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	64	3,726

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/06/2008)	-328
Return Flow Credit (Effective: 09/06/2008)	500
Passthru Target: 28,500 Reservoir Inflow: 3,726	3,726
Estuary Inflows (NCAT + RBP)	2,434
PassThru Surplus / -Deficit:	-1,121

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2008		Elevation (Ft)	
				Allocation	Remaining	Full	09/20/2008
09/19/2008	138	2,673	37,269	4,100	1,427	44.0	42.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 21, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/21/2007	220.5	696,052	100.1%	94.2	257,260	100.0%	953,312	100.1%
09/21/2008	216.8	603,903	86.9%	90.8	200,608	78.0%	804,511	84.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/20/2008	90	406	0.00	89	278	0.00	684
MTD		8,119	0.64		4,980	0.36	13,099

STREAM FLOWS

Gauging Station	09/20/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	115	4,504
NRTT : Nueces River at Tilden, Texas	377	3,666
FRTT : Frio River at Tilden, Texas	24	455
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	431
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	226	5,248
NCAT : Nueces River at Calallen, Texas	83	2,517
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	81	3,808

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/06/2008)	-328
Return Flow Credit (Effective: 09/06/2008)	500
Passthru Target: 28,500 Reservoir Inflow: 3,808	3,808
Estuary Inflows (NCAT + RBP)	2,517
PassThru Surplus / -Deficit:	-1,119

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2008		Elevation (Ft)	
				Allocation	Remaining	Full	09/21/2008
09/20/2008	145	2,817	37,414	4,100	1,283	44.0	42.1

Report Generated: 09/21/2008 at 8:07:54 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 22, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/22/2007	220.5	696,052	100.1%	94.2	257,260	100.0%	953,312	100.1%
09/22/2008	216.8	603,421	86.8%	90.8	200,437	77.9%	803,858	84.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/21/2008	92	378	0.00	90	248	0.00	626
MTD		8,497	0.64		5,228	0.36	13,725

STREAM FLOWS

Gauging Station	09/21/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	343	4,847
NRTT : Nueces River at Tilden, Texas	506	4,172
FRTT : Frio River at Tilden, Texas	22	476
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	438
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	224	5,473
NCAT : Nueces River at Calallen, Texas	103	2,620
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	308	4,115

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/06/2008)	-328
Return Flow Credit (Effective: 09/06/2008)	500
Passthru Target: 28,500 Reservoir Inflow: 4,115	4,115
Estuary Inflows (NCAT + RBP)	2,620
PassThru Surplus / -Deficit:	-1,323

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2008		Elevation (Ft)	
				Allocation	Remaining	Full	09/22/2008
09/21/2008	144	2,962	37,558	4,100	1,138	44.0	42.1

Report Generated: 09/22/2008 at 8:50:57 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 23, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/23/2007	220.5	696,052	100.1%	94.1	257,260	100.0%	953,312	100.1%
09/23/2008	216.8	602,939	86.7%	90.9	201,631	78.4%	804,570	84.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/22/2008	91	322	0.00	90	219	0.00	541
MTD		8,819	0.64		5,447	0.36	14,266

STREAM FLOWS

Gauging Station	09/22/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	474	5,322
NRTT : Nueces River at Tilden, Texas	550	4,722
FRTT : Frio River at Tilden, Texas	22	498
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	446
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	226	5,699
NCAT : Nueces River at Calallen, Texas	52	2,672
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	439	4,554

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/06/2008)	-328
Return Flow Credit (Effective: 09/06/2008)	500
Passthru Target: 28,500 Reservoir Inflow: 4,554	4,554
Estuary Inflows (NCAT + RBP)	2,672
PassThru Surplus / -Deficit:	-1,710

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2008		Elevation (Ft)	
				Allocation	Remaining	Full	09/23/2008
09/22/2008	144	3,106	37,703	4,100	994	44.0	42.2

Report Generated: 09/23/2008 at 8:56:19 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 24, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/24/2007	220.5	695,271	100.0%	94.1	257,260	100.0%	952,531	100.0%
09/24/2008	216.8	602,457	86.7%	90.9	202,826	78.8%	805,283	84.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/23/2008	91	196	0.00	84	159	0.00	355
MTD		9,015	0.64		5,606	0.36	14,621

STREAM FLOWS

Gauging Station	09/23/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	534	5,856
NRTT : Nueces River at Tilden, Texas	254	4,976
FRTT : Frio River at Tilden, Texas	22	520
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	453
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	234	5,933
NCAT : Nueces River at Calallen, Texas	81	2,753
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	498	5,052

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/06/2008)	-328
Return Flow Credit (Effective: 09/06/2008)	500
Passthru Target: 28,500 Reservoir Inflow: 5,052	5,052
Estuary Inflows (NCAT + RBP)	2,753
PassThru Surplus / -Deficit:	-2,127

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2008		Elevation (Ft)	
				Allocation	Remaining	Full	09/24/2008
09/23/2008	144	3,250	37,847	4,100	850	44.0	42.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 25, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/25/2007	220.5	694,493	99.9%	94.2	257,260	100.0%	951,753	99.9%
09/25/2008	216.8	601,975	86.6%	90.9	202,997	78.9%	804,972	84.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/24/2008	89	322	0.00	87	249	0.00	571
MTD		9,337	0.64		5,855	0.36	15,192

STREAM FLOWS

Gauging Station	09/24/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	330	6,185
NRTT : Nueces River at Tilden, Texas	99	5,075
FRIT : Frio River at Tilden, Texas	22	542
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	460
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	262	6,195
NCAT : Nueces River at Calallen, Texas	145	2,898
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	294	5,346

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/06/2008)	-328
Return Flow Credit (Effective: 09/06/2008)	500
Passthru Target: 28,500 Reservoir Inflow: 5,346	5,346
Estuary Inflows (NCAT + RBP)	2,898
PassThru Surplus / -Deficit:	-2,276

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2008		Elevation (Ft)	
				Allocation	Remaining	Full	09/25/2008
09/24/2008	144	3,394	37,990	4,100	706	44.0	42.1

Report Generated: 09/25/2008 at 8:31:04 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 26, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/26/2007	220.5	694,752	99.9%	94.2	257,260	100.0%	952,012	99.9%
09/26/2008	216.8	601,734	86.5%	90.9	202,484	78.7%	804,218	84.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/25/2008	89	419	0.00	87	318	0.00	737
MTD		9,756	0.64		6,173	0.36	15,929

STREAM FLOWS

Gauging Station	09/25/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	187	6,372
NRTT : Nueces River at Tilden, Texas	48	5,123
FRIT : Frio River at Tilden, Texas	22	564
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	466
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	296	6,491
NCAT : Nueces River at Calallen, Texas	127	3,025
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	151	5,497

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/06/2008)	-328
Return Flow Credit (Effective: 09/06/2008)	500
Passthru Target: 28,500 Reservoir Inflow: 5,497	5,497
Estuary Inflows (NCAT + RBP)	3,025
PassThru Surplus / -Deficit:	-2,300

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2008		Elevation (Ft)	
				Allocation	Remaining	Full	09/26/2008
09/25/2008	143	3,537	38,134	4,100	563	44.0	42.1

Report Generated: 09/26/2008 at 8:28:14 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 27, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/27/2007	220.5	694,493	99.9%	94.2	257,260	100.0%	951,753	99.9%
09/27/2008	216.7	601,010	86.4%	90.9	201,631	78.4%	802,641	84.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/26/2008	87	419	0.00	87	238	0.00	657
MTD		10,175	0.64		6,411	0.36	16,586

STREAM FLOWS

Gauging Station	09/26/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	139	6,511
NRTT : Nueces River at Tilden, Texas	28	5,151
FRIT : Frio River at Tilden, Texas	22	586
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	471
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	341	6,832
NCAT : Nueces River at Calallen, Texas	137	3,162
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	103	5,600

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/06/2008)	-328
Return Flow Credit (Effective: 09/06/2008)	500
Passthru Target: 28,500 Reservoir Inflow: 5,600	5,600
Estuary Inflows (NCAT + RBP)	3,162
PassThru Surplus / -Deficit:	-2,266

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2008		Elevation (Ft)	
				Allocation	Remaining	Full	09/27/2008
09/26/2008	143	3,680	38,277	4,100	420	44.0	42.1

Report Generated: 09/27/2008 at 8:23:27 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 28, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/28/2007	220.5	694,493	99.9%	94.2	257,260	100.0%	951,753	99.9%
09/28/2008	216.7	600,528	86.4%	90.8	200,949	78.1%	801,477	84.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/27/2008	90	349	0.00	88	268	0.00	617
MTD		10,524	0.64		6,679	0.36	17,203

STREAM FLOWS

Gauging Station	09/27/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	119	6,630
NRTT : Nueces River at Tilden, Texas	15	5,166
FRTT : Frio River at Tilden, Texas	24	609
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	477
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	369	7,202
NCAT : Nueces River at Calallen, Texas	238	3,400
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	85	5,685

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/06/2008)	-328
Return Flow Credit (Effective: 09/06/2008)	500
Passthru Target: 28,500 Reservoir Inflow: 5,685	5,685
Estuary Inflows (NCAT + RBP)	3,400
PassThru Surplus / -Deficit:	-2,113

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2008		Elevation (Ft)	
				Allocation	Remaining	Full	09/28/2008
09/27/2008	143	3,823	38,420	4,100	277	44.0	42.1

Report Generated: 09/28/2008 at 8:19:38 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 29, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/29/2007	220.5	694,493	99.9%	94.2	257,260	100.0%	951,753	99.9%
09/29/2008	216.7	600,051	86.3%	90.8	200,778	78.0%	800,829	84.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/28/2008	89	251	0.00	88	238	0.00	489
MTD		10,775	0.64		6,917	0.36	17,692

STREAM FLOWS

Gauging Station	09/28/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	107	6,737
NRTT : Nueces River at Tilden, Texas	9	5,175
FRIT : Frio River at Tilden, Texas	26	635
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	482
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	367	7,569
NCAT : Nueces River at Calallen, Texas	264	3,664
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	75	5,761

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/06/2008)	-328
Return Flow Credit (Effective: 09/06/2008)	500
Passthru Target: 28,500 Reservoir Inflow: 5,761	5,761
Estuary Inflows (NCAT + RBP)	3,664
PassThru Surplus / -Deficit:	-1,925

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2008		Elevation (Ft)	
				Allocation	Remaining	Full	09/29/2008
09/28/2008	143	3,966	38,563	4,100	134	44.0	42.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 30, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/30/2007	220.5	694,233	99.9%	94.2	257,260	100.0%	951,493	99.9%
09/30/2008	216.7	599,573	86.2%	90.7	199,757	77.6%	799,330	83.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/29/2008	90	349	0.00	89	268	0.00	617
MTD		11,124	0.64		7,185	0.36	18,309

STREAM FLOWS

Gauging Station	09/29/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	101	6,838
NRTT : Nueces River at Tilden, Texas	5	5,180
FRTT : Frio River at Tilden, Texas	26	661
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	487
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	367	7,936
NCAT : Nueces River at Calallen, Texas	228	3,893
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	69	5,830

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/06/2008)	-328
Return Flow Credit (Effective: 09/06/2008)	500
Passthru Target: 28,500 Reservoir Inflow: 5,830	5,830
Estuary Inflows (NCAT + RBP)	3,893
PassThru Surplus / -Deficit:	-1,766

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2008		Elevation (Ft)	
				Allocation	Remaining	Full	09/30/2008
09/29/2008	143	4,109	38,706	4,100	-9	44.0	41.9

Report Generated: 09/30/2008 at 8:27:01 AM