

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 1, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/01/2007	220.5	694,493	99.9%	94.2	257,260	100.0%	951,753	99.9%
10/01/2008	216.7	599,573	86.2%	90.7	199,246	77.4%	798,819	83.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/30/2008	93	279	0.00	90	327	0.00	606
MTD		11,403	0.64		7,512	0.36	18,915

STREAM FLOWS

Gauging Station	09/30/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	6,934
NRTT : Nueces River at Tilden, Texas	3	5,182
FRTT : Frio River at Tilden, Texas	24	685
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	492
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	367	8,303
NCAT : Nueces River at Calallen, Texas	250	4,143
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	62	5,892

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/06/2008)	-328
Return Flow Credit (Effective: 09/06/2008)	500
Passthru Target: 28,500 Reservoir Inflow: 5,892	5,892
Estuary Inflows (NCAT + RBP)	4,143
PassThru Surplus / -Deficit:	-1,577

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2008		Elevation (Ft)	
				Allocation	Remaining	Full	10/01/2008
09/30/2008	143	4,252	38,849	4,100	-152	44.0	41.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 2, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/02/2007	220.5	694,752	99.9%	94.2	257,260	100.0%	952,012	99.9%
10/02/2008	216.6	599,096	86.2%	90.7	198,567	77.2%	797,663	83.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/01/2008	92	349	0.00	91	277	0.00	626
MTD		349	0.00		277	0.00	626

STREAM FLOWS

Gauging Station	10/01/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	91
NRTT : Nueces River at Tilden, Texas	2	2
FRIT : Frio River at Tilden, Texas	20	20
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	5
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	423	423
NCAT : Nueces River at Calallen, Texas	226	226
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	54	54

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-1,577
Return Flow Credit (Effective:)	0
Passthru Target: 20,000 Reservoir Inflow: 54	54
Estuary Inflows (NCAT + RBP)	226
PassThru Surplus / -Deficit:	-1,404

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2008		Elevation (Ft)	
				Allocation	Remaining	Full	10/02/2008
10/01/2008	142	142	38,991	3,050	2,908	44.0	41.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 3, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/03/2007	220.5	694,493	99.9%	94.2	257,260	100.0%	951,753	99.9%
10/03/2008	216.6	598,380	86.1%	90.6	197,548	76.8%	795,928	83.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/02/2008	92	362	0.00	91	267	0.00	629
MTD		711	0.00		544	0.00	1,255

STREAM FLOWS

Gauging Station	10/02/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	183
NRTT : Nueces River at Tilden, Texas	1	3
FRIT : Frio River at Tilden, Texas	17	37
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	10
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	455	877
NCAT : Nueces River at Calallen, Texas	264	490
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	51	105

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-1,577
Return Flow Credit (Effective:)	0
Passthru Target: 20,000 Reservoir Inflow: 105	105
Estuary Inflows (NCAT + RBP)	490
PassThru Surplus / -Deficit:	-1,192

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2008		Elevation (Ft)	
				Allocation	Remaining	Full	10/03/2008
10/02/2008	142	285	39,133	3,050	2,765	44.0	41.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 4, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/04/2007	220.5	694,233	99.9%	94.2	257,260	100.0%	951,493	99.9%
10/04/2008	216.6	597,663	86.0%	90.6	197,040	76.6%	794,703	83.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/03/2008	92	404	0.00	89	316	0.00	720
MTD		1,115	0.00		860	0.00	1,975

STREAM FLOWS

Gauging Station	10/03/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	89	272
NRTT : Nueces River at Tilden, Texas	1	4
FRIT : Frio River at Tilden, Texas	16	53
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	15
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	554	1,431
NCAT : Nueces River at Calallen, Texas	341	832
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	48	153

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-1,577
Return Flow Credit (Effective:)	0
Passthru Target: 20,000 Reservoir Inflow: 153	153
Estuary Inflows (NCAT + RBP)	832
PassThru Surplus / -Deficit:	-898

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2008		Elevation (Ft)	
				Allocation	Remaining	Full	10/04/2008
10/03/2008	142	427	39,275	3,050	2,623	44.0	41.8

Report Generated: 10/04/2008 at 8:15:20 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 5, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/05/2007	220.5	693,974	99.8%	94.2	257,260	100.0%	951,234	99.9%
10/05/2008	216.6	597,186	85.9%	90.5	196,193	76.3%	793,379	83.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/04/2008	91	376	0.00	88	276	0.00	652
MTD		1,491	0.00		1,136	0.00	2,627

STREAM FLOWS

Gauging Station	10/04/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	85	357
NRTT : Nueces River at Tilden, Texas	1	5
FRIT : Frio River at Tilden, Texas	15	68
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	20
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	627	2,058
NCAT : Nueces River at Calallen, Texas	443	1,274
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	42	195

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-1,577
Return Flow Credit (Effective:)	0
Passthru Target: 20,000 Reservoir Inflow: 195	195
Estuary Inflows (NCAT + RBP)	1,274
PassThru Surplus / -Deficit:	-498

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2008		Elevation (Ft)	
				Allocation	Remaining	Full	10/05/2008
10/04/2008	142	569	39,418	3,050	2,481	44.0	41.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 6, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/06/2007	220.5	693,974	99.8%	94.2	257,260	100.0%	951,234	99.9%
10/06/2008	216.5	596,469	85.8%	90.5	195,854	76.1%	792,323	83.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/05/2008	90	556	0.00	88	256	0.00	812
MTD		2,047	0.00		1,392	0.00	3,439

STREAM FLOWS

Gauging Station	10/05/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	85	443
NRTT : Nueces River at Tilden, Texas	0	5
FRTT : Frio River at Tilden, Texas	15	83
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	25
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	220	2,279
NCAT : Nueces River at Calallen, Texas	500	1,775
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	42	238

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/05/2008)	-1,577
Return Flow Credit (Effective: 10/05/2008)	500
Passthru Target: 20,000 Reservoir Inflow: 238	238
Estuary Inflows (NCAT + RBP)	1,775
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2008		Elevation (Ft)	
				Allocation	Remaining	Full	10/06/2008
10/05/2008	143	712	39,561	3,050	2,338	44.0	41.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 7, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/07/2007	220.4	693,715	99.8%	94.2	257,260	100.0%	950,975	99.8%
10/07/2008	216.5	596,469	85.8%	90.5	195,347	75.9%	791,816	83.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/06/2008	91	278	0.00	91	207	0.00	485
MTD		2,325	0.00		1,599	0.00	3,924

STREAM FLOWS

Gauging Station	10/06/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	85	528
NRTT : Nueces River at Tilden, Texas	0	5
FRTT : Frio River at Tilden, Texas	15	98
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	31
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	216	2,495
NCAT : Nueces River at Calallen, Texas	187	1,961
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	43	280

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/05/2008)	-1,577
Return Flow Credit (Effective: 10/05/2008)	500
Passthru Target: 20,000 Reservoir Inflow: 280	280
Estuary Inflows (NCAT + RBP)	1,961
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2008		Elevation (Ft)	
				Allocation	Remaining	Full	10/07/2008
10/06/2008	143	855	39,704	3,050	2,195	44.0	41.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 8, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/08/2007	220.4	693,196	99.7%	94.2	257,260	100.0%	950,456	99.8%
10/08/2008	216.5	596,231	85.8%	90.4	194,672	75.7%	790,903	83.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/07/2008	91	489	0.00	88	364	0.00	853
MTD		2,814	0.00		1,963	0.00	4,777

STREAM FLOWS

Gauging Station	10/07/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	83	611
NRTT : Nueces River at Tilden, Texas	0	5
FRTT : Frio River at Tilden, Texas	15	113
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	37
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	216	2,712
NCAT : Nueces River at Calallen, Texas	105	2,066
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	41	322

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/05/2008)	-1,577
Return Flow Credit (Effective: 10/05/2008)	500
Passthru Target: 20,000 Reservoir Inflow: 322	322
Estuary Inflows (NCAT + RBP)	2,066
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2008		Elevation (Ft)	
				Allocation	Remaining	Full	10/08/2008
10/07/2008	143	998	39,847	3,050	2,052	44.0	41.6

Report Generated: 10/08/2008 at 8:36:07 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 9, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/09/2007	220.4	693,196	99.7%	94.2	257,260	100.0%	950,456	99.8%
10/09/2008	216.5	595,753	85.7%	90.4	194,503	75.6%	790,256	83.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/08/2008	87	361	0.00	87	246	0.00	607
MTD		3,175	0.00		2,209	0.00	5,384

STREAM FLOWS

Gauging Station	10/08/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	83	695
NRTT : Nueces River at Tilden, Texas	0	6
FRIT : Frio River at Tilden, Texas	15	128
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	41
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	222	2,934
NCAT : Nueces River at Calallen, Texas	71	2,138
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	40	362

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/05/2008)	-1,577
Return Flow Credit (Effective: 10/05/2008)	500
Passthru Target: 20,000 Reservoir Inflow: 362	362
Estuary Inflows (NCAT + RBP)	2,138
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2008		Elevation (Ft)	
				Allocation	Remaining	Full	10/09/2008
10/08/2008	143	1,142	39,990	3,050	1,908	44.0	41.6

Report Generated: 10/09/2008 at 8:19:31 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 10, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/10/2007	220.4	692,936	99.7%	94.2	257,260	100.0%	950,196	99.8%
10/10/2008	216.4	594,321	85.5%	90.4	194,503	75.6%	788,824	82.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/09/2008	89	416	0.00	89	265	0.00	681
MTD		3,591	0.00		2,474	0.00	6,065

STREAM FLOWS

Gauging Station	10/09/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	83	778
NRTT : Nueces River at Tilden, Texas	0	6
FRIT : Frio River at Tilden, Texas	13	141
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	46
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	214	3,148
NCAT : Nueces River at Calallen, Texas	95	2,233
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	39	401

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/05/2008)	-1,577
Return Flow Credit (Effective: 10/05/2008)	500
Passthru Target: 20,000 Reservoir Inflow: 401	401
Estuary Inflows (NCAT + RBP)	2,233
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2008		Elevation (Ft)	
				Allocation	Remaining	Full	10/10/2008
10/09/2008	143	1,285	40,134	3,050	1,765	44.0	41.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 11, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/11/2007	220.4	692,936	99.7%	94.2	257,260	100.0%	950,196	99.8%
10/11/2008	216.4	593,843	85.4%	90.2	190,800	74.2%	784,643	82.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/10/2008	90	319	0.00	88	254	0.00	573
MTD		3,910	0.00		2,728	0.00	6,638

STREAM FLOWS

Gauging Station	10/10/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	81	860
NRTT : Nueces River at Tilden, Texas	0	6
FRTT : Frio River at Tilden, Texas	12	153
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	50
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	202	3,351
NCAT : Nueces River at Calallen, Texas	87	2,320
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	36	437

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/05/2008)	-1,577
Return Flow Credit (Effective: 10/05/2008)	500
Passthru Target: 20,000 Reservoir Inflow: 437	437
Estuary Inflows (NCAT + RBP)	2,320
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2008		Elevation (Ft)	
				Allocation	Remaining	Full	10/11/2008
10/10/2008	143	1,429	40,277	3,050	1,621	44.0	41.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 12, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/12/2007	220.4	692,418	99.6%	94.2	257,260	100.0%	949,678	99.7%
10/12/2008	216.4	593,130	85.3%	90.2	190,297	74.0%	783,427	82.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/11/2008	90	333	0.00	87	176	0.00	509
MTD		4,243	0.00		2,904	0.00	7,147

STREAM FLOWS

Gauging Station	10/11/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	81	941
NRTT : Nueces River at Tilden, Texas	0	6
FRTT : Frio River at Tilden, Texas	12	165
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	56
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	181	3,531
NCAT : Nueces River at Calallen, Texas	67	2,388
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	36	473

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/05/2008)	-1,577
Return Flow Credit (Effective: 10/05/2008)	500
Passthru Target: 20,000 Reservoir Inflow: 473	473
Estuary Inflows (NCAT + RBP)	2,388
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2008		Elevation (Ft)	
				Allocation	Remaining	Full	10/12/2008
10/11/2008	144	1,572	40,421	3,050	1,478	44.0	41.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 13, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/13/2007	220.4	692,158	99.6%	94.1	257,260	100.0%	949,418	99.7%
10/13/2008	216.4	592,420	85.2%	90.1	189,627	73.7%	782,047	82.1%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
10/12/2008	86	194	0.02	87	185	0.00	379	
MTD		4,437	0.02		3,089	0.00	7,526	

STREAM FLOWS

Gauging Station	10/12/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	81	1,022
NRTT : Nueces River at Tilden, Texas	0	6
FRIT : Frio River at Tilden, Texas	12	177
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	63
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	3,714
NCAT : Nueces River at Calallen, Texas	60	2,448
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	35	508

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/05/2008)	-1,577
Return Flow Credit (Effective: 10/05/2008)	500
Passthru Target: 20,000 Reservoir Inflow: 508	508
Estuary Inflows (NCAT + RBP)	2,448
PassThru Surplus / -Deficit:	862

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2008		Elevation (Ft)	
				Allocation	Remaining	Full	10/13/2008
10/12/2008	143	1,716	40,564	3,050	1,334	44.0	41.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 14, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/14/2007	220.4	691,639	99.5%	94.1	257,260	100.0%	948,899	99.6%
10/14/2008	216.4	593,130	85.3%	90.2	189,794	73.8%	782,924	82.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/13/2008	87	222	0.11	87	215	0.15	437
MTD		4,659	0.13		3,304	0.15	7,963

STREAM FLOWS

Gauging Station	10/13/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	83	1,106
NRTT : Nueces River at Tilden, Texas	0	6
FRIT : Frio River at Tilden, Texas	11	188
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	69
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	3,897
NCAT : Nueces River at Calallen, Texas	67	2,515
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	37	545

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/05/2008)	-1,577
Return Flow Credit (Effective: 10/05/2008)	500
Passthru Target: 20,000 Reservoir Inflow: 545	545
Estuary Inflows (NCAT + RBP)	2,515
PassThru Surplus / -Deficit:	893

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2008		Elevation (Ft)	
				Allocation	Remaining	Full	10/14/2008
10/13/2008	143	1,859	40,708	3,050	1,191	44.0	41.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 15, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/15/2007	220.4	691,380	99.4%	94.1	257,260	100.0%	948,640	99.6%
10/15/2008	216.4	592,893	85.3%	90.1	189,459	73.6%	782,352	82.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/14/2008	90	319	0.00	89	166	0.00	485
MTD		4,978	0.13		3,470	0.15	8,448

STREAM FLOWS

Gauging Station	10/14/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	83	1,189
NRTT : Nueces River at Tilden, Texas	0	6
FRTT : Frio River at Tilden, Texas	11	199
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	77
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	181	4,077
NCAT : Nueces River at Calallen, Texas	69	2,584
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	37	582

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/05/2008)	-1,577
Return Flow Credit (Effective: 10/05/2008)	500
Passthru Target: 20,000 Reservoir Inflow: 582	582
Estuary Inflows (NCAT + RBP)	2,584
PassThru Surplus / -Deficit:	925

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2008		Elevation (Ft)	
				Allocation	Remaining	Full	10/15/2008
10/14/2008	143	2,002	40,851	3,050	1,048	44.0	41.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 16, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/16/2007	220.3	691,121	99.4%	94.2	257,260	100.0%	948,381	99.6%
10/16/2008	216.4	593,366	85.3%	90.2	190,465	74.0%	783,831	82.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/15/2008	82	139	0.35	84	195	0.38	334
MTD		5,117	0.48		3,665	0.53	8,782

STREAM FLOWS

Gauging Station	10/15/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	83	1,272
NRTT : Nueces River at Tilden, Texas	0	6
FRTT : Frio River at Tilden, Texas	11	210
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	84
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	4,260
NCAT : Nueces River at Calallen, Texas	115	2,700
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	37	619

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/05/2008)	-1,577
Return Flow Credit (Effective: 10/05/2008)	500
Passthru Target: 20,000 Reservoir Inflow: 619	619
Estuary Inflows (NCAT + RBP)	2,700
PassThru Surplus / -Deficit:	1,004

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2008		Elevation (Ft)	
				Allocation	Remaining	Full	10/16/2008
10/15/2008	143	2,145	40,994	3,050	905	44.0	41.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 17, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/17/2007	220.4	691,380	99.4%	94.2	257,260	100.0%	948,640	99.6%
10/17/2008	216.4	593,130	85.3%	90.1	189,459	73.6%	782,589	82.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/16/2008	76	152	0.00	69	49	0.04	201
MTD		5,269	0.48		3,714	0.57	8,983

STREAM FLOWS

Gauging Station	10/16/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	83	1,356
NRTT : Nueces River at Tilden, Texas	0	6
FRIT : Frio River at Tilden, Texas	12	222
SMTT : San Miguel Creek at Tilden, Texas	9	9
ARWT : Atascosa River at Whitsett, Texas	11	95
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	175	4,434
NCAT : Nueces River at Calallen, Texas	85	2,785
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	46	665

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/05/2008)	-1,577
Return Flow Credit (Effective: 10/05/2008)	500
Passthru Target: 20,000 Reservoir Inflow: 665	665
Estuary Inflows (NCAT + RBP)	2,785
PassThru Surplus / -Deficit:	1,043

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2008		Elevation (Ft)	
				Allocation	Remaining	Full	10/17/2008
10/16/2008	143	2,288	41,137	3,050	762	44.0	41.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 18, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/18/2007	220.3	691,121	99.4%	94.1	257,260	100.0%	948,381	99.6%
10/18/2008	216.4	592,893	85.3%	90.1	189,125	73.5%	782,018	82.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/17/2008	83	291	0.00	80	156	0.00	447
MTD		5,560	0.48		3,870	0.57	9,430

STREAM FLOWS

Gauging Station	10/17/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,421
NRTT : Nueces River at Tilden, Texas	0	7
FRTT : Frio River at Tilden, Texas	48	269
SMTT : San Miguel Creek at Tilden, Texas	6	14
ARWT : Atascosa River at Whitsett, Texas	9	104
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	169	4,603
NCAT : Nueces River at Calallen, Texas	83	2,868
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	62	726

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/05/2008)	-1,577
Return Flow Credit (Effective: 10/05/2008)	500
Passthru Target: 20,000 Reservoir Inflow: 726	726
Estuary Inflows (NCAT + RBP)	2,868
PassThru Surplus / -Deficit:	1,065

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2008		Elevation (Ft)	
				Allocation	Remaining	Full	10/18/2008
10/17/2008	143	2,431	41,280	3,050	619	44.0	41.4

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 19, 2008

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/19/2007	220.3	690,861	99.4%	94.2	257,260	100.0%	948,121	99.5%
10/19/2008	216.4	593,605	85.4%	90.1	188,623	73.3%	782,228	82.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/18/2008	83	277	0.00	81	127	0.00	404
MTD		5,837	0.48		3,997	0.57	9,834

STREAM FLOWS

Gauging Station	10/18/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,485
NRTT : Nueces River at Tilden, Texas	0	7
FRTT : Frio River at Tilden, Texas	191	460
SMTT : San Miguel Creek at Tilden, Texas	9	24
ARWT : Atascosa River at Whitsett, Texas	8	111
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	169	4,772
NCAT : Nueces River at Calallen, Texas	89	2,958
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	206	932

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/05/2008)	-1,577
Return Flow Credit (Effective: 10/05/2008)	500
Passthru Target: 20,000 Reservoir Inflow: 932	932
Estuary Inflows (NCAT + RBP)	2,958
PassThru Surplus / -Deficit:	948

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2008		Elevation (Ft)	
				Allocation	Remaining	Full	10/19/2008
10/18/2008	143	2,574	41,423	3,050	476	44.0	41.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 20, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/20/2007	220.3	690,861	99.4%	94.2	257,260	100.0%	948,121	99.5%
10/20/2008	216.3	591,947	85.1%	90.1	188,121	73.1%	780,068	81.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/19/2008	85	263	0.00	82	146	0.00	409
MTD		6,100	0.48		4,143	0.57	10,243

STREAM FLOWS

Gauging Station	10/19/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,546
NRTT : Nueces River at Tilden, Texas	0	7
FRTT : Frio River at Tilden, Texas	145	605
SMTT : San Miguel Creek at Tilden, Texas	4	28
ARWT : Atascosa River at Whitsett, Texas	7	119
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	159	4,931
NCAT : Nueces River at Calallen, Texas	67	3,025
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	153	1,085

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/05/2008)	-1,577
Return Flow Credit (Effective: 10/05/2008)	500
Passthru Target: 20,000 Reservoir Inflow: 1,085	1,085
Estuary Inflows (NCAT + RBP)	3,025
PassThru Surplus / -Deficit:	863

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2008		Elevation (Ft)	
				Allocation	Remaining	Full	10/20/2008
10/19/2008	143	2,717	41,565	3,050	333	44.0	41.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 21, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/21/2007	220.3	690,602	99.3%	94.2	257,260	100.0%	947,862	99.5%
10/21/2008	216.3	591,711	85.1%	90.0	187,620	72.9%	779,331	81.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/20/2008	85	346	0.00	84	282	0.00	628
MTD		6,446	0.48		4,425	0.57	10,871

STREAM FLOWS

Gauging Station	10/20/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,608
NRTT : Nueces River at Tilden, Texas	0	7
FRTT : Frio River at Tilden, Texas	52	656
SMTT : San Miguel Creek at Tilden, Texas	2	30
ARWT : Atascosa River at Whitsett, Texas	6	125
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	5,082
NCAT : Nueces River at Calallen, Texas	83	3,109
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	58	1,143

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/05/2008)	-1,577
Return Flow Credit (Effective: 10/05/2008)	500
Passthru Target: 20,000 Reservoir Inflow: 1,143	1,143
Estuary Inflows (NCAT + RBP)	3,109
PassThru Surplus / -Deficit:	889

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2008		Elevation (Ft)	
				Allocation	Remaining	Full	10/21/2008
10/20/2008	143	2,860	41,708	3,050	190	44.0	41.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 22, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/22/2007	220.3	690,602	99.3%	94.2	257,260	100.0%	947,862	99.5%
10/22/2008	216.3	591,001	85.0%	90.0	187,454	72.9%	778,455	81.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/21/2008	84	180	0.00	85	185	0.00	365
MTD		6,626	0.48		4,610	0.57	11,236

STREAM FLOWS

Gauging Station	10/21/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,675
NRTT : Nueces River at Tilden, Texas	0	7
FRTT : Frio River at Tilden, Texas	30	686
SMTT : San Miguel Creek at Tilden, Texas	1	31
ARWT : Atascosa River at Whitsett, Texas	6	131
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	222	5,304
NCAT : Nueces River at Calallen, Texas	42	3,150
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	40	1,183

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/05/2008)	-1,577
Return Flow Credit (Effective: 10/05/2008)	500
Passthru Target: 20,000 Reservoir Inflow: 1,183	1,183
Estuary Inflows (NCAT + RBP)	3,150
PassThru Surplus / -Deficit:	890

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2008		Elevation (Ft)	
				Allocation	Remaining	Full	10/22/2008
10/21/2008	143	3,003	41,851	3,050	47	44.0	41.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 23, 2008**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/23/2007	220.3	690,083	99.3%	94.0	257,260	100.0%	947,343	99.5%
10/23/2008	216.3	591,001	85.0%	90.0	187,620	72.9%	778,621	81.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/22/2008	88	277	0.00	89	282	0.00	559
MTD		6,903	0.48		4,892	0.57	11,795

STREAM FLOWS

Gauging Station	10/22/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,743
NRTT : Nueces River at Tilden, Texas	0	7
FRIT : Frio River at Tilden, Texas	22	708
SMTT : San Miguel Creek at Tilden, Texas	0	31
ARWT : Atascosa River at Whitsett, Texas	6	138
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	5,455
NCAT : Nueces River at Calallen, Texas	64	3,214
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	32	1,215

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/05/2008)	-1,577
Return Flow Credit (Effective: 10/05/2008)	500
Passthru Target: 20,000 Reservoir Inflow: 1,215	1,215
Estuary Inflows (NCAT + RBP)	3,214
PassThru Surplus / -Deficit:	921

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2008		Elevation (Ft)	
				Allocation	Remaining	Full	10/23/2008
10/22/2008	107	3,109	41,958	3,050	-59	44.0	41.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 24, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/24/2007	220.3	689,054	99.1%	94.0	257,260	100.0%	946,314	99.3%
10/24/2008	216.2	589,568	84.8%	90.0	186,453	72.5%	776,021	81.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/23/2008	72	318	0.00	72	213	0.00	531
MTD		7,221	0.48		5,105	0.57	12,326

STREAM FLOWS

Gauging Station	10/23/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	1,800
NRTT : Nueces River at Tilden, Texas	0	7
FRIT : Frio River at Tilden, Texas	17	725
SMTT : San Miguel Creek at Tilden, Texas	0	31
ARWT : Atascosa River at Whitsett, Texas	6	143
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	5,606
NCAT : Nueces River at Calallen, Texas	56	3,269
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	17	1,232

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/05/2008)	-1,577
Return Flow Credit (Effective: 10/05/2008)	500
Passthru Target: 20,000 Reservoir Inflow: 1,232	1,232
Estuary Inflows (NCAT + RBP)	3,269
PassThru Surplus / -Deficit:	960

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2008		Elevation (Ft)	
				Allocation	Remaining	Full	10/24/2008
10/23/2008	143	3,252	42,101	3,050	-202	44.0	41.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 25, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/25/2007	220.2	688,085	99.0%	94.0	257,260	100.0%	945,345	99.2%
10/25/2008	216.3	590,046	84.9%	89.9	185,953	72.3%	775,999	81.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/24/2008	82	304	0.00	82	184	0.00	488
MTD		7,525	0.48		5,289	0.57	12,814

STREAM FLOWS

Gauging Station	10/24/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	1,860
NRTT : Nueces River at Tilden, Texas	0	7
FRTT : Frio River at Tilden, Texas	15	739
SMTT : San Miguel Creek at Tilden, Texas	0	31
ARWT : Atascosa River at Whitsett, Texas	6	149
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	5,753
NCAT : Nueces River at Calallen, Texas	62	3,331
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	17	1,249

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/05/2008)	-1,577
Return Flow Credit (Effective: 10/05/2008)	500
Passthru Target: 20,000 Reservoir Inflow: 1,249	1,249
Estuary Inflows (NCAT + RBP)	3,331
PassThru Surplus / -Deficit:	1,005

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2008		Elevation (Ft)	
				Allocation	Remaining	Full	10/25/2008
10/24/2008	143	3,395	42,244	3,050	-345	44.0	41.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 26, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/26/2007	220.2	686,992	98.8%	94.0	256,895	99.9%	943,887	99.1%
10/26/2008	216.2	588,852	84.7%	89.9	185,454	72.1%	774,306	81.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/25/2008	85	290	0.00	85	223	0.00	513
MTD		7,815	0.48		5,512	0.57	13,327

STREAM FLOWS

Gauging Station	10/25/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	1,918
NRTT : Nueces River at Tilden, Texas	0	7
FRTT : Frio River at Tilden, Texas	14	753
SMTT : San Miguel Creek at Tilden, Texas	0	31
ARWT : Atascosa River at Whitsett, Texas	6	155
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	125	5,878
NCAT : Nueces River at Calallen, Texas	34	3,365
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	14	1,263

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/05/2008)	-1,577
Return Flow Credit (Effective: 10/05/2008)	500
Passthru Target: 20,000 Reservoir Inflow: 1,263	1,263
Estuary Inflows (NCAT + RBP)	3,365
PassThru Surplus / -Deficit:	1,025

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2008		Elevation (Ft)	
				Allocation	Remaining	Full	10/26/2008
10/25/2008	143	3,538	42,387	3,050	-488	44.0	41.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 27, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/27/2007	220.2	686,214	98.7%	94.0	257,078	99.9%	943,292	99.0%
10/27/2008	216.2	587,431	84.5%	89.9	186,287	72.4%	773,718	81.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/26/2008	88	414	0.00	88	204	0.00	618
MTD		8,229	0.48		5,716	0.57	13,945

STREAM FLOWS

Gauging Station	10/26/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	1,977
NRTT : Nueces River at Tilden, Texas	0	8
FRTT : Frio River at Tilden, Texas	14	767
SMTT : San Miguel Creek at Tilden, Texas	0	31
ARWT : Atascosa River at Whitsett, Texas	6	162
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	125	6,003
NCAT : Nueces River at Calallen, Texas	15	3,379
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	16	1,278

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/05/2008)	-1,577
Return Flow Credit (Effective: 10/05/2008)	500
Passthru Target: 20,000 Reservoir Inflow: 1,278	1,278
Estuary Inflows (NCAT + RBP)	3,379
PassThru Surplus / -Deficit:	1,024

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2008		Elevation (Ft)	
				Allocation	Remaining	Full	10/27/2008
10/26/2008	143	3,681	42,530	3,050	-631	44.0	41.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 28, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/28/2007	220.1	685,955	98.7%	94.0	256,895	99.9%	942,850	99.0%
10/28/2008	216.2	588,140	84.6%	89.8	184,623	71.8%	772,763	81.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/27/2008	72	455	0.00	72	339	0.00	794
MTD		8,684	0.48		6,055	0.57	14,739

STREAM FLOWS

Gauging Station	10/27/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	2,035
NRTT : Nueces River at Tilden, Texas	0	8
FRIT : Frio River at Tilden, Texas	13	780
SMTT : San Miguel Creek at Tilden, Texas	0	31
ARWT : Atascosa River at Whitsett, Texas	6	167
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	6,148
NCAT : Nueces River at Calallen, Texas	0	3,379
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	13	1,291

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/05/2008)	-1,577
Return Flow Credit (Effective: 10/05/2008)	500
Passthru Target: 20,000 Reservoir Inflow: 1,291	1,291
Estuary Inflows (NCAT + RBP)	3,379
PassThru Surplus / -Deficit:	1,011

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2008		Elevation (Ft)	
				Allocation	Remaining	Full	10/28/2008
10/27/2008	129	3,811	42,659	3,050	-761	44.0	41.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 29, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/29/2007	220.1	685,436	98.6%	94.0	256,530	99.7%	941,966	98.9%
10/29/2008	216.1	586,485	84.4%	89.8	183,960	71.5%	770,445	80.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/28/2008	73	248	0.00	72	213	0.00	461
MTD		8,932	0.48		6,268	0.57	15,200

STREAM FLOWS

Gauging Station	10/28/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	2,092
NRTT : Nueces River at Tilden, Texas	0	8
FRIT : Frio River at Tilden, Texas	13	793
SMTT : San Miguel Creek at Tilden, Texas	0	31
ARWT : Atascosa River at Whitsett, Texas	6	173
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	155	6,302
NCAT : Nueces River at Calallen, Texas	0	3,379
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	13	1,304

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/05/2008)	-1,577
Return Flow Credit (Effective: 10/05/2008)	500
Passthru Target: 20,000 Reservoir Inflow: 1,304	1,304
Estuary Inflows (NCAT + RBP)	3,379
PassThru Surplus / -Deficit:	998

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2008		Elevation (Ft)	
				Allocation	Remaining	Full	10/29/2008
10/28/2008	106	3,917	42,765	3,050	-867	44.0	41.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 30, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/30/2007	220.1	684,660	98.5%	94.0	256,530	99.7%	941,190	98.8%
10/30/2008	216.1	585,546	84.2%	89.8	183,628	71.4%	769,174	80.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/29/2008	81	275	0.00	80	193	0.00	468
MTD		9,207	0.48		6,461	0.57	15,668

STREAM FLOWS

Gauging Station	10/29/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	2,150
NRTT : Nueces River at Tilden, Texas	0	8
FRTT : Frio River at Tilden, Texas	14	807
SMTT : San Miguel Creek at Tilden, Texas	0	31
ARWT : Atascosa River at Whitsett, Texas	6	179
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	155	6,457
NCAT : Nueces River at Calallen, Texas	17	3,396
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	14	1,319

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/05/2008)	-1,577
Return Flow Credit (Effective: 10/05/2008)	500
Passthru Target: 20,000 Reservoir Inflow: 1,319	1,319
Estuary Inflows (NCAT + RBP)	3,396
PassThru Surplus / -Deficit:	1,001

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2008		Elevation (Ft)	
				Allocation	Remaining	Full	10/30/2008
10/29/2008	143	4,059	42,908	3,050	-1,009	44.0	41.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 31, 2008**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/31/2007	220.1	684,660	98.5%	94.0	256,713	99.8%	941,373	98.8%
10/31/2008	216.0	584,844	84.1%	89.8	183,462	71.3%	768,306	80.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/30/2008	83	247	0.00	81	164	0.00	411
MTD		9,454	0.48		6,625	0.57	16,079

STREAM FLOWS

Gauging Station	10/30/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	2,207
NRTT : Nueces River at Tilden, Texas	0	8
FRIT : Frio River at Tilden, Texas	14	821
SMTT : San Miguel Creek at Tilden, Texas	0	31
ARWT : Atascosa River at Whitsett, Texas	6	185
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	155	6,612
NCAT : Nueces River at Calallen, Texas	15	3,411
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	14	1,332

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/05/2008)	-1,577
Return Flow Credit (Effective: 10/05/2008)	500
Passthru Target: 20,000 Reservoir Inflow: 1,332	1,332
Estuary Inflows (NCAT + RBP)	3,411
PassThru Surplus / -Deficit:	1,002

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2008		Elevation (Ft)	
				Allocation	Remaining	Full	10/31/2008
10/30/2008	143	4,202	43,051	3,050	-1,152	44.0	41.0