Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: November 1, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/01/2007	220.1	684,660	98.5%	94.0	257,078	99.9%	941,738	98.9%
11/01/2008	216.0	584,375	84.0%	89.8	183,131	71.2%	767,506	80.6%
			V	Veather Related	Information			
Choke Canyon Reservoir			Lake Corpus Christi Reservoir			r	Combined	
Date	Air	Temp (°F)		Rainfall (Inches)	Air Temp	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)

STREAM FLOWS

83

241

6,866

0.00

0.57

530

16,609

0.00

0.48

289

9,743

10/31/2008

MTD

84

Gauging Station	10/31/2008 (AcFt)	MTD (AcFt)					
NTRT: Nueces River at Three Rivers, Texas	58	2,265					
NRTT: Nueces River at Tilden, Texas	0	8					
FRTT: Frio River at Tilden, Texas	15	836					
SMTT: San Miguel Creek at Tilden, Texas	0	31					
ARWT: Atascosa River at Whitsett, Texas	6	191					
Release from Choke Canyon Reservoir	58	1,785					
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	155	6,767					
NCAT: Nueces River at Calallen, Texas	20	3,431					
RBP: Rincon Bayou Pipeline	0	0					
Reservoir Inflow	Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	15	1,348					

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit: 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/05/2008)	-1,577
Return Flow Credit (Effective: 10/05/2008)	500
Passthru Target: 20,000 Reservoir Inflow: 1,348	1,348
Estuary Inflows (NCAT + RBP)	3,431
PassThru Surplus / -Deficit:	1,007

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Octob	er 2008	Elevation (Ft)	
Date	Dany Intake			Allocation	Remaining	Full	11/01/2008
10/31/2008	143	4,345	43,193	3,050	-1,295	44.0	40.9

Report Generated: 11/01/2008 at 8:31:43 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: November 2, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/02/2007	220.1	684,403	98.4%	94.0	256,530	99.7%	940,933	98.8%
11/02/2008	216.0	584,610	84.1%	89.7	182,965	71.1%	767,575	80.6%
Weather Related Information								
		Choke	Canyon Reservoir		Lake	Corpus Christi Reservoir	r	Combined
Date	Air	Temp (°F)		Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/01/20	008	82	192	0.00	81	125	0.00	317

STREAM FLOWS

0.00

192

MTD

125

0.00

317

Gauging Station	11/01/2008 (AcFt)	MTD (AcFt)	
NTRT: Nueces River at Three Rivers, Texas	58	58	
NRTT: Nueces River at Tilden, Texas	0	0	
FRTT: Frio River at Tilden, Texas	16	16	
SMTT: San Miguel Creek at Tilden, Texas	0	0	
ARWT: Atascosa River at Whitsett, Texas	6	6	
Release from Choke Canyon Reservoir	58	58	
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	155	155	
NCAT: Nueces River at Calallen, Texas	0	0	
RBP: Rincon Bayou Pipeline	0	0	
Reservoir Inflow			
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	16	16	

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit: 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,007
Return Flow Credit (Effective: 11/01/2008)	500
Passthru Target: 9,000 Reservoir Inflow: 16	16
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Novem	ber 2008	Elevation (Ft)	
Date	Dany Intake	MID		Allocation	Remaining	Full	11/02/2008
11/01/2008	142	142	43,336	3,050	2,908	44.0	40.9

Report Generated: 11/02/2008 at 8:26:50 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: November 3, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
11/03/2007	220.1	684,660	98.5%	94.0	256,530	99.7%	941,190	98.8%	
11/03/2008	216.0	584,141	84.0%	89.7	182,800	71.1%	766,941	80.5%	
	Weather Related Information								
		Choke (Canyon Reservoir		Lake (:	Combined		
Date	· I	Temp (°F)		Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/02/20	008	84	261	0.00	82	193	0.00	454	

STREAM FLOWS

0.00

318

0.00

771

453

MTD

Gauging Station	11/02/2008 (AcFt)	MTD (AcFt)					
NTRT: Nueces River at Three Rivers, Texas	58	115					
NRTT: Nueces River at Tilden, Texas	0	0					
FRTT: Frio River at Tilden, Texas	15	31					
SMTT: San Miguel Creek at Tilden, Texas	0	0					
ARWT: Atascosa River at Whitsett, Texas	6	13					
Release from Choke Canyon Reservoir	58	115					
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	155	310					
NCAT: Nueces River at Calallen, Texas	36	36					
RBP: Rincon Bayou Pipeline	0	0					
Reservoir Inflow	Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	15	31					

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit: 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,007
Return Flow Credit (Effective: 11/01/2008)	500
Passthru Target: 9,000 Reservoir Inflow: 31	31
Estuary Inflows (NCAT + RBP)	36
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2008		Elevation (Ft)	
Date	Dany Intake	MID		Allocation	Remaining	Full	11/03/2008
11/02/2008	142	284	43,478	3,050	2,766	44.0	40.9

Report Generated: 11/03/2008 at 9:16:49 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: November 4, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
11/04/2007	220.1	684,660	98.5%	94.0	256,713	99.8%	941,373	98.8%	
11/04/2008	216.0	584,141	84.0%	89.7	182,469	70.9%	766,610	80.5%	
	Weather Related Information								
		Choke (Canyon Reservoir		Lake (Combined		
Date		Temp (°F)		Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/03/20	008	84	234	0.00	82	145	0.00	379	

STREAM FLOWS

0.00

687

MTD

463

0.00

1,150

Gauging Station	11/03/2008 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	58	173				
NRTT: Nueces River at Tilden, Texas	0	0				
FRTT: Frio River at Tilden, Texas	13	44				
SMTT: San Miguel Creek at Tilden, Texas	0	0				
ARWT: Atascosa River at Whitsett, Texas	6	19				
Release from Choke Canyon Reservoir	58	173				
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	157	466				
NCAT: Nueces River at Calallen, Texas	56	91				
RBP: Rincon Bayou Pipeline	0	0				
Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	13	44				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit: 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,007
Return Flow Credit (Effective: 11/01/2008)	500
Passthru Target: 9,000 Reservoir Inflow: 44	44
Estuary Inflows (NCAT + RBP)	91
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Novem	ber 2008	Elevation (Ft)	
Date	Daily Ilitake			Allocation	Remaining	Full	11/04/2008
11/03/2008	142	426	43,620	3,050	2,624	44.0	40.8

Report Generated: 11/04/2008 at 8:49:49 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: November 5, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
11/05/2007	220.1	684,403	98.4%	94.0	256,348	99.6%	940,751	98.8%	
11/05/2008	216.0	583,671	83.9%	89.7	181,808	70.7%	765,479	80.4%	
	Weather Related Information								
		Choke (Canyon Reservoir		Lake Corpus Christi Reservoir				
Date	· I	Temp (°F)		Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/04/20	008	87	288	0.00	85	202	0.00	490	

STREAM FLOWS

0.00

665

0.00

1,640

975

MTD

Gauging Station	11/04/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	58	230
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	13	57
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	6	25
Release from Choke Canyon Reservoir	58	230
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	155	621
NCAT: Nueces River at Calallen, Texas	15	106
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	13	57

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit: 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,007
Return Flow Credit (Effective: 11/01/2008)	500
Passthru Target: 9,000 Reservoir Inflow: 57	57
Estuary Inflows (NCAT + RBP)	106
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Novem	ber 2008	Elevation (Ft)	
Date	Dany Intake			Allocation	Remaining	Full	11/05/2008
11/04/2008	142	568	43,761	3,050	2,482	44.0	40.8

Report Generated: 11/05/2008 at 8:48:22 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: November 6, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
11/06/2007	220.1	684,146	98.4%	94.0	257,078	99.9%	941,224	98.8%	
11/06/2008	216.0	583,434	83.9%	89.7	181,973	70.7%	765,407	80.4%	
	Weather Related Information								
		Choke (Canyon Reservoir		Lake (:	Combined		
Date	Air	Temp (°F)		Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/05/20	008	87	302	0.00	86	241	0.00	543	

STREAM FLOWS

0.00

1,277

MTD

906

0.00

2,183

Gauging Station	11/05/2008 (AcFt)	MTD (AcFt)					
NTRT: Nueces River at Three Rivers, Texas	58	288					
NRTT: Nueces River at Tilden, Texas	0	0					
FRTT: Frio River at Tilden, Texas	12	69					
SMTT: San Miguel Creek at Tilden, Texas	0	0					
ARWT: Atascosa River at Whitsett, Texas	7	32					
Release from Choke Canyon Reservoir	58	288					
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	161	782					
NCAT: Nueces River at Calallen, Texas	5	111					
RBP: Rincon Bayou Pipeline	0	0					
Reservoir Inflow	Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	69					

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit: 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,007
Return Flow Credit (Effective: 11/01/2008)	500
Passthru Target: 9,000 Reservoir Inflow: 69	69
Estuary Inflows (NCAT + RBP)	111
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Novem	ber 2008	Elevation (Ft)	
Date	Dany Intake			Allocation	Remaining	Full	11/06/2008
11/05/2008	142	710	43,903	3,050	2,340	44.0	40.7

Report Generated: 11/06/2008 at 8:31:54 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: November 7, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/07/2007	220.1	683,889	98.4%	94.0	256,895	99.9%	940,784	98.8%
11/07/2008	216.0	582,961	83.8%	89.7	182,138	70.8%	765,099	80.3%
			V	Veather Related	Information			
Choke Canyon Reservoir			Lake Corpus Christi Reservoir			r	Combined	
Date	· I	Temp (°F)		Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)

STREAM FLOWS

0.00

0.00

83

231

1,137

0.00

0.00

478

2,661

247

1,524

76

11/06/2008

MTD

Gauging Station	11/06/2008 (AcFt)	MTD (AcFt)	
NTRT: Nueces River at Three Rivers, Texas	58	345	
NRTT: Nueces River at Tilden, Texas	0	0	
FRTT: Frio River at Tilden, Texas	12	81	
SMTT: San Miguel Creek at Tilden, Texas	0	0	
ARWT: Atascosa River at Whitsett, Texas	7	39	
Release from Choke Canyon Reservoir	58	345	
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	183	965	
NCAT: Nueces River at Calallen, Texas	9	120	
RBP: Rincon Bayou Pipeline			
Reservoir Inflow			
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	81	

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit: 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,007
Return Flow Credit (Effective: 11/01/2008)	500
Passthru Target: 9,000 Reservoir Inflow: 81	81
Estuary Inflows (NCAT + RBP)	120
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Novem	ber 2008	Elevation (Ft)	
Date	Daily Ilitake			Allocation	Remaining	Full	11/07/2008
11/06/2008	142	851	44,044	3,050	2,199	44.0	40.7

Report Generated: 11/07/2008 at 8:36:32 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: November 8, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/08/2007	220.0	683,374	98.3%	94.0	256,348	99.6%	939,722	98.7%
11/08/2008	216.0	582,725	83.8%	89.6	181,312	70.5%	764,037	80.2%
			V	Veather Related	Information			
		Choke (Canyon Reservoir	Lake Corpus Christi Reservoir				Combined
Date		Temp (°F)		Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)

STREAM FLOWS

83

202

1,339

0.00

0.00

518

3,179

0.00

0.00

316

1,840

11/07/2008

MTD

78

Gauging Station	11/07/2008 (AcFt)	MTD (AcFt)		
NTRT: Nueces River at Three Rivers, Texas	58	403		
NRTT: Nueces River at Tilden, Texas	0	0		
FRTT: Frio River at Tilden, Texas	13	94		
SMTT: San Miguel Creek at Tilden, Texas	0	0		
ARWT: Atascosa River at Whitsett, Texas	8	47		
Release from Choke Canyon Reservoir	58	403		
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	177	1,141		
NCAT: Nueces River at Calallen, Texas	54	174		
RBP: Rincon Bayou Pipeline				
Reservoir Inflow				
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	13	94		

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit: 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,007
Return Flow Credit (Effective: 11/01/2008)	500
Passthru Target: 9,000 Reservoir Inflow: 94	94
Estuary Inflows (NCAT + RBP)	174
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Novem	ber 2008	Elevation (Ft)	
Date	Dany Intake	MID		Allocation	Remaining	Full	11/08/2008
11/07/2008	141	992	44,186	3,050	2,058	44.0	40.7

Report Generated: 11/08/2008 at 8:26:35 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: November 9, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
11/09/2007	220.0	683,117	98.3%	94.0	256,348	99.6%	939,465	98.6%	
11/09/2008	215.9	582,489	83.8%	89.6	180,982	70.3%	763,471	80.2%	
	Weather Related Information								
		Choke (Canyon Reservoir		Lake (Corpus Christi Reservoir	:	Combined	
Date	· I	Temp (°F)		Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/08/20	008	78	247	0.00	79	173	0.00	420	

STREAM FLOWS

0.00

2,087

MTD

1,512

0.00

3,599

Gauging Station	11/08/2008 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	58	461				
NRTT: Nueces River at Tilden, Texas	0	0				
FRTT: Frio River at Tilden, Texas	13	107				
SMTT: San Miguel Creek at Tilden, Texas	0	0				
ARWT: Atascosa River at Whitsett, Texas	8	55				
Release from Choke Canyon Reservoir	58	461				
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	159	1,300				
NCAT: Nueces River at Calallen, Texas	103	277				
RBP: Rincon Bayou Pipeline 0						
Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	13	107				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit: 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,007
Return Flow Credit (Effective: 11/01/2008)	500
Passthru Target: 9,000 Reservoir Inflow: 107	107
Estuary Inflows (NCAT + RBP)	277
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Novem	ber 2008	Elevation (Ft)	
Date	Daily Intake			Allocation	Remaining	Full	11/09/2008
11/08/2008	141	1,133	44,327	3,050	1,917	44.0	40.7

Report Generated: 11/09/2008 at 8:22:49 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: November 10, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/10/2007	220.0	682,860	98.2%	93.9	256,166	99.6%	939,026	98.6%
11/10/2008	215.9	582,489	83.8%	89.6	180,488	70.2%	762,977	80.1%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			r	Combined
Date	· I	Temp	· · · I · · · · · · ·	Rainfall	Air Temp	Evaporation	Rainfall (Inches)	Evaporation (AcFt)

STREAM FLOWS

0.00

0.00

78

173

1,685

0.00

0.00

365

3,964

192

2,279

11/09/2008

MTD

79

Gauging Station	11/09/2008 (AcFt)	MTD (AcFt)					
NTRT: Nueces River at Three Rivers, Texas	58	518					
NRTT: Nueces River at Tilden, Texas	0	0					
FRTT: Frio River at Tilden, Texas	13	119					
SMTT: San Miguel Creek at Tilden, Texas	0	0					
ARWT: Atascosa River at Whitsett, Texas	8	63					
Release from Choke Canyon Reservoir	58	518					
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	159	1,459					
NCAT: Nueces River at Calallen, Texas	73	350					
RBP: Rincon Bayou Pipeline	0	0					
Reservoir Inflow	Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	13	119					

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit: 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,007
Return Flow Credit (Effective: 11/01/2008)	500
Passthru Target: 9,000 Reservoir Inflow: 119	119
Estuary Inflows (NCAT + RBP)	350
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Novem	ber 2008	Elevation (Ft)	
Date	Dany Intake	MID		Allocation	Remaining	Full	11/10/2008
11/09/2008	141	1,274	44,468	3,050	1,776	44.0	40.7

Report Generated: 11/10/2008 at 8:27:04 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: November 11, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/11/2007	220.0	682,860	98.2%	93.9	255,983	99.5%	938,843	98.6%
11/11/2008	215.9	581,779	83.7%	89.6	180,158	70.0%	761,937	80.0%
			V	Veather Related	Information			
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	.	Temp (°F)		Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)

STREAM FLOWS

86

144

1,829

0.00

0.00

350

4,314

0.00

0.00

206

2,485

11/10/2008

MTD

86

Gauging Station	11/10/2008 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	60	578				
NRTT: Nueces River at Tilden, Texas	0	0				
FRTT: Frio River at Tilden, Texas	12	131				
SMTT: San Miguel Creek at Tilden, Texas	0	0				
ARWT: Atascosa River at Whitsett, Texas	8	71				
Release from Choke Canyon Reservoir	58	576				
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	159	1,618				
NCAT: Nueces River at Calallen, Texas	52	402				
RBP: Rincon Bayou Pipeline	0	0				
Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	14	133				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit: 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,007
Return Flow Credit (Effective: 11/01/2008)	500
Passthru Target: 9,000 Reservoir Inflow: 133	133
Estuary Inflows (NCAT + RBP)	402
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Novem	ber 2008	Elevation (Ft)	
Date	Dany Intake			Allocation	Remaining	Full	11/11/2008
11/10/2008	141	1,415	44,609	3,050	1,635	44.0	40.7

Report Generated: 11/11/2008 at 8:34:53 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: November 12, 2008

RESERVOIR STATISTICS

		Choke Canyon Re	servoir		Lake Corpus Christ	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (F) Volume (AcFt	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	1009	6 94	.0 257,26	100%	952,531	100%
11/12/2007	220.0	682,860	98.29	6 93	.9 255,98	99.5%	938,843	98.6%
11/12/2008	215.9	581,543	83.69	6 89	.6 180,32	70.1%	761,866	80.0%
				Weather Relate	d Information			
		Choke	Canyon Reservoir		Lake	Corpus Christi Reservoi	r	Combined
Date		Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/11/20	008	86	192	0.00	89	173	0.02	365
MTD)		2,677	0.00		2,002	0.02	4,679

STREAM FLOWS

Gauging Station	11/11/2008 (AcFt)	MTD (AcFt)					
NTRT: Nueces River at Three Rivers, Texas	60	637					
NRTT: Nueces River at Tilden, Texas	0	1					
FRTT: Frio River at Tilden, Texas	11	142					
SMTT: San Miguel Creek at Tilden, Texas	0	0					
ARWT: Atascosa River at Whitsett, Texas	10	81					
Release from Choke Canyon Reservoir	58	633					
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	159	1,777					
NCAT: Nueces River at Calallen, Texas	28	430					
RBP: Rincon Bayou Pipeline	0	0					
Reservoir Inflow	Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	13	146					

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit: 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,007
Return Flow Credit (Effective: 11/01/2008)	500
Passthru Target: 9,000 Reservoir Inflow: 146	146
Estuary Inflows (NCAT + RBP)	430
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Novem	ber 2008	Elevation (Ft)	
Date	Dany Intake			Allocation	Remaining	Full	11/12/2008
11/11/2008	141	1,556	44,750	3,050	1,494	44.0	40.7

Report Generated: 11/12/2008 at 8:59:19 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: November 13, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir				Reservoir System
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capaci	ty Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100)%	94.0	257,260	100%	952,531	100%
11/13/2007	220.0	683,117	98.	3%	93.9	256,166	99.6%	939,283	98.6%
11/13/2008	215.9	581,309	83.	5% 8	39.6	180,323	70.1%	761,632	80.0%
				Weather Rela	ted I	Information			
		Choke	Canyon Reservoir			Lake	Corpus Christi Reservoi	r	Combined
Date	Aiı	Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	A	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/12/20	008	84	274	0.00		84	58	0.00	332
MTE)		2,951	0.00			2,060	0.02	5,011

STREAM FLOWS

Gauging Station	11/12/2008 (AcFt)	MTD (AcFt)					
NTRT: Nueces River at Three Rivers, Texas	60	697					
NRTT: Nueces River at Tilden, Texas	0	1					
FRTT: Frio River at Tilden, Texas	11	153					
SMTT: San Miguel Creek at Tilden, Texas	0	0					
ARWT: Atascosa River at Whitsett, Texas	10	91					
Release from Choke Canyon Reservoir	58	691					
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	161	1,937					
NCAT: Nueces River at Calallen, Texas	34	463					
RBP: Rincon Bayou Pipeline	0	0					
Reservoir Inflow	Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	13	159					

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit: 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,007
Return Flow Credit (Effective: 11/01/2008)	500
Passthru Target: 9,000 Reservoir Inflow: 159	159
Estuary Inflows (NCAT + RBP)	463
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Novem	ber 2008	Elevation (Ft)	
Date	Dany Intake	MID	110	Allocation	Remaining	Full	11/13/2008
11/12/2008	140	1,697	44,890	3,050	1,353	44.0	40.7

Report Generated: 11/13/2008 at 8:23:13 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: November 14, 2008

RESERVOIR STATISTICS

Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System					
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%		
11/14/2007	220.0	683,117	98.3%	93.9	255,983	99.5%	939,100	98.6%		
11/14/2008	215.9	581,075	83.6%	89.5	179,500	69.8%	760,575	79.8%		
	Weether Deleted Information									

	Weather Related Information									
	C	hoke Canyon Reservoir		Lak	Combined					
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)			
11/13/2008	74	123	0.00	73	230	0.00	353			
MTD		3,074	0.00		2,290	0.02	5,364			

STREAM FLOWS

Gauging Station	11/13/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	756
NRTT: Nueces River at Tilden, Texas		1
FRTT: Frio River at Tilden, Texas	10	163
SMTT: San Miguel Creek at Tilden, Texas	(0
ARWT: Atascosa River at Whitsett, Texas	10	101
Release from Choke Canyon Reservoir	58	748
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	161	2,098
NCAT: Nueces River at Calallen, Texas	97	561
RBP: Rincon Bayou Pipeline	(0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	171

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit: 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,007
Return Flow Credit (Effective: 11/01/2008)	500
Passthru Target: 9,000 Reservoir Inflow: 171	171
Estuary Inflows (NCAT + RBP)	561
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2008		Elevation (Ft)	
Daily II	Dany Intake	MILD	110	Allocation	Remaining	Full	11/14/2008
11/13/2008	141	1,837	45,031	3,050	1,213	44.0	40.8

Report Generated: 11/14/2008 at 8:51:31 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: November 15, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/15/2007	220.0	682,603	98.2%	94.0	257,260	100.0%	939,863	98.7%
11/15/2008	215.9	580,840	83.5%	89.6	180,652	70.2%	761,492	79.9%
			V	Veather Related	Information			
		Choke (Canyon Reservoir		Lake Corpus Christi Reservoir			Combined
Date	Air	Temp (°F)		Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/14/20	008	83	274	0.00	82	221	0.00	495

STREAM FLOWS

0.00

2,511

0.02

5,859

3,348

MTD

Gauging Station	11/14/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	816
NRTT: Nueces River at Tilden, Texas	0	1
FRTT: Frio River at Tilden, Texas	8	171
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	10	111
Release from Choke Canyon Reservoir	58	806
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	161	2,259
NCAT: Nueces River at Calallen, Texas	87	648
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	181

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit: 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,007
Return Flow Credit (Effective: 11/01/2008)	500
Passthru Target: 9,000 Reservoir Inflow: 181	181
Estuary Inflows (NCAT + RBP)	648
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2008		November 2008			Elevation (Ft)	
Date	Dany Intake	MIID	110	Allocation	Remaining	Full	11/15/2008			
11/14/2008	140	1,978	45,171	3,050	1,072	44.0	40.7			

Report Generated: 11/15/2008 at 8:13:17 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: November 16, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir		Lake Corpus Christi Reservoir			Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/16/2007	220.0	681,836	98.1%	93.9	255,437	99.3%	937,273	98.4%
11/16/2008	215.9	580,372	83.5%	89.5	178,350	69.3%	758,722	79.7%
			1	Veather Related	Information			
		Choke	Canyon Reservoir		Lake (Corpus Christi Reservoir	r	Combined
Date		Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)

STREAM FLOWS

66

258

2,769

0.00

0.02

641

6,500

0.00

0.00

383

3,731

11/15/2008

MTD

66

Gauging Station	11/15/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	58	873
NRTT: Nueces River at Tilden, Texas	0	1
FRTT: Frio River at Tilden, Texas	7	178
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	9	120
Release from Choke Canyon Reservoir	58	863
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	129	2,388
NCAT: Nueces River at Calallen, Texas	113	761
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	7	188

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit: 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,007
Return Flow Credit (Effective: 11/01/2008)	500
Passthru Target: 9,000 Reservoir Inflow: 188	188
Estuary Inflows (NCAT + RBP)	761
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2008			Elevation (Ft)	
Date	Daily Ilitake	MIID	110	Allocation	Remaining	Full	11/16/2008	
11/15/2008	141	2,118	45,312	3,050	932	44.0	40.7	

Report Generated: 11/16/2008 at 8:47:08 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: November 17, 2008

RESERVOIR STATISTICS

Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/17/2007	219.9	680,817	97.9%	93.9	255,072	99.1%	935,889	98.3%
11/17/2008	215.8	580,138	83.4%	89.5	178,185	69.3%	758,323	79.6%
			V	Veather Related	Information			
		Choke (Canyon Reservoir		Lake Corpus Christi Reservoir			Combined
Date		Temp (°F)		Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)

STREAM FLOWS

66

162

2,931

0.00

0.02

436

6,936

0.00

0.00

274

4,005

11/16/2008

MTD

65

Gauging Station	11/16/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	933
NRTT: Nueces River at Tilden, Texas	0	1
FRTT: Frio River at Tilden, Texas	6	184
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	9	129
Release from Choke Canyon Reservoir	58	921
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	99	2,487
NCAT: Nueces River at Calallen, Texas	87	848
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	196

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit: 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,007
Return Flow Credit (Effective: 11/01/2008)	500
Passthru Target: 9,000 Reservoir Inflow: 196	196
Estuary Inflows (NCAT + RBP)	848
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2008			Elevation (Ft)	
Date	Dany Intake	MID	110	Allocation	Remaining	Full	11/17/2008	
11/16/2008	140	2,259	45,452	3,050	791	44.0	40.7	

Report Generated: 11/17/2008 at 9:06:14 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: November 18, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir		Lake Corpus Christi Reservoir			Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/18/2007	220.0	681,327	98.0%	93.9	255,072	99.1%	936,399	98.3%
11/18/2008	215.8	578,967	83.3%	89.5	178,350	69.3%	757,317	79.5%
			V	Veather Related	Information			
		Choke (Canyon Reservoir		Lake Corpus Christi Reservoir			Combined
Date	· I	Temp (°F)	r	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)

STREAM FLOWS

73

143

3,074

0.00

0.02

334

7,270

0.00

0.00

191

4,196

11/17/2008

MTD

72

Gauging Station	11/17/2008 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	60	993				
NRTT: Nueces River at Tilden, Texas	0	1				
FRTT: Frio River at Tilden, Texas	6	189				
SMTT: San Miguel Creek at Tilden, Texas	0	0				
ARWT: Atascosa River at Whitsett, Texas	8	137				
Release from Choke Canyon Reservoir	58	979				
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	117	2,604				
NCAT: Nueces River at Calallen, Texas	46	894				
RBP: Rincon Bayou Pipeline	0	0				
Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	203				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit: 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,007
Return Flow Credit (Effective: 11/01/2008)	500
Passthru Target: 9,000 Reservoir Inflow: 203	203
Estuary Inflows (NCAT + RBP)	894
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2008			Elevation (Ft)
Date	Dany Intake	MID	110	Allocation	Remaining	Full	11/18/2008
11/17/2008	141	2,400	45,593	3,050	650	44.0	40.6

Report Generated: 11/18/2008 at 8:32:11 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: November 19, 2008

RESERVOIR STATISTICS

Choke Canyon Reservoir			Lal	ke Corpus Christi	Combined Reservoir System						
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity			
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%			
11/19/2007	220.0	681,072	98.0%	93.9	255,619	99.4%	936,691	98.3%			
11/19/2008	215.8	578,031	83.1%	89.4	177,693	69.1%	755,724	79.3%			
	Weather Related Information										

			Weather Rela	ted Information				
	C	Choke Canyon Reservoir		Lak	Combined			
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)				
11/18/2008	74	164	0.00	75	162	0.00	326	
MTD		4,360	0.00		3,236	0.02	7,596	

STREAM FLOWS

Gauging Station	11/18/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	1,052
NRTT: Nueces River at Tilden, Texas	0	1
FRTT: Frio River at Tilden, Texas	6	195
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	8	145
Release from Choke Canyon Reservoir	58	1,036
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	133	2,737
NCAT: Nueces River at Calallen, Texas	2	896
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	211

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit: 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,007
Return Flow Credit (Effective: 11/01/2008)	500
Passthru Target: 9,000 Reservoir Inflow: 211	211
Estuary Inflows (NCAT + RBP)	896
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD YTD November 2008		November 2008			Elevation (Ft)
Date	Daily Ilitake	MID	110	Allocation	Remaining	Full	11/19/2008
11/18/2008	141	2,541	45,734	3,050	509	44.0	40.5

Report Generated: 11/19/2008 at 9:02:15 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: November 20, 2008

RESERVOIR STATISTICS

		Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Reservoir System
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/20/2007	220.0	681,327	98.0%	93.9	255,437	99.3%	936,764	98.3%
11/20/2008	215.7	577,562	83.1%	89.4	177,366	68.9%	754,928	79.3%
			V	Veather Related	Information			
		Choke (Canyon Reservoir		Lake (Corpus Christi Reservoir		Combined
Date		Temp (°F)		Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)

STREAM FLOWS

0.00

0.00

78

162

3,398

0.00

0.02

326

7,922

164

4,524

80

11/19/2008

MTD

Gauging Station	11/19/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	1,112
NRTT: Nueces River at Tilden, Texas	0	1
FRTT: Frio River at Tilden, Texas	9	204
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	9	153
Release from Choke Canyon Reservoir	58	1,094
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	161	2,898
NCAT: Nueces River at Calallen, Texas	0	896
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	11	222

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit: 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,007
Return Flow Credit (Effective: 11/01/2008)	500
Passthru Target: 9,000 Reservoir Inflow: 222	222
Estuary Inflows (NCAT + RBP)	896
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2008		vember 2008 Elevation (Ft)	
Date	Dany Intake	MID	110	Allocation	Remaining	Full	11/20/2008
11/19/2008	141	2,682	45,875	3,050	368	44.0	40.5

Report Generated: 11/20/2008 at 8:37:43 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: November 21, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir				Combined	Reservoir System
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevat (Ft		Volume (AcFt)	·	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100	0%	94.0	257,2	260	100%	952,53	100%
11/21/2007	220.0	681,836	98.	1%	93.9	256,1	166	99.6%	938,002	98.5%
11/21/2008	215.7	577,094	83.0	0%	89.4	177,6	593	69.1%	754,78	79.2%
			W	eather Rela	ted I	nformation	n			
		Choke Can	yon Reservoir			Lake C	Corpus	Christi Reserve	oir	Combined
Date	Air Te	. r	poration AcFt)	Rainfall (Inches)	Ai	r Temp (°F)		aporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/20/200	08 79		300	0.00		82		210	0.00	510
MTD			4,824	0.00				3,608	0.02	8,432

STREAM FLOWS

Gauging Station	11/20/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	1,171
NRTT: Nueces River at Tilden, Texas	0	1
FRTT: Frio River at Tilden, Texas	10	214
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	9	162
Release from Choke Canyon Reservoir	58	1,151
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	167	3,065
NCAT: Nueces River at Calallen, Texas	3	899
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	233

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Schiefer Bulle Continue Defending	9,000
Salinity Relief Credit: 0 Effective: Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,007
Return Flow Credit (Effective: 11/01/2008)	500
Passthru Target: 9,000 Reservoir Inflow: 233	233
Estuary Inflows (NCAT + RBP)	899
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2008		E	levation (Ft)
Date	Duny Intuke		112	Allocation	Remaining	Full	11/21/2008
11/20/2008	141	2,823	46,017	3,050	227	44.0	40.4

Report Generated: 11/21/2008 at 8:23:11 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: November 22, 2008

RESERVOIR STATISTICS

	Cho]	Lake Corpus Christi Reservoir					Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity			Volumo (AcFt)		Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	10	00%	94.0	257,2	260	100%	952,53	1 100%
11/22/2007	220.0	681,072	98	.0%	94.0	257,2	260	100.0%	938,33	2 98.5%
11/22/2008	215.7	576,860	83	.0%	89.4	176,7	176,711 68.7%		753,57	1 79.1%
			V	Veather Rela	ted Ir	formatio	n			
		Choke Can	yon Reservoir	r		Lake (Corp	us Christi Reserv	oir	Combined
Date	Air Te		poration AcFt)	Rainfall (Inches)	1	Temp (°F)	F	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/21/200	08 54		109	0.00		54		76	0.06	185
MTD			4,933	0.00				3,684	0.08	8,617

STREAM FLOWS

Gauging Station	11/21/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	56	1,227
NRTT: Nueces River at Tilden, Texas	0	1
FRTT: Frio River at Tilden, Texas	10	224
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	8	170
Release from Choke Canyon Reservoir	58	1,209
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	151	3,216
NCAT: Nueces River at Calallen, Texas	50	949
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	19	252

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit: 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,007
Return Flow Credit (Effective: 11/01/2008)	500
Passthru Target: 9,000 Reservoir Inflow: 252	252
Estuary Inflows (NCAT + RBP)	949
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

- [Date	Daily Intake	MTD	YTD	November 2008		E	levation (Ft)
	Dute	Duny Intuke		112	Allocation	Remaining	Full	11/22/2008
	11/21/2008	141	2,964	46,158	3,050	86	44.0	40.5

Report Generated: 11/22/2008 at 8:36:09 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: November 23, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir					Corpus Chi	risti l	Reservoir	Combined	Reservoir System
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevat		Volume (AcFt)		Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	10	0%	94.0	257,2	260	100%	952,53	1 100%
11/23/2007	219.9	680,053	97.	8%	93.9	255,0)72	99.1%	935,12	5 98.2%
11/23/2008	215.7	576,157	82.	9%	89.3	176,3	384	68.6%	752,54	1 79.0%
			W	eather Rela	ted I	nformatio	n			
		Choke Can	yon Reservoir			Lake (Corp	us Christi Reserv	oir	Combined
Date	Air Te		poration AcFt)	Rainfall (Inches)	Ai	r Temp (°F)	I	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/22/2008			41	0.01		64		29	0.02	70
MTD			4,974	0.01				3,713	0.10	8,687

STREAM FLOWS

Gauging Station	11/22/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	58	1,284
NRTT: Nueces River at Tilden, Texas	0	1
FRTT: Frio River at Tilden, Texas	10	234
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	9	178
Release from Choke Canyon Reservoir	58	1,266
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	129	3,345
NCAT: Nueces River at Calallen, Texas	54	1,003
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	262

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit: 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,007
Return Flow Credit (Effective: 11/01/2008)	500
Passthru Target: 9,000 Reservoir Inflow: 262	262
Estuary Inflows (NCAT + RBP)	1,003
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Novem	November 2008		levation (Ft)
Date	Daily Ilitake	MID	112	Allocation	Remaining	Full	11/23/2008
11/22/2008	141	3,105	46,298	3,050	-55	44.0	40.5

Report Generated: 11/23/2008 at 8:26:06 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: November 24, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir					Corpus Chr	risti F	Reservoir	Combined	Reservoir System
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevat (Ft		Volume (AcFt)		Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	10	0%	94.0	257,2	260	100%	952,53	1 100%
11/24/2007	219.9	680,562	97.	9%	93.9	255,0)72	99.1%	935,63	4 98.2%
11/24/2008	215.7	575,923	82.	8%	89.3	176,2	220	68.5%	752,14	3 79.0%
			W	eather Rela	ted I	nformatio	n			
		Choke Can	yon Reservoir			Lake (Corpu	us Christi Reserv	oir	Combined
Date	Air To	.	poration AcFt)	Rainfall (Inches)	Ai	r Temp (°F)	E	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/23/2008 69		54	0.00		79		86	0.02	140	
MTD			5,028	0.01				3,799	0.12	8,827

STREAM FLOWS

Gauging Station	11/23/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	1,344
NRTT: Nueces River at Tilden, Texas	0	1
FRTT: Frio River at Tilden, Texas	10	245
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	9	187
Release from Choke Canyon Reservoir	58	1,324
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	131	3,476
NCAT: Nueces River at Calallen, Texas	81	1,084
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	275

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit: 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,007
Return Flow Credit (Effective: 11/01/2008)	500
Passthru Target: 9,000 Reservoir Inflow: 275	275
Estuary Inflows (NCAT + RBP)	1,084
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Novem	ber 2008	E	levation (Ft)
Date	Daily Ilitake	MID	1110	Allocation	Remaining	Full	11/24/2008
11/23/2008	141	3,246	46,439	3,050	-196	44.0	40.5

Report Generated: 11/24/2008 at 9:00:30 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: November 25, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir					Corpus Chr	isti Res	servoir	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevat (Ft		Volume (AcFt)		Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100)%	94.0	257,2	260	100%	952,53	100%	
11/25/2007	220.0	681,072	98.0)%	93.9	255,4	137	99.3%	936,509	98.3%	
11/25/2008	215.6	575,455	82.8	3%	89.3	89.3 176,384		68.6%	751,839	78.9%	
			W	eather Rela	ted I	nformation	1				
		Choke Can	yon Reservoir			Lake C	Corpus (Christi Reserve	oir	Combined	
Date	Air Te	F	poration (AcFt)	Rainfall (Inches)	Ai	r Temp (°F)		poration (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/24/200)8 79		327	0.00		78		181	0.00	508	
MTD			5,355	0.01				3,980	0.12	9,335	

STREAM FLOWS

Gauging Station	11/24/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	1,403
NRTT: Nueces River at Tilden, Texas	0	1
FRTT: Frio River at Tilden, Texas	11	255
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	9	196
Release from Choke Canyon Reservoir	58	1,382
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	131	3,607
NCAT: Nueces River at Calallen, Texas	60	1,144
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	13	287

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit: 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,007
Return Flow Credit (Effective: 11/01/2008)	500
Passthru Target: 9,000 Reservoir Inflow: 287	287
Estuary Inflows (NCAT + RBP)	1,144
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

	Date	Daily Intake	ntake MTD YTD Novem		ber 2008	Elevation (Ft)		
	Dute	Dany Intake	MID	112	Allocation	Remaining	Full	11/25/2008
Ì	11/24/2008	141	3,387	46,580	3,050	-337	44.0	40.3

Report Generated: 11/25/2008 at 9:18:08 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: November 26, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake (Corpus Chr	isti Reservoir	Combined	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevat (Ft		Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	100)%	94.0	257,2	60 100%	952,53	1 100%		
11/26/2007	219.9	680,562	97.9	9%	93.9	254,5	26 98.9%	935,088	98.2%		
11/26/2008	215.6	575,221	82.7	7%	89.3	175,7	30 68.3%	750,95	78.8%		
			W	eather Rela	ted I	nformation	ı				
		Choke Can	yon Reservoir			Lake C	orpus Christi Reser	oir/	Combined		
Date	Air Te		poration (AcFt)	Rainfall (Inches)	Ai	r Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
11/25/200	08 72		204	0.00		70	181	0.00	385		
MTD			5,559	0.01			4,161	0.12	9,720		

STREAM FLOWS

Gauging Station	11/25/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	1,463
NRTT: Nueces River at Tilden, Texas	0	1
FRTT: Frio River at Tilden, Texas	10	265
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	9	205
Release from Choke Canyon Reservoir	58	1,439
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	113	3,720
NCAT: Nueces River at Calallen, Texas	73	1,217
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	299

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit: 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,007
Return Flow Credit (Effective: 11/01/2008)	500
Passthru Target: 9,000 Reservoir Inflow: 299	299
Estuary Inflows (NCAT + RBP)	1,217
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

	Date	Daily Intake	MTD	YTD	Novem	ber 2008	E	levation (Ft)
	Dute	Dany Intake		112	Allocation	Remaining	Full	11/26/2008
1	11/25/2008	140	3,527	46,720	3,050	-477	44.0	40.3

Report Generated: 11/26/2008 at 8:37:46 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: November 27, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Reservoir System
Date	Elevation Volume (Ft) (AcFt)		Percent of Capacity	Elevat (Ft		Volume (AcFt)		Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	10	0%	94.0	257,2	260	100%	952,53	1 100%
11/27/2007	219.9	680,053	97.	8%	93.9	254,5	526	98.9%	934,57	9 98.1%
11/27/2008	215.6	574,752	82.	7%	89.3	175,2	241	68.1%	749,99	3 78.7%
			W	eather Rela	ted I	nformation	ı			
		Choke Can	yon Reservoir			Lake C	Corp	ous Christi Reserv	oir	Combined
Date	Air Te		poration (AcFt)	Rainfall (Inches)	Ai	r Temp (°F)]	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/26/200	08 78		68	0.00		78		57	0.01	125
MTD			5,627	0.01				4,218	0.13	9,845

STREAM FLOWS

Gauging Station	11/26/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	1,522
NRTT: Nueces River at Tilden, Texas	0	1
FRTT: Frio River at Tilden, Texas	9	273
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	9	214
Release from Choke Canyon Reservoir	58	1,497
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	109	3,829
NCAT: Nueces River at Calallen, Texas	73	1,290
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	11	309

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit: 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,007
Return Flow Credit (Effective: 11/01/2008)	500
Passthru Target: 9,000 Reservoir Inflow: 309	309
Estuary Inflows (NCAT + RBP)	1,290
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2008		E	levation (Ft)
Date	Daily Ilitake	MID	1110	Allocation	Remaining	Full	11/27/2008
11/26/2008	140	3,667	46,860	3,050	-617	44.0	40.2

Report Generated: 11/27/2008 at 8:20:45 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: November 28, 2008

RESERVOIR STATISTICS

	Cho	1	Lake Corpus Christi Reservoir				Combined	Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevat (Ft		Volume (AcFt)		Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	10	0%	94.0	257,2	260	100%	952,53	1 100%
11/28/2007	219.9	680,053	97.	8%	93.8	254,1	162	98.8%	934,21	5 98.1%
11/28/2008	215.6	574,518	82.	6%	89.3	175,2	241	68.1%	749,75	9 78.7%
			V	eather Rela	ted I	nformatio	n			
		Choke Can	yon Reservoir			Lake (Corp	us Christi Reserv	oir	Combined
Date	Air Te		poration AcFt)	Rainfall (Inches)	Ai	r Temp (°F)	I	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/27/200	08 87		204	0.00		84		152	0.00	356
MTD			5,831	0.01				4,370	0.13	10,201

STREAM FLOWS

Gauging Station	11/27/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	1,582
NRTT: Nueces River at Tilden, Texas	0	1
FRTT: Frio River at Tilden, Texas	13	287
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	9	223
Release from Choke Canyon Reservoir	58	1,554
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	109	3,938
NCAT: Nueces River at Calallen, Texas	56	1,346
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	15	325

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit: 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,007
Return Flow Credit (Effective: 11/01/2008)	500
Passthru Target: 9,000 Reservoir Inflow: 325	325
Estuary Inflows (NCAT + RBP)	1,346
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2008		E	levation (Ft)
Date	Dany Intake	MID	110	Allocation	Remaining	Full	11/28/2008
11/27/2008	140	3,807	47,000	3,050	-757	44.0	40.2

Report Generated: 11/28/2008 at 8:26:58 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: November 29, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir				Combined	Reservoir System
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevat (Ft		Volume (AcFt)		Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	10	0%	94.0	257,2	260	100%	952,53	1 100%
11/29/2007	219.9	679,541	97.	7%	93.9	255,2	254	99.2%	934,79	5 98.1%
11/29/2008	215.6	574,050	82.	6%	89.3	175,5	567	68.2%	749,61	78.7%
			W	eather Rela	ted I	nformatio	n			
		Choke Can	yon Reservoir			Lake (Corp	us Christi Reserv	oir	Combined
Date	Air Te		poration AcFt)	Rainfall (Inches)	Ai	r Temp (°F)	I	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/28/200	08 80		245	0.00		85		143	0.00	388
MTD			6,076	0.01				4,513	0.13	10,589

STREAM FLOWS

Gauging Station	11/28/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	1,642
NRTT: Nueces River at Tilden, Texas	0	1
FRTT: Frio River at Tilden, Texas	17	304
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	10	232
Release from Choke Canyon Reservoir	58	1,612
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	109	4,047
NCAT: Nueces River at Calallen, Texas	38	1,384
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	19	344

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit: 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,007
Return Flow Credit (Effective: 11/01/2008)	500
Passthru Target: 9,000 Reservoir Inflow: 344	344
Estuary Inflows (NCAT + RBP)	1,384
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2008		E	levation (Ft)
Date	Daily Ilitake	MID	1110	Allocation	Remaining	Full	11/29/2008
11/28/2008	140	3,947	47,140	3,050	-897	44.0	40.2

Report Generated: 11/29/2008 at 8:20:55 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: November 30, 2008

RESERVOIR STATISTICS

	Cho	1	Lake Corpus Christi Reservoir					Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevat		Volume (AcFt)		Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	10	0%	94.0	257,2	260	100%	952,53	1 100%
11/30/2007	219.9	679,284	97.	7%	93.9	254,5	526	98.9%	933,81	0 98.0%
11/30/2008	215.6	573,815	82.	5%	89.3	175,2	241	68.1%	749,05	78.6%
			W	eather Rela	ted I	nformatio	n			
		Choke Can	yon Reservoir			Lake (Corpu	us Christi Reserv	oir	Combined
Date	Air Te		poration (AcFt)	Rainfall (Inches)	Ai	r Temp (°F)	E	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/29/200	08 72		149	0.00		71		114	0.00	263
MTD			6,225	0.01				4,627	0.13	10,852

STREAM FLOWS

Gauging Station	11/29/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	1,701
NRTT: Nueces River at Tilden, Texas	0	2
FRTT: Frio River at Tilden, Texas	16	320
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	11	244
Release from Choke Canyon Reservoir	58	1,669
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	109	4,157
NCAT: Nueces River at Calallen, Texas	58	1,441
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	18	362

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit: 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,007
Return Flow Credit (Effective: 11/01/2008)	500
Passthru Target: 9,000 Reservoir Inflow: 362	362
Estuary Inflows (NCAT + RBP)	1,441
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Novem	ber 2008	E	levation (Ft)
			115	Allocation	Remaining	Full	11/30/2008
11/29/2008	140	4,087	47,280	3,050	-1,037	44.0	40.2

Report Generated: 11/30/2008 at 8:25:37 AM