Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 1, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			L	Lake Corpus Christi Reservoir			Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	100%	94.	257,260	100%	952,531	100%		
12/01/2007	219.9	679,284	97.79	93.	3 254,162	98.8%	933,446	98.0%		
12/01/2008	215.6	573,581	82.5%	89.	2 174,589	67.9%	748,170	78.5%		
	Weather Related Information									
	Choke Canyon Reservoir				Lake	Corpus Christi Reservoi	r	Combined		
		-								

	Weather Related Information										
	C	hoke Canyon Reservoir		Lak		Combined					
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
11/30/2008	68	248	0.00	68	161	0.00	409				
MTD		6,473	0.01		4,788	0.13	11,261				

STREAM FLOWS

Gauging Station	11/30/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	58	1,759
NRTT: Nueces River at Tilden, Texas	0	2
FRTT: Frio River at Tilden, Texas	14	334
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	10	253
Release from Choke Canyon Reservoir	58	1,727
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	109	4,266
NCAT: Nueces River at Calallen, Texas	30	1,471
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	14	376

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit: 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,007
Return Flow Credit (Effective: 11/01/2008)	500
Passthru Target: 9,000 Reservoir Inflow: 376	376
Estuary Inflows (NCAT + RBP)	1,471
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	YTD	Novem	ber 2008	Elevation (Ft)	
Date	Дану Іптаке			Allocation	Remaining	Full	12/01/2008
11/30/2008	140	4,227	47,420	3,050	-1,177	44.0	40.2

Report Generated: 12/01/2008 at 8:39:23 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 2, 2008

RESERVOIR STATISTICS

	Choke Canyon		Choke Canyon Reservoir		Lake Corpus Christi Reservoir Combined Reservoir		Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity			
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%			
12/02/2007	219.9	679,027	97.7%	93.9	255,437	99.3%	934,464	98.1%			
12/02/2008	215.5	573,113	82.4%	89.2	174,100	67.7%	747,213	78.4%			
	Weather Related Information										

	Weather Related Information											
	(Choke Canyon Reservoir		Lak	Combined							
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)					
12/01/200	8 69	312	0.00	69	190	0.00	502					
MTD		312	0.00		190	0.00	502					

STREAM FLOWS

Gauging Station	12/01/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	60
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	13	13
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	10	10
Release from Choke Canyon Reservoir	58	58
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	109	109
NCAT: Nueces River at Calallen, Texas	11	11
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	15	15

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,471
Return Flow Credit (Effective: 12/01/2008)	500
Passthru Target: 4,500 Reservoir Inflow: 15	15
Estuary Inflows (NCAT + RBP)	11
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Doily Intoly	MTD	YTD	Decem	ber 2008	Elevation (Ft)	
Date	Daily Intake	MIID		Allocation	Remaining	Full	12/02/2008
12/01/2008	140	140	47,560	3,050	2,910	44.0	40.1

Report Generated: 12/02/2008 at 11:07:45 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 3, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir		Lake Corpus Christi Reservoir			Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/03/2007	219.9	680,053	97.8%	94.0	256,530	99.7%	936,583	98.3%
12/03/2008	215.5	572,879	82.4%	89.2	173,288	67.4%	746,167	78.3%
			V	Veather Related	Information			
		Choke (Canyon Reservoir		Lake (Corpus Christi Reservoir		Combined
Date		Temp (°F)		Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)

STREAM FLOWS

77

199

389

0.00

0.00

443

945

0.00

0.00

244

556

12/02/2008

MTD

78

Gauging Station	12/02/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	62	121
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	14	27
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	10	20
Release from Choke Canyon Reservoir	58	115
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	149	258
NCAT: Nueces River at Calallen, Texas	0	11
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	18	33

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,471
Return Flow Credit (Effective: 12/01/2008)	500
Passthru Target: 4,500 Reservoir Inflow: 33	33
Estuary Inflows (NCAT + RBP)	11
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Doily Intoly	MTD	YTD	Decem	ber 2008		Elevation (Ft)
Date	Daily Intake	MID	YID	Allocation	Remaining	Full	12/03/2008
12/02/2008	140	280	47,701	3,050	2,770	44.0	40.0

Report Generated: 12/03/2008 at 8:30:57 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 4, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lal	ke Corpus Christi I	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/04/2007	219.9	679,541	97.7%	93.9	254,890	99.1%	934,431	98.1%
12/04/2008	215.5	572,410	82.3%	89.3	175,404	68.2%	747,814	78.5%

	Weather Related Information									
Choke Canyon Reservoir				Lake	Combined					
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)			
12/03/2008	85	326	0.00	85	266	0.00	592			
MTD		882	0.00		655	0.00	1,537			

STREAM FLOWS

Gauging Station	12/03/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	62	183
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	16	43
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	10	30
Release from Choke Canyon Reservoir	58	173
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	143	401
NCAT: Nueces River at Calallen, Texas	0	11
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	20	53

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,471
Return Flow Credit (Effective: 12/01/2008)	500
Passthru Target: 4,500 Reservoir Inflow: 53	53
Estuary Inflows (NCAT + RBP)	11
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Doily Intoly	MTD	YTD	Decem	ber 2008		Elevation (Ft)
Date	Daily Intake	MID	YID	Allocation	Remaining	Full	12/04/2008
12/03/2008	140	420	47,840	3,050	2,630	44.0	40.0

Report Generated: 12/04/2008 at 8:51:11 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 5, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lai	ke Corpus Christi I	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/05/2007	219.9	679,284	97.7%	93.9	254,526	98.9%	933,810	98.0%
12/05/2008	215.5	571,944	82.3%	89.2	174,100	67.7%	746,044	78.3%

	Weather Related Information									
Choke Canyon Reservoir				Lake	Combined					
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)			
12/04/2008	58	298	0.00	58	171	0.00	469			
MTD		1,180	0.00		826	0.00	2,006			

STREAM FLOWS

Gauging Station	12/04/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	6	2 244
NRTT: Nueces River at Tilden, Texas		0
FRTT: Frio River at Tilden, Texas	1	61
SMTT: San Miguel Creek at Tilden, Texas		0
ARWT: Atascosa River at Whitsett, Texas	1	39
Release from Choke Canyon Reservoir	5	3 230
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	13	538
NCAT: Nueces River at Calallen, Texas		11
RBP: Rincon Bayou Pipeline		0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	2 75

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,471
Return Flow Credit (Effective: 12/01/2008)	500
Passthru Target: 4,500 Reservoir Inflow: 75	75
Estuary Inflows (NCAT + RBP)	11
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	VTD	Decem	ber 2008]	Elevation (Ft)
Date	рану іптаке	MID	YID	Allocation	Remaining	Full	12/05/2008
12/04/2008	140	560	47,980	3,050	2,490	44.0	40.3

Report Generated: 12/05/2008 at 8:42:53 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 6, 2008

RESERVOIR STATISTICS

Choke Canyon Reservoir			Lai	ke Corpus Christi	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/06/2007	219.9	679,284	97.7%	93.9	254,890	99.1%	934,174	98.1%
12/06/2008	215.5	571,481	82.2%	89.1	172,801	67.2%	744,282	78.1%
			XX	7 41 D L 4 L	T 0			

	Weather Related Information										
	C	hoke Canyon Reservoir		Lak	:	Combined					
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
12/05/2008	50	122	0.00	49	76	0.00	198				
MTD		1,302	0.00		902	0.00	2,204				

STREAM FLOWS

Gauging Station	12/05/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	62	306
NRTT: Nueces River at Tilden, Texas	0	1
FRTT: Frio River at Tilden, Texas	17	78
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	10	49
Release from Choke Canyon Reservoir	58	288
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	133	671
NCAT: Nueces River at Calallen, Texas	0	11
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	21	96

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,471
Return Flow Credit (Effective: 12/01/2008)	500
Passthru Target: 4,500 Reservoir Inflow: 96	96
Estuary Inflows (NCAT + RBP)	11
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	YTD	Decem	ber 2008		Elevation (Ft)
Date	Daily Intake	MIID	YID	Allocation	Remaining	Full	12/06/2008
12/05/2008	139	699	48,119	3,050	2,351	44.0	40.0

Report Generated: 12/06/2008 at 8:27:52 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 7, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%		
12/07/2007	219.9	679,284	97.7%	93.9	254,890	99.1%	934,174	98.1%		
12/07/2008	215.5	571,249	82.2%	89.1	172,638	67.1%	743,887	78.1%		
	Weather Related Information									
		CI I I	n .		Y 1 6			G 1: 1		

	Weather Related Information										
	C	hoke Canyon Reservoir		Lake	Combined						
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
12/06/2008	66	108	0.00	66	113	0.00	221				
MTD		1,410	0.00		1,015	0.00	2,425				

STREAM FLOWS

Gauging Station	12/06/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	62	367
NRTT: Nueces River at Tilden, Texas	0	1
FRTT: Frio River at Tilden, Texas	16	94
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	9	59
Release from Choke Canyon Reservoir	58	345
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	137	808
NCAT: Nueces River at Calallen, Texas	17	29
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	20	116

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,471
Return Flow Credit (Effective: 12/01/2008)	500
Passthru Target: 4,500 Reservoir Inflow: 116	116
Estuary Inflows (NCAT + RBP)	29
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	VTD	Decem	ber 2008		Elevation (Ft)
Date	Daily Ilitake	MID	110	Allocation	Remaining	Full	12/07/2008
12/06/2008	139	838	48,259	3,050	2,212	44.0	40.0

Report Generated: 12/07/2008 at 8:27:34 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 8, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir Lake Corpus Christi Reservoir		Reservoir	Combined l	Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/08/2007	219.9	679,541	97.7%	93.9	254,890	99.1%	934,431	98.1%
12/08/2008	215.5	571,017	82.1%	89.1	172,152	66.9%	743,169	78.0%
			V	Veather Related	Information			
		Choke (Canyon Reservoir		Lake (Corpus Christi Reservoir		Combined
Date	· I	Temp (°F)		Rainfall (Inches)	Air Temp	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)

STREAM FLOWS

73

142

1,157

0.00

0.00

359

2,784

0.00

0.00

217

1,627

12/07/2008

MTD

73

Gauging Station	12/07/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	62	429
NRTT: Nueces River at Tilden, Texas	0	1
FRTT: Frio River at Tilden, Texas	16	109
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	9	68
Release from Choke Canyon Reservoir	58	403
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	137	945
NCAT: Nueces River at Calallen, Texas	16	44
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	20	135

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,471
Return Flow Credit (Effective: 12/01/2008)	500
Passthru Target: 4,500 Reservoir Inflow: 135	135
Estuary Inflows (NCAT + RBP)	44
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Doily Intoly	MTD	YTD	December 2008			Elevation (Ft)
Date	Daily Intake	MIID	110	Allocation	Remaining	Full	12/08/2008
12/07/2008	139	977	48,398	3,050	2,073	44.0	40.0

Report Generated: 12/08/2008 at 8:32:55 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 9, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/09/2007	219.9	679,798	97.8%	93.9	254,890	99.1%	934,688	98.1%
12/09/2008	215.5	571,249	82.2%	89.1	171,666	66.7%	742,915	78.0%
			V	Veather Related	Information			
		Choke (Canyon Reservoir		Lake (Corpus Christi Reservoir		Combined
Date	Air	Temp (°F)		Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/08/20	008	80	108	0.00	79	85	0.00	193

STREAM FLOWS

0.00

1,735

MTD

1,242

0.00

2,977

Gauging Station	12/08/2008 (AcFt)	MTD (AcFt)						
NTRT: Nueces River at Three Rivers, Texas	64	492						
NRTT: Nueces River at Tilden, Texas	0	1						
FRTT: Frio River at Tilden, Texas	17	126						
SMTT: San Miguel Creek at Tilden, Texas	0	0						
ARWT: Atascosa River at Whitsett, Texas	10	77						
Release from Choke Canyon Reservoir	58	461						
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	151	1,096						
NCAT: Nueces River at Calallen, Texas	0	45						
RBP: Rincon Bayou Pipeline	0	0						
Reservoir Inflow								
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	23	158						

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,471
Return Flow Credit (Effective: 12/01/2008)	500
Passthru Target: 4,500 Reservoir Inflow: 158	158
Estuary Inflows (NCAT + RBP)	45
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	YTD	December 2008			Elevation (Ft)
Date	Dany Intake	MID	YID	Allocation	Remaining	Full	12/09/2008
12/08/2008	139	1,117	48,537	3,050	1,933	44.0	39.8

Report Generated: 12/09/2008 at 9:00:52 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 10, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/10/2007	219.9	680,053	97.8%	93.9	255,619	99.4%	935,672	98.2%
12/10/2008	215.5	571,249	82.2%	89.1	172,638	67.1%	743,887	78.1%
			V	Veather Related	Information			
		Choke (Canyon Reservoir		Lake (Corpus Christi Reservoir		Combined
Date		Temp (°F)		Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)

0.26

0.26

678

3,655

312

1,554

STREAM FLOWS

80

0.36

0.36

366

2,101

12/09/2008

MTD

80

Gauging Station	12/09/2008 (AcFt)	MTD (AcFt)						
NTRT: Nueces River at Three Rivers, Texas	89	582						
NRTT: Nueces River at Tilden, Texas	0	1						
FRTT: Frio River at Tilden, Texas	18	145						
SMTT: San Miguel Creek at Tilden, Texas	0	0						
ARWT: Atascosa River at Whitsett, Texas	10	88						
Release from Choke Canyon Reservoir	58	518						
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	147	1,243						
NCAT: Nueces River at Calallen, Texas	1	46						
RBP: Rincon Bayou Pipeline	0	0						
Reservoir Inflow								
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	50	208						

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,471
Return Flow Credit (Effective: 12/01/2008)	500
Passthru Target: 4,500 Reservoir Inflow: 208	208
Estuary Inflows (NCAT + RBP)	46
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	YTD	December 2008			Elevation (Ft)
Date	Дану Іптаке	MID	YID	Allocation	Remaining	Full	12/10/2008
12/09/2008	139	1,256	48,676	3,050	1,794	44.0	39.8

Report Generated: 12/10/2008 at 8:19:19 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 11, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lai	ke Corpus Christi	Combined Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%		
12/11/2007	219.9	679,798	97.8%	93.8	253,798	98.7%	933,596	98.0%		
12/11/2008	215.4	570,553	82.1%	89.1	172,314	67.0%	742,867	78.0%		
	Weather Related Information									

	Weather Related Information										
	C	hoke Canyon Reservoir		Lak	Combined						
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
12/10/2008	53	203	0.00	53	113	0.00	316				
MTD		2,304	0.36		1,667	0.26	3,971				

STREAM FLOWS

Gauging Station	12/10/2008 (AcFt)	MTD (AcFt)					
NTRT: Nueces River at Three Rivers, Texas	77	659					
NRTT: Nueces River at Tilden, Texas	0	2					
FRTT: Frio River at Tilden, Texas	20	164					
SMTT: San Miguel Creek at Tilden, Texas	0	0					
ARWT: Atascosa River at Whitsett, Texas	12	99					
Release from Choke Canyon Reservoir	58	576					
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	151	1,393					
NCAT: Nueces River at Calallen, Texas	0	46					
RBP: Rincon Bayou Pipeline	0	0					
Reservoir Inflow	Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	40	248					

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,471
Return Flow Credit (Effective: 12/01/2008)	500
Passthru Target: 4,500 Reservoir Inflow: 248	248
Estuary Inflows (NCAT + RBP)	46
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Doily Intoly	MTD	YTD	Decem	ber 2008		Elevation (Ft)
Date	Daily Intake		YID	Allocation	Remaining	Full	12/11/2008
12/10/2008	139	1,394	48,815	3,050	1,656	44.0	39.9

Report Generated: 12/11/2008 at 9:01:10 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 12, 2008

RESERVOIR STATISTICS

Choke Canyon Reservoir		Lai	ke Corpus Christi	Combined Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/12/2007	219.9	679,541	97.7%	93.9	255,619	99.4%	935,160	98.2%
12/12/2008	215.4	569,626	81.9%	89.1	171,666	66.7%	741,292	77.8%
Weather Related Information								

	Weather Related Information								
	Choke Canyon Reservoir			Lak	Combined				
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
12/11/2008	66	122	0.00	63	94	0.00	216		
MTD		2,426	0.36		1,761	0.26	4,187		

STREAM FLOWS

Gauging Station	12/11/2008 (AcFt)	MTD (AcFt)					
NTRT: Nueces River at Three Rivers, Texas	67	727					
NRTT: Nueces River at Tilden, Texas	0	2					
FRTT: Frio River at Tilden, Texas	22	186					
SMTT: San Miguel Creek at Tilden, Texas	0	0					
ARWT: Atascosa River at Whitsett, Texas	12	111					
Release from Choke Canyon Reservoir	58	633					
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	137	1,530					
NCAT: Nueces River at Calallen, Texas	36	81					
RBP: Rincon Bayou Pipeline	0	0					
Reservoir Inflow							
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	32	279					

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,471
Return Flow Credit (Effective: 12/01/2008)	500
Passthru Target: 4,500 Reservoir Inflow: 279	279
Estuary Inflows (NCAT + RBP)	81
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Doily Intoly	MTD	MTD	MTD	MTD YTD	December 2008		Elevation (Ft)	
Date	Daily Intake		YID	Allocation	Remaining	Full	12/12/2008		
12/11/2008	139	1,533	48,954	3,050	1,517	44.0	39.9		

Report Generated: 12/12/2008 at 8:49:32 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 13, 2008

RESERVOIR STATISTICS

Choke Canyon Reservoir			Lal	ke Corpus Christi	Combined Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
12/13/2007	219.9	680,308	97.8%	94.0	256,530	99.7%	936,838	98.4%	
12/13/2008	215.4	569,394	81.9%	89.0	171,343	66.6%	740,737	77.8%	
	Weather Related Information								

	Weather Related Information								
	Choke Canyon Reservoir			Lak	Combined				
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
12/12/2008	68	162	0.00	67	113	0.00	275		
MTD		2,588	0.36		1,874	0.26	4,462		

STREAM FLOWS

Gauging Station	12/12/2008 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	64	790				
NRTT: Nueces River at Tilden, Texas	0	3				
FRTT: Frio River at Tilden, Texas	22	208				
SMTT: San Miguel Creek at Tilden, Texas	0	0				
ARWT: Atascosa River at Whitsett, Texas	11	122				
Release from Choke Canyon Reservoir	58	691				
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	129	1,659				
Nucat: Nucces River at Calallen, Texas	34	115				
RBP: Rincon Bayou Pipeline	0	0				
Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	28	307				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,471
Return Flow Credit (Effective: 12/01/2008)	500
Passthru Target: 4,500 Reservoir Inflow: 307	307
Estuary Inflows (NCAT + RBP)	115
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Doily Intoly	MTD YTD		Decemb	ber 2008		Elevation (Ft)
Date	Daily Intake	MIID	YID	Allocation	Remaining	Full	12/13/2008
12/12/2008	139	1,672	49,093	3,050	1,378	44.0	39.8

Report Generated: 12/13/2008 at 8:11:11 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 14, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir		Lake Corpus Christi Reservoir Combined Reservoir Syste		Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/14/2007	219.9	680,308	97.8%	93.9	255,801	99.4%	936,109	98.3%
12/14/2008	215.4	568,930	81.8%	89.0	170,696	66.4%	739,626	77.6%
			V	Veather Related	Information			
		Choke (Canyon Reservoir		Lake (Corpus Christi Reservoir		Combined
Date		Temp (°F)		Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)

STREAM FLOWS

0.00

0.36

176

2,764

12/13/2008

MTD

76

76

113

1,987

0.00

0.26

289

4,751

Gauging Station	12/13/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	62	852
NRTT: Nueces River at Tilden, Texas	0	3
FRTT: Frio River at Tilden, Texas	22	230
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	12	134
Release from Choke Canyon Reservoir	58	748
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	129	1,788
NCAT: Nueces River at Calallen, Texas	38	153
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	26	333

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,471
Return Flow Credit (Effective: 12/01/2008)	500
Passthru Target: 4,500 Reservoir Inflow: 333	333
Estuary Inflows (NCAT + RBP)	153
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Doily Intoly	MTD YTD		Decem	ber 2008		Elevation (Ft)
Date	Daily Intake	MIID	YID	Allocation	Remaining	Full	12/14/2008
12/13/2008	139	1,811	49,231	3,050	1,239	44.0	39.8

Report Generated: 12/14/2008 at 8:13:06 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 15, 2008

RESERVOIR STATISTICS

		Choke Canyon Re	servoir	Lake Corpus Christi Reservoir Combined Reservoir Syst		Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
12/15/2007	219.9	680,562	97.9%	93.9	255,072	99.1%	935,634	98.2%	
12/15/2008	215.4	568,699	81.8%	89.0	171,181	66.5%	739,880	77.7%	
	Weather Related Information								

	Weather Related Information									
	Choke Canyon Reservoir			Lake	Combined					
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)			
12/14/2008	67	189	0.00	83	141	0.00	330			
MTD		2,953	0.36		2,128	0.26	5,081			

STREAM FLOWS

Gauging Station	12/14/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	911
NRTT: Nueces River at Tilden, Texas	0	4
FRTT: Frio River at Tilden, Texas	22	252
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	12	146
Release from Choke Canyon Reservoir	58	806
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	129	1,918
NCAT: Nueces River at Calallen, Texas	66	218
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	24	357

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,471
Return Flow Credit (Effective: 12/01/2008)	500
Passthru Target: 4,500 Reservoir Inflow: 357	357
Estuary Inflows (NCAT + RBP)	218
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Doily Intoly	MTD YTD December 2008		December 2008			Elevation (Ft)
Date	Daily Intake	MIID	YID	Allocation	Remaining	Full	12/15/2008
12/14/2008	139	1,950	49,370	3,050	1,100	44.0	39.8

Report Generated: 12/15/2008 at 8:15:48 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 16, 2008

RESERVOIR STATISTICS

		Choke Canyon Re	servoir	La	ke Corpus Christi	Reservoir	Combined l	Reservoir System
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/16/2007	219.9	680,053	97.8%	93.8	253,980	98.7%	934,033	98.1%
12/16/2008	215.3	568,467	81.8%	89.0	171,343	66.6%	739,810	77.7%
			V	Veather Related	Information			
		Choke (Canyon Reservoir		Lake (Corpus Christi Reservoir	r	Combined
Date)	Temp (°F)		Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)

STREAM FLOWS

70

170

2,298

0.00

0.26

359

5,440

0.00

0.36

189

3,142

12/15/2008

MTD

68

Gauging Station	12/15/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	971
NRTT: Nueces River at Tilden, Texas	0	4
FRTT: Frio River at Tilden, Texas	22	274
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	13	159
Release from Choke Canyon Reservoir	58	863
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	131	2,049
NCAT: Nueces River at Calallen, Texas	28	246
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	24	381

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,471
Return Flow Credit (Effective: 12/01/2008)	500
Passthru Target: 4,500 Reservoir Inflow: 381	381
Estuary Inflows (NCAT + RBP)	246
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Deceml	ber 2008		Elevation (Ft)
Date	Dany Intake	MID	110	Allocation	Remaining	Full	12/16/2008
12/15/2008	138	2,088	49,508	3,050	962	44.0	39.8

Report Generated: 12/16/2008 at 8:55:01 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 17, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lai	ke Corpus Christi	Combined Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%		
12/17/2007	219.9	678,770	97.6%	93.8	254,162	98.8%	932,932	97.9%		
12/17/2008	215.3	568,235	81.7%	89.0	171,019	66.5%	739,254	77.6%		
	Weather Related Information									

Weather Related Information										
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined			
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)			
12/16/2008	41	41	0.04	43	28	0.00	69			
MTD		3,183	0.40		2,326	0.26	5,509			

STREAM FLOWS

Gauging Station	12/16/2008 (AcFt)	MTD (AcFt)					
NTRT: Nueces River at Three Rivers, Texas	66	1,036					
NRTT: Nueces River at Tilden, Texas	0	4					
FRTT: Frio River at Tilden, Texas	24	297					
SMTT: San Miguel Creek at Tilden, Texas	0	0					
ARWT: Atascosa River at Whitsett, Texas	13	172					
Release from Choke Canyon Reservoir	58	921					
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	133	2,182					
NCAT: Nueces River at Calallen, Texas	10	256					
RBP: Rincon Bayou Pipeline	0	0					
Reservoir Inflow							
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	32	412					

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,471
Return Flow Credit (Effective: 12/01/2008)	500
Passthru Target: 4,500 Reservoir Inflow: 412	412
Estuary Inflows (NCAT + RBP)	256
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake M	MTD	YTD	Decem	ber 2008		Elevation (Ft)
Date		MID TID	Allocation	Remaining	Full	12/17/2008	
12/16/2008	139	2,227	49,648	3,050	823	44.0	39.7

Report Generated: 12/17/2008 at 9:09:38 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 18, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lai	ke Corpus Christi	Combined Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%		
12/18/2007	219.9	678,770	97.6%	93.8	254,344	98.9%	933,114	98.0%		
12/18/2008	215.3	567,771	81.7%	89.0	170,535	66.3%	738,306	77.5%		
	Weather Related Information									

	Weather Related Information									
	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)			
12/17/2008	57	13	0.02	57	0	0.01	13			
MTD		3,196	0.42		2,326	0.27	5,522			

STREAM FLOWS

Gauging Station	12/17/2008 (AcFt)	MTD (AcFt)						
NTRT: Nueces River at Three Rivers, Texas	67	1,104						
NRTT: Nueces River at Tilden, Texas	0	5						
FRTT: Frio River at Tilden, Texas	26	323						
SMTT: San Miguel Creek at Tilden, Texas	0	0						
ARWT: Atascosa River at Whitsett, Texas	14	186						
Release from Choke Canyon Reservoir	58	979						
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	107	2,289						
NCAT: Nueces River at Calallen, Texas	11	266						
RBP: Rincon Bayou Pipeline	0	0						
Reservoir Inflow	Reservoir Inflow							
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	36	448						

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,471
Return Flow Credit (Effective: 12/01/2008)	500
Passthru Target: 4,500 Reservoir Inflow: 448	448
Estuary Inflows (NCAT + RBP)	266
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Decem	ber 2008]	Elevation (Ft)
Date	Daily Ilitake	MID	110	Allocation	Remaining	Full	12/18/2008
12/17/2008	139	2,367	49,787	3,050	683	44.0	39.6

Report Generated: 12/18/2008 at 8:45:07 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 19, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
12/19/2007	219.9	678,513	97.6%	93.8	254,162	98.8%	932,675	97.9%	
12/19/2008	215.3	567,539	81.6%	89.0	170,696	66.4%	738,235	77.5%	
	Weather Related Information								
	Choke Canyon Reservoir				Lake C	Corpus Christi Reservoir		Combined	

	Weather Related Information											
	C	hoke Canyon Reservoir		Lake	r	Combined						
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)					
12/18/2008	74	13	0.00	80	47	0.01	60					
MTD		3,209	0.42		2,373	0.28	5,582					

STREAM FLOWS

Gauging Station	12/18/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	64	1,167
NRTT: Nueces River at Tilden, Texas	0	5
FRTT: Frio River at Tilden, Texas	26	349
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	14	200
Release from Choke Canyon Reservoir	58	1,036
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	115	2,404
NCAT: Nueces River at Calallen, Texas	58	324
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	32	480

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,471
Return Flow Credit (Effective: 12/01/2008)	500
Passthru Target: 4,500 Reservoir Inflow: 480	480
Estuary Inflows (NCAT + RBP)	324
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Doily Intoly	MTD	YTD	December 2008 Elevation (Ft)			Elevation (Ft)
	Daily Intake			Allocation	Remaining	Full	12/19/2008
12/18/2008	139	2,506	49,926	3,050	544	44.0	39.5

Report Generated: 12/19/2008 at 8:40:48 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 20, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%		
12/20/2007	219.9	679,541	97.7%	93.9	254,526	98.9%	934,067	98.1%		
12/20/2008	215.3	567,307	81.6%	89.0	170,535	66.3%	737,842	77.5%		
	Weather Related Information									
	Choke Canyon Reservoir				Lake (Corpus Christi Reservoir		Combined		

	weather Related Information											
	Choke Canyon Reservoir				Lake Corpus Christi Reservoir							
Date	Air Temp Evaporation (AcFt)		Rainfall (Inches)	Air Temp (°F)			Evaporation (AcFt)					
12/19/2008	80	94	0.00	78	113	0.00	207					
MTD		3,303	0.42		2,486	0.28	5,789					

STREAM FLOWS

Gauging Station	12/19/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	62	1,229
NRTT: Nueces River at Tilden, Texas	0	5
FRTT: Frio River at Tilden, Texas	24	373
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	14	214
Release from Choke Canyon Reservoir	58	1,094
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	93	2,497
NCAT: Nueces River at Calallen, Texas	87	411
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	28	508

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,471
Return Flow Credit (Effective: 12/01/2008)	500
Passthru Target: 4,500 Reservoir Inflow: 508	508
Estuary Inflows (NCAT + RBP)	411
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Doily Intoly	MTD	YTD	December 2008 Elevation (Ft)			Elevation (Ft)
	Daily Intake	MIID	110	Allocation	Remaining	Full	12/20/2008
12/19/2008	139	2,646	50,066	3,050	404	44.0	39.5

Report Generated: 12/20/2008 at 8:23:47 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 21, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%		
12/21/2007	219.9	679,284	97.7%	93.8	254,344	98.9%	933,628	98.0%		
12/21/2008	215.3	566,843	81.5%	89.1	172,963	67.2%	739,806	77.7%		
	Weather Related Information									
Choke Canyon Reservoir					Lake C	Corpus Christi Reservoir		Combined		

	Weather Related Information											
	Choke Canyon Reservoir				Lake Corpus Christi Reservoir							
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)					
12/20/2008	76	189	0.00	81	104	0.00	293					
MTD		3,492	0.42		2,590	0.28	6,082					

STREAM FLOWS

Gauging Station	12/20/2008 (AcFt)	MTD (AcFt)			
NTRT: Nueces River at Three Rivers, Texas	60	1,288			
NRTT: Nueces River at Tilden, Texas	0	6			
FRTT: Frio River at Tilden, Texas	24	397			
SMTT: San Miguel Creek at Tilden, Texas	0	0			
ARWT: Atascosa River at Whitsett, Texas	14	228			
Release from Choke Canyon Reservoir	58	1,151			
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	89	2,586			
NCAT: Nueces River at Calallen, Texas	54	465			
RBP: Rincon Bayou Pipeline	0	0			
Reservoir Inflow					
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	26	534			

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,471
Return Flow Credit (Effective: 12/01/2008)	500
Passthru Target: 4,500 Reservoir Inflow: 534	534
Estuary Inflows (NCAT + RBP)	465
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	YTD	December 2008			Elevation (Ft)
Date		MID	YID	Allocation	Remaining	Full	12/21/2008
12/20/2008	140	2,785	50,205	3,050	265	44.0	39.5

Report Generated: 12/21/2008 at 8:22:18 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 22, 2008

RESERVOIR STATISTICS

		Choke Canyon Re	servoir	Lake Corpus Christi Reservoir Combined Reservoir System		Lake Corpus Christi Reservoir Combined Reser		Reservoir System
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/22/2007	219.9	679,541	97.7%	93.8	253,980	98.7%	933,521	98.0%
12/22/2008	215.3	566,611	81.5%	89.0	171,343	66.6%	737,954	77.5%
Weather Related Information								
	Choke Canvon Reservoir				Lake (Corpus Christi Reservoir	. 1	Combined

	weather Related Information								
	Choke Canyon Reservoir			Lak	r	Combined			
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
12/21/2008	48	256	0.00	53	179	0.00	435		
MTD		3,748	0.42		2,769	0.28	6,517		

STREAM FLOWS

Gauging Station	12/21/2008 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	62	1,350				
NRTT: Nueces River at Tilden, Texas	0	6				
FRTT: Frio River at Tilden, Texas	26	422				
SMTT: San Miguel Creek at Tilden, Texas	0	0				
ARWT: Atascosa River at Whitsett, Texas	14	242				
Release from Choke Canyon Reservoir	58	1,209				
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	89	2,676				
NCAT: Nueces River at Calallen, Texas	48	513				
RBP: Rincon Bayou Pipeline	0	0				
Reservoir Inflow	Reservoir Inflow					
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	30	563				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,471
Return Flow Credit (Effective: 12/01/2008)	500
Passthru Target: 4,500 Reservoir Inflow: 563	563
Estuary Inflows (NCAT + RBP)	513
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake MTD YTD		VTD	Decem	ber 2008	Elevation (Ft)	
Date	рапу іптаке	MID	YID	Allocation	Remaining	Full	12/22/2008
12/21/2008	140	2,925	50,345	3,050	125	44.0	39.5

Report Generated: 12/22/2008 at 8:56:36 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 23, 2008

RESERVOIR STATISTICS

		Choke Canyon Re	servoir		Lake Corpus Christi Reservoir Combined Reservoir System		Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (F	Volume (AcFt	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	1009	6 94	.0 257,26	100%	952,531	100%
12/23/2007	219.8	678,255	97.69	6 93	.8 253,79	8 98.7%	932,053	97.9%
12/23/2008	215.3	566,380	81.59	6 89	.0 170,37	3 66.2%	736,753	77.3%
Weather Related Information								
	Choke Canyon Reservoir				Lake	Corpus Christi Reservoi	r Combined	
		-						

Weather Related Information							
	Choke Canyon Reservoir			Lak		Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/22/2008	40	94	0.02	43	0	0.07	94
MTD		3,842	0.44		2,769	0.35	6,611

STREAM FLOWS

Gauging Station	12/22/2008 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	64	1,413				
NRTT: Nueces River at Tilden, Texas	0	6				
FRTT: Frio River at Tilden, Texas	30	452				
SMTT: San Miguel Creek at Tilden, Texas	0	0				
ARWT: Atascosa River at Whitsett, Texas	13	256				
Release from Choke Canyon Reservoir	58	1,266				
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	83	2,759				
NCAT: Nueces River at Calallen, Texas	34	546				
RBP: Rincon Bayou Pipeline	0	0				
Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	36	599				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,471
Return Flow Credit (Effective: 12/01/2008)	500
Passthru Target: 4,500 Reservoir Inflow: 599	599
Estuary Inflows (NCAT + RBP)	546
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2008			Elevation (Ft)
Date	Daily Intake	MIID	110	Allocation	Remaining	Full	12/23/2008
12/22/2008	140	3,064	50,485	3,050	-14	44.0	39.7

Report Generated: 12/23/2008 at 9:15:23 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 24, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lai	ke Corpus Christi	Reservoir	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
12/24/2007	219.8	677,741	97.5%	93.8	253,435	98.5%	931,176	97.8%	
12/24/2008	215.2	566,148	81.4%	89.0	170,212	66.2%	736,360	77.3%	
	Weather Related Information								
		Choke (Canyon Reservoir		Lake C	Corpus Christi Reservoir	:	Combined	

	weather Related Information									
	Choke Canyon Reservoir			Lak	Combined					
Date	Air Temp (°F)			Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
12/23/2008	64	27	0.00	66	38	0.00	65			
MTD		3,869	0.44		2,807	0.35	6,676			

STREAM FLOWS

Gauging Station	12/23/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	62	1,475
NRTT: Nueces River at Tilden, Texas	0	7
FRTT: Frio River at Tilden, Texas	30	482
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	14	269
Release from Choke Canyon Reservoir	58	1,324
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	105	2,864
NCAT: Nueces River at Calallen, Texas	2	548
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	34	633

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,471
Return Flow Credit (Effective: 12/01/2008)	500
Passthru Target: 4,500 Reservoir Inflow: 633	633
Estuary Inflows (NCAT + RBP)	548
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Doily Intoly	MTD	YTD	December 2008			Elevation (Ft)
Date	Daily Intake	MID	YID	Allocation	Remaining	Full	12/24/2008
12/23/2008	140	3,204	50,624	3,050	-154	44.0	39.4

Report Generated: 12/24/2008 at 8:25:24 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 25, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
12/25/2007	219.8	677,484	97.4%	93.8	253,617	98.6%	931,101	97.8%	
12/25/2008	215.2	566,148	81.4%	88.9	169,889	66.0%	736,037	77.3%	
	Weather Related Information								
Choke Canyon Reservoir					Lake (Corpus Christi Reservoir	:	Combined	

	Choke Canyon Reservoir			Lake	r	Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	emp Evaporation Rainfall (AcFt) (Inches)		Evaporation (AcFt)
12/24/2008	70	94	0.00	66	56	0.00	150
MTD		3,963	0.44		2,863	0.35	6,826

STREAM FLOWS

Gauging Station	12/24/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	62	1,536
NRTT: Nueces River at Tilden, Texas	0	7
FRTT: Frio River at Tilden, Texas	32	514
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	14	283
Release from Choke Canyon Reservoir	58	1,382
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	143	3,007
NCAT: Nueces River at Calallen, Texas	0	548
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	36	669

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,471
Return Flow Credit (Effective: 12/01/2008)	500
Passthru Target: 4,500 Reservoir Inflow: 669	669
Estuary Inflows (NCAT + RBP)	548
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Doily Intoly	MTD	YTD	December 2008			Elevation (Ft)
Date	Daily Intake	MID	YID	Allocation	Remaining	Full	12/25/2008
12/24/2008	140	3,343	50,764	3,050	-293	44.0	39.4

Report Generated: 12/25/2008 at 8:21:39 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 26, 2008

RESERVOIR STATISTICS

Choke Canyon Reservoir			Lal	ke Corpus Christi	Combined Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	e (AcFt) Percent of Capacity Elevation (Ft) Volume		Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
12/26/2007	219.8	677,227	97.4%	93.9	254,708	99.0%	931,935	97.8%	
12/26/2008	215.2	565,684	81.4%	88.9	169,245	65.8%	734,929	77.2%	
	Weather Related Information								

Weather Related Information								
	Choke Canyon Reservoir			Lak	Combined			
	Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
	12/25/2008	76	54	0.00	79	66	0.00	120
	MTD		4,017	0.44		2,929	0.35	6,946

STREAM FLOWS

Gauging Station	12/25/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	58	1,594
NRTT: Nueces River at Tilden, Texas	0	8
FRTT: Frio River at Tilden, Texas	32	545
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	15	298
Release from Choke Canyon Reservoir	58	1,439
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	143	3,150
NCAT: Nueces River at Calallen, Texas	17	565
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	32	700

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,471
Return Flow Credit (Effective: 12/01/2008)	500
Passthru Target: 4,500 Reservoir Inflow: 700	700
Estuary Inflows (NCAT + RBP)	565
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Doily Intoly	MTD	YTD	December 2008		Elevation (Ft)	
Date	Daily Intake			Allocation	Remaining	Full	12/26/2008
12/25/2008	140	3,483	50,903	3,050	-433	44.0	39.4

Report Generated: 12/26/2008 at 8:34:41 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 27, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			L	ake Corpus Christi	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/27/2007	219.8	676,972	97.4%	93.8	253,435	98.5%	930,407	97.7%
12/27/2008	215.2	565,452	81.3%	88.9	169,245	65.8%	734,697	77.1%
			7	Veather Related	Information			
		Choke (Canyon Reservoir		Lake	Corpus Christi Reservoir	:	Combined
Date		Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/26/20	008	86	202	0.00	82	141	0.00	343

STREAM FLOWS

0.44

3,070

0.35

7,289

4,219

MTD

Gauging Station	12/26/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	58	1,652
NRTT: Nueces River at Tilden, Texas	0	8
FRTT: Frio River at Tilden, Texas	30	575
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	16	314
Release from Choke Canyon Reservoir	58	1,497
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	145	3,295
NCAT: Nueces River at Calallen, Texas	66	631
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	30	730

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,471
Return Flow Credit (Effective: 12/01/2008)	500
Passthru Target: 4,500 Reservoir Inflow: 730	730
Estuary Inflows (NCAT + RBP)	631
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Doily Intoko	MTD	YTD	Decem	ber 2008	Elevation (Ft)	
Date	Daily Intake			Allocation	Remaining	Full	12/27/2008
12/26/2008	140	3,622	51,043	3,050	-572	44.0	39.4

Report Generated: 12/27/2008 at 8:27:17 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 28, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir				ke Corpus Christi	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/28/2007	219.8	676,972	97.4%	93.8	253,980	98.7%	930,952	97.7%
12/28/2008	215.2	564,991	81.3%	89.0	170,212	66.2%	735,203	77.2%
Weather Related Information								
		Choke (Canyon Reservoir		Lake Corpus Christi Reservoir			Combined
Date	Air	Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)

STREAM FLOWS

89

235

3,305

0.00

0.35

679

7,968

0.00

0.44

444

4,663

12/27/2008

MTD

82

Gauging Station	12/27/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	67	1,719
NRTT: Nueces River at Tilden, Texas	0	8
FRTT: Frio River at Tilden, Texas	28	603
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	15	330
Release from Choke Canyon Reservoir	58	1,554
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	123	3,418
NCAT: Nueces River at Calallen, Texas	42	672
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	38	768

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,471
Return Flow Credit (Effective: 12/01/2008)	500
Passthru Target: 4,500 Reservoir Inflow: 768	768
Estuary Inflows (NCAT + RBP)	672
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Doily Intoly	MTD	YTD	Decemb	ber 2008	Elevation (Ft)	
Date	Daily Intake			Allocation	Remaining	Full	12/28/2008
12/27/2008	139	3,762	51,182	3,050	-712	44.0	39.4

Report Generated: 12/28/2008 at 8:32:15 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 29, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%		
12/29/2007	219.8	677,741	97.5%	93.8	253,435	98.5%	931,176	97.8%		
12/29/2008	215.2	564,761	81.2%	88.9	169,728	66.0%	734,489	77.1%		
	Weather Related Information									

	Weather Related Information										
	Choke Canyon Reservoir Lake Corpus Christi Reservoir										
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
12/28/2008	58	215	0.00	58	207	0.00	422				
MTD		4,878	0.44		3,512	0.35	8,390				

STREAM FLOWS

Gauging Station	12/28/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	71	1,790
NRTT: Nueces River at Tilden, Texas	0	9
FRTT: Frio River at Tilden, Texas	28	631
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	15	345
Release from Choke Canyon Reservoir	58	1,612
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	99	3,517
NCAT: Nueces River at Calallen, Texas	83	756
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	42	809

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,471
Return Flow Credit (Effective: 12/01/2008)	500
Passthru Target: 4,500 Reservoir Inflow: 809	809
Estuary Inflows (NCAT + RBP)	756
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Doily Intoly	MTD	YTD	December 2008			Elevation (Ft)	
	Daily Intake			Allocation	Remaining	Full	12/29/2008	
12/28/2008	139	3,901	51,321	3,050	-851	44.0	39.4	

Report Generated: 12/29/2008 at 8:41:50 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 30, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lai	ke Corpus Christi	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
12/30/2007	219.8	677,227	97.4%	93.8	252,890	98.3%	930,117	97.6%	
12/30/2008	215.2	564,761	81.2%	88.9	169,406	65.9%	734,167	77.1%	
	Weather Related Information								
Choke Canyon Reservoir					Lake C	Corpus Christi Reservoir		Combined	

	Weather Related Information											
Choke Canyon Reservoir				Lak		Combined						
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)					
12/29/2008	69	188	0.00	69	103	0.00	291					
MTD		5,066	0.44		3,615	0.35	8,681					

STREAM FLOWS

Gauging Station	12/29/2008 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	73	1,864
NRTT: Nueces River at Tilden, Texas		9
FRTT: Frio River at Tilden, Texas	26	657
SMTT: San Miguel Creek at Tilden, Texas		0
ARWT: Atascosa River at Whitsett, Texas	14	359
Release from Choke Canyon Reservoir	58	1,669
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	107	3,625
NCAT: Nueces River at Calallen, Texas	52	807
RBP: Rincon Bayou Pipeline		0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	42	851

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,471
Return Flow Credit (Effective: 12/01/2008)	500
Passthru Target: 4,500 Reservoir Inflow: 851	851
Estuary Inflows (NCAT + RBP)	807
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2008 Elevation (Ft)			Elevation (Ft)
Date	Daily Ilitake	MID	110	Allocation	Remaining	Full	12/30/2008
12/29/2008	139	4,040	51,461	3,050	-990	44.0	39.3

Report Generated: 12/30/2008 at 10:29:38 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 31, 2008

RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%		
12/31/2007	219.8	676,972	97.4%	93.8	252,890	98.3%	929,862	97.6%		
12/31/2008	215.2	564,532	81.2%	88.9	169,245	65.8%	733,777	77.0%		
	Weather Related Information									
Choke Canyon Reservoir					Lake C	Corpus Christi Reservoir		Combined		

	Weather Related Information											
	Choke Canyon Reservoir				Lake Corpus Christi Reservoir							
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)					
12/30/2008	75	134	0.00	76	113	0.00	247					
MTD		5,200	0.44		3,728	0.35	8,928					

STREAM FLOWS

Gauging Station	12/30/2008 (AcFt)	MTD (AcFt)					
NTRT: Nueces River at Three Rivers, Texas	73	1,937					
NRTT: Nueces River at Tilden, Texas	0	9					
FRTT: Frio River at Tilden, Texas	28	684					
SMTT: San Miguel Creek at Tilden, Texas	0	0					
ARWT: Atascosa River at Whitsett, Texas	13	372					
Release from Choke Canyon Reservoir	58	1,727					
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	99	3,724					
NCAT: Nueces River at Calallen, Texas	18	825					
RBP: Rincon Bayou Pipeline	0	0					
Reservoir Inflow							
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	44	895					

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,471		
Return Flow Credit (Effective: 12/01/2008)			
Passthru Target: 4,500 Reservoir Inflow: 895	895		
Estuary Inflows (NCAT + RBP)	825		
PassThru Surplus / -Deficit:	0		

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Decem	ber 2008		Elevation (Ft)
			YID	Allocation	Remaining	Full	12/31/2008
12/30/2008	139	4,180	51,600	3,050	-1,130	44.0	39.3

Report Generated: 12/31/2008 at 8:43:34 AM