

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 1, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/01/2008	219.8	676,717	97.3%	93.8	253,798	98.7%	930,515	97.7%
01/01/2009	215.2	564,302	81.2%	88.9	169,245	65.8%	733,547	77.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/31/2008	75	255	0.00	65	47	0.02	302
MTD		5,455	0.44		3,775	0.37	9,230

STREAM FLOWS

Gauging Station	12/31/2008 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	2,007
NRIT : Nueces River at Tilden, Texas	0	10
FRIT : Frio River at Tilden, Texas	32	716
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	14	386
Release from Choke Canyon Reservoir	58	1,785
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	99	3,823
NCAT : Nueces River at Calallen, Texas	22	847
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	44	939

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,471
Return Flow Credit (Effective: 12/01/2008)	500
Passthru Target: 4,500 Reservoir Inflow: 939	939
Estuary Inflows (NCAT + RBP)	847
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2008		Elevation (Ft)	
				Allocation	Remaining	Full	01/01/2009
12/31/2008	139	4,319	51,739	3,050	-1,269	44.0	39.3

Report Generated: 01/01/2009 at 8:35:57 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 2, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/02/2008	219.8	675,953	97.2%	93.8	253,435	98.5%	929,388	97.6%
01/02/2009	215.2	564,302	81.2%	88.9	168,602	65.5%	732,904	76.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/01/2009	70	81	0.00	77	94	0.00	175
MTD		81	0.00		94	0.00	175

STREAM FLOWS

Gauging Station	01/01/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	71
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	32	32
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	14	14
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	99	99
NCAT : Nueces River at Calallen, Texas	40	40
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	46	46

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 46	46
Estuary Inflows (NCAT + RBP)	40
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2009		Elevation (Ft)	
				Allocation	Remaining	Full	01/02/2009
01/01/2009	139	139	139	3,050	2,911	44.0	39.3

Report Generated: 01/02/2009 at 9:02:47 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 3, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/03/2008	219.7	675,443	97.1%	93.7	252,345	98.1%	927,788	97.4%
01/03/2009	215.2	564,073	81.1%	88.9	168,923	65.7%	732,996	77.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/02/2009	83	148	0.00	83	169	0.00	317
MTD		229	0.00		263	0.00	492

STREAM FLOWS

Gauging Station	01/02/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	141
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	34	66
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	14	28
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	91	191
NCAT : Nueces River at Calallen, Texas	9	48
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	46	91

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	847
Return Flow Credit (Effective: 01/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 91	91
Estuary Inflows (NCAT + RBP)	48
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2009		Elevation (Ft)	
				Allocation	Remaining	Full	01/03/2009
01/02/2009	139	278	278	3,050	2,772	44.0	39.2

Report Generated: 01/03/2009 at 8:23:44 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 4, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/04/2008	219.7	675,689	97.2%	93.7	252,345	98.1%	928,034	97.4%
01/04/2009	215.2	564,991	81.3%	88.9	169,084	65.7%	734,075	77.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/03/2009	83	175	0.00	82	112	0.00	287
MTD		404	0.00		375	0.00	779

STREAM FLOWS

Gauging Station	01/03/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	208
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	34	99
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	15	43
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	89	280
NCAT : Nueces River at Calallen, Texas	22	70
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	44	135

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	847
Return Flow Credit (Effective: 01/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 135	135
Estuary Inflows (NCAT + RBP)	70
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2009		Elevation (Ft)	
				Allocation	Remaining	Full	01/04/2009
01/03/2009	139	417	417	3,050	2,633	44.0	39.2

Report Generated: 01/04/2009 at 8:17:14 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 5, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/05/2008	219.7	675,443	97.1%	93.7	251,982	97.9%	927,425	97.4%
01/05/2009	215.2	564,991	81.3%	88.9	169,084	65.7%	734,075	77.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/04/2009	70	175	0.00	78	131	0.00	306
MTD		579	0.00		506	0.00	1,085

STREAM FLOWS

Gauging Station	01/04/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	276
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	32	131
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	15	59
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	95	375
NCAT : Nueces River at Calallen, Texas	0	70
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	42	177

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	847
Return Flow Credit (Effective: 01/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 177	177
Estuary Inflows (NCAT + RBP)	70
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2009		Elevation (Ft)	
				Allocation	Remaining	Full	01/05/2009
01/04/2009	139	556	556	3,050	2,494	44.0	39.2

Report Generated: 01/05/2009 at 9:08:46 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: January 6, 2009

RESERVOIR STATISTICS

Choke Canyon Reservoir	Lake Corpus Christi Reservoir	Combined Reservoir System
------------------------	-------------------------------	---------------------------

Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/06/2008	219.7	675,189	97.1%	93.7	251,982	97.9%	927,171	97.3%
01/06/2009	215.2	564,761	81.2%	88.9	168,762	65.6%	733,523	77.0%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/05/2009	47	81	0.00	47	28	0.03	109
MTD		660	0.00		534	0.03	1,194

STREAM FLOWS

Gauging Station	01/05/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	347
NRTT : Nueces River at Tilden, Texas	0	2
FRIT : Frio River at Tilden, Texas	32	163
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	15	74
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	95	470
NCAT : Nueces River at Calallen, Texas	0	70
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	46	222

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	847
Return Flow Credit (Effective: 01/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 222	222
Estuary Inflows (NCAT + RBP)	70
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2009		Elevation (Ft)	
				Allocation	Remaining	Full	01/06/2009
01/05/2009	139	695	695	3,050	2,355	44.0	39.2

Report Generated: 01/06/2009 at 9:23:00 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: January 7, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity

FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/07/2008	219.7	675,189	97.1%	93.7	251,982	97.9%	927,171	97.3%
01/07/2009	215.2	564,532	81.2%	88.9	168,441	65.5%	732,973	77.0%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/06/2009	66	108	0.03	67	66	0.00	174
MTD		768	0.03		600	0.03	1,368

STREAM FLOWS

Gauging Station	01/06/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	419
NRTT : Nueces River at Tilden, Texas	0	2
FRIT : Frio River at Tilden, Texas	32	195
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	15	89
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	109	580
NCAT : Nueces River at Calallen, Texas	1	72
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	46	268

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	847
Return Flow Credit (Effective: 01/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 268	268
Estuary Inflows (NCAT + RBP)	72
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2009		Elevation (Ft)	
				Allocation	Remaining	Full	01/07/2009
01/06/2009	139	834	834	3,050	2,216	44.0	39.1

Report Generated: 01/07/2009 at 9:12:46 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 8, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%

01/08/2008	219.7	675,689	97.2%	93.8	252,890	98.3%	928,579	97.5%
01/08/2009	215.2	564,302	81.2%	88.8	168,120	65.4%	732,422	76.9%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/07/2009	76	175	0.00	76	159	0.00	334
MTD		943	0.03		759	0.03	1,702

STREAM FLOWS

Gauging Station	01/07/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	486
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	30	224
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	15	104
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	691
NCAT : Nueces River at Calallen, Texas	3	74
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	40	308

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru	
Monthly Target: 2,500	2,500
Salinity Relief Credit : 0 Effective:	
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	847
Return Flow Credit (Effective: 01/01/2009)	500
Passthru	
Target: 2,500	308
Reservoir Inflow: 308	
Estuary Inflows (NCAT + RBP)	74
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2009		Elevation (Ft)	
				Allocation	Remaining	Full	01/08/2009
01/07/2009	139	973	973	3,050	2,077	44.0	39.1

Report Generated: 01/08/2009 at 8:12:41 AM

Choke Canyon / Lake Corpus Christi Reservoir System

Daily Pass-Thru Status Report

Report Date: January 9, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/09/2008	219.7	675,689	97.2%	93.8	252,708	98.2%	928,397	97.5%

01/09/2009	215.2	564,073	81.1%	88.8	167,638	65.2%	731,711	76.8%
------------	-------	---------	-------	------	---------	-------	---------	-------

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/08/2009	83	161	0.00	81	131	0.00	292
MTD		1,104	0.03		890	0.03	1,994

STREAM FLOWS

Gauging Station	01/08/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	554
NRTT : Nueces River at Tilden, Texas	0	3
FRTT : Frio River at Tilden, Texas	30	254
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	15	119
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	802
NCAT : Nueces River at Calallen, Texas	0	74
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	40	347

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthu Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	847
Return Flow Credit (Effective: 01/01/2009)	500
Passthu Target: 2,500 Reservoir Inflow: 347	347
Estuary Inflows (NCAT + RBP)	74
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2009		Elevation (Ft)	
				Allocation	Remaining	Full	01/09/2009
01/08/2009	139	1,111	1,111	3,050	1,939	44.0	39.1

Report Generated: 01/09/2009 at 8:22:41 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 10, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/10/2008	219.8	675,953	97.2%	93.8	252,708	98.2%	928,661	97.5%
01/10/2009	215.1	563,614	81.1%	88.8	167,959	65.3%	731,573	76.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/09/2009	84	201	0.00	83	131	0.00	332
MTD		1,305	0.03		1,021	0.03	2,326

STREAM FLOWS

Gauging Station	01/09/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	621
NRTT : Nueces River at Tilden, Texas	0	3
FRTT : Frio River at Tilden, Texas	30	284
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	15	134
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	93	895
NCAT : Nueces River at Calallen, Texas	0	74
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	40	387

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthu Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	847
Return Flow Credit (Effective: 01/01/2009)	500
Passthu Target: 2,500 Reservoir Inflow: 387	387
Estuary Inflows (NCAT + RBP)	74
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2009		Elevation (Ft)	
				Allocation	Remaining	Full	01/10/2009
01/09/2009	139	1,250	1,250	3,050	1,800	44.0	39.0

Report Generated: 01/10/2009 at 8:05:26 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: January 11, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/11/2008	219.7	675,689	97.2%	93.8	252,708	98.2%	928,397	97.5%
01/11/2009	215.1	563,155	81.0%	88.8	168,120	65.4%	731,275	76.8%
Weather Related Information								

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/10/2009	66	282	0.03	67	159	0.00	441
MTD		1,587	0.06		1,180	0.03	2,767

STREAM FLOWS

Gauging Station	01/10/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	689
NRTT : Nueces River at Tilden, Texas	0	3
FRRT : Frio River at Tilden, Texas	30	314
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	16	150
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	99	994
NCAT : Nueces River at Calallen, Texas	9	83
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	40	427

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	847
Return Flow Credit (Effective: 01/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 427	427
Estuary Inflows (NCAT + RBP)	83
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2009		Elevation (Ft)	
				Allocation	Remaining	Full	01/11/2009
01/10/2009	139	1,389	1,389	3,050	1,661	44.0	39.0

Report Generated: 01/11/2009 at 8:08:24 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: January 12, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/12/2008	219.8	675,953	97.2%	93.7	252,526	98.2%	928,479	97.5%
01/12/2009	215.1	562,925	81.0%	88.8	167,317	65.0%	730,242	76.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	

Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/11/2009	60	174	0.00	67	205	0.00	379
MTD		1,761	0.06		1,385	0.03	3,146

STREAM FLOWS

Gauging Station	01/11/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	758
NRTT : Nueces River at Tilden, Texas	0	4
FRRT : Frio River at Tilden, Texas	30	343
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	15	166
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	123	1,118
NCAT : Nueces River at Calallen, Texas	24	107
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	42	468

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	847
Return Flow Credit (Effective: 01/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 468	468
Estuary Inflows (NCAT + RBP)	107
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2009		Elevation (Ft)	
				Allocation	Remaining	Full	01/12/2009
01/11/2009	139	1,527	1,527	3,050	1,523	44.0	39.0

Report Generated: 01/12/2009 at 8:26:07 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: January 13, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/13/2008	219.7	675,689	97.2%	93.8	252,708	98.2%	928,397	97.5%
01/13/2009	215.1	562,693	80.9%	88.8	167,317	65.0%	730,010	76.6%
Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp	Evaporation	Rainfall	Air Temp	Evaporation	Rainfall	Evaporation	

	(°F)	(AcFt)	(Inches)	(°F)	(AcFt)	(Inches)	(AcFt)
01/12/2009	64	161	0.00	64	121	0.00	282
MTD		1,922	0.06		1,506	0.03	3,428

STREAM FLOWS

Gauging Station	01/12/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	828
NRTT : Nueces River at Tilden, Texas	0	4
FRTT : Frio River at Tilden, Texas	30	373
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	15	180
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	117	1,235
NCAT : Nueces River at Calallen, Texas	20	127
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	42	510

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	847
Return Flow Credit (Effective: 01/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 510	510
Estuary Inflows (NCAT + RBP)	127
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2009		Elevation (Ft)	
				Allocation	Remaining	Full	01/13/2009
01/12/2009	139	1,666	1,666	3,050	1,384	44.0	39.0

Report Generated: 01/13/2009 at 9:09:51 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: January 14, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/14/2008	219.7	675,189	97.1%	93.7	252,345	98.1%	927,534	97.4%
01/14/2009	215.1	562,461	80.9%	88.7	166,677	64.8%	729,138	76.5%
Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	

01/13/2009	60	215	0.00	59	186	0.00	401
MTD		2,137	0.06		1,692	0.03	3,829

STREAM FLOWS

Gauging Station	01/13/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	897
NRTT : Nueces River at Tilden, Texas	0	4
FRTT : Frio River at Tilden, Texas	30	403
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	15	195
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	117	1,352
NCAT : Nueces River at Calallen, Texas	2	129
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	42	552

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	847
Return Flow Credit (Effective: 01/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 552	552
Estuary Inflows (NCAT + RBP)	129
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2009		Elevation (Ft)	
				Allocation	Remaining	Full	01/14/2009
01/13/2009	139	1,804	1,804	3,050	1,246	44.0	39.1

Report Generated: 01/14/2009 at 8:55:22 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 15, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/15/2008	219.7	674,934	97.1%	93.7	252,345	98.1%	927,279	97.3%
01/15/2009	215.1	561,997	80.8%	88.7	166,357	64.7%	728,354	76.5%
Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/14/2009	68	188	0.00	67	140	0.00	328	

MTD		2,325	0.06		1,832	0.03	4,157
-----	--	-------	------	--	-------	------	-------

STREAM FLOWS

Gauging Station	01/14/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	967
NRTT : Nueces River at Tilden, Texas	0	4
FRTT : Frio River at Tilden, Texas	30	433
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	14	209
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	129	1,481
NCAT : Nueces River at Calallen, Texas	1	130
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	42	594

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	847
Return Flow Credit (Effective: 01/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 594	594
Estuary Inflows (NCAT + RBP)	130
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2009		Elevation (Ft)	
				Allocation	Remaining	Full	01/15/2009
01/14/2009	139	1,943	1,943	3,050	1,107	44.0	38.9

Report Generated: 01/15/2009 at 8:47:36 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 16, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/16/2008	219.8	675,953	97.2%	93.8	253,435	98.5%	929,388	97.6%
01/16/2009	215.1	561,766	80.8%	88.7	166,517	64.7%	728,283	76.5%
Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/15/2009	70	214	0.00	69	233	0.00	447	
MTD		2,539	0.06		2,065	0.03	4,604	

STREAM FLOWS

Gauging Station	01/15/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,034
NRTT : Nueces River at Tilden, Texas	0	5
FRTT : Frio River at Tilden, Texas	30	463
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	14	223
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	129	1,610
NCAT : Nueces River at Calallen, Texas	2	132
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	40	633

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	847
Return Flow Credit (Effective: 01/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 633	633
Estuary Inflows (NCAT + RBP)	132
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2009		Elevation (Ft)	
				Allocation	Remaining	Full	01/16/2009
01/15/2009	138	2,081	2,081	3,050	969	44.0	38.8

Report Generated: 01/16/2009 at 8:28:02 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 17, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/17/2008	219.7	675,689	97.2%	93.8	253,617	98.6%	929,306	97.6%
01/17/2009	215.0	561,534	80.8%	88.7	166,037	64.5%	727,571	76.4%
Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/16/2009	54	121	0.00	58	65	0.00	186	
MTD		2,660	0.06		2,130	0.03	4,790	

STREAM FLOWS

Gauging Station	01/16/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,102
NRTT : Nueces River at Tilden, Texas	0	5
FRTT : Frio River at Tilden, Texas	30	492
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	14	237
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	129	1,739
NCAT : Nueces River at Calallen, Texas	0	132
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	40	673

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	847
Return Flow Credit (Effective: 01/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 673	673
Estuary Inflows (NCAT + RBP)	132
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2009		Elevation (Ft)	
				Allocation	Remaining	Full	01/17/2009
01/16/2009	138	2,220	2,220	3,050	830	44.0	38.9

Report Generated: 01/17/2009 at 8:23:00 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 18, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/18/2008	219.7	675,443	97.1%	93.8	253,798	98.7%	929,241	97.6%
01/18/2009	215.0	561,302	80.7%	88.7	166,197	64.6%	727,499	76.4%
Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/17/2009	67	67	0.00	70	19	0.00	86	
MTD		2,727	0.06		2,149	0.03	4,876	

STREAM FLOWS

Gauging Station	01/17/2009	MTD
-----------------	------------	-----

	(AcFt)	(AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,169
NRRT : Nueces River at Tilden, Texas	0	5
FRRT : Frio River at Tilden, Texas	28	520
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	14	251
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	139	1,878
NCAT : Nueces River at Calallen, Texas	0	132
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	38	711

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	847
Return Flow Credit (Effective: 01/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 711	711
Estuary Inflows (NCAT + RBP)	132
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2009		Elevation (Ft)	
				Allocation	Remaining	Full	01/18/2009
01/17/2009	138	2,358	2,358	3,050	692	44.0	38.9

Report Generated: 01/18/2009 at 8:23:47 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 19, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/19/2008	219.8	675,953	97.2%	93.9	254,708	99.0%	930,661	97.7%
01/19/2009	215.0	561,070	80.7%	88.7	165,877	64.5%	726,947	76.3%
Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/18/2009	76	281	0.00	74	223	0.00	504	
MTD		3,008	0.06		2,372	0.03	5,380	

STREAM FLOWS

Gauging Station	01/18/2009 (AcFt)	MTD (AcFt)

NTRT : Nueces River at Three Rivers, Texas	67	1,237
NRTT : Nueces River at Tilden, Texas	0	6
FRTT : Frio River at Tilden, Texas	26	546
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	14	265
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	153	2,031
NCAT : Nueces River at Calallen, Texas	16	148
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	36	746

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthu Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	847
Return Flow Credit (Effective: 01/01/2009)	500
Passthu Target: 2,500 Reservoir Inflow: 746	746
Estuary Inflows (NCAT + RBP)	148
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2009		Elevation (Ft)	
				Allocation	Remaining	Full	01/19/2009
01/18/2009	138	2,497	2,497	3,050	553	44.0	38.9

Report Generated: 01/19/2009 at 8:39:51 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 20, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/20/2008	219.7	675,689	97.2%	93.8	253,435	98.5%	929,124	97.5%
01/20/2009	215.0	560,606	80.6%	88.7	165,718	64.4%	726,324	76.3%
Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/19/2009	77		228	0.00		205	0.00	433
MTD			3,236	0.06		2,577	0.03	5,813

STREAM FLOWS

Gauging Station	01/19/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,302

NRTT : Nueces River at Tilden, Texas	0	6
FRTT : Frio River at Tilden, Texas	26	572
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	14	279
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	2,178
NCAT : Nueces River at Calallen, Texas	5	153
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	34	780

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	847
Return Flow Credit (Effective: 01/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 780	780
Estuary Inflows (NCAT + RBP)	153
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2009		Elevation (Ft)	
				Allocation	Remaining	Full	01/20/2009
01/19/2009	138	2,635	2,635	3,050	415	44.0	38.7

Report Generated: 01/20/2009 at 9:36:02 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 21, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/21/2008	219.7	674,679	97.0%	93.8	253,253	98.4%	927,932	97.4%
01/21/2009	215.0	560,376	80.6%	88.6	165,079	64.2%	725,455	76.2%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/20/2009	68		0.00	66	121	0.00	442
MTD		3,557	0.06		2,698	0.03	6,255

STREAM FLOWS

Gauging Station	01/20/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,368
NRTT : Nueces River at Tilden, Texas	0	6

FRTT : Frio River at Tilden, Texas	26	597
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	13	292
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	2,320
NCAT : Nueces River at Calallen, Texas	7	160
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	34	814

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	847
Return Flow Credit (Effective: 01/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 814	814
Estuary Inflows (NCAT + RBP)	160
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2009		Elevation (Ft)	
				Allocation	Remaining	Full	01/21/2009
01/20/2009	138	2,773	2,773	3,050	277	44.0	38.8

Report Generated: 01/21/2009 at 8:46:01 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 22, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/22/2008	219.7	674,934	97.1%	93.8	253,435	98.5%	928,369	97.5%
01/22/2009	215.0	560,147	80.6%	88.6	164,442	63.9%	724,589	76.1%
Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/21/2009	74	174	0.00	74	111	0.00	285	
MTD		3,731	0.06		2,809	0.03	6,540	

STREAM FLOWS

Gauging Station	01/21/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,433
NRTT : Nueces River at Tilden, Texas	0	6
FRTT : Frio River at Tilden, Texas	26	623

SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	300
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	157	2,477
NCAT : Nueces River at Calallen, Texas	4	164
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	34	848

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthu Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	847
Return Flow Credit (Effective: 01/01/2009)	500
Passthu Target: 2,500 Reservoir Inflow: 848	848
Estuary Inflows (NCAT + RBP)	164
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2009		Elevation (Ft)	
				Allocation	Remaining	Full	01/22/2009
01/21/2009	138	2,911	2,911	3,050	139	44.0	38.6

Report Generated: 01/22/2009 at 8:45:26 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 23, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/23/2008	219.7	675,443	97.1%	93.8	254,162	98.8%	929,605	97.6%
01/23/2009	215.0	559,917	80.5%	88.6	164,283	63.9%	724,200	76.0%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/22/2009	80	201	0.00	78	250	0.00	451
MTD		3,932	0.06		3,059	0.03	6,991

STREAM FLOWS

Gauging Station	01/22/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,501
NRRT : Nueces River at Tilden, Texas	0	7
FRRT : Frio River at Tilden, Texas	28	651
SMTT : San Miguel Creek at Tilden, Texas	0	0

ARWT : Atascosa River at Whitsett, Texas	7	307
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	2,624
NCAT : Nueces River at Calallen, Texas	14	178
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	38	885

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	847
Return Flow Credit (Effective: 01/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 885	885
Estuary Inflows (NCAT + RBP)	178
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2009		Elevation (Ft)	
				Allocation	Remaining	Full	01/23/2009
01/22/2009	138	3,049	3,049	3,050	1	44.0	38.6

Report Generated: 01/23/2009 at 8:56:07 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 24, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/24/2008	219.7	675,689	97.2%	93.9	255,801	99.4%	931,490	97.8%
01/24/2009	215.0	559,688	80.5%	88.6	164,283	63.9%	723,971	76.0%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/23/2009	83	241	0.00	82	185	0.00	426
MTD		4,173	0.06		3,244	0.03	7,417

STREAM FLOWS

Gauging Station	01/23/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,566
NRRT : Nueces River at Tilden, Texas	0	7
FRRT : Frio River at Tilden, Texas	28	679
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	315

Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	131	2,755
NCAT : Nueces River at Calallen, Texas	18	195
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	36	921

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	847
Return Flow Credit (Effective: 01/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 921	921
Estuary Inflows (NCAT + RBP)	195
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2009		Elevation (Ft)	
				Allocation	Remaining	Full	01/24/2009
01/23/2009	138	3,187	3,187	3,050	-137	44.0	38.6

Report Generated: 01/24/2009 at 8:42:43 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 25, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/25/2008	219.8	675,953	97.2%	93.9	255,254	99.2%	931,207	97.8%
01/25/2009	214.9	559,228	80.4%	88.6	163,965	63.7%	723,193	75.9%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/24/2009	59	267	0.00	62	185	0.00	452
MTD		4,440	0.06		3,429	0.03	7,869

STREAM FLOWS

Gauging Station	01/24/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,632
NRRT : Nueces River at Tilden, Texas	0	7
FRRT : Frio River at Tilden, Texas	28	707
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	323
Release from Choke Canyon Reservoir	58	1,382

NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	131	2,886
NCAT : Nueces River at Calallen, Texas	8	203
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	36	957

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	847
Return Flow Credit (Effective: 01/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 957	957
Estuary Inflows (NCAT + RBP)	203
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2009		Elevation (Ft)	
				Allocation	Remaining	Full	01/25/2009
01/24/2009	137	3,324	3,324	3,050	-274	44.0	38.6

Report Generated: 01/25/2009 at 8:23:55 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 26, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/26/2008	219.7	675,689	97.2%	93.8	254,344	98.9%	930,033	97.6%
01/26/2009	215.0	559,458	80.5%	88.6	163,806	63.7%	723,264	75.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/25/2009	61	174	0.00	62	46	0.00	220
MTD		4,614	0.06		3,475	0.03	8,089

STREAM FLOWS

Gauging Station	01/25/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,699
NRTT : Nueces River at Tilden, Texas	0	7
FRTT : Frio River at Tilden, Texas	28	734
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	330
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	131	3,017

NCAT : Nueces River at Calallen, Texas	26	229
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	38	994

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	847
Return Flow Credit (Effective: 01/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 994	994
Estuary Inflows (NCAT + RBP)	229
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2009		Elevation (Ft)	
				Allocation	Remaining	Full	01/26/2009
01/25/2009	136	3,459	3,459	3,050	-409	44.0	38.6

Report Generated: 01/26/2009 at 8:31:48 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 27, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/27/2008	219.7	675,443	97.1%	93.8	254,344	98.9%	929,787	97.6%
01/27/2009	217.9	559,228	80.4%	88.5	163,488	63.5%	722,716	75.9%

Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/26/2009	80	160	0.00	79	139	0.00	299	
MTD		4,774	0.06		3,614	0.03	8,388	

STREAM FLOWS

Gauging Station	01/26/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,767
NRTT : Nueces River at Tilden, Texas	0	7
FRRT : Frio River at Tilden, Texas	28	762
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	337
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	131	3,148
NCAT : Nueces River at Calallen, Texas	19	248

RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	38	1,032

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	847
Return Flow Credit (Effective: 01/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 1,032	1,032
Estuary Inflows (NCAT + RBP)	248
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2009		Elevation (Ft)	
				Allocation	Remaining	Full	01/27/2009
01/26/2009	137	3,597	3,597	3,050	-547	44.0	38.5

Report Generated: 01/27/2009 at 9:13:13 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 28, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/28/2008	219.7	675,189	97.1%	93.8	254,344	98.9%	929,533	97.6%
01/28/2009	214.9	558,999	80.4%	88.6	164,761	64.0%	723,760	76.0%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/27/2009	84	174	0.02	86	213	0.02	387	
MTD		4,948	0.08		3,827	0.05	8,775	

STREAM FLOWS

Gauging Station	01/27/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,830
NRTT : Nueces River at Tilden, Texas	0	8
FRTT : Frio River at Tilden, Texas	30	792
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	344
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	131	3,279
NCAT : Nueces River at Calallen, Texas	2	250
RBP : Rincon Bayou Pipeline	0	0

Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	36	1,068

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	847
Return Flow Credit (Effective: 01/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 1,068	1,068
Estuary Inflows (NCAT + RBP)	250
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2009		Elevation (Ft)	
				Allocation	Remaining	Full	01/28/2009
01/27/2009	137	3,734	3,734	3,050	-684	44.0	38.5

Report Generated: 01/28/2009 at 8:34:25 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 29, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/29/2008	219.7	675,189	97.1%	93.8	254,344	98.9%	929,533	97.6%
01/29/2009	214.9	558,769	80.4%	88.6	163,806	63.7%	722,575	75.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/28/2009	57	200	0.00	59	120	0.00	320
MTD		5,148	0.08		3,947	0.05	9,095

STREAM FLOWS

Gauging Station	01/28/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,896
NRTT : Nueces River at Tilden, Texas	0	8
FRTT : Frio River at Tilden, Texas	30	822
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	351
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	3,420
NCAT : Nueces River at Calallen, Texas	0	250
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		

Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	38	1,106
---	----	-------

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	847
Return Flow Credit (Effective: 01/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 1,106	1,106
Estuary Inflows (NCAT + RBP)	250
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2009		Elevation (Ft)	
				Allocation	Remaining	Full	01/29/2009
01/28/2009	137	3,872	3,872	3,050	-822	44.0	38.6

Report Generated: 01/29/2009 at 8:29:02 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 30, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/30/2008	219.7	675,443	97.1%	93.9	254,708	99.0%	930,151	97.7%
01/30/2009	214.9	558,540	80.3%	88.6	163,647	63.6%	722,187	75.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/29/2009	63	160	0.00	64	130	0.00	290
MTD		5,308	0.08		4,077	0.05	9,385

STREAM FLOWS

Gauging Station	01/29/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,963
NRTT : Nueces River at Tilden, Texas	0	8
FRTT : Frio River at Tilden, Texas	30	852
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	357
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	129	3,549
NCAT : Nueces River at Calallen, Texas	14	264
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	40	1,145

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	847
Return Flow Credit (Effective: 01/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 1,145	1,145
Estuary Inflows (NCAT + RBP)	264
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2009		Elevation (Ft)	
				Allocation	Remaining	Full	01/30/2009
01/29/2009	137	4,009	4,009	3,050	-959	44.0	38.5

Report Generated: 01/30/2009 at 8:44:20 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 31, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/31/2008	219.8	675,953	97.2%	93.9	255,619	99.4%	931,572	97.8%
01/31/2009	214.9	558,310	80.3%	88.5	163,012	63.4%	721,322	75.7%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/30/2009	63	187	0.00	65	166	0.00	353	
MTD		5,495	0.08		4,243	0.05	9,738	

STREAM FLOWS

Gauging Station	01/30/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	2,029
NRTT : Nueces River at Tilden, Texas	0	8
FRTT : Frio River at Tilden, Texas	30	881
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	363
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	3,660
NCAT : Nueces River at Calallen, Texas	26	290
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	38	1,183

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	847
Return Flow Credit (Effective: 01/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 1,183	1,183
Estuary Inflows (NCAT + RBP)	290
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2009		Elevation (Ft)	
				Allocation	Remaining	Full	01/31/2009
01/30/2009	137	4,146	4,146	3,050	-1,096	44.0	38.5

Report Generated: 01/31/2009 at 8:38:03 AM