# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 1, 2009

#### **RESERVOIR STATISTICS**

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir				Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	y Elevation (I	Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100	% 9	4.0	257,260	100%	952,531	100%	
02/01/2008	219.7	675,443	97.1	% 9	3.8	253,435	98.5%	928,878	97.5%	
02/01/2009	214.9	558,083	80.3	% 8	8.5	162,853	63.3%	720,936	75.7%	
	Weather Related Information									
		Choke	Canyon Reservoir		Lake Corpus Christi Reservoir				Combined	
Date	Air	(°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/31/20	009	67	147	0.00		66	37	0.00	184	
MTD	)		5,642	0.08			4,280	0.05	9,922	

#### STREAM FLOWS

Gauging Station	01/31/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	66	2,094
NRTT: Nueces River at Tilden, Texas	0	8
FRTT: Frio River at Tilden, Texas	28	909
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	6	368
Release from Choke Canyon Reservoir	58	1,785
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	111	3,772
NCAT: Nueces River at Calallen, Texas	12	301
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	36	1,219

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 <u>Salinity Relief Credit</u> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	847
Return Flow Credit (Effective: 01/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 1,219	1,219
Estuary Inflows (NCAT + RBP)	301
PassThru Surplus / -Deficit:	0

### LAKE TEXANA STATISTICS (All values are in AcFt)

Ī	Data	Daily Intake	мтр	YTD	Janua	ry 2009		Elevation (Ft)
	Date	Dany Intake	MID	YID	Allocation	Remaining	Full	02/01/2009
	01/31/2009	137	4,284	4,284	3,050	-1,234	44.0	38.5

Report Generated: 02/01/2009 at 8:26:07 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 2, 2009

#### **RESERVOIR STATISTICS**

	Choke Canyon Reservoir			1	ake Corpus Christ	Combined Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (F	) Volume (AcFt	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	100%	94	0 257,26	0 100%	952,531	100%		
02/02/2008	219.7	674,934	97.1%	93	.8 253,61	7 98.6%	928,551	97.5%		
02/02/2009	214.9	557,856	80.2%	88	5 163,32	9 63.5%	721,185	75.7%		
	Weather Related Information									
		Choke (	Canyon Reservoir		Lake	r	Combined			
Date		(°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
02/01/20	009	80	253	0.00	81	176	0.00	429		
MTD	)		253	0.00		176	0.00	429		

#### STREAM FLOWS

Gauging Station	02/01/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	66	66
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	28	28
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	6	6
Release from Choke Canyon Reservoir	58	58
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	113	113
NCAT: Nueces River at Calallen, Texas	26	26
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	36	36

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 <u>Salinity Relief Credit</u> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	301
Return Flow Credit (Effective: 02/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 36	36
Estuary Inflows (NCAT + RBP)	26
PassThru Surplus / -Deficit:	0

### LAKE TEXANA STATISTICS (All values are in AcFt)

Ī	Data	Daily Intake	мтр	YTD	Februa	nry 2009		Elevation (Ft)
	Date	Dany Intake	MID	YID	Allocation	Remaining	Full	02/02/2009
	02/01/2009	137	137	4,421	3,040	2,903	44.0	38.5

Report Generated: 02/02/2009 at 8:25:45 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 3, 2009

#### **RESERVOIR STATISTICS**

	Choke Canyon Reservoir				Lake Corpus Chris	Combined Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (F	t) Volume (AcFt	) Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	1009	6 94	.0 257,26	0 100%	952,531	100%		
02/03/2008	219.7	674,934	97.19	6 93	.8 253,43	5 98.5%	928,369	97.5%		
02/03/2009	214.9	557,856	80.29	6 88	.5 162,69	5 63.2%	720,551	75.6%		
	Weather Related Information									
		Choke	Canyon Reservoir		Lake	r	Combined			
Date	Air	(°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
02/02/20	009	80	200	0.00	67	212	0.00	412		
MTD	)		453	0.00		388	0.00	841		

#### STREAM FLOWS

Gauging Station	02/02/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	64	129
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	28	56
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	7	13
Release from Choke Canyon Reservoir	58	115
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	123	236
NCAT: Nueces River at Calallen, Texas	11	36
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	34	69

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	301
Return Flow Credit (Effective: 02/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 69	69
Estuary Inflows (NCAT + RBP)	36
PassThru Surplus / -Deficit:	0

### LAKE TEXANA STATISTICS (All values are in AcFt)

Ī	Data	Daily Intake	MTD	VTD	Februa	nry 2009		Elevation (Ft)
	Date	Dany Intake	MID	YID	Allocation	Remaining	Full	02/03/2009
	02/02/2009	138	275	4,558	3,040	2,765	44.0	38.6

Report Generated: 02/03/2009 at 8:58:06 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 4, 2009

#### **RESERVOIR STATISTICS**

	Choke Canyon Reservoir				Lake Corpus Chris	Combined Reservoir System		
Date	Date Elevation (Ft) Volume (AcFt) Percent of Capacity E		Elevation (F	) Volume (AcFt	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94	.0 257,26	0 100%	952,531	100%
02/04/2008	219.7	675,189	97.1%	93	.8 252,89	0 98.3%	928,079	97.4%
02/04/2009	214.9	557,628	80.2%	88	.5 162,06	1 63.0%	719,689	75.6%
			,	Weather Relate	d Information			
		Choke	Canyon Reservoir		Lake	r	Combined	
Date		(°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/03/20	009	78	227	0.00	76	166	0.00	393
MTD	)		680	0.00		554	0.00	1,234

#### STREAM FLOWS

Gauging Station	02/03/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	66	195
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	28	83
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	5	17
Release from Choke Canyon Reservoir	58	173
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	143	379
NCAT: Nueces River at Calallen, Texas	0	36
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	36	105

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 <u>Salinity Relief Credit</u> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	301
Return Flow Credit (Effective: 02/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 105	105
Estuary Inflows (NCAT + RBP)	36
PassThru Surplus / -Deficit:	0

### LAKE TEXANA STATISTICS (All values are in AcFt)

Ĩ	Data	Daily Intake	MTD VI		MTD	мтр	YTD	February 2009 Elevation (Ft)			Elevation (Ft)
	Date	Dany Intake	MID	110	Allocation	Remaining	Full	02/04/2009			
	02/03/2009	137	412	4,696	3,040	2,628	44.0	38.2			

Report Generated: 02/04/2009 at 8:27:12 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 5, 2009

#### **RESERVOIR STATISTICS**

	Choke Canyon Reservoir			L	ake Corpus Christ	Combined Reservoir System		
Date	Date Elevation (Ft) Volume (AcFt) Percent of Capacity H		Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.	257,260	100%	952,531	100%
02/05/2008	219.7	674,934	97.1%	93.	8 253,253	3 98.4%	928,187	97.4%
02/05/2009	214.9	557,174	80.1%	88.	5 162,695	63.2%	719,869	75.6%
			,	Weather Relate	l Information			
		Choke	Canyon Reservoir		Lake Corpus Christi Reservoir			
Date		(°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/04/20	009	75	240	0.00	74	157	0.00	397
MTD	)		920	0.00		711	0.00	1,631

#### STREAM FLOWS

Gauging Station	02/04/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	66	260
NRTT: Nueces River at Tilden, Texas	0	1
FRTT: Frio River at Tilden, Texas	26	109
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	3	20
Release from Choke Canyon Reservoir	58	230
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	157	536
NCAT: Nueces River at Calallen, Texas	0	36
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	34	139

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 <u>Salinity Relief Credit</u> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	301
Return Flow Credit (Effective: 02/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 139	139
Estuary Inflows (NCAT + RBP)	36
PassThru Surplus / -Deficit:	0

### LAKE TEXANA STATISTICS (All values are in AcFt)

	Date	Daily Intaka	Daily Intake MTD YTI		February 2009		Elevation (Ft)	
	Date	Dany Intake	MID	110	Allocation	Remaining	Full	02/05/2009
	02/04/2009	137	549	4,833	3,040	2,491	44.0	38.3

Report Generated: 02/05/2009 at 8:48:00 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 6, 2009

#### **RESERVOIR STATISTICS**

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir				Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (F	t) Volur	ne (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	1009	% 94	.0	257,260	100%	952,531	100%		
02/06/2008	219.7	675,443	97.19	6 93	.9	255,254	99.2%	930,697	97.7%		
02/06/2009	214.8	556,947	80.19	6 88	.5	162,219	63.1%	719,166	75.5%		
				Weather Relat	ed Inforn	nation					
		Choke (	Canyon Reservoir			Lake C	Corpus Christi Reservoir	·	Combined		
Date		(°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Te (°F		Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
02/05/20	009	78	320	0.00	76		138	0.00	458		
MTD	)		1,240	0.00			849	0.00	2,089		

#### STREAM FLOWS

Gauging Station	02/05/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	66	326
NRTT: Nueces River at Tilden, Texas	0	1
FRTT: Frio River at Tilden, Texas	26	135
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	4	24
Release from Choke Canyon Reservoir	58	288
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	163	699
NCAT: Nueces River at Calallen, Texas	0	36
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	34	173

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 <u>Salinity Relief Credit</u> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	301
Return Flow Credit (Effective: 02/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 173	173
Estuary Inflows (NCAT + RBP)	36
PassThru Surplus / -Deficit:	0

### LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intaka	Daily Intake MTD Y		Februa	nry 2009	Elevation (Ft)	
Date	Dany Intake	MID	YTD	Allocation	Remaining	Full	02/06/2009
02/05/2009	137	686	4,970	3,040	2,354	44.0	38.2

Report Generated: 02/06/2009 at 8:15:36 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 7, 2009

#### **RESERVOIR STATISTICS**

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir				Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (F	t) Volum	e (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	1009	% 94	1.0	257,260	100%	952,531	100%	
02/07/2008	219.7	675,189	97.19	6 93	3.8	253,071	98.4%	928,260	97.5%	
02/07/2009	214.8	556,265	80.09	6 88	3.4	160,798	62.5%	717,063	75.3%	
	Weather Related Information									
		Choke (	Canyon Reservoir		Lake Corpus Christi Reservoir Comb				Combined	
Date	Air	(°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Ter (°F)	np	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/06/20	009	80	346	0.00	76		129	0.00	475	
MTD	)		1,586	0.00			978	0.00	2,564	

#### STREAM FLOWS

Gauging Station	02/06/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	64	389
NRTT: Nueces River at Tilden, Texas	0	1
FRTT: Frio River at Tilden, Texas	26	161
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	5	28
Release from Choke Canyon Reservoir	58	345
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	167	865
NCAT: Nueces River at Calallen, Texas	9	45
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	32	204

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 <u>Salinity Relief Credit</u> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	301
Return Flow Credit (Effective: 02/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 204	204
Estuary Inflows (NCAT + RBP)	45
PassThru Surplus / -Deficit:	0

### LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	МТД	YTD	February 2009		Elevation (Ft)	
Date	Dany Intake	MID	110	Allocation	Remaining	Full	02/07/2009
02/06/2009	137	823	5,106	3,040	2,217	44.0	38.1

Report Generated: 02/07/2009 at 8:16:05 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 8, 2009

#### **RESERVOIR STATISTICS**

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir				Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacit	y Elevation (I	Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100	% 9	4.0	257,260	100%	952,531	100%	
02/08/2008	219.7	674,934	97.1	% 9	3.8	253,071	98.4%	928,005	97.4%	
02/08/2009	214.8	555,808	79.9	% 8	8.4	160,955	62.6%	716,763	75.2%	
	Weather Related Information									
		Choke	Canyon Reservoir		Lake Corpus Christi Reservoir C				Combined	
Date		Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Α	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/07/20	009	80	253	0.00		77	175	0.00	428	
MTD	)		1,839	0.00			1,153	0.00	2,992	

#### STREAM FLOWS

Gauging Station	02/07/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	64	453
NRTT: Nueces River at Tilden, Texas	0	1
FRTT: Frio River at Tilden, Texas	22	183
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	5	33
Release from Choke Canyon Reservoir	58	403
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	193	1,058
NCAT: Nueces River at Calallen, Texas	24	69
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	28	232

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 <u>Salinity Relief Credit</u> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	301
Return Flow Credit (Effective: 02/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 232	232
Estuary Inflows (NCAT + RBP)	69
PassThru Surplus / -Deficit:	0

### LAKE TEXANA STATISTICS (All values are in AcFt)

Ī	Date	Daily Intake	/ Intake MTD YTD		Februa	nry 2009	Elevation (Ft)	
	Date	Dany Intake	MID	110	Allocation	Remaining	Full	02/08/2009
	02/07/2009	137	960	5,243	3,040	2,080	44.0	38.1

Report Generated: 02/08/2009 at 8:47:03 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 9, 2009

#### **RESERVOIR STATISTICS**

	Choke Canyon Reservoir				Lake Corpus Chris	Combined Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (F	) Volume (AcFt	) Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	1009	5 94	.0 257,26	0 100%	952,531	100%		
02/09/2008	219.7	674,934	97.19	5 93	.8 253,07	1 98.4%	928,005	97.4%		
02/09/2009	214.8	556,947	80.19	5 88	.4 160,95	5 62.6%	717,902	75.4%		
	Weather Related Information									
		Choke	Canyon Reservoir		Lake Corpus Christi Reservoir					
Date		Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
02/08/20	009	78	293	0.07	77	312	0.05	605		
MTD	)		2,132	0.07		1,465	0.05	3,597		

#### STREAM FLOWS

Gauging Station	02/08/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	62	514
NRTT: Nueces River at Tilden, Texas	0	1
FRTT: Frio River at Tilden, Texas	20	202
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	5	38
Release from Choke Canyon Reservoir	58	461
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	268	1,326
NCAT: Nueces River at Calallen, Texas	30	99
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	24	256

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 <u>Salinity Relief Credit</u> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	301
Return Flow Credit (Effective: 02/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 256	256
Estuary Inflows (NCAT + RBP)	99
PassThru Surplus / -Deficit:	0

### LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	мтр	YTD	Februa	ary 2009		Elevation (Ft)
Date	Dany Intake	MID	110	Allocation	Remaining	Full	02/09/2009
02/08/2009	137	1,096	5,380	3,040	1,944	44.0	38.1

Report Generated: 02/09/2009 at 8:15:08 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 10, 2009

#### **RESERVOIR STATISTICS**

	Choke Canyon Reservoir				Lake Corpus Chris	ti Reservoir	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (F	t) Volume (AcFt	) Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	1009	6 94	.0 257,26	100%	952,531	100%		
02/10/2008	219.7	694,934	100.09	6 93	.8 253,07	98.4%	948,005	99.5%		
02/10/2009	214.8	556,038	80.09	6 88	.4 160,95	62.6%	716,993	75.3%		
	Weather Related Information									
		Choke	Canyon Reservoir		Lak	r	Combined			
Date		Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
02/09/20	009	80	240	0.00	82	248	0.00	488		
MTD	)		2,372	0.07		1,713	0.05	4,085		

#### STREAM FLOWS

Gauging Station	02/09/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	64	578
NRTT: Nueces River at Tilden, Texas	0	1
FRTT: Frio River at Tilden, Texas	20	222
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	5	43
Release from Choke Canyon Reservoir	58	518
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	268	1,594
NCAT: Nueces River at Calallen, Texas	73	172
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	26	282

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 <u>Salinity Relief Credit</u> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	301
Return Flow Credit (Effective: 02/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 282	282
Estuary Inflows (NCAT + RBP)	172
PassThru Surplus / -Deficit:	0

### LAKE TEXANA STATISTICS (All values are in AcFt)

Ĩ	Data	Daily Intake	мтр	YTD	Februa	ary 2009		Elevation (Ft)
	Date	Dany Intake	MID	110	Allocation	Remaining	Full	02/10/2009
	02/09/2009	49	1,145	5,428	3,040	1,895	44.0	38.1

Report Generated: 02/10/2009 at 8:39:19 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 11, 2009

#### **RESERVOIR STATISTICS**

	Choke Canyon Reservoir				Lake C	Corpus Christi I	Reservoir	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (F	't) Vo	olume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	1009	6 94	4.0	257,260	100%	952,531	100%	
02/11/2008	219.7	694,934	100.09	6 93	3.8	253,435	98.5%	948,369	99.6%	
02/11/2009	214.8	556,492	80.09	6 88	3.5	162,536	63.2%	719,028	75.5%	
	Weather Related Information									
		Choke	Canyon Reservoir		Lake Corpus Christi Reservoir Com				Combined	
Date		(°F)	Evaporation (AcFt)	Rainfall (Inches)		r Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/10/20	009	85	266	0.00		80	249	0.06	515	
MTD	)		2,638	0.07			1,962	0.11	4,600	

#### STREAM FLOWS

Gauging Station	02/10/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	64	641
NRTT: Nueces River at Tilden, Texas	0	2
FRTT: Frio River at Tilden, Texas	20	242
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	5	48
Release from Choke Canyon Reservoir	58	576
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	268	1,862
NCAT: Nueces River at Calallen, Texas	10	182
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	26	308

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 <u>Salinity Relief Credit</u> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	301
Return Flow Credit (Effective: 02/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 308	308
Estuary Inflows (NCAT + RBP)	182
PassThru Surplus / -Deficit:	0

### LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Doily Intoko	Daily Intake MTD YTD		Februa	nry 2009	Elevation (Ft)	
Date	Dany Intake	MID	110	Allocation	Remaining	Full	02/11/2009
02/10/2009	3	1,148	5,432	3,040	1,892	44.0	38.1

Report Generated: 02/11/2009 at 8:38:55 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 12, 2009

#### **RESERVOIR STATISTICS**

	Choke Canyon Reservoir				Lake Corpus Chris	Combined Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (F	t) Volume (AcFt	) Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	1009	6 94	.0 257,26	0 100%	952,531	100%		
02/12/2008	219.7	675,689	97.29	6 93	.8 252,70	8 98.2%	928,397	97.5%		
02/12/2009	214.8	556,038	80.09	6 88	.4 160,79	8 62.5%	716,836	75.3%		
	Weather Related Information									
		Choke	Canyon Reservoir		Lake	r	Combined			
Date	Air	(°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
02/11/20	009	78	279	0.00	78	220	0.00	499		
MTD	)		2,917	0.07		2,182	0.11	5,099		

#### STREAM FLOWS

Gauging Station	02/11/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	64	705
NRTT: Nueces River at Tilden, Texas	0	2
FRTT: Frio River at Tilden, Texas	20	262
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	5	53
Release from Choke Canyon Reservoir	58	633
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	254	2,116
NCAT: Nueces River at Calallen, Texas	40	221
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	26	333

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 <u>Salinity Relief Credit</u> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	301
Return Flow Credit (Effective: 02/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 333	333
Estuary Inflows (NCAT + RBP)	221
PassThru Surplus / -Deficit:	0

### LAKE TEXANA STATISTICS (All values are in AcFt)

Γ	Date	Daily Intake MTD		YTD	Februa	nry 2009		Elevation (Ft)
	Date	Dany Intake	MID	110	Allocation	Remaining	Full	02/12/2009
	02/11/2009	0	1,148	5,432	3,040	1,892	44.0	38.1

Report Generated: 02/12/2009 at 8:28:59 AM

#### Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 13, 2009

#### **RESERVOIR STATISTICS**

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir				Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (F	t) Volu	me (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	1009	6 94	4.0	257,260	100%	952,531	100%	
02/13/2008	219.7	675,443	97.19	6 93	3.8	253,253	98.4%	928,696	97.5%	
02/13/2009	214.8	556,492	80.09	6 88	3.3	160,325	62.3%	716,817	75.3%	
	Weather Related Information									
	Choke Canyon Reservoir				Lake Corpus Christi Reservoir				Combined	
Date		(°F)	Evaporation (AcFt)	Rainfall (Inches)	Air T (°F	· •	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/12/20	009	81	333	0.00	79	)	183	0.00	516	
MTD	)		3,250	0.07			2,365	0.11	5,615	

#### STREAM FLOWS

Gauging Station	02/12/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	64	768
NRTT: Nueces River at Tilden, Texas	0	2
FRTT: Frio River at Tilden, Texas	19	281
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	6	59
Release from Choke Canyon Reservoir	58	691
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	177	2,293
NCAT: Nueces River at Calallen, Texas	26	247
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	25	359

#### ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 <u>Salinity Relief Credit</u> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	301
Return Flow Credit (Effective: 02/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 359	359
Estuary Inflows (NCAT + RBP)	247
PassThru Surplus / -Deficit:	0

#### LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	МТД	YTD	February 2009 Ele			Elevation (Ft)
Date	Dany Intake	MID	110	Allocation	Remaining	Full	02/13/2009
02/12/2009	3	1,151	5,434	3,040	1,889	44.0	38.1

Report Generated: 02/13/2009 at 8:57:12 AM

#### Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 14, 2009

#### **RESERVOIR STATISTICS**

	Choke Canyon Reservoir				Lake Corpus Chris	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (F	t) Volume (AcFt	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	1009	5 94	.0 257,26	0 100%	952,531	100%	
02/14/2008	219.7	674,679	97.09	5 93	.7 252,52	6 98.2%	927,205	97.3%	
02/14/2009	214.8	556,038	80.09	5 88	.3 160,32	5 62.3%	716,363	75.2%	
Weather Related Information									
	Choke Canyon Reservoir				Lake	r	Combined		
Date		(°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/13/20	009	82	160	0.00	86	165	0.00	325	
MTD	)		3,410	0.07		2,530	0.11	5,940	

#### STREAM FLOWS

Gauging Station	02/13/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	64	832
NRTT: Nueces River at Tilden, Texas	0	2
FRTT: Frio River at Tilden, Texas	17	299
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	6	65
Release from Choke Canyon Reservoir	58	748
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	151	2,444
NCAT: Nueces River at Calallen, Texas	0	247
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	23	382

#### ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 <u>Salinity Relief Credit</u> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	301
Return Flow Credit (Effective: 02/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 382	382
Estuary Inflows (NCAT + RBP)	247
PassThru Surplus / -Deficit:	0

#### LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	YTD	February 2009 Elevation (Ft)			Elevation (Ft)
Date	Daily Intake	MID	110	Allocation	Remaining	Full	02/14/2009
02/13/2009	60	1,211	5,494	3,040	1,829	44.0	38.1

Report Generated: 02/14/2009 at 8:29:50 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 15, 2009

#### **RESERVOIR STATISTICS**

	Choke Canyon Reservoir			I	ake Corpus Christi.	Combined Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft	) Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	100%	94	0 257,260	100%	952,531	100%		
02/15/2008	219.7	674,934	97.1%	93	7 252,526	98.2%	927,460	97.4%		
02/15/2009	214.8	555,579	79.9%	88	4 160,640	62.4%	716,219	75.2%		
	Weather Related Information									
		Choke (	Canyon Reservoir		Lake	r l	Combined			
Date		(°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
02/14/20	009	67	266	0.00	71	193	0.00	459		
MTD	)		3,676	0.07		2,723	0.11	6,399		

#### STREAM FLOWS

Gauging Station	02/14/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	64	895
NRTT: Nueces River at Tilden, Texas	0	2
FRTT: Frio River at Tilden, Texas	15	314
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	6	70
Release from Choke Canyon Reservoir	58	806
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	153	2,596
NCAT: Nueces River at Calallen, Texas	0	247
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	21	403

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	301
Return Flow Credit (Effective: 02/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 403	403
Estuary Inflows (NCAT + RBP)	247
PassThru Surplus / -Deficit:	0

### LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD YTD	Februa	ary 2009	Elevation (Ft)		
Date	Dany Intake	MID	110	Allocation	Remaining	Full	02/15/2009
02/14/2009	137	1,347	5,631	3,040	1,693	44.0	38.1

Report Generated: 02/15/2009 at 8:20:54 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 16, 2009

#### **RESERVOIR STATISTICS**

	Choke Canyon Reservoir			1	.ake Corpus Christ	Combined Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft	) Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	100%	94	0 257,26	100%	952,531	100%		
02/16/2008	219.7	675,189	97.1%	93	8 252,70	8 98.2%	927,897	97.4%		
02/16/2009	214.8	555,349	79.9%	88	.3 160,16	62.3%	715,516	75.1%		
	Weather Related Information									
		Choke (	Canyon Reservoir		Lake	r l	Combined			
Date		(°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
02/15/20	009	69	213	0.00	69	83	0.00	296		
MTD	)		3,889	0.07		2,806	0.11	6,695		

#### STREAM FLOWS

Gauging Station	02/15/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	66	961
NRTT: Nueces River at Tilden, Texas	0	2
FRTT: Frio River at Tilden, Texas	13	327
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	6	76
Release from Choke Canyon Reservoir	58	863
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	153	2,749
NCAT: Nueces River at Calallen, Texas	0	247
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	21	424

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 <u>Salinity Relief Credit</u> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	301
Return Flow Credit (Effective: 02/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 424	424
Estuary Inflows (NCAT + RBP)	247
PassThru Surplus / -Deficit:	0

### LAKE TEXANA STATISTICS (All values are in AcFt)

	Date	Daily Intake	MTD YT		Februa	nry 2009	Elevation (Ft)	
	Date	Dany Intake	MID	110	Allocation	Remaining	Full	02/16/2009
	02/15/2009	137	1,484	5,768	3,040	1,556	44.0	38.1

Report Generated: 02/16/2009 at 8:35:36 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 17, 2009

#### **RESERVOIR STATISTICS**

	Choke Canyon Reservoir				Lake Corpus Chris	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (F	) Volume (AcFt	) Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	1009	6 94	.0 257,26	0 100%	952,531	100%
02/17/2008	219.7	675,443	97.19	6 93	.8 253,43	5 98.5%	928,878	97.5%
02/17/2009	214.8	555,349	79.99	6 88	.3 159,22	4 61.9%	714,573	75.0%
				Weather Relat	d Information			
		Choke (	Canyon Reservoir		Lake Corpus Christi Reservoir			
Date		(°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/16/20	009	64	120	0.02	67	46	0.01	166
MTD	)		4,009	0.09		2,852	0.12	6,861

#### STREAM FLOWS

Gauging Station	02/16/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	64	1,024
NRTT: Nueces River at Tilden, Texas	0	2
FRTT: Frio River at Tilden, Texas	13	340
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	7	83
Release from Choke Canyon Reservoir	58	921
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	153	2,902
NCAT: Nueces River at Calallen, Texas	18	266
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	18	443

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 <u>Salinity Relief Credit</u> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	301
Return Flow Credit (Effective: 02/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 443	443
Estuary Inflows (NCAT + RBP)	266
PassThru Surplus / -Deficit:	0

### LAKE TEXANA STATISTICS (All values are in AcFt)

Ī	Data	Daily Intake	МТД	YTD	Februa	ary 2009		Elevation (Ft)
	Date	Dany Intake	MID	110	Allocation	Remaining	Full	02/17/2009
Ī	02/16/2009	137	1,621	5,905	3,040	1,419	44.0	38.1

Report Generated: 02/17/2009 at 8:50:24 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 18, 2009

#### **RESERVOIR STATISTICS**

	Choke Canyon Reservoir				Lake Corpus Chris	ti Reservoir	Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (F	t) Volume (AcF	t) Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	1009	% 94	.0 257,2	50 100%	952,531	100%
02/18/2008	219.7	675,443	97.19	% 93	.8 253,4	35 98.5%	928,878	97.5%
02/18/2009	214.8	555,120	79.89	% 88	.3 159,2	61.9%	714,344	75.0%
				Weather Relat	ed Information			
		Choke (	Canyon Reservoir		Lake Corpus Christi Reservoir			Combined
Date		(°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/17/20	009	78	66	0.00	78	101	0.02	167
MTD	)		4,075	0.09		2,953	0.14	7,028

#### STREAM FLOWS

Gauging Station	02/17/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	66	1,090
NRTT: Nueces River at Tilden, Texas	0	2
FRTT: Frio River at Tilden, Texas	13	352
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	6	89
Release from Choke Canyon Reservoir	58	979
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	153	3,055
NCAT: Nueces River at Calallen, Texas	40	306
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	21	463

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 <u>Salinity Relief Credit</u> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	301
Return Flow Credit (Effective: 02/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 463	463
Estuary Inflows (NCAT + RBP)	306
PassThru Surplus / -Deficit:	0

### LAKE TEXANA STATISTICS (All values are in AcFt)

	Date	Daily Intake	МТД	YTD	Februa	ary 2009		Elevation (Ft)
	Date	Dany Intake	MID	110	Allocation	Remaining	Full	02/18/2009
	02/17/2009	136	1,757	6,041	3,040	1,283	44.0	38.0

Report Generated: 02/18/2009 at 9:19:04 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 19, 2009

#### **RESERVOIR STATISTICS**

	Choke Canyon Reservoir				Lake (	Corpus Christi	Reservoir	Combined Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (F	't) Vo	olume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity			
FULL	220.5	695,271	1009	6 94	4.0	257,260	100%	952,531	100%			
02/19/2008	219.7	675,689	97.29	6 93	3.8	252,708	98.2%	928,397	97.5%			
02/19/2009	214.8	554,890	79.89	6 88	8.3	159,695	62.1%	714,585	75.0%			
	Weather Related Information											
		Choke	Canyon Reservoir			Lake C	Corpus Christi Reservoir		Combined			
Date		Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Ai	r Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)			
02/18/20	009	84	319	0.00		82	137	0.00	456			
MTD	)		4,394	0.09			3,090	0.14	7,484			

#### STREAM FLOWS

Gauging Station	02/18/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	62	1,151
NRTT: Nueces River at Tilden, Texas	0	3
FRTT: Frio River at Tilden, Texas	14	366
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	6	94
Release from Choke Canyon Reservoir	58	1,036
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	151	3,206
NCAT: Nueces River at Calallen, Texas	32	337
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	18	481

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 <u>Salinity Relief Credit</u> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	301
Return Flow Credit (Effective: 02/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 481	481
Estuary Inflows (NCAT + RBP)	337
PassThru Surplus / -Deficit:	0

### LAKE TEXANA STATISTICS (All values are in AcFt)

Ī	Date	Daily Intake	МТД	YTD	Februa	nry 2009		Elevation (Ft)
	Date	Dany Intake	MID	110	Allocation	Remaining	Full	02/19/2009
	02/18/2009	137	1,894	6,178	3,040	1,146	44.0	37.9

Report Generated: 02/19/2009 at 8:41:32 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 20, 2009

#### **RESERVOIR STATISTICS**

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir				Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacit	y Elevation (I	Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	100	% 9	4.0	257,260	100%	952,531	100%		
02/20/2008	219.7	675,443	97.1	% 9	3.7	252,345	98.1%	927,788	97.4%		
02/20/2009	214.7	554,660	79.8	% 8	8.3	159,224	61.9%	713,884	74.9%		
				Weather Rela	ted	Information					
		Choke	Canyon Reservoir			Lake	Corpus Christi Reservoir		Combined		
Date	Air	(°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
02/19/20	009	73	239	0.00		69	192	0.00	431		
MTD	)		4,633	0.09			3,282	0.14	7,915		

#### STREAM FLOWS

Gauging Station	02/19/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	62	1,213
NRTT: Nueces River at Tilden, Texas	0	3
FRTT: Frio River at Tilden, Texas	16	382
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	5	100
Release from Choke Canyon Reservoir	58	1,094
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	151	3,357
NCAT: Nueces River at Calallen, Texas	38	375
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	20	501

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 <u>Salinity Relief Credit</u> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	301
Return Flow Credit (Effective: 02/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 501	501
Estuary Inflows (NCAT + RBP)	375
PassThru Surplus / -Deficit:	0

### LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intaka	Daily Intake MTD YTD		Februa	nry 2009	Elevation (Ft)	
Date	Dany Intake			Allocation	Remaining	Full	02/20/2009
02/19/2009	137	2,031	6,315	3,040	1,009	44.0	38.0

Report Generated: 02/20/2009 at 8:56:28 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 21, 2009

#### **RESERVOIR STATISTICS**

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir				Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (F	Tt)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	1009	% 94	4.0	257,260	100%	952,531	100%		
02/21/2008	219.7	675,189	97.19	6 93	3.7	252,345	98.1%	927,534	97.4%		
02/21/2009	214.7	554,431	79.79	6 8	8.2	158,596	61.6%	713,027	74.9%		
				Weather Relat	ted I	nformation					
		Choke (	Canyon Reservoir			Lake	Corpus Christi Reservoir		Combined		
Date	Air	Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	A	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
02/20/20	009	75	319	0.00		73	192	0.00	511		
MTD	)		4,952	0.09			3,474	0.14	8,426		

#### STREAM FLOWS

Gauging Station	02/20/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	71	1,284
NRTT: Nueces River at Tilden, Texas	0	3
FRTT: Frio River at Tilden, Texas	17	399
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	5	104
Release from Choke Canyon Reservoir	58	1,151
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	149	3,506
NCAT: Nueces River at Calallen, Texas	24	399
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	31	532

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 <u>Salinity Relief Credit</u> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	301
Return Flow Credit (Effective: 02/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 532	532
Estuary Inflows (NCAT + RBP)	399
PassThru Surplus / -Deficit:	0

### LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	МТД	YTD	Februa	ary 2009		Elevation (Ft)
Date	Dany Intake	MID	110	Allocation	Remaining	Full	02/21/2009
02/20/2009	137	2,168	6,452	3,040	872	44.0	37.9

Report Generated: 02/21/2009 at 8:22:00 AM

#### Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 22, 2009

#### **RESERVOIR STATISTICS**

	Choke Canyon Reservoir			] ]	.ake Corpus Christ	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (F	) Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	1009	5 94	0 257,26	0 100%	952,531	100%
02/22/2008	219.7	675,189	97.19	5 93	8 253,61	7 98.6%	928,806	97.5%
02/22/2009	214.7	554,201	79.7%	5 88	2 158,28	3 61.5%	712,484	74.8%
				Weather Relate	d Information			
		Choke	Canyon Reservoir		Lake Corpus Christi Reservoir			Combined
Date		(°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/21/20	009	74	319	0.00	71	137	0.12	456
MTD	)		5,271	0.09		3,611	0.26	8,882

#### STREAM FLOWS

Gauging Station	02/21/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	75	1,360
NRTT: Nueces River at Tilden, Texas	0	3
FRTT: Frio River at Tilden, Texas	17	415
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	4	109
Release from Choke Canyon Reservoir	58	1,209
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	143	3,648
NCAT: Nueces River at Calallen, Texas	32	431
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	35	566

#### ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 <u>Salinity Relief Credit</u> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	301
Return Flow Credit (Effective: 02/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 566	566
Estuary Inflows (NCAT + RBP)	431
PassThru Surplus / -Deficit:	0

#### LAKE TEXANA STATISTICS (All values are in AcFt)

ī		1			1			
	Date	Daily Intake	MTD	YTD	Februa	ry 2009		Elevation (Ft)
	Date	Dany Intake	MID		Allocation	Remaining	Full	02/22/2009
Ĩ	02/21/2009	137	2,305	6,588	3,040	735	44.0	37.9

Report Generated: 02/22/2009 at 8:23:31 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 23, 2009

#### **RESERVOIR STATISTICS**

	Choke Canyon Reservoir				Lake Corpus Chris	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (F	t) Volume (AcFt	) Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	1009	5 94	.0 257,26	0 100%	952,531	100%	
02/23/2008	219.7	675,189	97.19	5 93	.7 251,98	2 97.9%	927,171	97.3%	
02/23/2009	214.7	553,972	79.79	5 88	.2 158,12	6 61.5%	712,098	74.8%	
	Weather Related Information								
		Choke (	Canyon Reservoir		Lake Corpus Christi Reservoir				
Date	te Air Temp (°F)		Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/22/20	009	65	199	0.00	64	182	0.00	381	
MTD	)		5,470	0.09		3,793	0.26	9,263	

#### STREAM FLOWS

Gauging Station	02/22/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	73	1,433
NRTT: Nueces River at Tilden, Texas	0	3
FRTT: Frio River at Tilden, Texas	16	431
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	4	113
Release from Choke Canyon Reservoir	58	1,266
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	143	3,791
NCAT: Nueces River at Calallen, Texas	36	466
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	32	598

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 <u>Salinity Relief Credit</u> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	301
Return Flow Credit (Effective: 02/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 598	598
Estuary Inflows (NCAT + RBP)	466
PassThru Surplus / -Deficit:	0

### LAKE TEXANA STATISTICS (All values are in AcFt)

Ī	Date	Daily Intake M	MTD YTD -	Februa	ary 2009	Elevation (Ft)		
	Date	Dany Intake	MID	110	Allocation	Remaining	Full	02/23/2009
	02/22/2009	136	2,441	6,725	3,040	599	44.0	37.9

Report Generated: 02/23/2009 at 8:36:57 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 24, 2009

#### **RESERVOIR STATISTICS**

	Choke Canyon Reservoir				Lake Corpus Chris	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (F	t) Volume (AcFt	) Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94	.0 257,26	0 100%	952,531	100%	
02/24/2008	219.7	675,189	97.1%	93	.7 252,52	6 98.2%	927,715	97.4%	
02/24/2009	214.7	553,742	79.6%	88	.2 157,34	4 61.2%	711,086	74.7%	
	Weather Related Information								
		Choke (	Canyon Reservoir		Lake	r	Combined		
Date		(°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/23/20	009	74	252	0.00	74	164	0.00	416	
MTD	)		5,722	0.09		3,957	0.26	9,679	

#### STREAM FLOWS

Gauging Station	02/23/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	73	1,507
NRTT: Nueces River at Tilden, Texas	0	3
FRTT: Frio River at Tilden, Texas	15	446
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	4	116
Release from Choke Canyon Reservoir	58	1,324
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	143	3,934
NCAT: Nueces River at Calallen, Texas	42	508
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	31	628

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 <u>Salinity Relief Credit</u> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	301
Return Flow Credit (Effective: 02/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 628	628
Estuary Inflows (NCAT + RBP)	508
PassThru Surplus / -Deficit:	0

### LAKE TEXANA STATISTICS (All values are in AcFt)

Ī	Date	Daily Intake N	MTD YTD		Februa	February 2009		Elevation (Ft)	
	Date	Dany Intake	MID	110	Allocation	Remaining	Full	02/24/2009	
	02/23/2009	136	2,578	6,861	3,040	462	44.0	37.8	

Report Generated: 02/24/2009 at 9:26:08 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 25, 2009

#### **RESERVOIR STATISTICS**

	Choke Canyon Reservoir				Lake Corpus Chris	ti Reservoir	Combined Reservoir System	
Date	Date Elevation (Ft) Volume (AcFt) Percent of Capacity E		Elevation (F	t) Volume (AcF	t) Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94	.0 257,2	50 100%	952,531	100%
02/25/2008	219.7	674,934	97.1%	93	.7 251,6	19 97.8%	926,553	97.3%
02/25/2009	214.7	553,287	79.6%	88	.1 157,1	61.1%	710,475	74.6%
				Weather Relat	ed Information			
		Choke (	Canyon Reservoir		Lake Corpus Christi Reservoir			
Date		Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/24/20	009	86	318	0.00	85	218	0.00	536
MTD	)		6,040	0.09		4,175	0.26	10,215

#### STREAM FLOWS

Gauging Station	02/24/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	62	1,568
NRTT: Nueces River at Tilden, Texas	0	3
FRTT: Frio River at Tilden, Texas	13	459
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	4	120
Release from Choke Canyon Reservoir	58	1,382
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	143	4,077
NCAT: Nueces River at Calallen, Texas	17	525
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	17	646

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 <u>Salinity Relief Credit</u> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	301
Return Flow Credit (Effective: 02/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 646	646
Estuary Inflows (NCAT + RBP)	525
PassThru Surplus / -Deficit:	0

### LAKE TEXANA STATISTICS (All values are in AcFt)

Ī	Date	Daily Intake	МТД	YTD	Februa	nry 2009	Elevation (Ft)		
	Date	Dany Intake	MID	110	Allocation	Remaining	Full	02/25/2009	
	02/24/2009	136	2,714	6,997	3,040	326	44.0	37.7	

Report Generated: 02/25/2009 at 8:53:29 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 26, 2009

#### **RESERVOIR STATISTICS**

	Choke Canyon Reservoir				Lak	ke Corpus Christi	Reservoir	Combined Reservoir System	
Date	Date Elevation (Ft) Volume (AcFt) Percent of Capacity H		Elevation (H	Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	1009	6 94	4.0	257,260	100%	952,531	100%
02/26/2008	219.7	675,189	97.19	ó 9:	3.8	253,798	98.7%	928,987	97.5%
02/26/2009	214.7	552,833	79.59	6 8	8.1	156,409	60.8%	709,242	74.5%
				Weather Relat	ted ]	Information			
		Choke (	Canyon Reservoir		Lake Corpus Christi Reservoir				Combined
Date		(°F)	Evaporation (AcFt)	Rainfall (Inches)		Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/25/20	009	93	345	0.00		90	317	0.00	662
MTD	)		6,385	0.09			4,492	0.26	10,877

#### STREAM FLOWS

Gauging Station	02/25/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	66	1,634
NRTT: Nueces River at Tilden, Texas	0	3
FRTT: Frio River at Tilden, Texas	13	472
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	4	124
Release from Choke Canyon Reservoir	58	1,439
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	165	4,242
NCAT: Nueces River at Calallen, Texas	0	525
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	21	667

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 <u>Salinity Relief Credit</u> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	301
Return Flow Credit (Effective: 02/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 667	667
Estuary Inflows (NCAT + RBP)	525
PassThru Surplus / -Deficit:	0

### LAKE TEXANA STATISTICS (All values are in AcFt)

Ī	Date	Daily Intake	MTD YTD	Februa	nry 2009	Elevation (Ft)		
	Date	Dany Intake		110	Allocation	Remaining	Full	02/26/2009
	02/25/2009	136	2,850	7,133	3,040	190	44.0	37.6

Report Generated: 02/26/2009 at 8:45:15 AM

#### Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 27, 2009

#### RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir				Combined Reservoir System	
Date	Date Elevation (Ft) Volume (AcFt) Percent of Capacity		y   Elevation (I	Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	100	% 9	4.0	257,260	100%	952,531	100%	
02/27/2008	219.7	674,679	97.0	% 9	3.7	251,619	97.8%	926,298	97.2%	
02/27/2009	214.7	552,606	79.5	% 8	8.1	157,188	61.1%	709,794	74.5%	
				Weather Rela	ted Iı	nformation				
		Choke	Canyon Reservoir		Lake Corpus Christi Reservoir				Combined	
Date		Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	A	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/26/20	009	92	490	0.00		86	227	0.00	717	
MTD	)		6,875	0.09			4,719	0.26	11,594	

#### STREAM FLOWS

Gauging Station	02/26/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	67	1,701
NRTT: Nueces River at Tilden, Texas	0	3
FRTT: Frio River at Tilden, Texas	13	485
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	4	128
Release from Choke Canyon Reservoir	58	1,497
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	187	4,429
NCAT: Nueces River at Calallen, Texas	0	525
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	23	690

#### ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 <u>Salinity Relief Credit</u> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	301
Return Flow Credit (Effective: 02/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 690	690
Estuary Inflows (NCAT + RBP)	525
PassThru Surplus / -Deficit:	0

#### LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Doily Intolyo	MTD	YTD	Februa	ary 2009	Elevation (Ft)	
	Daily Intake MTD	MID	110	Allocation	Remaining	Full	02/27/2009
02/26/2009	136	2,986	7,269	3,040	54	44.0	37.6

Report Generated: 02/27/2009 at 8:50:36 AM

#### Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: February 28, 2009

#### RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.	257,260	100%	952,531	100%
02/28/2008	219.7	673,914	96.9%	93.	5 250,169	97.2%	924,083	97.0%
02/28/2009	214.6	552,151	79.4%	88.	2 158,753	61.7%	710,904	74.6%
Weather Related Information								
	Choke Canyon Reservoir				Lake	Corpus Christi Reservoir		Combined
Date		Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/27/20	009	89	291	0.00	93	192	0.00	483
MTD	)		7,166	0.09		4,911	0.26	12,077

#### STREAM FLOWS

Gauging Station	02/27/2009 (AcFt)	MTD (AcFt)		
NTRT: Nueces River at Three Rivers, Texas	67	1,769		
NRTT: Nueces River at Tilden, Texas	0	3		
FRTT: Frio River at Tilden, Texas	12	497		
SMTT: San Miguel Creek at Tilden, Texas	0	0		
ARWT: Atascosa River at Whitsett, Texas	7	135		
Release from Choke Canyon Reservoir	58	1,554		
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	200	4,629		
NCAT: Nueces River at Calallen, Texas	2	527		
RBP: Rincon Bayou Pipeline	0	0		
Reservoir Inflow				
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	22	712		

#### ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 <u>Salinity Relief Credit</u> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	301
Return Flow Credit (Effective: 02/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 712	712
Estuary Inflows (NCAT + RBP)	527
PassThru Surplus / -Deficit:	0

#### LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2009		Elevation (Ft)	
Date				Allocation	Remaining	Full	02/28/2009
02/27/2009	136	3,121	7,405	3,040	-81	44.0	37.6

Report Generated: 02/28/2009 at 8:37:05 AM