

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 1, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/01/2008	219.7	673,659	96.9%	93.6	249,988	97.2%	923,647	97.0%
03/01/2009	214.6	551,696	79.3%	88.1	156,409	60.8%	708,105	74.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/28/2009	68	463	0.00	66	281	0.00	744
MTD		7,629	0.09		5,192	0.26	12,821

STREAM FLOWS

Gauging Station	02/28/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,836
NRTT : Nueces River at Tilden, Texas	0	3
FRTT : Frio River at Tilden, Texas	11	508
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	142
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	171	4,800
NCAT : Nueces River at Calallen, Texas	28	555
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	21	733

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	301
Return Flow Credit (Effective: 02/01/2009)	500
Passthru Target: 2,500 Reservoir Inflow: 733	733
Estuary Inflows (NCAT + RBP)	555
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2009		Elevation (Ft)	
				Allocation	Remaining	Full	03/01/2009
02/28/2009	136	3,257	7,541	3,040	-217	44.0	37.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 2, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/02/2008	219.7	673,405	96.9%	93.6	249,626	97.0%	923,031	96.9%
03/02/2009	214.6	551,242	79.3%	88.0	155,633	60.5%	706,875	74.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/01/2009	65	344	0.00	67	298	0.00	642
MTD		344	0.00		298	0.00	642

STREAM FLOWS

Gauging Station	03/01/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	67
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	10	10
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	6
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	147
NCAT : Nueces River at Calallen, Texas	85	85
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	20	20

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	555
Return Flow Credit (Effective: 03/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 20	20
Estuary Inflows (NCAT + RBP)	85
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2009		Elevation (Ft)	
				Allocation	Remaining	Full	03/02/2009
03/01/2009	136	136	7,676	3,050	2,914	44.0	37.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 3, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/03/2008	219.7	673,914	96.9%	93.5	248,360	96.5%	922,274	96.8%
03/03/2009	214.6	550,560	79.2%	88.0	155,324	60.4%	705,884	74.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/02/2009	74	291	0.00	73	198	0.00	489
MTD		635	0.00		496	0.00	1,131

STREAM FLOWS

Gauging Station	03/02/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	137
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	10	19
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	11
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	296
NCAT : Nueces River at Calallen, Texas	28	113
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	21	41

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	555
Return Flow Credit (Effective: 03/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 41	41
Estuary Inflows (NCAT + RBP)	113
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2009		Elevation (Ft)	
				Allocation	Remaining	Full	03/03/2009
03/02/2009	136	271	7,812	3,050	2,779	44.0	37.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 4, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/04/2008	219.7	673,659	96.9%	93.5	248,541	96.6%	922,200	96.8%
03/04/2009	214.6	550,333	79.2%	88.0	155,016	60.3%	705,349	74.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/03/2009	81	396	0.00	77	117	0.00	513
MTD		1,031	0.00		613	0.00	1,644

STREAM FLOWS

Gauging Station	03/03/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	204
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	10	29
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	16
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	447
NCAT : Nueces River at Calallen, Texas	11	124
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	20	61

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	555
Return Flow Credit (Effective: 03/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 61	61
Estuary Inflows (NCAT + RBP)	124
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2009		Elevation (Ft)	
				Allocation	Remaining	Full	03/04/2009
03/03/2009	135	407	7,947	3,050	2,643	44.0	37.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 5, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/05/2008	219.6	673,150	96.8%	93.5	247,818	96.3%	920,968	96.7%
03/05/2009	214.5	550,106	79.1%	88.0	154,862	60.2%	704,968	74.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/04/2009	86	436	0.00	81	287	0.00	723
MTD		1,467	0.00		900	0.00	2,367

STREAM FLOWS

Gauging Station	03/04/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	270
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	10	39
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	22
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	165	611
NCAT : Nueces River at Calallen, Texas	1	124
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	18	79

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	555
Return Flow Credit (Effective: 03/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 79	79
Estuary Inflows (NCAT + RBP)	124
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2009		Elevation (Ft)	
				Allocation	Remaining	Full	03/05/2009
03/04/2009	135	542	8,082	3,050	2,508	44.0	37.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 6, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/06/2008	219.6	671,373	96.6%	93.5	247,999	96.4%	919,372	96.5%
03/06/2009	214.5	549,879	79.1%	87.9	153,941	59.8%	703,820	73.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/05/2009	89	343	0.00	84	241	0.00	584
MTD		1,810	0.00		1,141	0.00	2,951

STREAM FLOWS

Gauging Station	03/05/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	333
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	10	50
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	28
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	157	768
NCAT : Nueces River at Calallen, Texas	0	125
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	16	95

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	555
Return Flow Credit (Effective: 03/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 95	95
Estuary Inflows (NCAT + RBP)	125
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2009		Elevation (Ft)	
				Allocation	Remaining	Full	03/06/2009
03/05/2009	135	677	8,217	3,050	2,373	44.0	37.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 7, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/07/2008	219.6	673,150	96.8%	93.5	248,722	96.7%	921,872	96.8%
03/07/2009	214.5	549,197	79.0%	87.9	153,481	59.7%	702,678	73.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/06/2009	89	462	0.00	82	205	0.00	667
MTD		2,272	0.00		1,346	0.00	3,618

STREAM FLOWS

Gauging Station	03/06/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	397
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	11	60
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	34
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	177	945
NCAT : Nueces River at Calallen, Texas	0	125
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	17	112

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	555
Return Flow Credit (Effective: 03/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 112	112
Estuary Inflows (NCAT + RBP)	125
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2009		Elevation (Ft)	
				Allocation	Remaining	Full	03/07/2009
03/06/2009	135	812	8,352	3,050	2,238	44.0	37.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 8, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/08/2008	219.5	670,615	96.5%	93.5	247,457	96.2%	918,072	96.4%
03/08/2009	214.5	548,747	78.9%	87.9	153,634	59.7%	702,381	73.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/07/2009	84	290	0.00	81	241	0.00	531
MTD		2,562	0.00		1,587	0.00	4,149

STREAM FLOWS

Gauging Station	03/07/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	461
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	11	71
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	40
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	185	1,129
NCAT : Nueces River at Calallen, Texas	0	125
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	17	129

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	555
Return Flow Credit (Effective: 03/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 129	129
Estuary Inflows (NCAT + RBP)	125
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2009		Elevation (Ft)	
				Allocation	Remaining	Full	03/08/2009
03/07/2009	135	947	8,487	3,050	2,103	44.0	37.3

Report Generated: 03/08/2009 at 7:50:49 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 9, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/09/2008	219.5	670,110	96.4%	93.5	247,277	96.1%	917,387	96.3%
03/09/2009	214.5	548,522	78.9%	87.9	153,634	59.7%	702,156	73.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/08/2009	84	224	0.00	81	170	0.00	394
MTD		2,786	0.00		1,757	0.00	4,543

STREAM FLOWS

Gauging Station	03/08/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	524
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	11	82
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	47
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	179	1,308
NCAT : Nueces River at Calallen, Texas	17	142
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	17	146

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	555
Return Flow Credit (Effective: 03/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 146	146
Estuary Inflows (NCAT + RBP)	142
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2009		Elevation (Ft)	
				Allocation	Remaining	Full	03/09/2009
03/08/2009	135	1,081	8,622	3,050	1,969	44.0	37.3

Report Generated: 03/09/2009 at 8:08:47 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 10, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/10/2008	219.5	669,095	96.2%	93.5	248,180	96.5%	917,275	96.3%
03/10/2009	214.5	548,297	78.9%	87.9	152,717	59.4%	701,014	73.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/09/2009	87	435	0.00	84	365	0.00	800
MTD		3,221	0.00		2,122	0.00	5,343

STREAM FLOWS

Gauging Station	03/09/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	588
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	9	92
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	53
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	179	1,487
NCAT : Nueces River at Calallen, Texas	8	151
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	15	161

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	555
Return Flow Credit (Effective: 03/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 161	161
Estuary Inflows (NCAT + RBP)	151
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2009		Elevation (Ft)	
				Allocation	Remaining	Full	03/10/2009
03/09/2009	133	1,215	8,755	3,050	1,835	44.0	37.3

Report Generated: 03/10/2009 at 8:57:24 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 11, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/11/2008	219.5	668,586	96.2%	93.6	250,169	97.2%	918,755	96.5%
03/11/2009	214.5	548,522	78.9%	87.9	153,634	59.7%	702,156	73.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/10/2009	87	264	0.00	86	250	0.00	514
MTD		3,485	0.00		2,372	0.00	5,857

STREAM FLOWS

Gauging Station	03/10/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	651
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	8	99
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	59
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	1,669
NCAT : Nueces River at Calallen, Texas	0	151
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	14	175

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	555
Return Flow Credit (Effective: 03/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 175	175
Estuary Inflows (NCAT + RBP)	151
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2009		Elevation (Ft)	
				Allocation	Remaining	Full	03/11/2009
03/10/2009	135	1,350	8,890	3,050	1,700	44.0	37.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 12, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/12/2008	219.5	668,841	96.2%	93.6	249,807	97.1%	918,648	96.4%
03/12/2009	214.5	548,297	78.9%	88.0	154,401	60.0%	702,698	73.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/11/2009	75	198	0.04	86	295	0.20	493
MTD		3,683	0.04		2,667	0.20	6,350

STREAM FLOWS

Gauging Station	03/11/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	715
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	7	106
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	65
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	179	1,848
NCAT : Nueces River at Calallen, Texas	0	151
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	13	187

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	555
Return Flow Credit (Effective: 03/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 187	187
Estuary Inflows (NCAT + RBP)	151
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2009		Elevation (Ft)	
				Allocation	Remaining	Full	03/12/2009
03/11/2009	135	1,484	9,025	3,050	1,566	44.0	37.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 13, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/13/2008	219.5	668,331	96.1%	93.6	249,626	97.0%	917,957	96.4%
03/13/2009	214.5	548,072	78.8%	87.9	153,481	59.7%	701,553	73.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/12/2009	47	40	0.08	50	9	0.10	49
MTD		3,723	0.12		2,676	0.30	6,399

STREAM FLOWS

Gauging Station	03/12/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	784
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	6	112
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	71
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	153	2,001
NCAT : Nueces River at Calallen, Texas	0	151
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	17	205

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	555
Return Flow Credit (Effective: 03/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 205	205
Estuary Inflows (NCAT + RBP)	151
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2009		Elevation (Ft)	
				Allocation	Remaining	Full	03/13/2009
03/12/2009	135	1,619	9,160	3,050	1,431	44.0	37.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 14, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/14/2008	219.4	667,821	96.1%	93.6	250,350	97.3%	918,171	96.4%
03/14/2009	214.4	547,847	78.8%	87.9	153,023	59.5%	700,870	73.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/13/2009	46	13	0.08	47	0	0.03	13
MTD		3,736	0.20		2,676	0.33	6,412

STREAM FLOWS

Gauging Station	03/13/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	854
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	5	117
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	78
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	155	2,156
NCAT : Nueces River at Calallen, Texas	8	158
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	17	222

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	555
Return Flow Credit (Effective: 03/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 222	222
Estuary Inflows (NCAT + RBP)	158
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2009		Elevation (Ft)	
				Allocation	Remaining	Full	03/14/2009
03/13/2009	135	1,754	9,294	3,050	1,296	44.0	37.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 15, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/15/2008	219.4	667,312	96.0%	93.7	251,619	97.8%	918,931	96.5%
03/15/2009	214.4	547,847	78.8%	87.9	153,328	59.6%	701,175	73.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/14/2009	52	13	0.14	49	45	0.47	58
MTD		3,749	0.34		2,721	0.80	6,470

STREAM FLOWS

Gauging Station	03/14/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	921
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	5	121
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	85
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	2,299
NCAT : Nueces River at Calallen, Texas	26	184
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	15	236

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	555
Return Flow Credit (Effective: 03/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 236	236
Estuary Inflows (NCAT + RBP)	184
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2009		Elevation (Ft)	
				Allocation	Remaining	Full	03/15/2009
03/14/2009	135	1,888	9,429	3,050	1,162	44.0	37.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 16, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/16/2008	219.4	666,047	95.8%	93.7	250,894	97.5%	916,941	96.3%
03/16/2009	214.4	547,847	78.8%	87.9	152,870	59.4%	700,717	73.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/15/2009	64	119	0.00	57	27	0.00	146
MTD		3,868	0.34		2,748	0.80	6,616

STREAM FLOWS

Gauging Station	03/15/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	987
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	4	126
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	93
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	2,442
NCAT : Nueces River at Calallen, Texas	42	226
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	249

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	555
Return Flow Credit (Effective: 03/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 249	249
Estuary Inflows (NCAT + RBP)	226
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2009		Elevation (Ft)	
				Allocation	Remaining	Full	03/16/2009
03/15/2009	135	2,023	9,564	3,050	1,027	44.0	37.2

Report Generated: 03/16/2009 at 8:34:18 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 17, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/17/2008	219.3	664,785	95.6%	93.6	249,626	97.0%	914,411	96.0%
03/17/2009	214.4	547,397	78.7%	87.8	152,564	59.3%	699,961	73.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/16/2009	85	263	0.00	83	124	0.00	387
MTD		4,131	0.34		2,872	0.80	7,003

STREAM FLOWS

Gauging Station	03/16/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,052
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	4	130
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	100
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	2,582
NCAT : Nueces River at Calallen, Texas	60	285
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	261

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	555
Return Flow Credit (Effective: 03/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 261	261
Estuary Inflows (NCAT + RBP)	285
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2009		Elevation (Ft)	
				Allocation	Remaining	Full	03/17/2009
03/16/2009	135	2,158	9,698	3,050	892	44.0	37.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 18, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/18/2008	219.3	665,290	95.7%	93.5	248,541	96.6%	913,831	95.9%
03/18/2009	214.4	546,947	78.7%	87.8	152,564	59.3%	699,511	73.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/17/2009	85	355	0.00	81	222	0.00	577
MTD		4,486	0.34		3,094	0.80	7,580

STREAM FLOWS

Gauging Station	03/17/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,116
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	3	133
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	107
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	2,723
NCAT : Nueces River at Calallen, Texas	56	341
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	9	270

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	555
Return Flow Credit (Effective: 03/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 270	270
Estuary Inflows (NCAT + RBP)	341
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2009		Elevation (Ft)	
				Allocation	Remaining	Full	03/18/2009
03/17/2009	134	2,292	9,833	3,050	758	44.0	37.1

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 19, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/19/2008	219.4	668,076	96.1%	93.8	252,890	98.3%	920,966	96.7%
03/19/2009	214.4	546,497	78.6%	87.8	152,412	59.2%	698,909	73.4%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/18/2009	85	408	0.00	81	142	0.00	550	
MTD		4,894	0.34		3,236	0.80	8,130	

STREAM FLOWS

Gauging Station	03/18/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,177
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	3	135
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	116
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	2,864
NCAT : Nueces River at Calallen, Texas	46	386
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	7	276

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	555
Return Flow Credit (Effective: 03/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 276	276
Estuary Inflows (NCAT + RBP)	386
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2009		Elevation (Ft)	
				Allocation	Remaining	Full	03/19/2009
03/18/2009	135	2,427	9,968	3,050	623	44.0	37.0

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 20, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/20/2008	219.3	664,027	95.5%	93.6	250,531	97.4%	914,558	96.0%
03/20/2009	214.4	546,272	78.6%	87.8	152,259	59.2%	698,531	73.3%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/19/2009	85	302	0.00	81	222	0.00	524	
MTD		5,196	0.34		3,458	0.80	8,654	

STREAM FLOWS

Gauging Station	03/19/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,239
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	3	139
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	123
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	3,011
NCAT : Nueces River at Calallen, Texas	1	387
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	7	284

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	555
Return Flow Credit (Effective: 03/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 284	284
Estuary Inflows (NCAT + RBP)	387
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2009		Elevation (Ft)	
				Allocation	Remaining	Full	03/20/2009
03/19/2009	134	2,561	10,102	3,050	489	44.0	37.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 21, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/21/2008	219.2	663,016	95.4%	93.6	250,350	97.3%	913,366	95.9%
03/21/2009	214.4	546,047	78.5%	87.8	151,803	59.0%	697,850	73.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/20/2009	84	315	0.00	81	177	0.00	492
MTD		5,511	0.34		3,635	0.80	9,146

STREAM FLOWS

Gauging Station	03/20/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,302
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	4	143
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	130
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	157	3,168
NCAT : Nueces River at Calallen, Texas	0	387
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	293

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	555
Return Flow Credit (Effective: 03/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 293	293
Estuary Inflows (NCAT + RBP)	387
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2009		Elevation (Ft)	
				Allocation	Remaining	Full	03/21/2009
03/20/2009	134	2,696	10,236	3,050	354	44.0	37.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 22, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/22/2008	219.2	662,511	95.3%	93.7	250,894	97.5%	913,405	95.9%
03/22/2009	214.4	545,822	78.5%	87.8	151,499	58.9%	697,321	73.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/21/2009	84	355	0.00	81	204	0.00	559
MTD		5,866	0.34		3,839	0.80	9,705

STREAM FLOWS

Gauging Station	03/21/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,366
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	4	146
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	137
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	3,311
NCAT : Nueces River at Calallen, Texas	9	396
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	10	303

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	555
Return Flow Credit (Effective: 03/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 303	303
Estuary Inflows (NCAT + RBP)	396
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2009		Elevation (Ft)	
				Allocation	Remaining	Full	03/22/2009
03/21/2009	134	2,830	10,371	3,050	220	44.0	37.0

Report Generated: 03/22/2009 at 8:42:08 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 23, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/23/2008	219.2	662,259	95.3%	93.7	250,894	97.5%	913,153	95.9%
03/23/2009	214.3	545,147	78.4%	87.7	150,437	58.5%	695,584	73.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/22/2009	87	512	0.00	83	212	0.00	724
MTD		6,378	0.34		4,051	0.80	10,429

STREAM FLOWS

Gauging Station	03/22/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,427
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	4	150
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	143
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	159	3,470
NCAT : Nueces River at Calallen, Texas	13	409
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	311

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	555
Return Flow Credit (Effective: 03/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 311	311
Estuary Inflows (NCAT + RBP)	409
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2009		Elevation (Ft)	
				Allocation	Remaining	Full	03/23/2009
03/22/2009	134	2,964	10,505	3,050	86	44.0	37.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 24, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/24/2008	219.2	662,006	95.2%	93.6	250,713	97.5%	912,719	95.8%
03/24/2009	214.3	544,697	78.3%	87.7	149,833	58.2%	694,530	72.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/23/2009	85	380	0.00	82	167	0.00	547
MTD		6,758	0.34		4,218	0.80	10,976

STREAM FLOWS

Gauging Station	03/23/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,489
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	3	153
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	149
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	173	3,642
NCAT : Nueces River at Calallen, Texas	0	409
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	7	318

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	555
Return Flow Credit (Effective: 03/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 318	318
Estuary Inflows (NCAT + RBP)	409
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2009		Elevation (Ft)	
				Allocation	Remaining	Full	03/24/2009
03/23/2009	134	3,098	10,638	3,050	-48	44.0	36.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 25, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/25/2008	219.2	661,249	95.1%	93.6	249,445	97.0%	910,694	95.6%
03/25/2009	214.3	544,472	78.3%	87.7	150,740	58.6%	695,212	73.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/24/2009	80	197	0.00	80	265	0.00	462
MTD		6,955	0.34		4,483	0.80	11,438

STREAM FLOWS

Gauging Station	03/24/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,550
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	5	158
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	156
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	173	3,815
NCAT : Nueces River at Calallen, Texas	1	410
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	9	327

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	555
Return Flow Credit (Effective: 03/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 327	327
Estuary Inflows (NCAT + RBP)	410
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2009		Elevation (Ft)	
				Allocation	Remaining	Full	03/25/2009
03/24/2009	134	3,231	10,772	3,050	-181	44.0	36.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 26, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/26/2008	219.2	661,249	95.1%	93.5	248,903	96.8%	910,152	95.6%
03/26/2009	214.3	544,247	78.3%	87.7	150,740	58.6%	694,987	73.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/25/2009	89	157	0.00	85	168	0.00	325
MTD		7,112	0.34		4,651	0.80	11,763

STREAM FLOWS

Gauging Station	03/25/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,614
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	13	171
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	162
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	173	3,988
NCAT : Nueces River at Calallen, Texas	1	411
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	19	346

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	555
Return Flow Credit (Effective: 03/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 346	346
Estuary Inflows (NCAT + RBP)	411
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2009		Elevation (Ft)	
				Allocation	Remaining	Full	03/26/2009
03/25/2009	133	3,365	10,905	3,050	-315	44.0	36.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 27, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/27/2008	219.2	660,996	95.1%	93.5	248,541	96.6%	909,537	95.5%
03/27/2009	214.4	546,047	78.5%	87.7	150,740	58.6%	696,787	73.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/26/2009	78	289	0.27	84	185	0.04	474
MTD		7,401	0.61		4,836	0.84	12,237

STREAM FLOWS

Gauging Station	03/26/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,677
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	12	183
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	169
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	165	4,153
NCAT : Nueces River at Calallen, Texas	18	429
RBP : Rincon Bayou Pipeline	8	8
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	17	363

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	555
Return Flow Credit (Effective: 03/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 363	363
Estuary Inflows (NCAT + RBP)	437
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2009		Elevation (Ft)	
				Allocation	Remaining	Full	03/27/2009
03/26/2009	133	3,498	11,039	3,050	-448	44.0	36.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 28, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/28/2008	219.2	661,249	95.1%	93.5	248,722	96.7%	909,971	95.5%
03/28/2009	214.3	545,147	78.4%	87.7	150,740	58.6%	695,887	73.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/27/2009	86	643	0.00	88	432	0.00	1,075
MTD		8,044	0.61		5,268	0.84	13,312

STREAM FLOWS

Gauging Station	03/27/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,741
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	10	193
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	36	205
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	137	4,290
NCAT : Nueces River at Calallen, Texas	16	445
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	16	379

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	555
Return Flow Credit (Effective: 03/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 379	379
Estuary Inflows (NCAT + RBP)	453
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2009		Elevation (Ft)	
				Allocation	Remaining	Full	03/28/2009
03/27/2009	133	3,632	11,172	3,050	-582	44.0	36.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 29, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/29/2008	219.2	660,996	95.1%	93.5	248,903	96.8%	909,899	95.5%
03/29/2009	214.3	544,247	78.3%	87.7	149,682	58.2%	693,929	72.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/28/2009	73	367	0.00	74	281	0.00	648
MTD		8,411	0.61		5,549	0.84	13,960

STREAM FLOWS

Gauging Station	03/28/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	1,814
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	8	200
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	52	256
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	139	4,429
NCAT : Nueces River at Calallen, Texas	28	473
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	24	403

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	555
Return Flow Credit (Effective: 03/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 403	403
Estuary Inflows (NCAT + RBP)	481
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2009		Elevation (Ft)	
				Allocation	Remaining	Full	03/29/2009
03/28/2009	134	3,765	11,306	3,050	-715	44.0	36.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 30, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/30/2008	219.2	660,996	95.1%	93.5	248,180	96.5%	909,176	95.4%
03/30/2009	214.3	543,797	78.2%	87.6	148,928	57.9%	692,725	72.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/29/2009	81	419	0.00	77	316	0.00	735
MTD		8,830	0.61		5,865	0.84	14,695

STREAM FLOWS

Gauging Station	03/29/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	89	1,904
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	7	207
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	24	280
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	173	4,601
NCAT : Nueces River at Calallen, Texas	22	495
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	38	441

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	555
Return Flow Credit (Effective: 03/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 441	441
Estuary Inflows (NCAT + RBP)	502
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2009		Elevation (Ft)	
				Allocation	Remaining	Full	03/30/2009
03/29/2009	134	3,899	11,439	3,050	-849	44.0	36.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 31, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/31/2008	219.2	660,996	95.1%	93.5	247,818	96.3%	908,814	95.4%
03/31/2009	214.3	543,572	78.2%	87.7	149,833	58.2%	693,405	72.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/30/2009	91	380	0.00	93	281	0.00	661
MTD		9,210	0.61		6,146	0.84	15,356

STREAM FLOWS

Gauging Station	03/30/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	1,975
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	5	212
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	19	299
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	159	4,760
NCAT : Nueces River at Calallen, Texas	20	514
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	19	460

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	555
Return Flow Credit (Effective: 03/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 460	460
Estuary Inflows (NCAT + RBP)	522
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2009		Elevation (Ft)	
				Allocation	Remaining	Full	03/31/2009
03/30/2009	132	4,031	11,572	3,050	-981	44.0	36.8