

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 1, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/01/2008	219.2	661,249	95.1%	93.5	248,541	96.6%	909,790	95.5%
04/01/2009	214.2	543,122	78.1%	87.6	148,177	57.6%	691,299	72.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/31/2009	78	471	0.00	77	315	0.00	786
MTD		9,681	0.61		6,461	0.84	16,142

STREAM FLOWS

Gauging Station	03/31/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	2,039
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	5	217
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	16	315
Release from Choke Canyon Reservoir	58	1,785
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	4,909
NCAT : Nueces River at Calallen, Texas	24	538
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	11	471

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	555
Return Flow Credit (Effective: 03/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 471	471
Estuary Inflows (NCAT + RBP)	546
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2009		Elevation (Ft)	
				Allocation	Remaining	Full	04/01/2009
03/31/2009	134	4,165	11,705	3,050	-1,115	44.0	36.8

Report Generated: 04/01/2009 at 8:27:22 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 2, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/02/2008	219.2	661,501	95.1%	93.5	248,722	96.7%	910,223	95.6%
04/02/2009	214.2	542,672	78.1%	87.6	148,327	57.7%	690,999	72.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/01/2009	77	131	0.00	73	70	0.00	201
MTD		131	0.00		70	0.00	201

STREAM FLOWS

Gauging Station	04/01/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	60
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	5	5
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	11
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	157	157
NCAT : Nueces River at Calallen, Texas	10	10
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	7	7

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	546
Return Flow Credit (Effective: 04/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 7	7
Estuary Inflows (NCAT + RBP)	10
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2009		Elevation (Ft)	
				Allocation	Remaining	Full	04/02/2009
04/01/2009	133	133	11,838	3,050	2,917	44.0	36.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 3, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/03/2008	219.2	661,249	95.1%	93.5	247,999	96.4%	909,248	95.5%
04/03/2009	214.2	541,997	78.0%	87.5	147,577	57.4%	689,574	72.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/02/2009	80	667	0.00	82	445	0.00	1,112
MTD		798	0.00		515	0.00	1,313

STREAM FLOWS

Gauging Station	04/02/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	119
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	6	11
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	9	20
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	179	335
NCAT : Nueces River at Calallen, Texas	0	10
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	8	15

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	546
Return Flow Credit (Effective: 04/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 15	15
Estuary Inflows (NCAT + RBP)	10
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2009		Elevation (Ft)	
				Allocation	Remaining	Full	04/03/2009
04/02/2009	133	266	11,972	3,050	2,784	44.0	36.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 4, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/04/2008	219.2	661,501	95.1%	93.5	248,360	96.5%	909,861	95.5%
04/04/2009	214.2	541,547	77.9%	87.5	147,129	57.2%	688,676	72.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/03/2009	83	444	0.00	80	96	0.00	540
MTD		1,242	0.00		611	0.00	1,853

STREAM FLOWS

Gauging Station	04/03/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	175
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	6	17
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	28
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	179	514
NCAT : Nueces River at Calallen, Texas	0	10
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	13	28

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	546
Return Flow Credit (Effective: 04/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 28	28
Estuary Inflows (NCAT + RBP)	10
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2009		Elevation (Ft)	
				Allocation	Remaining	Full	04/04/2009
04/03/2009	133	400	12,105	3,050	2,650	44.0	36.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 5, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/05/2008	219.2	661,249	95.1%	93.5	248,541	96.6%	909,790	95.5%
04/05/2009	214.1	541,097	77.8%	87.4	146,532	57.0%	687,629	72.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/04/2009	91	366	0.00	90	373	0.00	739
MTD		1,608	0.00		984	0.00	2,592

STREAM FLOWS

Gauging Station	04/04/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	230
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	6	23
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	33
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	179	693
NCAT : Nueces River at Calallen, Texas	0	10
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	11	40

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	546
Return Flow Credit (Effective: 04/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 40	40
Estuary Inflows (NCAT + RBP)	10
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2009		Elevation (Ft)	
				Allocation	Remaining	Full	04/05/2009
04/04/2009	133	533	12,238	3,050	2,517	44.0	36.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 6, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/06/2008	219.2	661,501	95.1%	93.5	247,277	96.1%	908,778	95.4%
04/06/2009	214.1	540,647	77.8%	87.5	147,278	57.2%	687,925	72.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/05/2009	79	574	0.00	81	331	0.00	905
MTD		2,182	0.00		1,315	0.00	3,497

STREAM FLOWS

Gauging Station	04/05/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	284
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	6	29
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	38
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	179	871
NCAT : Nueces River at Calallen, Texas	32	42
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	11	51

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	546
Return Flow Credit (Effective: 04/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 51	51
Estuary Inflows (NCAT + RBP)	42
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2009		Elevation (Ft)	
				Allocation	Remaining	Full	04/06/2009
04/05/2009	133	666	12,371	3,050	2,384	44.0	36.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 7, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/07/2008	219.2	661,249	95.1%	93.4	246,735	95.9%	907,984	95.3%
04/07/2009	214.1	540,197	77.7%	87.4	145,640	56.6%	685,837	72.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/06/2009	68	456	0.00	69	458	0.00	914
MTD		2,638	0.00		1,773	0.00	4,411

STREAM FLOWS

Gauging Station	04/06/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	337
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	5	34
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	42
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	179	1,050
NCAT : Nueces River at Calallen, Texas	32	74
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	9	60

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	546
Return Flow Credit (Effective: 04/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 60	60
Estuary Inflows (NCAT + RBP)	74
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2009		Elevation (Ft)	
				Allocation	Remaining	Full	04/07/2009
04/06/2009	133	799	12,504	3,050	2,251	44.0	36.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 8, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/08/2008	219.2	661,249	95.1%	93.4	246,375	95.8%	907,624	95.3%
04/08/2009	214.1	539,084	77.5%	87.3	144,899	56.3%	683,983	71.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/07/2009	79	391	0.00	80	276	0.00	667
MTD		3,029	0.00		2,049	0.00	5,078

STREAM FLOWS

Gauging Station	04/07/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	391
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	4	38
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	46
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	191	1,241
NCAT : Nueces River at Calallen, Texas	0	74
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	8	68

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	546
Return Flow Credit (Effective: 04/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 68	68
Estuary Inflows (NCAT + RBP)	74
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2009		Elevation (Ft)	
				Allocation	Remaining	Full	04/08/2009
04/07/2009	131	930	12,635	3,050	2,120	44.0	36.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 9, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/09/2008	219.2	660,996	95.1%	93.4	245,834	95.6%	906,830	95.2%
04/09/2009	214.0	538,861	77.5%	87.3	144,024	56.0%	682,885	71.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/08/2009	92	378	0.00	89	389	0.00	767
MTD		3,407	0.00		2,438	0.00	5,845

STREAM FLOWS

Gauging Station	04/08/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	453
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	4	42
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	51
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	214	1,455
NCAT : Nueces River at Calallen, Texas	0	74
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	8	76

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	546
Return Flow Credit (Effective: 04/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 76	76
Estuary Inflows (NCAT + RBP)	74
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2009		Elevation (Ft)	
				Allocation	Remaining	Full	04/09/2009
04/08/2009	132	1,062	12,767	3,050	1,988	44.0	36.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 10, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/10/2008	219.2	660,744	95.0%	93.4	245,474	95.4%	906,218	95.1%
04/10/2009	214.0	538,416	77.4%	87.3	144,460	56.2%	682,876	71.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/09/2009	98	481	0.00	97	254	0.00	735
MTD		3,888	0.00		2,692	0.00	6,580

STREAM FLOWS

Gauging Station	04/09/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	510
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	5	47
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	55
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	240	1,695
NCAT : Nueces River at Calallen, Texas	0	74
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	5	81

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	546
Return Flow Credit (Effective: 04/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 81	81
Estuary Inflows (NCAT + RBP)	74
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2009		Elevation (Ft)	
				Allocation	Remaining	Full	04/10/2009
04/09/2009	133	1,195	12,900	3,050	1,855	44.0	36.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 11, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/11/2008	219.2	660,744	95.0%	93.4	246,375	95.8%	907,119	95.2%
04/11/2009	214.0	537,971	77.4%	87.3	144,315	56.1%	682,286	71.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/10/2009	87	520	0.00	89	355	0.00	875
MTD		4,408	0.00		3,047	0.00	7,455

STREAM FLOWS

Gauging Station	04/10/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	568
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	7	54
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	59
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	197	1,892
NCAT : Nueces River at Calallen, Texas	0	74
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	7	88

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	546
Return Flow Credit (Effective: 04/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 88	88
Estuary Inflows (NCAT + RBP)	74
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2009		Elevation (Ft)	
				Allocation	Remaining	Full	04/11/2009
04/10/2009	133	1,328	13,034	3,050	1,722	44.0	36.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 12, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/12/2008	219.1	660,239	95.0%	93.4	245,654	95.5%	905,893	95.1%
04/12/2009	214.0	537,748	77.3%	87.3	143,735	55.9%	681,483	71.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/11/2009	73	195	0.00	74	84	0.00	279
MTD		4,603	0.00		3,131	0.00	7,734

STREAM FLOWS

Gauging Station	04/11/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	627
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	6	59
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	62
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	185	2,076
NCAT : Nueces River at Calallen, Texas	1	75
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	95

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	546
Return Flow Credit (Effective: 04/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 95	95
Estuary Inflows (NCAT + RBP)	75
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2009		Elevation (Ft)	
				Allocation	Remaining	Full	04/12/2009
04/11/2009	133	1,462	13,167	3,050	1,588	44.0	36.3

Report Generated: 04/12/2009 at 8:07:30 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 13, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/13/2008	219.1	659,734	94.9%	93.3	244,754	95.1%	904,488	95.0%
04/13/2009	214.0	537,303	77.3%	87.3	143,735	55.9%	681,038	71.5%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
04/12/2009	86	468	0.00	87	261	0.01		729
MTD		5,071	0.00		3,392	0.01		8,463

STREAM FLOWS

Gauging Station	04/12/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	689
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	5	64
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	66
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	171	2,247
NCAT : Nueces River at Calallen, Texas	32	107
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	9	104

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	546
Return Flow Credit (Effective: 04/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 104	104
Estuary Inflows (NCAT + RBP)	107
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2009		Elevation (Ft)	
				Allocation	Remaining	Full	04/13/2009
04/12/2009	133	1,595	13,300	3,050	1,455	44.0	36.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 14, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/14/2008	219.1	660,239	95.0%	93.3	244,034	94.9%	904,273	94.9%
04/14/2009	214.0	536,858	77.2%	87.2	143,156	55.6%	680,014	71.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/13/2009	84	519	0.00	84	370	0.00	889
MTD		5,590	0.00		3,762	0.01	9,352

STREAM FLOWS

Gauging Station	04/13/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	750
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	4	68
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	69
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	167	2,414
NCAT : Nueces River at Calallen, Texas	3	110
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	112

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	546
Return Flow Credit (Effective: 04/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 112	112
Estuary Inflows (NCAT + RBP)	110
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2009		Elevation (Ft)	
				Allocation	Remaining	Full	04/14/2009
04/13/2009	133	1,727	13,433	3,050	1,323	44.0	36.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 15, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/15/2008	219.1	659,734	94.9%	93.2	243,495	94.6%	903,229	94.8%
04/15/2009	213.9	536,412	77.2%	87.2	142,724	55.5%	679,136	71.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/14/2009	86	428	0.00	84	327	0.00	755
MTD		6,018	0.00		4,089	0.01	10,107

STREAM FLOWS

Gauging Station	04/14/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	814
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	5	73
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	72
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	177	2,590
NCAT : Nueces River at Calallen, Texas	0	110
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	11	123

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	546
Return Flow Credit (Effective: 04/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 123	123
Estuary Inflows (NCAT + RBP)	110
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2009		Elevation (Ft)	
				Allocation	Remaining	Full	04/15/2009
04/14/2009	131	1,858	13,564	3,050	1,192	44.0	36.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 16, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/16/2008	219.1	659,734	94.9%	93.2	242,417	94.2%	902,151	94.7%
04/16/2009	213.9	536,189	77.1%	87.1	141,718	55.1%	677,907	71.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/15/2009	85	506	0.00	81	284	0.00	790
MTD		6,524	0.00		4,373	0.01	10,897

STREAM FLOWS

Gauging Station	04/15/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	869
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	5	78
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	75
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	234	2,825
NCAT : Nueces River at Calallen, Texas	0	110
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	8	131

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	546
Return Flow Credit (Effective: 04/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 131	131
Estuary Inflows (NCAT + RBP)	110
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2009		Elevation (Ft)	
				Allocation	Remaining	Full	04/16/2009
04/15/2009	129	1,987	13,693	3,050	1,063	44.0	36.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 17, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/17/2008	219.0	657,479	94.6%	93.2	242,059	94.1%	899,538	94.4%
04/17/2009	213.9	535,521	77.0%	87.1	141,574	55.0%	677,095	71.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/16/2009	72	13	0.03	72	8	0.03	21
MTD		6,537	0.03		4,381	0.04	10,918

STREAM FLOWS

Gauging Station	04/16/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	923
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	4	82
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	78
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	228	3,053
NCAT : Nueces River at Calallen, Texas	0	110
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	7	138

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	546
Return Flow Credit (Effective: 04/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 138	138
Estuary Inflows (NCAT + RBP)	110
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2009		Elevation (Ft)	
				Allocation	Remaining	Full	04/17/2009
04/16/2009	129	2,116	13,822	3,050	934	44.0	36.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 18, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/18/2008	219.0	657,980	94.6%	93.3	243,854	94.8%	901,834	94.7%
04/18/2009	214.0	536,858	77.2%	87.1	141,718	55.1%	678,576	71.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/17/2009	79	39	0.30	82	92	0.02	131
MTD		6,576	0.33		4,473	0.06	11,049

STREAM FLOWS

Gauging Station	04/17/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	977
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	5	87
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	81
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	3,236
NCAT : Nueces River at Calallen, Texas	0	110
RBP : Rincon Bayou Pipeline	10	10
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	8	146

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	546
Return Flow Credit (Effective: 04/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 146	146
Estuary Inflows (NCAT + RBP)	120
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2009		Elevation (Ft)	
				Allocation	Remaining	Full	04/18/2009
04/17/2009	129	2,245	13,950	3,050	805	44.0	36.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 19, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/19/2008	219.1	658,480	94.7%	93.2	242,059	94.1%	900,539	94.5%
04/19/2009	214.0	537,080	77.2%	87.1	141,861	55.1%	678,941	71.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/18/2009	81	104	0.38	83	100	0.00	204
MTD		6,680	0.71		4,573	0.06	11,253

STREAM FLOWS

Gauging Station	04/18/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	1,032
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	5	92
SMTT : San Miguel Creek at Tilden, Texas	40	40
ARWT : Atascosa River at Whitsett, Texas	3	84
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	175	3,410
NCAT : Nueces River at Calallen, Texas	87	197
RBP : Rincon Bayou Pipeline		10
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	47	194

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	546
Return Flow Credit (Effective: 04/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 194	194
Estuary Inflows (NCAT + RBP)	207
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2009		Elevation (Ft)	
				Allocation	Remaining	Full	04/19/2009
04/18/2009	129	2,374	14,079	3,050	676	44.0	36.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 20, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/20/2008	219.1	658,230	94.7%	93.1	241,521	93.9%	899,751	94.5%
04/20/2009	213.9	536,412	77.2%	87.1	141,431	55.0%	677,843	71.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/19/2009	85	545	0.00	83	309	0.00	854
MTD		7,225	0.71		4,882	0.06	12,107

STREAM FLOWS

Gauging Station	04/19/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	1,088
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	5	96
SMTT : San Miguel Creek at Tilden, Texas	89	129
ARWT : Atascosa River at Whitsett, Texas	4	88
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	175	3,585
NCAT : Nueces River at Calallen, Texas	64	236
RBP : Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	97	291

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	546
Return Flow Credit (Effective: 04/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 291	291
Estuary Inflows (NCAT + RBP)	246
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2009		Elevation (Ft)	
				Allocation	Remaining	Full	04/20/2009
04/19/2009	129	2,503	14,208	3,050	547	44.0	36.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 21, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/21/2008	219.0	656,979	94.5%	93.1	240,804	93.6%	897,783	94.3%
04/21/2009	213.9	536,189	77.1%	87.0	140,574	54.6%	676,763	71.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/20/2009	83	389	0.00	83	208	0.00	597
MTD		7,614	0.71		5,090	0.06	12,704

STREAM FLOWS

Gauging Station	04/20/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	1,143
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	4	101
SMTT : San Miguel Creek at Tilden, Texas	14	143
ARWT : Atascosa River at Whitsett, Texas	3	91
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	179	3,764
NCAT : Nueces River at Calallen, Texas	9	245
RBP : Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	21	313

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	546
Return Flow Credit (Effective: 04/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 313	313
Estuary Inflows (NCAT + RBP)	255
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2009		Elevation (Ft)	
				Allocation	Remaining	Full	04/21/2009
04/20/2009	129	2,632	14,338	3,050	418	44.0	39.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 22, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/22/2008	219.0	657,980	94.6%	93.1	240,804	93.6%	898,784	94.4%
04/22/2009	213.9	535,744	77.1%	87.0	139,436	54.2%	675,180	70.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/21/2009	94	480	0.00	96	446	0.00	926
MTD		8,094	0.71		5,536	0.06	13,630

STREAM FLOWS

Gauging Station	04/21/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	1,199
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	48	148
SMTT : San Miguel Creek at Tilden, Texas	6	149
ARWT : Atascosa River at Whitsett, Texas	6	97
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	212	3,976
NCAT : Nueces River at Calallen, Texas	0	245
RBP : Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	60	373

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	546
Return Flow Credit (Effective: 04/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 373	373
Estuary Inflows (NCAT + RBP)	255
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2009		Elevation (Ft)	
				Allocation	Remaining	Full	04/22/2009
04/21/2009	130	2,762	14,467	3,050	288	44.0	39.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 23, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/23/2008	219.0	656,222	94.4%	93.1	240,625	93.5%	896,847	94.2%
04/23/2009	213.9	535,076	77.0%	87.0	139,436	54.2%	674,512	70.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/22/2009	99	674	0.00	98	422	0.00	1,096
MTD		8,768	0.71		5,958	0.06	14,726

STREAM FLOWS

Gauging Station	04/22/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	1,255
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	40	188
SMTT : San Miguel Creek at Tilden, Texas	4	153
ARWT : Atascosa River at Whitsett, Texas	14	111
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	222	4,198
NCAT : Nueces River at Calallen, Texas	0	245
RBP : Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	58	430

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	546
Return Flow Credit (Effective: 04/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 430	430
Estuary Inflows (NCAT + RBP)	255
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2009		Elevation (Ft)	
				Allocation	Remaining	Full	04/23/2009
04/22/2009	130	2,892	14,597	3,050	158	44.0	40.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 24, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/24/2008	219.0	657,479	94.6%	92.9	237,407	92.3%	894,886	93.9%
04/24/2009	213.9	534,631	76.9%	86.9	139,152	54.1%	673,783	70.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/23/2009	89	453	0.00	87	330	0.00	783
MTD		9,221	0.71		6,288	0.06	15,509

STREAM FLOWS

Gauging Station	04/23/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,316
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	28	216
SMTT : San Miguel Creek at Tilden, Texas	2	155
ARWT : Atascosa River at Whitsett, Texas	12	123
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	228	4,427
NCAT : Nueces River at Calallen, Texas	0	245
RBP : Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	33	464

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	546
Return Flow Credit (Effective: 04/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 464	464
Estuary Inflows (NCAT + RBP)	255
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2009		Elevation (Ft)	
				Allocation	Remaining	Full	04/24/2009
04/23/2009	130	3,021	14,727	3,050	29	44.0	40.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 25, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/25/2008	219.0	655,969	94.3%	93.0	239,730	93.2%	895,699	94.0%
04/25/2009	213.8	534,185	76.8%	86.8	137,880	53.6%	672,065	70.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/24/2009	87	323	0.00	87	254	0.00	577
MTD		9,544	0.71		6,542	0.06	16,086

STREAM FLOWS

Gauging Station	04/24/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,378
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	24	240
SMTT : San Miguel Creek at Tilden, Texas	0	155
ARWT : Atascosa River at Whitsett, Texas	9	132
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	240	4,667
NCAT : Nueces River at Calallen, Texas	0	245
RBP : Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	28	492

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	546
Return Flow Credit (Effective: 04/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 492	492
Estuary Inflows (NCAT + RBP)	255
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2009		Elevation (Ft)	
				Allocation	Remaining	Full	04/25/2009
04/24/2009	130	3,151	14,856	3,050	-101	44.0	40.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 26, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/26/2008	219.1	659,481	94.9%	93.1	241,521	93.9%	901,002	94.6%
04/26/2009	213.8	533,517	76.7%	86.8	137,177	53.3%	670,694	70.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/25/2009	90	478	0.00	87	327	0.00	805
MTD		10,022	0.71		6,869	0.06	16,891

STREAM FLOWS

Gauging Station	04/25/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	1,437
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	14	254
SMTT : San Miguel Creek at Tilden, Texas	0	155
ARWT : Atascosa River at Whitsett, Texas	6	138
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	262	4,929
NCAT : Nueces River at Calallen, Texas	0	245
RBP : Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	16	508

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	546
Return Flow Credit (Effective: 04/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 508	508
Estuary Inflows (NCAT + RBP)	255
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2009		Elevation (Ft)	
				Allocation	Remaining	Full	04/26/2009
04/25/2009	130	3,281	14,986	3,050	-231	44.0	40.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 27, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/27/2008	219.1	660,491	95.0%	93.1	240,266	93.4%	900,757	94.6%
04/27/2009	213.8	533,072	76.7%	86.8	137,036	53.3%	670,108	70.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/26/2009	85	323	0.00	86	278	0.00	601
MTD		10,345	0.71		7,147	0.06	17,492

STREAM FLOWS

Gauging Station	04/26/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	1,495
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	10	264
SMTT : San Miguel Creek at Tilden, Texas	0	155
ARWT : Atascosa River at Whitsett, Texas	5	143
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	284	5,213
NCAT : Nueces River at Calallen, Texas	0	245
RBP : Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	518

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	546
Return Flow Credit (Effective: 04/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 518	518
Estuary Inflows (NCAT + RBP)	255
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2009		Elevation (Ft)	
				Allocation	Remaining	Full	04/27/2009
04/26/2009	129	3,410	15,115	3,050	-360	44.0	40.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 28, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/28/2008	219.1	658,730	94.7%	93.1	240,983	93.7%	899,713	94.5%
04/28/2009	213.8	532,849	76.6%	86.8	137,317	53.4%	670,166	70.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/27/2009	83	168	0.21	87	131	0.16	299
MTD		10,513	0.92		7,278	0.22	17,791

STREAM FLOWS

Gauging Station	04/27/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	1,550
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	8	272
SMTT : San Miguel Creek at Tilden, Texas	0	155
ARWT : Atascosa River at Whitsett, Texas	5	147
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	266	5,479
NCAT : Nueces River at Calallen, Texas	5	250
RBP : Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	13	531

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	546
Return Flow Credit (Effective: 04/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 531	531
Estuary Inflows (NCAT + RBP)	260
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2009		Elevation (Ft)	
				Allocation	Remaining	Full	04/28/2009
04/27/2009	129	3,539	15,245	3,050	-489	44.0	40.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 29, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/29/2008	219.1	659,231	94.8%	93.1	240,266	93.4%	899,497	94.4%
04/29/2009	213.8	532,404	76.6%	86.7	136,336	53.0%	668,740	70.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/28/2009	90	452	0.00	88	245	0.00	697
MTD		10,965	0.92		7,523	0.22	18,488

STREAM FLOWS

Gauging Station	04/28/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	1,608
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	7	278
SMTT : San Miguel Creek at Tilden, Texas	0	155
ARWT : Atascosa River at Whitsett, Texas	6	154
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	252	5,731
NCAT : Nueces River at Calallen, Texas	58	307
RBP : Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	7	538

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	546
Return Flow Credit (Effective: 04/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 538	538
Estuary Inflows (NCAT + RBP)	317
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2009		Elevation (Ft)	
				Allocation	Remaining	Full	04/29/2009
04/28/2009	129	3,669	15,374	3,050	-619	44.0	40.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 30, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/30/2008	219.1	658,480	94.7%	93.0	239,551	93.1%	898,031	94.3%
04/30/2009	213.7	531,958	76.5%	86.7	136,196	52.9%	668,154	70.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/29/2009	91	516	0.00	89	358	0.00	874
MTD		11,481	0.92		7,881	0.22	19,362

STREAM FLOWS

Gauging Station	04/29/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	1,663
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	6	284
SMTT : San Miguel Creek at Tilden, Texas	0	155
ARWT : Atascosa River at Whitsett, Texas	6	160
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	240	5,971
NCAT : Nueces River at Calallen, Texas	44	351
RBP : Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	12	550

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	546
Return Flow Credit (Effective: 04/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 550	550
Estuary Inflows (NCAT + RBP)	361
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2009		Elevation (Ft)	
				Allocation	Remaining	Full	04/30/2009
04/29/2009	130	3,798	15,503	3,050	-748	44.0	40.2