

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 1, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/01/2008	219.0	657,479	94.6%	93.0	238,478	92.7%	895,957	94.1%
05/01/2009	213.8	532,404	76.6%	86.7	135,777	52.8%	668,181	70.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/30/2009	92	349	0.00	90	317	0.00	666
MTD		11,830	0.92		8,198	0.22	20,028

STREAM FLOWS

Gauging Station	04/30/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	1,719
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	4	288
SMTT : San Miguel Creek at Tilden, Texas	0	155
ARWT : Atascosa River at Whitsett, Texas	5	165
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	240	6,211
NCAT : Nueces River at Calallen, Texas	24	375
RBP : Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	9	559

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	546
Return Flow Credit (Effective: 04/01/2009)	500
Passthru Target: 3,500 Reservoir Inflow: 559	559
Estuary Inflows (NCAT + RBP)	385
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2009		Elevation (Ft)	
				Allocation	Remaining	Full	05/01/2009
04/30/2009	130	3,928	15,633	3,050	-878	44.0	40.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 2, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/02/2008	219.0	656,727	94.5%	92.9	238,121	92.6%	894,848	93.9%
05/02/2009	213.7	531,958	76.5%	86.7	135,637	52.7%	667,595	70.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/01/2009	97	464	0.00	92	284	0.00	748
MTD		464	0.00		284	0.00	748

STREAM FLOWS

Gauging Station	05/01/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	56
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	3	3
SMIT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	3
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	240	240
NCAT : Nueces River at Calallen, Texas	18	18
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMIT+ARWT	6	6

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	385
Return Flow Credit (Effective: 05/01/2009)	500
Passthru Target: 25,500 Reservoir Inflow: 6	6
Estuary Inflows (NCAT + RBP)	18
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2009		Elevation (Ft)	
				Allocation	Remaining	Full	05/02/2009
05/01/2009	129	129	15,762	4,100	3,971	44.0	40.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 3, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/03/2008	219.0	657,229	94.5%	93.0	239,193	93.0%	896,422	94.1%
05/03/2009	213.7	531,513	76.4%	86.7	135,219	52.6%	666,732	70.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/02/2009	94	477	0.00	92	308	0.00	785
MTD		941	0.00		592	0.00	1,533

STREAM FLOWS

Gauging Station	05/02/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	109
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	3	6
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	5
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	252	492
NCAT : Nueces River at Calallen, Texas	13	32
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	4	11

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	385
Return Flow Credit (Effective: 05/01/2009)	500
Passthru Target: 25,500 Reservoir Inflow: 11	11
Estuary Inflows (NCAT + RBP)	32
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2009		Elevation (Ft)	
				Allocation	Remaining	Full	05/03/2009
05/02/2009	130	259	15,892	4,100	3,841	44.0	40.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 4, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/04/2008	219.0	656,727	94.5%	93.0	238,478	92.7%	895,205	94.0%
05/04/2009	213.7	531,735	76.5%	86.7	136,056	52.9%	667,791	70.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/03/2009	94	542	0.00	96	269	0.00	811
MTD		1,483	0.00		861	0.00	2,344

STREAM FLOWS

Gauging Station	05/03/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	163
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	2	8
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	7
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	252	744
NCAT : Nueces River at Calallen, Texas	48	79
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	5	15

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	385
Return Flow Credit (Effective: 05/01/2009)	500
Passthru Target: 25,500 Reservoir Inflow: 15	15
Estuary Inflows (NCAT + RBP)	79
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2009		Elevation (Ft)	
				Allocation	Remaining	Full	05/04/2009
05/03/2009	130	389	16,022	4,100	3,711	44.0	40.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 5, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/05/2008	219.0	656,474	94.4%	92.9	237,229	92.2%	893,703	93.8%
05/05/2009	213.7	531,290	76.4%	86.6	134,802	52.4%	666,092	69.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/04/2009	94	400	0.00	91	421	0.00	821
MTD		1,883	0.00		1,282	0.00	3,165

STREAM FLOWS

Gauging Station	05/04/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	216
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	2	10
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	10
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	240	985
NCAT : Nueces River at Calallen, Texas	46	125
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	4	20

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,758 Salinity Relief Credit : 0 Effective:	23,758
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	385
Return Flow Credit (Effective: 05/01/2009)	500
Passthru Target: 23,758 Reservoir Inflow: 20	20
Estuary Inflows (NCAT + RBP)	125
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2009		Elevation (Ft)	
				Allocation	Remaining	Full	05/05/2009
05/04/2009	130	518	16,151	4,100	3,582	44.0	40.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 6, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/06/2008	219.0	656,222	94.4%	92.9	237,764	92.4%	893,986	93.9%
05/06/2009	213.7	530,849	76.4%	86.5	133,554	51.9%	664,403	69.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/05/2009	97	464	0.00	92	322	0.00	786
MTD		2,347	0.00		1,604	0.00	3,951

STREAM FLOWS

Gauging Station	05/05/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	270
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	2	11
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	12
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	246	1,231
NCAT : Nueces River at Calallen, Texas	11	136
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	4	23

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,758 Salinity Relief Credit : 0 Effective:	23,758
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	385
Return Flow Credit (Effective: 05/01/2009)	500
Passthru Target: 23,758 Reservoir Inflow: 23	23
Estuary Inflows (NCAT + RBP)	136
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2009		Elevation (Ft)	
				Allocation	Remaining	Full	05/06/2009
05/05/2009	130	648	16,281	4,100	3,452	44.0	40.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 7, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/07/2008	219.0	656,474	94.4%	92.9	237,050	92.1%	893,524	93.8%
05/07/2009	213.7	530,849	76.4%	86.5	133,554	51.9%	664,403	69.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/06/2009	102	580	0.00	97	338	0.00	918
MTD		2,927	0.00		1,942	0.00	4,869

STREAM FLOWS

Gauging Station	05/06/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	324
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	2	13
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	14
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	266	1,497
NCAT : Nueces River at Calallen, Texas	0	136
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	27

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,758 Salinity Relief Credit : 0 Effective:	23,758
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	385
Return Flow Credit (Effective: 05/01/2009)	500
Passthru Target: 23,758 Reservoir Inflow: 27	27
Estuary Inflows (NCAT + RBP)	136
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2009		Elevation (Ft)	
				Allocation	Remaining	Full	05/07/2009
05/06/2009	130	778	16,411	4,100	3,322	44.0	40.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 8, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/08/2008	219.1	658,981	94.8%	92.9	238,121	92.6%	897,102	94.2%
05/08/2009	213.7	530,408	76.3%	86.4	132,176	51.4%	662,584	69.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/07/2009	99	554	0.00	95	384	0.00	938
MTD		3,481	0.00		2,326	0.00	5,807

STREAM FLOWS

Gauging Station	05/07/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	377
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	1	14
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	15
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	296	1,792
NCAT : Nueces River at Calallen, Texas	0	136
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	29

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,758 Salinity Relief Credit : 0 Effective:	23,758
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	385
Return Flow Credit (Effective: 05/01/2009)	500
Passthru Target: 23,758 Reservoir Inflow: 29	29
Estuary Inflows (NCAT + RBP)	136
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2009		Elevation (Ft)	
				Allocation	Remaining	Full	05/08/2009
05/07/2009	130	908	16,541	4,100	3,192	44.0	40.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 9, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/09/2008	219.1	658,480	94.7%	92.9	236,872	92.1%	895,352	94.0%
05/09/2009	213.6	529,527	76.2%	86.4	131,901	51.3%	661,428	69.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/08/2009	104	643	0.00	100	424	0.00	1,067
MTD		4,124	0.00		2,750	0.00	6,874

STREAM FLOWS

Gauging Station	05/08/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	431
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	1	16
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	16
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	286	2,078
NCAT : Nueces River at Calallen, Texas	0	136
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	32

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,758 Salinity Relief Credit : 0 Effective:	23,758
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	385
Return Flow Credit (Effective: 05/01/2009)	500
Passthru Target: 23,758 Reservoir Inflow: 32	32
Estuary Inflows (NCAT + RBP)	136
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2009		Elevation (Ft)	
				Allocation	Remaining	Full	05/09/2009
05/08/2009	130	1,038	16,671	4,100	3,062	44.0	40.0

Report Generated: 05/09/2009 at 8:09:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 10, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/10/2008	219.0	656,474	94.4%	92.8	236,337	91.9%	892,811	93.7%
05/10/2009	213.6	529,968	76.2%	86.4	131,901	51.3%	661,869	69.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/09/2009	99	515	0.00	95	320	0.00	835
MTD		4,639	0.00		3,070	0.00	7,709

STREAM FLOWS

Gauging Station	05/09/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	484
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	1	17
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	18
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	284	2,362
NCAT : Nueces River at Calallen, Texas	24	159
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT + FRIT + SMIT + ARWT	2	34

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,758 Salinity Relief Credit : 0 Effective:	23,758
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	385
Return Flow Credit (Effective: 05/01/2009)	500
Passthru Target: 23,758 Reservoir Inflow: 34	34
Estuary Inflows (NCAT + RBP)	159
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2009		Elevation (Ft)	
				Allocation	Remaining	Full	05/10/2009
05/09/2009	130	1,168	16,801	4,100	2,932	44.0	40.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 11, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/11/2008	219.0	656,222	94.4%	93.0	238,300	92.6%	894,522	93.9%
05/11/2009	213.6	529,747	76.2%	86.4	131,490	51.1%	661,237	69.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/10/2009	97	450	0.00	95	351	0.00	801
MTD		5,089	0.00		3,421	0.00	8,510

STREAM FLOWS

Gauging Station	05/10/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	536
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	1	17
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	18
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	274	2,636
NCAT : Nueces River at Calallen, Texas	149	308
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	36

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,758 Salinity Relief Credit : 0 Effective:	23,758
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	385
Return Flow Credit (Effective: 05/01/2009)	500
Passthru Target: 23,758 Reservoir Inflow: 36	36
Estuary Inflows (NCAT + RBP)	308
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2009		Elevation (Ft)	
				Allocation	Remaining	Full	05/11/2009
05/10/2009	130	1,298	16,931	4,100	2,802	44.0	40.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 12, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/12/2008	219.0	657,229	94.5%	92.8	236,159	91.8%	893,388	93.8%
05/12/2009	213.6	529,086	76.1%	86.4	131,080	51.0%	660,166	69.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/11/2009	98	488	0.00	95	215	0.00	703
MTD		5,577	0.00		3,636	0.00	9,213

STREAM FLOWS

Gauging Station	05/11/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	588
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	1	18
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	19
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	262	2,898
NCAT : Nueces River at Calallen, Texas	101	410
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	38

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,758 Salinity Relief Credit : 0 Effective:	23,758
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	385
Return Flow Credit (Effective: 05/01/2009)	500
Passthru Target: 23,758 Reservoir Inflow: 38	38
Estuary Inflows (NCAT + RBP)	410
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2009		Elevation (Ft)	
				Allocation	Remaining	Full	05/12/2009
05/11/2009	130	1,429	17,062	4,100	2,671	44.0	39.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 13, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/13/2008	219.0	655,969	94.3%	92.7	234,379	91.1%	890,348	93.5%
05/13/2009	213.6	528,425	76.0%	86.2	129,445	50.3%	657,870	69.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/12/2009	99	604	0.00	96	435	0.00	1,039
MTD		6,181	0.00		4,071	0.00	10,252

STREAM FLOWS

Gauging Station	05/12/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	639
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	1	19
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	20
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	260	3,158
NCAT : Nueces River at Calallen, Texas	6	415
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	39

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,758 Salinity Relief Credit : 0 Effective:	23,758
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	385
Return Flow Credit (Effective: 05/01/2009)	500
Passthru Target: 23,758 Reservoir Inflow: 39	39
Estuary Inflows (NCAT + RBP)	415
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2009		Elevation (Ft)	
				Allocation	Remaining	Full	05/13/2009
05/12/2009	131	1,560	17,193	4,100	2,540	44.0	39.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 14, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/14/2008	219.0	655,969	94.3%	92.7	234,557	91.2%	890,526	93.5%
05/14/2009	213.5	527,544	75.9%	86.1	128,226	49.8%	655,770	68.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/13/2009	99	667	0.00	93	393	0.00	1,060
MTD		6,848	0.00		4,464	0.00	11,312

STREAM FLOWS

Gauging Station	05/13/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	691
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	2	21
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	21
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	262	3,420
NCAT : Nueces River at Calallen, Texas	0	415
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	42

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,758 Salinity Relief Credit : 0 Effective:	23,758
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	385
Return Flow Credit (Effective: 05/01/2009)	500
Passthru Target: 23,758 Reservoir Inflow: 42	42
Estuary Inflows (NCAT + RBP)	415
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2009		Elevation (Ft)	
				Allocation	Remaining	Full	05/14/2009
05/13/2009	131	1,691	17,323	4,100	2,409	44.0	39.8

Report Generated: 05/14/2009 at 8:33:45 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 15, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/15/2008	218.9	655,212	94.2%	92.8	235,981	91.7%	891,193	93.6%
05/15/2009	213.5	526,883	75.8%	86.2	129,173	50.2%	656,056	68.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/14/2009	94	487	0.00	91	348	0.00	835
MTD		7,335	0.00		4,812	0.00	12,147

STREAM FLOWS

Gauging Station	05/14/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	50	740
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	2	24
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	22
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	284	3,704
NCAT : Nueces River at Calallen, Texas	0	415
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	45

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,758 Salinity Relief Credit : 0 Effective:	23,758
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	385
Return Flow Credit (Effective: 05/01/2009)	500
Passthru Target: 23,758 Reservoir Inflow: 45	45
Estuary Inflows (NCAT + RBP)	415
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2009		Elevation (Ft)	
				Allocation	Remaining	Full	05/15/2009
05/14/2009	131	1,822	17,455	4,100	2,278	44.0	39.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 16, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/16/2008	219.0	656,474	94.4%	92.9	236,872	92.1%	893,346	93.8%
05/16/2009	213.5	526,222	75.7%	86.1	128,226	49.8%	654,448	68.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/15/2009	95	576	0.00	92	338	0.00	914
MTD		7,911	0.00		5,150	0.00	13,061

STREAM FLOWS

Gauging Station	05/15/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	50	790
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	1	24
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	24
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	260	3,964
NCAT : Nueces River at Calallen, Texas	2	417
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT + FRIT + SMIT + ARWT	3	48

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,758 Salinity Relief Credit : 0 Effective:	23,758
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	385
Return Flow Credit (Effective: 05/01/2009)	500
Passthru Target: 23,758 Reservoir Inflow: 48	48
Estuary Inflows (NCAT + RBP)	417
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2009		Elevation (Ft)	
				Allocation	Remaining	Full	05/16/2009
05/15/2009	131	1,953	17,586	4,100	2,147	44.0	39.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 17, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/17/2008	219.0	655,717	94.3%	92.8	235,447	91.5%	891,164	93.6%
05/17/2009	213.7	530,408	76.3%	86.3	130,806	50.8%	661,214	69.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/16/2009	89	361	0.85	86	215	0.75	576
MTD		8,272	0.85		5,365	0.75	13,637

STREAM FLOWS

Gauging Station	05/16/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	842
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	1	25
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	27
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	262	4,226
NCAT : Nueces River at Calallen, Texas	34	451
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	4	53

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,758 Salinity Relief Credit : 0 Effective:	23,758
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	385
Return Flow Credit (Effective: 05/01/2009)	500
Passthru Target: 23,758 Reservoir Inflow: 53	53
Estuary Inflows (NCAT + RBP)	451
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2009		Elevation (Ft)	
				Allocation	Remaining	Full	05/17/2009
05/16/2009	132	2,085	17,718	4,100	2,015	44.0	39.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 18, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/18/2008	219.0	655,717	94.3%	92.8	234,735	91.2%	890,452	93.5%
05/18/2009	213.6	529,747	76.2%	86.3	129,716	50.4%	659,463	69.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/17/2009	81	322	0.00	80	222	0.00	544
MTD		8,594	0.85		5,587	0.75	14,181

STREAM FLOWS

Gauging Station	05/17/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	895
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	3	28
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	32
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	260	4,486
NCAT : Nueces River at Calallen, Texas	64	515
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	7	60

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,758 Salinity Relief Credit : 0 Effective:	23,758
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	385
Return Flow Credit (Effective: 05/01/2009)	500
Passthru Target: 23,758 Reservoir Inflow: 60	60
Estuary Inflows (NCAT + RBP)	515
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2009		Elevation (Ft)	
				Allocation	Remaining	Full	05/18/2009
05/17/2009	132	2,217	17,850	4,100	1,883	44.0	39.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 19, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/19/2008	218.9	655,464	94.3%	92.7	234,202	91.0%	889,666	93.4%
05/19/2009	213.6	529,086	76.1%	86.2	129,173	50.2%	658,259	69.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/18/2009	85	386	0.00	84	276	0.00	662
MTD		8,980	0.85		5,863	0.75	14,843

STREAM FLOWS

Gauging Station	05/18/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	947
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	1	29
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	36
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	242	4,728
NCAT : Nueces River at Calallen, Texas	40	554
RBP : Rincon Bayou Pipeline	12	12
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	6	65

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,758 Salinity Relief Credit : 0 Effective:	23,758
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	385
Return Flow Credit (Effective: 05/01/2009)	500
Passthru Target: 23,758 Reservoir Inflow: 65	65
Estuary Inflows (NCAT + RBP)	566
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2009		Elevation (Ft)	
				Allocation	Remaining	Full	05/19/2009
05/18/2009	133	2,350	17,983	4,100	1,750	44.0	39.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 20, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/20/2008	218.9	654,707	94.2%	92.7	233,313	90.7%	888,020	93.2%
05/20/2009	213.6	528,205	76.0%	86.2	128,361	49.9%	656,566	68.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/19/2009	87	424	0.00	86	276	0.00	700
MTD		9,404	0.85		6,139	0.75	15,543

STREAM FLOWS

Gauging Station	05/19/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	998
NRIT : Nueces River at Tilden, Texas	58	58
FRIT : Frio River at Tilden, Texas	1	30
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	36	72
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	238	4,966
NCAT : Nueces River at Calallen, Texas	64	618
RBP : Rincon Bayou Pipeline	0	12
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	94	159

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,758 Salinity Relief Credit : 0 Effective:	23,758
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	385
Return Flow Credit (Effective: 05/01/2009)	500
Passthru Target: 23,758 Reservoir Inflow: 159	159
Estuary Inflows (NCAT + RBP)	630
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2009		Elevation (Ft)	
				Allocation	Remaining	Full	05/20/2009
05/19/2009	133	2,484	18,116	4,100	1,616	44.0	39.8

Report Generated: 05/20/2009 at 8:50:49 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 21, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/21/2008	218.8	652,952	93.9%	92.6	232,603	90.4%	885,555	93.0%
05/21/2009	213.5	527,764	75.9%	86.1	127,956	49.7%	655,720	68.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/20/2009	88	449	0.00	85	275	0.00	724
MTD		9,853	0.85		6,414	0.75	16,267

STREAM FLOWS

Gauging Station	05/20/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,064
NRTT : Nueces River at Tilden, Texas	234	292
FRTT : Frio River at Tilden, Texas	1	30
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	20	92
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	232	5,199
NCAT : Nueces River at Calallen, Texas	32	649
RBP : Rincon Bayou Pipeline	0	12
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	168

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,758 Salinity Relief Credit : 0 Effective:	23,758
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	385
Return Flow Credit (Effective: 05/01/2009)	500
Passthru Target: 23,758 Reservoir Inflow: 168	168
Estuary Inflows (NCAT + RBP)	661
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2009		Elevation (Ft)	
				Allocation	Remaining	Full	05/21/2009
05/20/2009	134	2,617	18,250	4,100	1,483	44.0	39.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 22, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/22/2008	218.8	651,701	93.7%	92.6	231,363	89.9%	883,064	92.7%
05/22/2009	213.5	527,324	75.8%	86.1	127,552	49.6%	654,876	68.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/21/2009	90	436	0.00	89	243	0.00	679
MTD		10,289	0.85		6,657	0.75	16,946

STREAM FLOWS

Gauging Station	05/21/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,127
NRIT : Nueces River at Tilden, Texas	93	385
FRIT : Frio River at Tilden, Texas	0	31
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	13	104
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	238	5,437
NCAT : Nueces River at Calallen, Texas	7	657
RBP : Rincon Bayou Pipeline	0	12
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	6	174

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,758 Salinity Relief Credit : 0 Effective:	23,758
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	385
Return Flow Credit (Effective: 05/01/2009)	500
Passthru Target: 23,758 Reservoir Inflow: 174	174
Estuary Inflows (NCAT + RBP)	669
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2009		Elevation (Ft)	
				Allocation	Remaining	Full	05/22/2009
05/21/2009	134	2,751	18,384	4,100	1,349	44.0	39.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 23, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/23/2008	218.8	650,950	93.6%	92.6	231,540	90.0%	882,490	92.6%
05/23/2009	213.5	526,883	75.8%	86.1	127,282	49.5%	654,165	68.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/22/2009	90	449	0.00	89	212	0.00	661
MTD		10,738	0.85		6,869	0.75	17,607

STREAM FLOWS

Gauging Station	05/22/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	1,187
NRIT : Nueces River at Tilden, Texas	28	413
FRIT : Frio River at Tilden, Texas	0	31
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	111
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	296	5,733
NCAT : Nueces River at Calallen, Texas	6	663
RBP : Rincon Bayou Pipeline	0	12
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2	177

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,758 Salinity Relief Credit : 0 Effective:	23,758
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	385
Return Flow Credit (Effective: 05/01/2009)	500
Passthru Target: 23,758 Reservoir Inflow: 177	177
Estuary Inflows (NCAT + RBP)	675
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2009		Elevation (Ft)	
				Allocation	Remaining	Full	05/23/2009
05/22/2009	134	2,886	18,519	4,100	1,214	44.0	39.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 24, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/24/2008	218.7	650,450	93.6%	92.6	231,186	89.9%	881,636	92.6%
05/24/2009	213.5	526,442	75.7%	86.1	127,417	49.5%	653,859	68.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/23/2009	91	423	0.05	91	267	0.67	690
MTD		11,161	0.90		7,136	1.42	18,297

STREAM FLOWS

Gauging Station	05/23/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	77	1,264
NRIT : Nueces River at Tilden, Texas	8	421
FRIT : Frio River at Tilden, Texas	1	32
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	115
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	276	6,009
NCAT : Nueces River at Calallen, Texas	54	717
RBP : Rincon Bayou Pipeline	0	12
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	20	197

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,758 Salinity Relief Credit : 0 Effective:	23,758
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	385
Return Flow Credit (Effective: 05/01/2009)	500
Passthru Target: 23,758 Reservoir Inflow: 197	197
Estuary Inflows (NCAT + RBP)	728
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2009		Elevation (Ft)	
				Allocation	Remaining	Full	05/24/2009
05/23/2009	135	3,020	18,653	4,100	1,080	44.0	39.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 25, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/25/2008	218.8	651,451	93.7%	92.5	231,008	89.8%	882,459	92.6%
05/25/2009	213.5	526,442	75.7%	86.0	126,879	49.3%	653,321	68.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/24/2009	92	448	0.00	89	242	0.33	690
MTD		11,609	0.90		7,378	1.75	18,987

STREAM FLOWS

Gauging Station	05/24/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	1,336
NRIT : Nueces River at Tilden, Texas	2	423
FRIT : Frio River at Tilden, Texas	0	32
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	118
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	244	6,253
NCAT : Nueces River at Calallen, Texas	141	858
RBP : Rincon Bayou Pipeline	0	12
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	14	212

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,758 Salinity Relief Credit : 0 Effective:	23,758
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	385
Return Flow Credit (Effective: 05/01/2009)	500
Passthru Target: 23,758 Reservoir Inflow: 212	212
Estuary Inflows (NCAT + RBP)	869
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2009		Elevation (Ft)	
				Allocation	Remaining	Full	05/25/2009
05/24/2009	135	3,155	18,788	4,100	945	44.0	39.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 26, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/26/2008	218.8	651,701	93.7%	92.5	230,477	89.6%	882,178	92.6%
05/26/2009	213.5	527,103	75.8%	86.0	125,808	48.9%	652,911	68.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/25/2009	97	667	0.94	94	319	0.31	986
MTD		12,276	1.84		7,697	2.06	19,973

STREAM FLOWS

Gauging Station	05/25/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,397
NRIT : Nueces River at Tilden, Texas	1	424
FRIT : Frio River at Tilden, Texas	0	33
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	122
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	226	6,479
NCAT : Nueces River at Calallen, Texas	105	963
RBP : Rincon Bayou Pipeline	0	12
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	4	216

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,758 Salinity Relief Credit : 0 Effective:	23,758
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	385
Return Flow Credit (Effective: 05/01/2009)	500
Passthru Target: 23,758 Reservoir Inflow: 216	216
Estuary Inflows (NCAT + RBP)	975
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2009		Elevation (Ft)	
				Allocation	Remaining	Full	05/26/2009
05/25/2009	136	3,291	18,924	4,100	809	44.0	39.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 27, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/27/2008	218.8	650,950	93.6%	92.5	229,947	89.4%	880,897	92.5%
05/27/2009	213.5	527,324	75.8%	86.0	126,879	49.3%	654,203	68.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/26/2009	90	231	0.00	86	133	0.03	364
MTD		12,507	1.84		7,830	2.09	20,337

STREAM FLOWS

Gauging Station	05/26/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,459
NRIT : Nueces River at Tilden, Texas	1	425
FRIT : Frio River at Tilden, Texas	1	33
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	126
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	226	6,705
NCAT : Nueces River at Calallen, Texas	105	1,068
RBP : Rincon Bayou Pipeline	0	12
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	5	221

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,758 Salinity Relief Credit : 0 Effective:	23,758
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	385
Return Flow Credit (Effective: 05/01/2009)	500
Passthru Target: 23,758 Reservoir Inflow: 221	221
Estuary Inflows (NCAT + RBP)	1,080
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2009		Elevation (Ft)	
				Allocation	Remaining	Full	05/27/2009
05/26/2009	136	3,427	19,060	4,100	673	44.0	39.6

Report Generated: 05/27/2009 at 8:36:10 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 28, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/28/2008	218.8	651,200	93.7%	92.5	230,124	89.5%	881,324	92.5%
05/28/2009	213.5	526,663	75.7%	85.9	125,407	48.7%	652,070	68.5%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/27/2009	88	397	0.08	80	163	0.06	560
MTD		12,904	1.92		7,993	2.15	20,897

STREAM FLOWS

Gauging Station	05/27/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,522
NRTT : Nueces River at Tilden, Texas	0	426
FRTT : Frio River at Tilden, Texas	0	34
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	129
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	197	6,902
NCAT : Nueces River at Calallen, Texas	111	1,179
RBP : Rincon Bayou Pipeline	0	12
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	227

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 23,758 Salinity Relief Credit : 0 Effective:	23,758
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	385
Return Flow Credit (Effective: 05/01/2009)	500
Passthru Target: 23,758 Reservoir Inflow: 227	227
Estuary Inflows (NCAT + RBP)	1,191
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2009		Elevation (Ft)	
				Allocation	Remaining	Full	05/28/2009
05/27/2009	136	3,563	19,196	4,100	537	44.0	39.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 29, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/29/2008	218.7	650,450	93.6%	92.5	229,593	89.2%	880,043	92.4%
05/29/2009	213.5	526,883	75.8%	86.0	126,209	49.1%	653,092	68.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/28/2009	93	384	0.00	89	242	0.00	626
MTD		13,288	1.92		8,235	2.15	21,523

STREAM FLOWS

Gauging Station	05/28/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	1,582
NRTT : Nueces River at Tilden, Texas	0	426
FRTT : Frio River at Tilden, Texas	1	34
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	133
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	171	7,073
NCAT : Nueces River at Calallen, Texas	77	1,257
RBP : Rincon Bayou Pipeline	0	12
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3	230

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,758 Salinity Relief Credit : 0 Effective:	23,758
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	385
Return Flow Credit (Effective: 05/01/2009)	500
Passthru Target: 23,758 Reservoir Inflow: 230	230
Estuary Inflows (NCAT + RBP)	1,268
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2009		Elevation (Ft)	
				Allocation	Remaining	Full	05/29/2009
05/28/2009	137	3,699	19,332	4,100	401	44.0	39.6

Report Generated: 05/29/2009 at 8:15:32 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 30, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/30/2008	218.7	648,953	93.3%	92.4	228,886	89.0%	877,839	92.2%
05/30/2009	213.5	526,663	75.7%	86.0	125,942	49.0%	652,605	68.5%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/29/2009	93	346	0.24	90	273	0.00	619	
MTD		13,634	2.16		8,508	2.15	22,142	

STREAM FLOWS

Gauging Station	05/29/2009 (AcFt)	MTD (AcFt)
NRTT : Nueces River at Three Rivers, Texas	56	1,638
NRTT : Nueces River at Tilden, Texas	0	426
FRIT : Frio River at Tilden, Texas	1	35
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	138
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	173	7,245
NCAT : Nueces River at Calallen, Texas	38	1,294
RBP : Rincon Bayou Pipeline	0	12
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	5	235

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 23,758 Salinity Relief Credit : 0 Effective:	23,758
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	385
Return Flow Credit (Effective: 05/01/2009)	500
Passthru Target: 23,758 Reservoir Inflow: 235	235
Estuary Inflows (NCAT + RBP)	1,306
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2009		Elevation (Ft)	
				Allocation	Remaining	Full	05/30/2009
05/29/2009	137	3,836	19,469	4,100	264	44.0	39.5

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 31, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/31/2008	218.7	648,457	93.3%	92.4	228,357	88.8%	876,814	92.1%
05/31/2009	213.5	526,222	75.7%	85.9	125,407	48.7%	651,629	68.4%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/30/2009	91	423	0.00	89	256	0.00	679	
MTD		14,057	2.16		8,764	2.15	22,821	

STREAM FLOWS

Gauging Station	05/30/2009 (AcFt)	MTD (AcFt)
NRTT : Nueces River at Three Rivers, Texas	56	1,693
NRTT : Nueces River at Tilden, Texas	0	426
FRIT : Frio River at Tilden, Texas	1	36
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	144
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	171	7,416
NCAT : Nueces River at Calallen, Texas	24	1,318
RBP : Rincon Bayou Pipeline	0	12
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	7	242

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 23,758 Salinity Relief Credit : 0 Effective:	23,758
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	385
Return Flow Credit (Effective: 05/01/2009)	500
Passthru Target: 23,758 Reservoir Inflow: 242	242
Estuary Inflows (NCAT + RBP)	1,330
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2009		Elevation (Ft)	
				Allocation	Remaining	Full	05/31/2009
05/30/2009	137	3,973	19,606	4,100	127	44.0	39.5