## Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 1, 2009

#### RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/01/2008	218.6	647,962	93.2%	92.4	227,828	88.6%	875,790	91.9%
06/01/2009	213.4	525,340	75.6%	85.9	125,008	48.6%	650,348	68.3%
			V	Veather Related	Information			
Choke Canyon Reservoir				Lake (	Corpus Christi Reservoir	:	Combined	
Date		Temp		Rainfall	Air Temp	Evaporation	Rainfall	Evaporation (A oFt)

#### STREAM FLOWS

(°F)

88

(AcFt)

248

9,012

(Inches)

0.00

2.15

(AcFt)

708

23,529

(Inches)

0.00

2.16

(°F)

92

05/31/2009

MTD

(AcFt)

460

14,517

Gauging Station	05/31/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	56	1,749
NRTT: Nueces River at Tilden, Texas	0	426
FRTT: Frio River at Tilden, Texas	1	37
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	14	159
Release from Choke Canyon Reservoir	58	1,785
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	193	7,609
NCAT: Nueces River at Calallen, Texas	8	1,326
RBP: Rincon Bayou Pipeline	0	12
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	15	258

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 23,758 Salinity Relief Credit: 0 Effective:	23,758
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	385
Return Flow Credit (Effective: 05/01/2009)	500
Passthru Target: 23,758 Reservoir Inflow: 258	258
Estuary Inflows (NCAT + RBP)	1,338
PassThru Surplus / -Deficit:	0

## LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	YTD	May	2009		Elevation (Ft)
Date	Dany Intake	MIID	110	Allocation	Remaining	Full	06/01/2009
05/31/2009	137	4,110	19,743	4,100	-10	44.0	39.5

Report Generated: 06/01/2009 at 9:03:21 AM

## Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 2, 2009

#### RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lal	ke Corpus Christi I	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/02/2008	218.6	647,218	93.1%	92.3	227,299	88.4%	874,517	91.8%
06/02/2009	213.5	525,781	75.6%	85.9	124,476	48.4%	650,257	68.3%

	Weather Related Information											
	C	hoke Canyon Reservoir		Lak		Combined						
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)					
06/01/2009	92	307	0.03	88	170	0.00	477					
MTD		307	0.03		170	0.00	477					

#### STREAM FLOWS

Gauging Station	06/01/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	62	62
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	1	1
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	8	8
Release from Choke Canyon Reservoir	58	58
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	212	212
NCAT: Nueces River at Calallen, Texas	1	1
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	5	5

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit: 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	1,338
Return Flow Credit (Effective: 06/01/2009)	500
Passthru Target: 23,000 Reservoir Inflow: 5	5
Estuary Inflows (NCAT + RBP)	1
PassThru Surplus / -Deficit:	0

## LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	YTD	June 2009		Elevation (Ft)	
Date	Daily Intake	MIID		Allocation	Remaining	Full	06/02/2009
06/01/2009	137	137	19,880	4,100	3,963	44.0	39.4

Report Generated: 06/02/2009 at 8:51:59 AM

## Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 3, 2009

#### RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%		
06/03/2008	218.6	646,469	93.0%	92.3	226,242	87.9%	872,711	91.6%		
06/03/2009	213.5	526,663	75.7%	85.8	123,945	48.2%	650,608	68.3%		
	Weather Related Information									
	Choke Canyon Reservoir				Lake C	Corpus Christi Reservoir		Combined		

	C	hoke Canyon Reservoir		Lake		Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/02/2009	95	551	0.15	94	340	0.02	891
MTD		858	0.18		510	0.02	1,368

#### STREAM FLOWS

Gauging Station	06/02/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	62	123
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	1	2
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	5	13
Release from Choke Canyon Reservoir	58	115
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	212	425
NCAT: Nueces River at Calallen, Texas	13	14
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	5	10

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit: 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	1,338
Return Flow Credit (Effective: 06/01/2009)	500
Passthru Target: 23,000 Reservoir Inflow: 10	10
Estuary Inflows (NCAT + RBP)	14
PassThru Surplus / -Deficit:	0

## LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Date Daily Intake M		YTD	June	2009	Elevation (Ft)		
Date	Дану Іптаке	MTD	YID	Allocation	Remaining	Full	06/03/2009	
06/02/2009	126	263	20,006	4,100	3,837	44.0	39.4	

Report Generated: 06/03/2009 at 9:34:01 AM

## Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 4, 2009

#### RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/04/2008	218.6	645,719	92.9%	92.2	224,659	87.3%	870,378	91.4%
06/04/2009	213.5	527,324	75.8%	85.9	124,343	48.3%	651,667	68.4%
			V	Veather Related	Information			
		Choke (	Canyon Reservoir		Lake (	Corpus Christi Reservoir		Combined
Date		Temp (°F)		Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)

#### STREAM FLOWS

94

247

757

0.04

0.06

632

2,000

0.15

0.33

385

1,243

06/03/2009

MTD

95

Gauging Station	06/03/2009 (AcFt)	MTD (AcFt)	
NTRT: Nueces River at Three Rivers, Texas	58	181	
NRTT: Nueces River at Tilden, Texas	0	0	
FRTT: Frio River at Tilden, Texas	1	3	
SMTT: San Miguel Creek at Tilden, Texas	0	0	
ARWT: Atascosa River at Whitsett, Texas	3	16	
Release from Choke Canyon Reservoir	58	173	
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	212	637	
NCAT: Nueces River at Calallen, Texas	17	30	
RBP: Rincon Bayou Pipeline	0	0	
Reservoir Inflow			
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1	11	

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit: 0 Effective:	23,000		
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	1,338		
Return Flow Credit (Effective: 06/01/2009)			
Passthru Target: 23,000 Reservoir Inflow: 11	11		
Estuary Inflows (NCAT + RBP)	30		
PassThru Surplus / -Deficit:	0		

## LAKE TEXANA STATISTICS (All values are in AcFt)

Data	te Daily Intake MTD		YTD	June 2009 Elevation (Ft)		Elevation (Ft)	
Date	<b>Дану Іптаке</b>	MIID	YID	Allocation	Remaining	Full	06/04/2009
06/03/2009	120	382	20,126	4,100	3,718	44.0	39.3

Report Generated: 06/04/2009 at 8:27:42 AM

## Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 5, 2009

#### RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/05/2008	218.5	645,218	92.8%	92.1	223,957	87.1%	869,175	91.2%
06/05/2009	213.5	526,222	75.7%	85.8	123,680	48.1%	649,902	68.2%
			V	Veather Related	Information			
		Choke (	Canyon Reservoir		Lake (	Corpus Christi Reservoir		Combined
Date		Temp (°F)		Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)

91

0.00

0.06

285

1,042

784

2,784

#### STREAM FLOWS

0.00

0.33

94

06/04/2009

MTD

499

1,742

Gauging Station	06/04/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	56	236
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	1	3
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	3	18
Release from Choke Canyon Reservoir	58	230
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	228	865
NCAT: Nueces River at Calallen, Texas	13	43
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	3	14

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit: 0 Effective:	23,000			
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	1,338			
Return Flow Credit (Effective: 06/01/2009)				
Passthru Target: 23,000 Reservoir Inflow: 14	14			
Estuary Inflows (NCAT + RBP)	43			
PassThru Surplus / -Deficit:	0			

## LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Date Daily Intake		YTD	June 2009		Elevation (Ft)	
Date	<b>D</b> ану Intake	MTD	YID	Allocation	Remaining	Full	06/05/2009
06/04/2009	128	510	20,253	4,100	3,590	44.0	39.9

Report Generated: 06/05/2009 at 8:18:52 AM

## Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 6, 2009

#### RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%		
06/06/2008	218.5	644,219	92.7%	92.1	223,781	87.0%	868,000	91.1%		
06/06/2009	213.5	525,781	75.6%	85.7	122,887	47.8%	648,668	68.1%		
Weather Related Information										
		Choke (	Canyon Reservoir		Lake (	Corpus Christi Reservoir		Combined		

	Choke Canyon Reservoir			Lake	Combined		
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/05/2009	94	512	0.00	92	269	0.00	781
MTD		2,254	0.33		1,311	0.06	3,565

#### STREAM FLOWS

Gauging Station	06/05/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	54	290
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	4
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	3	21
Release from Choke Canyon Reservoir	58	288
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	222	1,088
NCAT: Nueces River at Calallen, Texas	32	75
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	3	17

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru	
Monthly Target: 23,000	23,000
Salinity Relief Credit: 0 Effective:	
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	1,338
Return Flow Credit (Effective: 06/01/2009)	500
Passthru	
Target: 23,000	17
Reservoir Inflow: 17	
Estuary Inflows (NCAT + RBP)	75
PassThru Surplus / -Deficit:	0

## LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD YTD		June	2009		Elevation (Ft)
Date		MID	YID	Allocation	Remaining	Full	06/06/2009
06/05/2009	136	646	20,390	4,100	3,454	44.0	39.2

Report Generated: 06/06/2009 at 8:10:12 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 7, 2009

#### RESERVOIR STATISTICS

	Choke Canyon Reservoir				ake Corpus Christ	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (F	) Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94	0 257,26	100%	952,531	100%
06/07/2008	218.5	643,475	92.6%	92	.1 223,43	86.8%	866,905	91.0%
06/07/2009	213.4	525,340	75.6%	85	7 122,49	2 47.6%	647,832	68.0%
			,	Weather Relate	d Information			
		Choke (	Canyon Reservoir		Lake	Corpus Christi Reservoi	r	Combined
Date	· I	Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/06/20	009	95	563	0.00	92	368	0.00	931
MTD	)		2,817	0.33		1,679	0.06	4,496

#### STREAM FLOWS

Gauging Station	06/06/2009 (AcFt)	MTD (AcFt)					
NTRT: Nueces River at Three Rivers, Texas	54	343					
NRTT: Nueces River at Tilden, Texas	0	0					
FRTT: Frio River at Tilden, Texas	0	4					
SMTT: San Miguel Creek at Tilden, Texas	0	0					
ARWT: Atascosa River at Whitsett, Texas	2	23					
Release from Choke Canyon Reservoir	58	345					
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	220	1,308					
NCAT: Nueces River at Calallen, Texas	24	99					
RBP: Rincon Bayou Pipeline	0	0					
Reservoir Inflow							
Computed as: NRTT+FRTT+SMTT+ARWT	3	20					

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit: 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	1,338
Return Flow Credit (Effective: 06/01/2009)	500
Passthru Target: 23,000 Reservoir Inflow: 20	20
Estuary Inflows (NCAT + RBP)	99
PassThru Surplus / -Deficit:	0

## LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	YTD	June	2009		Elevation (Ft)
Date			YID	Allocation	Remaining	Full	06/07/2009
06/06/2009	136	783	20,526	4,100	3,317	44.0	39.2

Report Generated: 06/07/2009 at 8:21:47 AM

## Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 8, 2009

#### RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/08/2008	218.5	643,228	92.5%	92.1	222,904	86.6%	866,132	90.9%
06/08/2009	213.4	524,899	75.5%	85.7	121,966	47.4%	646,865	67.9%
			V	Veather Related	Information			
		Choke (	Canyon Reservoir		Lake (	Corpus Christi Reservoir		Combined
Date	Air	Temp (°F)		Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/07/20	009	97	575	0.00	93	329	0.00	904

#### STREAM FLOWS

2,008

0.06

5,400

0.33

3,392

MTD

Gauging Station	06/07/2009 (AcFt)	MTD (AcFt)						
NTRT: Nueces River at Three Rivers, Texas	52	395						
NRTT: Nueces River at Tilden, Texas	0	0						
FRTT: Frio River at Tilden, Texas	0	5						
SMTT: San Miguel Creek at Tilden, Texas	0	0						
ARWT: Atascosa River at Whitsett, Texas	2	26						
Release from Choke Canyon Reservoir	58	403						
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	220	1,528						
NCAT: Nueces River at Calallen, Texas	24	123						
RBP: Rincon Bayou Pipeline	0	0						
Reservoir Inflow	Reservoir Inflow							
Computed as: NRTT+FRTT+SMTT+ARWT	3	22						

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit: 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	1,338
Return Flow Credit (Effective: 06/01/2009)	500
Passthru Target: 23,000 Reservoir Inflow: 22	22
Estuary Inflows (NCAT + RBP)	123
PassThru Surplus / -Deficit:	0

## LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD YTD		June	2009		Elevation (Ft)
Date		MID	YID	Allocation	Remaining	Full	06/08/2009
06/07/2009	137	920	20,663	4,100	3,180	44.0	39.2

Report Generated: 06/08/2009 at 8:19:47 AM

## Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 9, 2009

#### RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/09/2008	218.4	642,732	92.4%	92.1	222,554	86.5%	865,286	90.8%
06/09/2009	213.4	523,807	75.3%	85.6	121,441	47.2%	645,248	67.7%
			1	Veather Related	Information			
		Choke (	Canyon Reservoir		Lake	Corpus Christi Reservoir	:	Combined
Date		Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)

#### STREAM FLOWS

0.00

0.33

93

267

2,275

0.00

0.06

841

6,241

574

3,966

95

06/08/2009

MTD

Gauging Station	06/08/2009 (AcFt)	MTD (AcFt)					
NTRT: Nueces River at Three Rivers, Texas	52	447					
NRTT: Nueces River at Tilden, Texas	0	0					
FRTT: Frio River at Tilden, Texas	0	5					
SMTT: San Miguel Creek at Tilden, Texas	0	0					
ARWT: Atascosa River at Whitsett, Texas	2	28					
Release from Choke Canyon Reservoir	58	461					
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	220	1,749					
NCAT: Nueces River at Calallen, Texas	11	133					
RBP: Rincon Bayou Pipeline	0	0					
Reservoir Inflow							
Computed as: NRTT+FRTT+SMTT+ARWT	3	25					

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit: 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	1,338
Return Flow Credit (Effective: 06/01/2009)	500
Passthru Target: 23,000 Reservoir Inflow: 25	25
Estuary Inflows (NCAT + RBP)	133
PassThru Surplus / -Deficit:	0

## LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	June	2009		Elevation (Ft)
Date	Daily Intake	MID	YID	Allocation	Remaining	Full	06/09/2009
06/08/2009	137	1,057	20,800	4,100	3,043	44.0	39.1

Report Generated: 06/09/2009 at 8:19:37 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 10, 2009

#### RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lai	ke Corpus Christi	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
06/10/2008	218.4	642,236	92.4%	92.0	222,203	86.4%	864,439	90.8%	
06/10/2009	213.3	523,152	75.2%	85.6	120,918	47.0%	644,070	67.6%	
	Weather Related Information								

	Weather Related Information								
	Choke Canyon Reservoir			Lake	Combined				
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
06/09/2009	93	523	0.00	95	251	0.00	774		
MTD		4,489	0.33		2,526	0.06	7,015		

#### STREAM FLOWS

Gauging Station	06/09/2009 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	52	498				
NRTT: Nueces River at Tilden, Texas	0	0				
FRTT: Frio River at Tilden, Texas	0	5				
SMTT: San Miguel Creek at Tilden, Texas	0	0				
ARWT: Atascosa River at Whitsett, Texas	2	30				
Release from Choke Canyon Reservoir	58	518				
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	226	1,975				
NCAT: Nueces River at Calallen, Texas	2	136				
RBP: Rincon Bayou Pipeline	0	0				
Reservoir Inflow						
Computed as: NRTT+FRTT+SMTT+ARWT	3	28				

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit: 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	1,338
Return Flow Credit (Effective: 06/01/2009)	500
Passthru Target: 23,000 Reservoir Inflow: 28	28
Estuary Inflows (NCAT + RBP)	136
PassThru Surplus / -Deficit:	0

## LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Doily Intoly	MTD	YTD	June	2009	Elevation (Ft)	
Date	Daily Intake MT	MID	MID YID	Allocation	Remaining	Full	06/10/2009
06/09/2009	137	1,194	20,937	4,100	2,906	44.0	39.1

Report Generated: 06/10/2009 at 8:42:51 AM

## Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 11, 2009

#### RESERVOIR STATISTICS

	Choke Canyon Reservoir		La	ke Corpus Christi	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/11/2008	218.4	641,740	92.3%	92.0	220,978	85.9%	862,718	90.6%
06/11/2009	213.3	522,498	75.2%	85.5	120,005	46.6%	642,503	67.5%
			V	Veather Related	Information			
		Choke (	Canyon Reservoir	Lake Corpus Christi Reservoir				Combined
Date	Air	Temp (°F)		Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/10/20	009	100	522	0.00	96	303	0.00	825

#### STREAM FLOWS

0.33

5,011

MTD

2,829

0.06

7,840

Gauging Station	06/10/2009 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	52	550				
NRTT: Nueces River at Tilden, Texas	0	0				
FRTT: Frio River at Tilden, Texas	0	5				
SMTT: San Miguel Creek at Tilden, Texas	0	0				
ARWT: Atascosa River at Whitsett, Texas	2	33				
Release from Choke Canyon Reservoir	58	576				
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	236	2,211				
NCAT: Nueces River at Calallen, Texas	0	136				
RBP: Rincon Bayou Pipeline	0	0				
Reservoir Inflow						
Computed as: NRTT+FRTT+SMTT+ARWT	3	30				

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit: 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	1,338
Return Flow Credit (Effective: 06/01/2009)	500
Passthru Target: 23,000 Reservoir Inflow: 30	30
Estuary Inflows (NCAT + RBP)	136
PassThru Surplus / -Deficit:	0

## LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Doily Intoko	MTD	YTD	June	2009		Elevation (Ft)
Date	Date Daily Intake	MID	110	Allocation	Remaining	Full	06/11/2009
06/10/2009	137	1,331	21,075	4,100	2,769	44.0	39.0

Report Generated: 06/11/2009 at 8:52:50 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 12, 2009

#### RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/12/2008	218.4	640,749	92.2%	92.0	220,629	85.8%	861,378	90.4%
06/12/2009	213.3	521,844	75.1%	85.5	119,615	46.5%	641,459	67.3%
Weather Related Information								
		Choke C	Canvon Reservoir		Lake C	Corpus Christi Reservoir	. 1	Combined

	Weather Related Information										
	C	hoke Canyon Reservoir		Lake		Combined					
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
06/11/2009	101	535	0.00	100	310	0.00	845				
MTD		5,546	0.33		3,139	0.06	8,685				

#### STREAM FLOWS

Gauging Station	06/11/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	52	601
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	6
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	2	35
Release from Choke Canyon Reservoir	58	633
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	264	2,475
NCAT: Nueces River at Calallen, Texas	0	136
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	3	33

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit: 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	1,338
Return Flow Credit (Effective: 06/01/2009)	500
Passthru Target: 23,000 Reservoir Inflow: 33	33
Estuary Inflows (NCAT + RBP)	136
PassThru Surplus / -Deficit:	0

## LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	YTD	June	2009		Elevation (Ft)
Date	Дану Іптаке	MIID	YID	Allocation	Remaining	Full	06/12/2009
06/11/2009	137	1,469	21,212	4,100	2,631	44.0	39.0

Report Generated: 06/12/2009 at 8:27:47 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 13, 2009

#### RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/13/2008	218.3	640,253	92.1%	91.9	219,580	85.4%	859,833	90.3%
06/13/2009	213.2	521,189	75.0%	85.5	119,356	46.4%	640,545	67.2%
Weather Related Information								
		Choke (	Canyon Reservoir		Lake (	Corpus Christi Reservoir	.	Combined

	Weather Related Information										
	Choke Canyon Reservoir Lake Corpus Christi Reservoir										
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
06/12/2009	101	509	0.00	97	272	0.00	781				
MTD		6,055	0.33		3,411	0.06	9,466				

#### STREAM FLOWS

Gauging Station	06/12/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	52	653
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	6
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	2	38
Release from Choke Canyon Reservoir	58	691
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	282	2,757
NCAT: Nueces River at Calallen, Texas	0	136
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	3	36

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit: 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	1,338
Return Flow Credit (Effective: 06/01/2009)	500
Passthru Target: 23,000 Reservoir Inflow: 36	36
Estuary Inflows (NCAT + RBP)	136
PassThru Surplus / -Deficit:	0

## LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	YTD	June	2009	Elevation (Ft)	
Date	Дану Іптаке	MIID		Allocation	Remaining	Full	06/13/2009
06/12/2009	138	1,606	21,350	4,100	2,494	44.0	38.9

Report Generated: 06/13/2009 at 8:35:13 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 14, 2009

#### RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
06/14/2008	218.3	639,263	91.9%	91.9	219,406	85.3%	858,669	90.1%	
06/14/2009	213.2	520,535	74.9%	85.4	118,579	46.1%	639,114	67.1%	
	Weather Related Information								
		Choke (	anyon Reservoir		Lake (	Cornus Christi Reservoir	.	Combined	

	Weather Related Information										
	C	hoke Canyon Reservoir		Lake		Combined					
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
06/13/2009	102	622	0.00	99	286	0.00	908				
MTD		6,677	0.33		3,697	0.06	10,374				

#### STREAM FLOWS

Gauging Station	06/13/2009 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	52	705				
NRTT: Nueces River at Tilden, Texas	0	0				
FRTT: Frio River at Tilden, Texas	0	6				
SMTT: San Miguel Creek at Tilden, Texas	0	0				
ARWT: Atascosa River at Whitsett, Texas	2	40				
Release from Choke Canyon Reservoir	58	748				
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	300	3,057				
NCAT: Nueces River at Calallen, Texas	0	136				
RBP: Rincon Bayou Pipeline	0	0				
Reservoir Inflow						
Computed as: NRTT+FRTT+SMTT+ARWT	2	38				

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit: 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	1,338
Return Flow Credit (Effective: 06/01/2009)	500
Passthru Target: 23,000 Reservoir Inflow: 38	38
Estuary Inflows (NCAT + RBP)	136
PassThru Surplus / -Deficit:	0

## LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	June	2009		Elevation (Ft)
Date	Daily Intake M1D	MID	, 110	Allocation	Remaining	Full	06/14/2009
06/13/2009	138	1,744	21,487	4,100	2,356	44.0	38.9

Report Generated: 06/14/2009 at 8:32:13 AM

## Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 15, 2009

#### RESERVOIR STATISTICS

		Choke Canyon Re	servoir	Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/15/2008	218.3	639,018	91.9%	91.8	218,185	84.8%	857,203	90.0%
06/15/2009	213.2	519,663	74.7%	85.4	117,934	45.8%	637,597	66.9%
			V	Veather Related	Information			
		Choke (	Canyon Reservoir	Lake Corpus Christi Reservoir				Combined
Date		Temp (°F)		Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)

#### STREAM FLOWS

100

383

4,080

0.00

0.06

1,030

11,404

0.00

0.33

647

7,324

06/14/2009

MTD

102

Gauging Station	06/14/2009 (AcFt)	MTD (AcFt)					
NTRT: Nueces River at Three Rivers, Texas	52	756					
NRTT: Nueces River at Tilden, Texas	0	0					
FRTT: Frio River at Tilden, Texas	0	6					
SMTT: San Miguel Creek at Tilden, Texas	0	0					
ARWT: Atascosa River at Whitsett, Texas	2	42					
Release from Choke Canyon Reservoir	58	806					
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	278	3,335					
NCAT: Nueces River at Calallen, Texas	12	147					
RBP: Rincon Bayou Pipeline	0	0					
Reservoir Inflow							
Computed as: NRTT+FRTT+SMTT+ARWT	2	40					

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit: 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	1,338
Return Flow Credit (Effective: 06/01/2009)	500
Passthru Target: 23,000 Reservoir Inflow: 40	40
Estuary Inflows (NCAT + RBP)	147
PassThru Surplus / -Deficit:	0

## LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	June	2009		Elevation (Ft)
Date	Daily Intake	MID YII	YID	Allocation	Remaining	Full	06/15/2009
06/14/2009	138	1,882	21,625	4,100	2,218	44.0	38.9

Report Generated: 06/15/2009 at 8:25:13 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 16, 2009

#### RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lai	ke Corpus Christi	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
06/16/2008	218.3	638,281	91.8%	91.8	217,837	84.7%	856,118	89.9%	
06/16/2009	213.1	519,008	74.6%	85.3	117,035	45.5%	636,043	66.8%	
	Weather Related Information								

	Weather Related Information								
	Choke Canyon Reservoir			Lak	Combined				
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
06/15/2009	103	634	0.00	99	358	0.00	992		
MTD		7,958	0.33		4,438	0.06	12,396		

#### STREAM FLOWS

Gauging Station	06/15/2009 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	52	808				
NRTT: Nueces River at Tilden, Texas	0	0				
FRTT: Frio River at Tilden, Texas	0	6				
SMTT: San Miguel Creek at Tilden, Texas	0	0				
ARWT: Atascosa River at Whitsett, Texas	2	44				
Release from Choke Canyon Reservoir	58	863				
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	274	3,609				
NCAT: Nueces River at Calallen, Texas	19	166				
RBP: Rincon Bayou Pipeline	0	0				
Reservoir Inflow						
Computed as: NRTT+FRTT+SMTT+ARWT	2	42				

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit: 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	1,338
Return Flow Credit (Effective: 06/01/2009)	500
Passthru Target: 23,000 Reservoir Inflow: 42	42
Estuary Inflows (NCAT + RBP)	166
PassThru Surplus / -Deficit:	0

## LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	June	2009		Elevation (Ft)
Date	Dany Intake	ike MID	110	Allocation	Remaining	Full	06/16/2009
06/15/2009	128	2,010	21,753	4,100	2,090	44.0	38.8

Report Generated: 06/16/2009 at 8:57:37 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 17, 2009

#### RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lal	ke Corpus Christi I	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/17/2008	218.2	637,543	91.7%	91.8	217,488	84.5%	855,031	89.8%
06/17/2009	213.1	517,918	74.5%	85.3	116,651	45.3%	634,569	66.6%

	Weather Related Information										
	C	hoke Canyon Reservoir		Lake		Combined					
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
06/16/2009	102	620	0.00	98	358	0.00	978				
MTD		8,578	0.33		4,796	0.06	13,374				

#### STREAM FLOWS

Gauging Station	06/16/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	52	860
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	6
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	2	46
Release from Choke Canyon Reservoir	58	921
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	274	3,883
NCAT: Nueces River at Calallen, Texas	13	180
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	2	44

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit: 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	1,338
Return Flow Credit (Effective: 06/01/2009)	500
Passthru Target: 23,000 Reservoir Inflow: 44	44
Estuary Inflows (NCAT + RBP)	180
PassThru Surplus / -Deficit:	0

## LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	YTD	June 2009			Elevation (Ft)	
Date	<b>Дану Іптаке</b>	MIID		Allocation	Remaining	Full	06/17/2009	
06/16/2009	138	2,148	21,891	4,100	1,952	44.0	38.7	

Report Generated: 06/17/2009 at 12:26:35 PM

## Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 18, 2009

#### RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/18/2008	218.2	638,035	91.8%	91.7	216,444	84.1%	854,479	89.7%
06/18/2009	213.1	517,918	74.5%	85.2	116,267	45.2%	634,185	66.6%
			V	Veather Related	Information			
		Choke (	Canyon Reservoir		Lake Corpus Christi Reservoir			Combined
Date	<b>,</b>	Temp (°F)		Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/17/20	009	98	544	0.00	96	349	0.01	893

#### STREAM FLOWS

5,145

0.07

14,267

0.33

9,122

MTD

Gauging Station	06/17/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	52	911
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	6
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	1	47
Release from Choke Canyon Reservoir	58	979
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	284	4,167
NCAT: Nueces River at Calallen, Texas	1	180
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	1	45

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit: 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	1,338
Return Flow Credit (Effective: 06/01/2009)	500
Passthru Target: 23,000 Reservoir Inflow: 45	45
Estuary Inflows (NCAT + RBP)	180
PassThru Surplus / -Deficit:	0

## LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	YTD	June 2009			Elevation (Ft)	
Date	<b>D</b> ану Intake	MIID		Allocation	Remaining	Full	06/18/2009	
06/17/2009	135	2,283	22,026	4,100	1,817	44.0	38.7	

Report Generated: 06/18/2009 at 8:44:37 AM

## Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 19, 2009

#### RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%		
06/19/2008	218.2	636,308	91.5%	91.7	215,749	83.9%	852,057	89.5%		
06/19/2009	213.0	516,391	74.3%	85.1	115,122	44.7%	631,513	66.3%		
	Weather Related Information									
	Choke Canyon Reservoir				Lake C	Corpus Christi Reservoir	-	Combined		

	Weather Related Information										
	C	hoke Canyon Reservoir		Lak		Combined					
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
06/18/2009	97	518	0.01	96	347	0.00	865				
MTD		9,640	0.34		5,492	0.07	15,132				

#### STREAM FLOWS

Gauging Station	06/18/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	50	961
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	6
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	1	48
Release from Choke Canyon Reservoir	58	1,036
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	3	4,169
NCAT: Nueces River at Calallen, Texas	4	185
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	1	47

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit: 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	1,338
Return Flow Credit (Effective: 06/01/2009)	500
Passthru Target: 23,000 Reservoir Inflow: 47	47
Estuary Inflows (NCAT + RBP)	185
PassThru Surplus / -Deficit:	0

## LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	YTD	June 2009			Elevation (Ft)
Date			YID	Allocation	Remaining	Full	06/19/2009
06/18/2009	140	2,423	22,166	4,100	1,677	44.0	38.6

Report Generated: 06/19/2009 at 8:20:26 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 20, 2009

#### RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
06/20/2008	218.2	636,060	91.5%	91.6	215,054	83.6%	851,114	89.4%	
06/20/2009	213.0	515,955	74.2%	85.1	114,362	44.5%	630,317	66.2%	
	Weather Related Information								
		Chalra (	Comercia Bosomercia		I also (	Communa Chuisti Bassamusia		Combined	

	Weather Related Information										
	Choke Canyon Reservoir			Lak		Combined					
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
06/19/2009	97	568	0.00	96	324	0.00	892				
MTD		10,208	0.34		5,816	0.07	16,024				

#### STREAM FLOWS

Gauging Station	06/19/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	52	1,012
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	6
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	1	50
Release from Choke Canyon Reservoir	58	1,094
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	274	4,443
NCAT: Nueces River at Calallen, Texas	1	186
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	1	48

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit: 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	1,338
Return Flow Credit (Effective: 06/01/2009)	500
Passthru Target: 23,000 Reservoir Inflow: 48	48
Estuary Inflows (NCAT + RBP)	186
PassThru Surplus / -Deficit:	0

## LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	YTD	June 2009			Elevation (Ft)
Date			YID	Allocation	Remaining	Full	06/20/2009
06/19/2009	141	2,563	22,307	4,100	1,537	44.0	38.6

Report Generated: 06/20/2009 at 8:29:03 AM

## Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 21, 2009

#### RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/21/2008	218.1	635,317	91.4%	91.6	214,707	83.5%	850,024	89.2%
06/21/2009	213.0	516,173	74.2%	85.1	114,236	44.4%	630,409	66.2%
			V	Veather Related	Information			
		Choke (	Canyon Reservoir		Lake (	Corpus Christi Reservoir		Combined
Date		Temp (°F)		Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)

#### STREAM FLOWS

97

316

6,132

0.00

0.07

884

16,908

0.00

0.34

568

10,776

06/20/2009

MTD

100

Gauging Station	06/20/2009 (AcFt)	MTD (AcFt)							
NTRT: Nueces River at Three Rivers, Texas	52	1,064							
NRTT: Nueces River at Tilden, Texas	0	0							
FRTT: Frio River at Tilden, Texas	0	6							
SMTT: San Miguel Creek at Tilden, Texas	0	0							
ARWT: Atascosa River at Whitsett, Texas	1	51							
Release from Choke Canyon Reservoir	58	1,151							
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	274	4,717							
NCAT: Nueces River at Calallen, Texas	20	206							
RBP: Rincon Bayou Pipeline	0	0							
Reservoir Inflow	Reservoir Inflow								
Computed as: NRTT+FRTT+SMTT+ARWT	2	50							

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit: 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	1,338
Return Flow Credit (Effective: 06/01/2009)	500
Passthru Target: 23,000 Reservoir Inflow: 50	50
Estuary Inflows (NCAT + RBP)	206
PassThru Surplus / -Deficit:	0

## LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	YTD	June	2009		Elevation (Ft)
Date	Daily Intake		YID	Allocation	Remaining	Full	06/21/2009
06/20/2009	141	2,704	22,447	4,100	1,396	44.0	38.6

Report Generated: 06/21/2009 at 8:17:08 AM

## Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 22, 2009

#### RESERVOIR STATISTICS

Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/22/2008	218.1	634,821	91.3%	91.6	214,187	83.3%	849,008	89.1%
06/22/2009	213.0	515,523	74.1%	85.0	113,857	44.3%	629,380	66.1%
			V	Veather Related	Information			
Choke Canyon Reservoir				Lake (	Corpus Christi Reservoir	:	Combined	
Date		Temp		Rainfall	Air Temp	Evaporation	Rainfall	Evaporation (A oFt)

#### STREAM FLOWS

(°F)

98

(AcFt)

330

6,462

(Inches)

0.00

0.07

(AcFt)

898

17,806

(Inches)

0.00

0.34

(°F)

100

06/21/2009

MTD

(AcFt)

568

11,344

Gauging Station	06/21/2009 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	52	1,116				
NRTT: Nueces River at Tilden, Texas	0	0				
FRTT: Frio River at Tilden, Texas	0	6				
SMTT: San Miguel Creek at Tilden, Texas	0	0				
ARWT: Atascosa River at Whitsett, Texas	0	52				
Release from Choke Canyon Reservoir	58	1,209				
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	284	5,001				
NCAT: Nueces River at Calallen, Texas	38	243				
RBP: Rincon Bayou Pipeline	0	0				
Reservoir Inflow						
Computed as: NRTT+FRTT+SMTT+ARWT	1	50				

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit: 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	1,338
Return Flow Credit (Effective: 06/01/2009)	500
Passthru Target: 23,000 Reservoir Inflow: 50	50
Estuary Inflows (NCAT + RBP)	243
PassThru Surplus / -Deficit:	0

## LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD YTD		June 2009			Elevation (Ft)
Date	рану іптаке	MID	YID	Allocation	Remaining	Full	06/22/2009
06/21/2009	141	2,845	22,588	4,100	1,255	44.0	38.6

Report Generated: 06/22/2009 at 8:32:33 AM

## Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 23, 2009

#### RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
06/23/2008	218.1	634,327	91.2%	91.5	213,320	82.9%	847,647	89.0%	
06/23/2009	213.0	515,092	74.1%	85.0	113,480	44.1%	628,572	66.0%	
Weather Related Information									
	Choke Canyon Reservoir				Lake	Corpus Christi Reservoi	r	Combined	
		m.		D	4.1 PD	T	D 1 6 11	T	

	Choke Canyon Reservoir			Lake		Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/22/2009	100	593	0.00	98	315	0.00	908
MTD		11,937	0.34		6,777	0.07	18,714

#### STREAM FLOWS

Gauging Station	06/22/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	52	1,167
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	6
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	1	52
Release from Choke Canyon Reservoir	58	1,266
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	270	5,271
Nucat: Nucces River at Calallen, Texas	20	263
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	1	51

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit: 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	1,338
Return Flow Credit (Effective: 06/01/2009)	500
Passthru Target: 23,000 Reservoir Inflow: 51	51
Estuary Inflows (NCAT + RBP)	263
PassThru Surplus / -Deficit:	0

## LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD YTD		June 2009			Elevation (Ft)
Date	рану іптаке	MID	YID	Allocation	Remaining	Full	06/23/2009
06/22/2009	141	2,986	22,729	4,100	1,114	44.0	38.4

Report Generated: 06/23/2009 at 8:52:40 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 24, 2009

#### RESERVOIR STATISTICS

Choke Canyon Reservoir			Lal	ke Corpus Christi	Combined Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
06/24/2008	218.1	633,345	91.1%	91.5	212,628	82.7%	845,973	88.8%	
06/24/2009	212.9	514,444	74.0%	85.0	113,228	44.0%	627,672	65.9%	
	Weather Related Information								

	Weather Related Information								
	Choke Canyon Reservoir			Lak	Combined				
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
06/23/2009	101	517	0.00	98	256	0.00	773		
MTD		12,454	0.34		7,033	0.07	19,487		

#### STREAM FLOWS

Gauging Station	06/23/2009 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	52	1,219				
NRTT: Nueces River at Tilden, Texas	0	0				
FRTT: Frio River at Tilden, Texas	0	6				
SMTT: San Miguel Creek at Tilden, Texas	0	0				
ARWT: Atascosa River at Whitsett, Texas	1	54				
Release from Choke Canyon Reservoir	58	1,324				
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	270	5,541				
NCAT: Nueces River at Calallen, Texas	11	275				
RBP: Rincon Bayou Pipeline	0	0				
Reservoir Inflow						
Computed as: NRTT+FRTT+SMTT+ARWT	1	52				

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit: 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	1,338
Return Flow Credit (Effective: 06/01/2009)	500
Passthru Target: 23,000 Reservoir Inflow: 52	52
Estuary Inflows (NCAT + RBP)	275
PassThru Surplus / -Deficit:	0

## LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	YTD	June 2009			Elevation (Ft)
Date	<b>Дану Іптаке</b>	MID	YID	Allocation	Remaining	Full	06/24/2009
06/23/2009	141	3,127	22,870	4,100	973	44.0	38.4

Report Generated: 06/24/2009 at 8:49:38 AM

## Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 25, 2009

#### RESERVOIR STATISTICS

Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
06/25/2008	218.0	633,099	91.1%	91.4	211,763	82.3%	844,862	88.7%	
06/25/2009	212.9	513,797	73.9%	84.9	112,602	43.8%	626,399	65.8%	
	Weather Related Information								
		Choke (	anyon Reservoir		Lake (	Cornus Christi Reservoir	.	Combined	

	Weather Related Information									
	C	hoke Canyon Reservoir		Lake	Combined					
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)						
06/24/2009	102	516	0.00	98	321	0.00	837			
MTD		12,970	0.34		7,354	0.07	20,324			

#### STREAM FLOWS

Gauging Station	06/24/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	52	1,270
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	6
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	2	55
Release from Choke Canyon Reservoir	58	1,382
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	270	5,811
NCAT: Nueces River at Calallen, Texas	32	306
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	2	54

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit: 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	1,338
Return Flow Credit (Effective: 06/01/2009)	500
Passthru Target: 23,000 Reservoir Inflow: 54	54
Estuary Inflows (NCAT + RBP)	306
PassThru Surplus / -Deficit:	0

## LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	YTD	June 2009			Elevation (Ft)
Date	Daily Intake	MIID	YID	Allocation	Remaining	Full	06/25/2009
06/24/2009	141	3,268	23,011	4,100	832	44.0	38.4

Report Generated: 06/25/2009 at 8:35:40 AM

## Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 26, 2009

#### RESERVOIR STATISTICS

Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
06/26/2008	218.0	632,363	91.0%	91.4	211,072	82.0%	843,435	88.5%	
06/26/2009	212.9	512,934	73.8%	84.9	111,977	43.5%	624,911	65.6%	
	Weather Related Information								
		Choke (	Canyon Reservoir		Lake C	Corpus Christi Reservoir		Combined	

	weather Related Information									
	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)			Evaporation (AcFt)			
06/25/2009	105	654	0.00	103	334	0.00	988			
MTD		13,624	0.34		7,688	0.07	21,312			

#### STREAM FLOWS

Gauging Station	06/25/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	52	1,322
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	6
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	1	56
Release from Choke Canyon Reservoir	58	1,439
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	270	6,081
NCAT: Nueces River at Calallen, Texas	2	309
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	1	55

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit: 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	1,338
Return Flow Credit (Effective: 06/01/2009)	500
Passthru Target: 23,000 Reservoir Inflow: 55	55
Estuary Inflows (NCAT + RBP)	309
PassThru Surplus / -Deficit:	0

## LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2009			Elevation (Ft)
Date	Dany Intake	Allocation Allocation		Remaining	Full	06/26/2009	
06/25/2009	141	3,409	23,152	4,100	691	44.0	38.3

Report Generated: 06/26/2009 at 8:43:24 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 27, 2009

#### RESERVOIR STATISTICS

Choke Canyon Reservoir			Lal	ke Corpus Christi l	Combined Reservoir System				
Date	Date   Elevation (Ft)   Volume (AcFt)   Percent of Capacity   Elevation (Ft)   Volume (AcFt)   Percent of C		Percent of Capacity	Volume (AcFt)	Percent of Capacity				
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
06/27/2008	218.0	631,626	90.8%	91.4	210,381	81.8%	842,007	88.4%	
06/27/2009	212.8	512,502	73.7%	84.9	111,479	43.3%	623,981	65.5%	
	Weather Related Information								

	Weather Related Information								
	Choke Canyon Reservoir			Lak	Combined				
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
06/26/2009	103	603	0.00	100	304	0.00	907		
MTD		14,227	0.34		7,992	0.07	22,219		

#### STREAM FLOWS

Gauging Station	06/26/2009 (AcFt)	MTD (AcFt)					
NTRT: Nueces River at Three Rivers, Texas	52	1,374					
NRTT: Nueces River at Tilden, Texas	0	0					
FRTT: Frio River at Tilden, Texas	0	6					
SMTT: San Miguel Creek at Tilden, Texas	0	0					
ARWT: Atascosa River at Whitsett, Texas	1	58					
Release from Choke Canyon Reservoir	58	1,497					
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	268	6,349					
NCAT: Nueces River at Calallen, Texas	0	309					
RBP: Rincon Bayou Pipeline	0	0					
Reservoir Inflow							
Computed as: NRTT+FRTT+SMTT+ARWT	1	56					

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit: 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	1,338
Return Flow Credit (Effective: 06/01/2009)	500
Passthru Target: 23,000 Reservoir Inflow: 56	56
Estuary Inflows (NCAT + RBP)	309
PassThru Surplus / -Deficit:	0

## LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	YTD	June 2009		Elevation (Ft)	
Date	рану іптаке	MID	YID	Allocation	Remaining	Full	06/27/2009
06/26/2009	141	3,550	23,293	4,100	550	44.0	38.3

Report Generated: 06/27/2009 at 8:56:41 AM

## Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 28, 2009

#### RESERVOIR STATISTICS

	Choke Canyon Reservoir		La	ke Corpus Christi	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/28/2008	217.9	630,643	90.7%	91.3	209,691	81.5%	840,334	88.2%
06/28/2009	212.8	512,071	73.7%	84.8	110,858	43.1%	622,929	65.4%
			V	Veather Related	Information			
		Choke (	Canyon Reservoir		Lake (	Corpus Christi Reservoir		Combined
Date		Temp (°F)		Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)

#### STREAM FLOWS

98

296

8,288

0.00

0.07

912

23,131

0.00

0.34

616

14,843

06/27/2009

MTD

102

Gauging Station	06/27/2009 (AcFt)	MTD (AcFt)						
NTRT: Nueces River at Three Rivers, Texas	50	1,423						
NRTT: Nueces River at Tilden, Texas	0	0						
FRTT: Frio River at Tilden, Texas	0	7						
SMTT: San Miguel Creek at Tilden, Texas	0	0						
ARWT: Atascosa River at Whitsett, Texas	1	59						
Release from Choke Canyon Reservoir	58	1,554						
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	268	6,617						
NCAT: Nueces River at Calallen, Texas	0	309						
RBP: Rincon Bayou Pipeline	0	0						
Reservoir Inflow	Reservoir Inflow							
Computed as: NRTT+FRTT+SMTT+ARWT	1	58						

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit: 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	1,338
Return Flow Credit (Effective: 06/01/2009)	500
Passthru Target: 23,000 Reservoir Inflow: 58	58
Estuary Inflows (NCAT + RBP)	309
PassThru Surplus / -Deficit:	0

## LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	YTD	June 2009		Elevation (Ft)	
Date	Date Daily Intake	MIID	YID	Allocation	Remaining	Full	06/28/2009
06/27/2009	141	3,691	23,435	4,100	409	44.0	38.3

Report Generated: 06/28/2009 at 8:14:26 AM

# Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 29, 2009

#### RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/29/2008	217.9	629,906	90.6%	91.3	209,174	81.3%	839,080	88.1%
06/29/2009	212.8	511,639	73.6%	84.8	110,363	42.9%	622,002	65.3%
Weather Related Information								
Choke Canyon Reservoir					Lake C	Corpus Christi Reservoii		Combined

	Choke Canyon Reservoir			Lake	Combined		
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/28/2009	103	565	0.00	100	281	0.00	846
MTD		15,408	0.34		8,569	0.07	23,977

#### STREAM FLOWS

Gauging Station	06/28/2009 (AcFt)	MTD (AcFt)					
NTRT: Nueces River at Three Rivers, Texas	52	1,475					
NRTT: Nueces River at Tilden, Texas	0	0					
FRTT: Frio River at Tilden, Texas	1	7					
SMTT: San Miguel Creek at Tilden, Texas	0	0					
ARWT: Atascosa River at Whitsett, Texas	1	60					
Release from Choke Canyon Reservoir	58	1,612					
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	268	6,885					
NCAT: Nueces River at Calallen, Texas	5	313					
RBP: Rincon Bayou Pipeline	0	0					
Reservoir Inflow							
Computed as: NRTT+FRTT+SMTT+ARWT	2	60					

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit: 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	1,338
Return Flow Credit (Effective: 06/01/2009)	500
Passthru Target: 23,000 Reservoir Inflow: 60	60
Estuary Inflows (NCAT + RBP)	313
PassThru Surplus / -Deficit:	0

## LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2009		Elevation (Ft)	
				Allocation	Remaining	Full	06/29/2009
06/28/2009	141	3,833	23,576	4,100	267	44.0	38.3

Report Generated: 06/29/2009 at 8:32:28 AM

## Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: June 30, 2009

#### RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/30/2008	217.9	629,414	90.5%	91.3	208,485	81.0%	837,899	88.0%
06/30/2009	212.8	511,423	73.6%	84.7	109,623	42.6%	621,046	65.2%
Weather Related Information								
Choke Canyon Reservoir			Lake Corpus Christi Reservoir				Combined	
Date		Temp (°F)		Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)

#### STREAM FLOWS

101

272

8,841

0.00

0.07

887

24,864

0.00

0.34

615

16,023

06/29/2009

MTD

103

Gauging Station	06/29/2009 (AcFt)	MTD (AcFt)			
NTRT: Nueces River at Three Rivers, Texas	52	1,526			
NRTT: Nueces River at Tilden, Texas	0	0			
FRTT: Frio River at Tilden, Texas	1	8			
SMTT: San Miguel Creek at Tilden, Texas	0	0			
ARWT: Atascosa River at Whitsett, Texas	1	62			
Release from Choke Canyon Reservoir	58	1,669			
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	276	7,161			
NCAT: Nueces River at Calallen, Texas	0	313			
RBP: Rincon Bayou Pipeline	0	0			
Reservoir Inflow					
Computed as: NRTT+FRTT+SMTT+ARWT	2	62			

## ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit: 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	1,338
Return Flow Credit (Effective: 06/01/2009)	500
Passthru Target: 23,000 Reservoir Inflow: 62	62
Estuary Inflows (NCAT + RBP)	313
PassThru Surplus / -Deficit:	0

## LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2009		Elevation (Ft)	
				Allocation	Remaining	Full	06/30/2009
06/29/2009	141	3,974	23,717	4,100	126	44.0	38.1

Report Generated: 06/30/2009 at 8:43:25 AM