

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 1, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/01/2008	217.9	628,923	90.5%	91.2	207,969	80.8%	836,892	87.9%
07/01/2009	212.7	510,344	73.4%	84.7	109,377	42.5%	619,721	65.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/30/2009	103	564	0.00	100	315	0.00	879
MTD		16,587	0.34		9,156	0.07	25,743

STREAM FLOWS

Gauging Station	06/30/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	1,578
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	1	8
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	63
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	316	7,476
NCAT : Nueces River at Calallen, Texas	0	313
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT + FRIT + SMIT + ARWT	2	64

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,338
Return Flow Credit (Effective: 06/01/2009)	500
Passthru Target: 23,000 Reservoir Inflow: 64	64
Estuary Inflows (NCAT + RBP)	313
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2009		Elevation (Ft)	
				Allocation	Remaining	Full	07/01/2009
06/30/2009	142	4,116	23,859	4,100	-16	44.0	38.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 2, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/02/2008	217.9	628,923	90.5%	91.2	208,141	80.9%	837,064	87.9%
07/02/2009	212.7	510,344	73.4%	84.6	108,764	42.3%	619,108	65.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/01/2009	101	539	0.00	100	307	0.00	846
MTD		539	0.00		307	0.00	846

STREAM FLOWS

Gauging Station	07/01/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	52
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	2
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	320	320
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	2

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	313
Return Flow Credit (Effective: 07/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 2	2
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2009		Elevation (Ft)	
				Allocation	Remaining	Full	07/02/2009
07/01/2009	141	141	24,000	4,100	3,959	44.0	38.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 3, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/03/2008	217.9	628,432	90.4%	91.2	207,625	80.7%	836,057	87.8%
07/03/2009	212.7	509,913	73.3%	84.6	108,030	42.0%	617,943	64.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/02/2009	102	501	0.00	99	242	0.00	743
MTD		1,040	0.00		549	0.00	1,589

STREAM FLOWS

Gauging Station	07/02/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	103
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	4
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	345	665
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	5

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	313
Return Flow Credit (Effective: 07/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 5	5
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2009		Elevation (Ft)	
				Allocation	Remaining	Full	07/03/2009
07/02/2009	141	283	24,142	4,100	3,817	44.0	38.0

Report Generated: 07/03/2009 at 8:40:44 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 4, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/04/2008	217.8	628,186	90.4%	91.2	207,969	80.8%	836,155	87.8%
07/04/2009	212.7	509,481	73.3%	84.5	107,179	41.7%	616,660	64.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/03/2009	101	526	0.00	99	255	0.00	781
MTD		1,566	0.00		804	0.00	2,370

STREAM FLOWS

Gauging Station	07/03/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	155
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	7
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	320	985
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	8

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	313
Return Flow Credit (Effective: 07/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 8	8
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2009		Elevation (Ft)	
				Allocation	Remaining	Full	07/04/2009
07/03/2009	141	424	24,283	4,100	3,676	44.0	38.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 5, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/05/2008	217.8	627,695	90.3%	91.2	207,625	80.7%	835,320	87.7%
07/05/2009	212.7	509,054	73.2%	84.4	105,728	41.1%	614,782	64.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/04/2009	106	651	0.00	106	358	0.00	1,009
MTD		2,217	0.00		1,162	0.00	3,379

STREAM FLOWS

Gauging Station	07/04/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	206
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	10
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	312	1,296
NCAT : Nueces River at Calallen, Texas	38	38
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	10

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	313
Return Flow Credit (Effective: 07/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 10	10
Estuary Inflows (NCAT + RBP)	38
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2009		Elevation (Ft)	
				Allocation	Remaining	Full	07/05/2009
07/04/2009	141	565	24,424	4,100	3,535	44.0	38.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 6, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/06/2008	217.8	627,204	90.2%	91.2	207,969	80.8%	835,173	87.7%
07/06/2009	212.7	508,627	73.2%	84.4	105,488	41.0%	614,115	64.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/05/2009	107	688	0.00	106	350	0.00	1,038
MTD		2,905	0.00		1,512	0.00	4,417

STREAM FLOWS

Gauging Station	07/05/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	258
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	12
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	302	1,598
NCAT : Nueces River at Calallen, Texas	71	109
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	13

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	313
Return Flow Credit (Effective: 07/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 13	13
Estuary Inflows (NCAT + RBP)	109
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2009		Elevation (Ft)	
				Allocation	Remaining	Full	07/06/2009
07/05/2009	141	707	24,566	4,100	3,393	44.0	38.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 7, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/07/2008	217.8	626,467	90.1%	91.2	207,625	80.7%	834,092	87.6%
07/07/2009	212.6	507,560	73.0%	84.3	105,248	40.9%	612,808	64.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/06/2009	102	550	0.00	103	273	0.00	823
MTD		3,455	0.00		1,785	0.00	5,240

STREAM FLOWS

Gauging Station	07/06/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	310
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	14
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	302	1,900
NCAT : Nueces River at Calallen, Texas	52	161
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	15

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	313
Return Flow Credit (Effective: 07/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 15	15
Estuary Inflows (NCAT + RBP)	161
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2009		Elevation (Ft)	
				Allocation	Remaining	Full	07/07/2009
07/06/2009	141	848	24,707	4,100	3,252	44.0	37.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 8, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/08/2008	217.9	628,432	90.4%	91.2	208,313	81.0%	836,745	87.8%
07/08/2009	212.6	507,987	73.1%	84.3	105,248	40.9%	613,235	64.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/07/2009	99	413	0.01	95	196	0.29	609
MTD		3,868	0.01		1,981	0.29	5,849

STREAM FLOWS

Gauging Station	07/07/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	363
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	16
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	302	2,201
NCAT : Nueces River at Calallen, Texas	6	167
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	17

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	313
Return Flow Credit (Effective: 07/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 17	17
Estuary Inflows (NCAT + RBP)	167
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2009		Elevation (Ft)	
				Allocation	Remaining	Full	07/08/2009
07/07/2009	142	990	24,849	4,100	3,110	44.0	37.7

Report Generated: 07/08/2009 at 8:30:15 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 9, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/09/2008	217.9	629,660	90.6%	91.3	209,174	81.3%	838,834	88.1%
07/09/2009	212.7	508,414	73.1%	84.3	104,171	40.5%	612,585	64.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/08/2009	106	588	0.00	102	306	0.00	894
MTD		4,456	0.01		2,287	0.29	6,743

STREAM FLOWS

Gauging Station	07/08/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	419
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	19
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	302	2,503
NCAT : Nueces River at Calallen, Texas	12	178
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	20

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	313
Return Flow Credit (Effective: 07/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 20	20
Estuary Inflows (NCAT + RBP)	178
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2009		Elevation (Ft)	
				Allocation	Remaining	Full	07/09/2009
07/08/2009	141	1,131	24,990	4,100	2,969	44.0	37.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 10, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/10/2008	217.9	629,414	90.5%	91.3	208,658	81.1%	838,072	88.0%
07/10/2009	212.5	506,051	72.8%	84.2	104,051	40.4%	610,102	64.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/09/2009	104	636	0.00	100	312	0.00	948
MTD		5,092	0.01		2,599	0.29	7,691

STREAM FLOWS

Gauging Station	07/09/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	474
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	21
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	300	2,803
NCAT : Nueces River at Calallen, Texas	7	185
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	22

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	313
Return Flow Credit (Effective: 07/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 22	22
Estuary Inflows (NCAT + RBP)	185
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2009		Elevation (Ft)	
				Allocation	Remaining	Full	07/10/2009
07/09/2009	142	1,273	25,132	4,100	2,827	44.0	37.6

Report Generated: 07/10/2009 at 8:26:50 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 11, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/11/2008	217.9	628,678	90.4%	91.2	207,969	80.8%	836,647	87.8%
07/11/2009	212.6	506,699	72.9%	84.2	103,575	40.3%	610,274	64.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/10/2009	102	599	0.00	97	305	0.00	904
MTD		5,691	0.01		2,904	0.29	8,595

STREAM FLOWS

Gauging Station	07/10/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	536
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	23
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	288	3,091
NCAT : Nueces River at Calallen, Texas	3	188
RBP : Rincon Bayou Pipeline	10	10
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	26

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	313
Return Flow Credit (Effective: 07/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 26	26
Estuary Inflows (NCAT + RBP)	198
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2009		Elevation (Ft)	
				Allocation	Remaining	Full	07/11/2009
07/10/2009	142	1,415	25,274	4,100	2,685	44.0	37.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 12, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/12/2008	217.9	628,432	90.4%	91.2	207,281	80.6%	835,713	87.7%
07/12/2009	212.6	506,267	72.8%	84.2	102,982	40.0%	609,249	64.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/11/2009	100	537	0.00	97	290	0.00	827
MTD		6,228	0.01		3,194	0.29	9,422

STREAM FLOWS

Gauging Station	07/11/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	599
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	25
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	272	3,363
NCAT : Nueces River at Calallen, Texas	26	214
RBP : Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	33

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	313
Return Flow Credit (Effective: 07/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 33	33
Estuary Inflows (NCAT + RBP)	224
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2009		Elevation (Ft)	
				Allocation	Remaining	Full	07/12/2009
07/11/2009	142	1,557	25,416	4,100	2,543	44.0	37.6

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 13, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/13/2008	217.8	627,941	90.3%	91.2	207,281	80.6%	835,222	87.7%
07/13/2009	212.5	504,548	72.6%	84.1	102,273	39.8%	606,821	63.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/12/2009	101	561	0.00	99	295	0.00	856
MTD		6,789	0.01		3,489	0.29	10,278

STREAM FLOWS

Gauging Station	07/12/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	663
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	28
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	294	3,656
NCAT : Nueces River at Calallen, Texas	4	218
RBP : Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	39

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	313
Return Flow Credit (Effective: 07/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 39	39
Estuary Inflows (NCAT + RBP)	228
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2009		Elevation (Ft)	
				Allocation	Remaining	Full	07/13/2009
07/12/2009	142	1,699	25,558	4,100	2,401	44.0	37.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 14, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/14/2008	217.8	627,695	90.3%	91.1	206,422	80.2%	834,117	87.6%
07/14/2009	212.4	503,907	72.5%	84.0	101,450	39.4%	605,357	63.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/13/2009	102	622	0.00	100	328	0.00	950
MTD		7,411	0.01		3,817	0.29	11,228

STREAM FLOWS

Gauging Station	07/13/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	727
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	29
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	294	3,950
NCAT : Nueces River at Calallen, Texas	0	218
RBP : Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	45

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	313
Return Flow Credit (Effective: 07/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 45	45
Estuary Inflows (NCAT + RBP)	228
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2009		Elevation (Ft)	
				Allocation	Remaining	Full	07/14/2009
07/13/2009	142	1,841	25,700	4,100	2,259	44.0	37.5

Report Generated: 07/14/2009 at 8:54:32 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 15, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/15/2008	217.8	627,204	90.2%	91.1	205,907	80.0%	833,111	87.5%
07/15/2009	212.4	503,053	72.4%	84.0	101,215	39.3%	604,268	63.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/14/2009	104	672	0.00	100	335	0.00	1,007
MTD		8,083	0.01		4,152	0.29	12,235

STREAM FLOWS

Gauging Station	07/14/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	790
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	31
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	294	4,244
NCAT : Nueces River at Calallen, Texas	0	218
RBP : Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	51

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	313
Return Flow Credit (Effective: 07/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 51	51
Estuary Inflows (NCAT + RBP)	228
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2009		Elevation (Ft)	
				Allocation	Remaining	Full	07/15/2009
07/14/2009	142	1,983	25,842	4,100	2,117	44.0	37.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 16, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/16/2008	217.8	626,713	90.1%	91.1	205,393	79.8%	832,106	87.4%
07/16/2009	212.4	502,413	72.3%	83.9	100,513	39.1%	602,926	63.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/15/2009	103	584	0.00	100	299	0.00	883
MTD		8,667	0.01		4,451	0.29	13,118

STREAM FLOWS

Gauging Station	07/15/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	854
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	33
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	306	4,550
NCAT : Nueces River at Calallen, Texas	0	218
RBP : Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	57

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	313
Return Flow Credit (Effective: 07/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 57	57
Estuary Inflows (NCAT + RBP)	228
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2009		Elevation (Ft)	
				Allocation	Remaining	Full	07/16/2009
07/15/2009	142	2,125	25,984	4,100	1,975	44.0	37.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 17, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/17/2008	217.8	625,976	90.0%	91.1	205,050	79.7%	831,026	87.2%
07/17/2009	212.3	501,772	72.2%	83.9	99,815	38.8%	601,587	63.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/16/2009	104	671	0.00	102	332	0.00	1,003
MTD		9,338	0.01		4,783	0.29	14,121

STREAM FLOWS

Gauging Station	07/16/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	917
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	34
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	314	4,863
NCAT : Nueces River at Calallen, Texas	0	218
RBP : Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	63

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	313
Return Flow Credit (Effective: 07/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 63	63
Estuary Inflows (NCAT + RBP)	228
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2009		Elevation (Ft)	
				Allocation	Remaining	Full	07/17/2009
07/16/2009	142	2,267	26,126	4,100	1,833	44.0	37.3

Report Generated: 07/17/2009 at 8:35:19 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 18, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/18/2008	217.7	624,994	89.9%	91.0	204,536	79.5%	829,530	87.1%
07/18/2009	212.4	503,053	72.4%	83.8	99,350	38.6%	602,403	63.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/17/2009	103	622	0.65	100	297	0.00	919
MTD		9,960	0.66		5,080	0.29	15,040

STREAM FLOWS

Gauging Station	07/17/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	981
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	36
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	304	5,167
NCAT : Nueces River at Calallen, Texas	0	218
RBP : Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	69

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	313
Return Flow Credit (Effective: 07/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 69	69
Estuary Inflows (NCAT + RBP)	228
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2009		Elevation (Ft)	
				Allocation	Remaining	Full	07/18/2009
07/17/2009	142	2,410	26,268	4,100	1,690	44.0	37.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 19, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/19/2008	217.7	624,261	89.8%	91.0	203,509	79.1%	827,770	86.9%
07/19/2009	212.4	502,626	72.3%	83.8	99,119	38.5%	601,745	63.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/18/2009	100	472	0.00	102	276	0.01	748
MTD		10,432	0.66		5,356	0.30	15,788

STREAM FLOWS

Gauging Station	07/18/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,048
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	37
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	312	5,479
NCAT : Nueces River at Calallen, Texas	0	218
RBP : Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	79

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	313
Return Flow Credit (Effective: 07/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 79	79
Estuary Inflows (NCAT + RBP)	228
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2009		Elevation (Ft)	
				Allocation	Remaining	Full	07/19/2009
07/18/2009	142	2,552	26,411	4,100	1,548	44.0	37.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 20, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/20/2008	217.7	624,261	89.8%	91.0	203,338	79.0%	827,599	86.9%
07/20/2009	212.4	502,199	72.2%	83.8	98,426	38.3%	600,625	63.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/19/2009	100	385	0.00	101	242	0.00	627
MTD		10,817	0.66		5,598	0.30	16,415

STREAM FLOWS

Gauging Station	07/19/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,116
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	39
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	308	5,786
NCAT : Nueces River at Calallen, Texas	10	228
RBP : Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	10	89

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	313
Return Flow Credit (Effective: 07/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 89	89
Estuary Inflows (NCAT + RBP)	238
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2009		Elevation (Ft)	
				Allocation	Remaining	Full	07/20/2009
07/19/2009	142	2,694	26,553	4,100	1,406	44.0	37.3

Report Generated: 07/20/2009 at 8:20:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 21, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/21/2008	217.7	623,531	89.7%	90.9	202,655	78.8%	826,186	86.7%
07/21/2009	212.3	501,772	72.2%	83.7	97,164	37.8%	598,936	62.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/20/2009	104	534	0.00	102	306	0.00	840
MTD		11,351	0.66		5,904	0.30	17,255

STREAM FLOWS

Gauging Station	07/20/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,181
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	40
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	306	6,092
NCAT : Nueces River at Calallen, Texas	10	238
RBP : Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	8	97

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	313
Return Flow Credit (Effective: 07/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 97	97
Estuary Inflows (NCAT + RBP)	248
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2009		Elevation (Ft)	
				Allocation	Remaining	Full	07/21/2009
07/20/2009	142	2,836	26,695	4,100	1,264	44.0	37.1

Report Generated: 07/21/2009 at 8:16:19 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 22, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/22/2008	217.6	622,801	89.6%	90.9	202,142	78.6%	824,943	86.6%
07/22/2009	212.3	501,345	72.1%	83.7	97,392	37.9%	598,737	62.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/21/2009	103	583	0.00	102	307	0.00	890
MTD		11,934	0.66		6,211	0.30	18,145

STREAM FLOWS

Gauging Station	07/21/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,245
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	42
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	314	6,406
NCAT : Nueces River at Calallen, Texas	0	238
RBP : Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	103

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	313
Return Flow Credit (Effective: 07/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 103	103
Estuary Inflows (NCAT + RBP)	248
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2009		Elevation (Ft)	
				Allocation	Remaining	Full	07/22/2009
07/21/2009	142	2,978	26,837	4,100	1,122	44.0	37.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 23, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/23/2008	217.6	621,827	89.4%	90.9	202,142	78.6%	823,969	86.5%
07/23/2009	212.3	500,918	72.0%	83.6	96,821	37.6%	597,739	62.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/22/2009	104	595	0.00	102	332	0.00	927
MTD		12,529	0.66		6,543	0.30	19,072

STREAM FLOWS

Gauging Station	07/22/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,306
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	43
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	326	6,731
NCAT : Nueces River at Calallen, Texas	0	238
RBP : Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	4	107

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	313
Return Flow Credit (Effective: 07/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 107	107
Estuary Inflows (NCAT + RBP)	248
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2009		Elevation (Ft)	
				Allocation	Remaining	Full	07/23/2009
07/22/2009	142	3,120	26,979	4,100	980	44.0	37.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 24, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/24/2008	217.6	623,288	89.6%	90.9	202,142	78.6%	825,430	86.7%
07/24/2009	212.3	500,496	72.0%	83.6	96,139	37.4%	596,635	62.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/23/2009	103	558	0.00	100	291	0.00	849
MTD		13,087	0.66		6,834	0.30	19,921

STREAM FLOWS

Gauging Station	07/23/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,368
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	44
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	326	7,057
NCAT : Nueces River at Calallen, Texas	0	238
RBP : Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	4	112

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	313
Return Flow Credit (Effective: 07/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 112	112
Estuary Inflows (NCAT + RBP)	248
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2009		Elevation (Ft)	
				Allocation	Remaining	Full	07/24/2009
07/23/2009	142	3,262	27,121	4,100	838	44.0	37.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 25, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/25/2008	217.7	625,239	89.9%	91.1	206,251	80.2%	831,490	87.3%
07/25/2009	212.2	499,651	71.9%	83.5	95,685	37.2%	595,336	62.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/24/2009	101	582	0.00	98	303	0.00	885
MTD		13,669	0.66		7,137	0.30	20,806

STREAM FLOWS

Gauging Station	07/24/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,431
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	46
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	337	7,394
NCAT : Nueces River at Calallen, Texas	0	238
RBP : Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	118

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	313
Return Flow Credit (Effective: 07/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 118	118
Estuary Inflows (NCAT + RBP)	248
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2009		Elevation (Ft)	
				Allocation	Remaining	Full	07/25/2009
07/24/2009	142	3,405	27,263	4,100	695	44.0	37.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 26, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/26/2008	217.7	624,748	89.9%	91.2	207,625	80.7%	832,373	87.4%
07/26/2009	212.2	497,952	71.6%	83.4	94,782	36.8%	592,734	62.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/25/2009	102	631	0.00	100	295	0.00	926
MTD		14,300	0.66		7,432	0.30	21,732

STREAM FLOWS

Gauging Station	07/25/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,493
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	47
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	339	7,734
NCAT : Nueces River at Calallen, Texas	0	238
RBP : Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	122

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	313
Return Flow Credit (Effective: 07/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 122	122
Estuary Inflows (NCAT + RBP)	248
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2009		Elevation (Ft)	
				Allocation	Remaining	Full	07/26/2009
07/25/2009	142	3,546	27,405	4,100	554	44.0	37.0

Report Generated: 07/26/2009 at 8:12:09 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 27, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/27/2008	217.7	624,505	89.8%	91.2	208,313	81.0%	832,818	87.4%
07/27/2009	212.1	496,037	71.3%	83.4	94,108	36.6%	590,145	62.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/26/2009	104	617	0.00	101	287	0.00	904
MTD		14,917	0.66		7,719	0.30	22,636

STREAM FLOWS

Gauging Station	07/26/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,554
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	49
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	335	8,069
NCAT : Nueces River at Calallen, Texas	28	266
RBP : Rincon Bayou Pipeline		10
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	4	126

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	313
Return Flow Credit (Effective: 07/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 126	126
Estuary Inflows (NCAT + RBP)	276
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2009		Elevation (Ft)	
				Allocation	Remaining	Full	07/27/2009
07/26/2009	142	3,688	27,547	4,100	412	44.0	37.0

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 28, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/28/2008	217.7	624,261	89.8%	91.3	208,658	81.1%	832,919	87.4%
07/28/2009	212.0	494,770	71.2%	83.3	93,103	36.2%	587,873	61.7%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/27/2009	103	788	0.00	100	331	0.00	1,119	
MTD		15,705	0.66		8,050	0.30	23,755	

STREAM FLOWS

Gauging Station	07/27/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,616
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	51
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	335	8,404
NCAT : Nueces River at Calallen, Texas	28	294
RBP : Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	130

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	313
Return Flow Credit (Effective: 07/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 130	130
Estuary Inflows (NCAT + RBP)	304
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2009		Elevation (Ft)	
				Allocation	Remaining	Full	07/28/2009
07/27/2009	142	3,830	27,689	4,100	270	44.0	36.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 29, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/29/2008	217.7	623,531	89.7%	91.3	208,485	81.0%	832,016	87.3%
07/29/2009	212.0	494,137	71.1%	83.2	92,548	36.0%	586,685	61.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/28/2009	102	603	0.00	98	336	0.00	939
MTD		16,308	0.66		8,386	0.30	24,694

STREAM FLOWS

Gauging Station	07/28/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,677
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	52
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	335	8,740
NCAT : Nueces River at Calallen, Texas	3	297
RBP : Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	134

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	313
Return Flow Credit (Effective: 07/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 134	134
Estuary Inflows (NCAT + RBP)	307
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2009		Elevation (Ft)	
				Allocation	Remaining	Full	07/29/2009
07/28/2009	142	3,972	27,831	4,100	128	44.0	36.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 30, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/30/2008	217.6	623,044	89.6%	91.2	207,969	80.8%	831,013	87.2%
07/30/2009	212.0	493,714	71.0%	83.2	91,884	35.7%	585,598	61.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/29/2009	99	505	0.00	97	289	0.00	794
MTD		16,813	0.66		8,675	0.30	25,488

STREAM FLOWS

Gauging Station	07/29/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,739
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	54
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	335	9,075
NCAT : Nueces River at Calallen, Texas	14	311
RBP : Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	138

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	313
Return Flow Credit (Effective: 07/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 138	138
Estuary Inflows (NCAT + RBP)	321
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2009		Elevation (Ft)	
				Allocation	Remaining	Full	07/30/2009
07/29/2009	142	4,114	27,973	4,100	-14	44.0	36.8

Report Generated: 07/30/2009 at 8:14:40 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 31, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/31/2008	217.6	622,314	89.5%	91.2	207,625	80.7%	829,939	87.1%
07/31/2009	212.0	493,925	71.0%	83.2	91,994	35.8%	585,919	61.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/30/2009	103	480	0.09	100	296	0.19	776
MTD		17,293	0.75		8,971	0.49	26,264

STREAM FLOWS

Gauging Station	07/30/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,802
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	55
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	308	9,383
NCAT : Nueces River at Calallen, Texas	36	347
RBP : Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	144

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	313
Return Flow Credit (Effective: 07/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 144	144
Estuary Inflows (NCAT + RBP)	357
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2009		Elevation (Ft)	
				Allocation	Remaining	Full	07/31/2009
07/30/2009	142	4,256	28,115	4,100	-156	44.0	36.8

Report Generated: 07/31/2009 at 8:22:10 AM