

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 1, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/01/2008	217.6	621,827	89.4%	91.2	207,281	80.6%	829,108	87.0%
08/01/2009	211.9	492,869	70.9%	83.1	91,333	35.5%	584,202	61.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/31/2009	103	443	0.00	104	269	0.00	712
MTD		17,736	0.75		9,240	0.49	26,976

STREAM FLOWS

Gauging Station	07/31/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	64	1,866
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	4
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	1	57
Release from Choke Canyon Reservoir	58	1,785
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	294	9,677
NCAT: Nueces River at Calallen, Texas	22	369
RBP: Rincon Bayou Pipeline	0	10
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	150

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	313
Return Flow Credit (Effective: 07/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 150	150
Estuary Inflows (NCAT + RBP)	379
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2009		Elevation (Ft)	
				Allocation	Remaining	Full	08/01/2009
07/31/2009	119	4,375	28,234	4,100	-275	44.0	36.7

Report Generated: 08/01/2009 at 8:09:12 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 2, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/02/2008	217.6	621,584	89.4%	91.1	206,594	80.3%	828,178	86.9%
08/02/2009	211.9	492,447	70.8%	83.1	90,894	35.3%	583,341	61.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/01/2009	104	614	0.00	102	313	0.00	927
MTD		614	0.00		313	0.00	927

STREAM FLOWS

Gauging Station	08/01/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	62	62
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	1	1
Release from Choke Canyon Reservoir	58	58
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	294	294
NCAT: Nueces River at Calallen, Texas	7	7
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	4

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	379
Return Flow Credit (Effective: 08/01/2009)	500
Passthru Target: 5,000 Reservoir Inflow: 4	4
Estuary Inflows (NCAT + RBP)	7
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2009		Elevation (Ft)	
				Allocation	Remaining	Full	08/02/2009
08/01/2009	90	90	28,324	4,100	4,010	44.0	36.7

Report Generated: 08/02/2009 at 8:28:22 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 3, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/03/2008	217.6	621,098	89.3%	91.1	206,079	80.1%	827,177	86.8%
08/03/2009	212.0	493,503	71.0%	83.1	90,565	35.2%	584,068	61.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/02/2009	103	640	0.00	101	376	0.00	1,016
MTD		1,254	0.00		689	0.00	1,943

STREAM FLOWS

Gauging Station	08/02/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	121
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	1	3
Release from Choke Canyon Reservoir	58	115
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	326	619
NCAT: Nueces River at Calallen, Texas	0	7
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	6

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	379
Return Flow Credit (Effective: 08/01/2009)	500
Passthru Target: 5,000 Reservoir Inflow: 6	6
Estuary Inflows (NCAT + RBP)	7
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2009		Elevation (Ft)	
				Allocation	Remaining	Full	08/03/2009
08/02/2009	90	180	28,413	4,100	3,920	44.0	36.7

Report Generated: 08/03/2009 at 8:43:30 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 4, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/04/2008	217.5	620,854	89.3%	91.1	205,050	79.7%	825,904	86.7%
08/04/2009	211.9	492,658	70.9%	83.0	90,019	35.0%	582,677	61.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/03/2009	101	578	0.00	99	286	0.00	864
MTD		1,832	0.00		975	0.00	2,807

STREAM FLOWS

Gauging Station	08/03/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	181
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	1	4
Release from Choke Canyon Reservoir	58	173
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	349	969
NCAT: Nueces River at Calallen, Texas	0	7
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	8

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	379
Return Flow Credit (Effective: 08/01/2009)	500
Passthru Target: 5,000 Reservoir Inflow: 8	8
Estuary Inflows (NCAT + RBP)	7
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2009		Elevation (Ft)	
				Allocation	Remaining	Full	08/04/2009
08/03/2009	89	269	28,503	4,100	3,831	44.0	36.6

Report Generated: 08/04/2009 at 8:18:31 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 5, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/05/2008	217.5	620,611	89.3%	91.0	204,365	79.4%	824,976	86.6%
08/05/2009	211.9	492,025	70.8%	83.0	89,475	34.8%	581,500	61.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/04/2009	101	553	0.00	100	272	0.00	825
MTD		2,385	0.00		1,247	0.00	3,632

STREAM FLOWS

Gauging Station	08/04/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	58	238
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	1	5
Release from Choke Canyon Reservoir	58	230
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	359	1,328
NCAT: Nueces River at Calallen, Texas	0	7
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	8

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	379
Return Flow Credit (Effective: 08/01/2009)	500
Passthru Target: 5,000 Reservoir Inflow: 8	8
Estuary Inflows (NCAT + RBP)	7
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2009		Elevation (Ft)	
				Allocation	Remaining	Full	08/05/2009
08/04/2009	89	358	28,592	4,100	3,742	44.0	36.6

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 6, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/06/2008	217.5	619,151	89.1%	91.0	204,023	79.3%	823,174	86.4%
08/06/2009	211.9	491,391	70.7%	82.9	88,717	34.5%	580,108	60.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/05/2009	102	614	0.00	102	352	0.00	966
MTD		2,999	0.00		1,599	0.00	4,598

STREAM FLOWS

Gauging Station	08/05/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	58	296
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	1	7
Release from Choke Canyon Reservoir	58	288
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	375	1,703
NCAT: Nueces River at Calallen, Texas	0	7
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	8

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	379
Return Flow Credit (Effective: 08/01/2009)	500
Passthru Target: 5,000 Reservoir Inflow: 8	8
Estuary Inflows (NCAT + RBP)	7
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2009		Elevation (Ft)	
				Allocation	Remaining	Full	08/06/2009
08/05/2009	89	447	28,681	4,100	3,653	44.0	36.6

Report Generated: 08/06/2009 at 8:17:24 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 7, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/07/2008	217.4	618,177	88.9%	91.0	204,707	79.6%	822,884	86.4%
08/07/2009	211.8	490,757	70.6%	82.8	88,070	34.2%	578,827	60.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/06/2009	102	601	0.00	100	294	0.00	895
MTD		3,600	0.00		1,893	0.00	5,493

STREAM FLOWS

Gauging Station	08/06/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	58	353
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	1	8
Release from Choke Canyon Reservoir	58	345
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	379	2,082
NCAT: Nueces River at Calallen, Texas	0	7
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	8

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	379
Return Flow Credit (Effective: 08/01/2009)	500
Passthru Target: 5,000 Reservoir Inflow: 8	8
Estuary Inflows (NCAT + RBP)	7
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2009		Elevation (Ft)	
				Allocation	Remaining	Full	08/07/2009
08/06/2009	89	536	28,770	4,100	3,564	44.0	36.5

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 8, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/08/2008	217.4	618,421	88.9%	91.0	204,023	79.3%	822,444	86.3%
08/08/2009	211.8	489,917	70.5%	82.8	87,534	34.0%	577,451	60.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/07/2009	101	637	0.00	98	287	0.00	924
MTD		4,237	0.00		2,180	0.00	6,417

STREAM FLOWS

Gauging Station	08/07/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	58	411
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	1	9
Release from Choke Canyon Reservoir	58	403
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	383	2,465
NCAT: Nueces River at Calallen, Texas	0	7
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	8

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	379
Return Flow Credit (Effective: 08/01/2009)	500
Passthru Target: 5,000 Reservoir Inflow: 8	8
Estuary Inflows (NCAT + RBP)	7
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2009		Elevation (Ft)	
				Allocation	Remaining	Full	08/08/2009
08/07/2009	89	625	28,859	4,100	3,475	44.0	36.5

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 9, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/09/2008	217.4	617,934	88.9%	90.9	203,167	79.0%	821,101	86.2%
08/09/2009	211.7	488,873	70.3%	82.7	86,892	33.8%	575,765	60.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/08/2009	101	514	0.00	98	286	0.00	800
MTD		4,751	0.00		2,466	0.00	7,217

STREAM FLOWS

Gauging Station	08/08/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	470
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	1	10
Release from Choke Canyon Reservoir	58	461
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	383	2,848
NCAT: Nueces River at Calallen, Texas	0	7
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	10

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	379
Return Flow Credit (Effective: 08/01/2009)	500
Passthru Target: 5,000 Reservoir Inflow: 10	10
Estuary Inflows (NCAT + RBP)	7
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2009		Elevation (Ft)	
				Allocation	Remaining	Full	08/09/2009
08/08/2009	89	714	28,948	4,100	3,386	44.0	36.5

Report Generated: 08/09/2009 at 8:18:39 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 10, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/10/2008	217.4	617,204	88.8%	90.9	202,826	78.8%	820,030	86.1%
08/10/2009	211.7	487,190	70.1%	82.6	85,936	33.4%	573,126	60.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/09/2009	102	587	0.00	99	284	0.00	871
MTD		5,338	0.00		2,750	0.00	8,088

STREAM FLOWS

Gauging Station	08/09/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	530
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	1	11
Release from Choke Canyon Reservoir	58	518
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	381	3,230
NCAT: Nueces River at Calallen, Texas	1	8
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	12

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	379
Return Flow Credit (Effective: 08/01/2009)	500
Passthru Target: 5,000 Reservoir Inflow: 12	12
Estuary Inflows (NCAT + RBP)	8
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2009		Elevation (Ft)	
				Allocation	Remaining	Full	08/10/2009
08/09/2009	89	803	29,036	4,100	3,297	44.0	36.5

Report Generated: 08/10/2009 at 8:35:34 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 11, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/11/2008	217.4	616,474	88.7%	90.9	201,801	78.4%	818,275	85.9%
08/11/2009	211.6	486,768	70.0%	82.6	85,619	33.3%	572,387	60.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/10/2009	101	623	0.00	100	271	0.00	894
MTD		5,961	0.00		3,021	0.00	8,982

STREAM FLOWS

Gauging Station	08/10/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	58	588
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	1	12
Release from Choke Canyon Reservoir	58	576
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	381	3,611
NCAT: Nueces River at Calallen, Texas	9	18
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	12

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	379
Return Flow Credit (Effective: 08/01/2009)	500
Passthru Target: 5,000 Reservoir Inflow: 12	12
Estuary Inflows (NCAT + RBP)	18
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2009		Elevation (Ft)	
				Allocation	Remaining	Full	08/11/2009
08/10/2009	89	891	29,125	4,100	3,209	44.0	36.3

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 12, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/12/2008	217.3	615,257	88.5%	90.8	201,290	78.2%	816,547	85.7%
08/12/2009	211.7	487,612	70.1%	82.6	85,302	33.2%	572,914	60.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/11/2009	102	599	0.00	100	282	0.00	881
MTD		6,560	0.00		3,303	0.00	9,863

STREAM FLOWS

Gauging Station	08/11/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	58	645
NRRT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	2	14
Release from Choke Canyon Reservoir	58	633
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	373	3,984
NCAT: Nueces River at Calallen, Texas	17	35
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	12

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	379
Return Flow Credit (Effective: 08/01/2009)	500
Passthru Target: 5,000 Reservoir Inflow: 12	12
Estuary Inflows (NCAT + RBP)	35
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2009		Elevation (Ft)	
				Allocation	Remaining	Full	08/12/2009
08/11/2009	88	979	29,213	4,100	3,121	44.0	36.3

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 13, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/13/2008	217.3	614,527	88.4%	90.9	201,972	78.5%	816,499	85.7%
08/13/2009	211.6	486,979	70.0%	82.5	84,672	32.9%	571,651	60.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/12/2009	102	550	0.08	101	275	0.00	825
MTD		7,110	0.08		3,578	0.00	10,688

STREAM FLOWS

Gauging Station	08/12/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	64	709
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	2	15
Release from Choke Canyon Reservoir	58	691
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	355	4,339
NCAT: Nueces River at Calallen, Texas	32	66
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	18

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	379
Return Flow Credit (Effective: 08/01/2009)	500
Passthru Target: 5,000 Reservoir Inflow: 18	18
Estuary Inflows (NCAT + RBP)	66
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2009		Elevation (Ft)	
				Allocation	Remaining	Full	08/13/2009
08/12/2009	88	1,068	29,301	4,100	3,032	44.0	36.3

Report Generated: 08/13/2009 at 8:41:04 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 14, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/14/2008	217.3	614,284	88.4%	91.0	203,338	79.0%	817,622	85.8%
08/14/2009	211.6	486,768	70.0%	82.5	84,253	32.8%	571,021	59.9%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/13/2009	100	403	0.00	99	189	0.00	592
MTD		7,513	0.08		3,767	0.00	11,280

STREAM FLOWS

Gauging Station	08/13/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	772
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	18
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	355	4,695
NCAT : Nueces River at Calallen, Texas	13	79
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	24

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	379
Return Flow Credit (Effective: 08/01/2009)	500
Passthru Target: 5,000 Reservoir Inflow: 24	24
Estuary Inflows (NCAT + RBP)	79
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2009		Elevation (Ft)	
				Allocation	Remaining	Full	08/14/2009
08/13/2009	88	1,156	29,389	4,100	2,944	44.0	36.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 15, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/15/2008	217.2	613,554	88.2%	90.9	202,484	78.7%	816,038	85.7%
08/15/2009	211.6	486,134	69.9%	82.4	83,524	32.5%	569,658	59.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/14/2009	101	549	0.00	98	224	0.00	773
MTD		8,062	0.08		3,991	0.00	12,053

STREAM FLOWS

Gauging Station	08/14/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	838
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	20
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	351	5,046
NCAT : Nueces River at Calallen, Texas	1	80
RBP : Rincon Bayou Pipeline	8	8
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	32

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	379
Return Flow Credit (Effective: 08/01/2009)	500
Passthru Target: 5,000 Reservoir Inflow: 32	32
Estuary Inflows (NCAT + RBP)	88
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2009		Elevation (Ft)	
				Allocation	Remaining	Full	08/15/2009
08/14/2009	90	1,245	29,479	4,100	2,855	44.0	36.4

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 16, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/16/2008	217.3	613,797	88.3%	90.9	202,484	78.7%	816,281	85.7%
08/16/2009	211.5	484,254	69.6%	82.3	82,901	32.2%	567,155	59.5%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/15/2009	102	536	0.00	99	217	0.00	753	
MTD		8,598	0.08		4,208	0.00	12,806	

STREAM FLOWS

Gauging Station	08/15/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	899
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	23
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	326	5,371
NCAT : Nueces River at Calallen, Texas	26	105
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	36

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	379
Return Flow Credit (Effective: 08/01/2009)	500
Passthru Target: 5,000 Reservoir Inflow: 36	36
Estuary Inflows (NCAT + RBP)	113
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2009		Elevation (Ft)	
				Allocation	Remaining	Full	08/16/2009
08/15/2009	91	1,336	29,569	4,100	2,764	44.0	36.4

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 17, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/17/2008	217.3	615,987	88.6%	90.9	202,997	78.9%	818,984	86.0%
08/17/2009	211.5	484,672	69.7%	82.3	82,488	32.1%	567,160	59.5%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/16/2009	101	548	0.00	100	264	0.00	812	
MTD		9,146	0.08		4,472	0.00	13,618	

STREAM FLOWS

Gauging Station	08/16/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	961
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	25
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	312	5,683
NCAT : Nueces River at Calallen, Texas	32	137
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	40

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	379
Return Flow Credit (Effective: 08/01/2009)	500
Passthru Target: 5,000 Reservoir Inflow: 40	40
Estuary Inflows (NCAT + RBP)	145
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2009		Elevation (Ft)	
				Allocation	Remaining	Full	08/17/2009
08/16/2009	90	1,426	29,660	4,100	2,674	44.0	36.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 18, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/18/2008	217.4	616,717	88.7%	90.9	203,167	79.0%	819,884	86.1%
08/18/2009	211.5	484,254	69.6%	82.2	81,871	31.8%	566,125	59.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/17/2009	101	609	0.00	99	275	0.00	884
MTD		9,755	0.08		4,747	0.00	14,502

STREAM FLOWS

Gauging Station	08/17/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,022
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	27
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	347	6,030
NCAT : Nueces River at Calallen, Texas	0	137
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	44

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	379
Return Flow Credit (Effective: 08/01/2009)	500
Passthru Target: 5,000 Reservoir Inflow: 44	44
Estuary Inflows (NCAT + RBP)	145
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2009		Elevation (Ft)	
				Allocation	Remaining	Full	08/18/2009
08/17/2009	90	1,516	29,750	4,100	2,584	44.0	36.5

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 19, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/19/2008	217.4	617,690	88.8%	91.0	203,338	79.0%	821,028	86.2%
08/19/2009	211.4	482,583	69.4%	82.2	81,563	31.7%	564,146	59.2%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/18/2009	96	474	0.01	95	149	0.08	623
MTD		10,229	0.09		4,896	0.08	15,125

STREAM FLOWS

Gauging Station	08/18/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,084
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	29
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	363	6,394
NCAT : Nueces River at Calallen, Texas	0	137
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	48

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	379
Return Flow Credit (Effective: 08/01/2009)	500
Passthru Target: 5,000 Reservoir Inflow: 48	48
Estuary Inflows (NCAT + RBP)	145
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2009		Elevation (Ft)	
				Allocation	Remaining	Full	08/19/2009
08/18/2009	90	1,607	29,840	4,100	2,493	44.0	36.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 20, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/20/2008	217.4	617,447	88.8%	91.2	207,281	80.6%	824,728	86.6%
08/20/2009	211.4	482,374	69.4%	82.2	80,950	31.5%	563,324	59.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/19/2009	97	365	0.00	98	208	0.00	573
MTD		10,594	0.09		5,104	0.08	15,698

STREAM FLOWS

Gauging Station	08/19/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,145
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	31
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	351	6,745
NCAT : Nueces River at Calallen, Texas	0	137
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	4	52

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	379
Return Flow Credit (Effective: 08/01/2009)	500
Passthru Target: 5,000 Reservoir Inflow: 52	52
Estuary Inflows (NCAT + RBP)	145
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2009		Elevation (Ft)	
				Allocation	Remaining	Full	08/20/2009
08/19/2009	90	1,697	29,930	4,100	2,403	44.0	36.6

Report Generated: 08/20/2009 at 10:40:01 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 21, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/21/2008	217.4	616,717	88.7%	91.2	207,281	80.6%	823,998	86.5%
08/21/2009	211.4	482,374	69.4%	82.1	80,543	31.3%	562,917	59.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/20/2009	103	547	0.00	101	320	0.00	867
MTD		11,141	0.09		5,424	0.08	16,565

STREAM FLOWS

Gauging Station	08/20/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,207
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	33
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	347	7,092
NCAT : Nueces River at Calallen, Texas	0	137
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	56

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	379
Return Flow Credit (Effective: 08/01/2009)	500
Passthru Target: 5,000 Reservoir Inflow: 56	56
Estuary Inflows (NCAT + RBP)	145
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2009		Elevation (Ft)	
				Allocation	Remaining	Full	08/21/2009
08/20/2009	90	1,787	30,021	4,100	2,313	44.0	36.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 22, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/22/2008	217.4	616,474	88.7%	91.2	207,625	80.7%	824,099	86.5%
08/22/2009	211.4	481,956	69.3%	82.1	79,935	31.1%	561,891	59.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/21/2009	103	595	0.00	98	165	0.03	760
MTD		11,736	0.09		5,589	0.11	17,325

STREAM FLOWS

Gauging Station	08/21/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,268
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	35
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	347	7,440
NCAT : Nueces River at Calallen, Texas	0	137
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	4	61

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	379
Return Flow Credit (Effective: 08/01/2009)	500
Passthru Target: 5,000 Reservoir Inflow: 61	61
Estuary Inflows (NCAT + RBP)	145
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2009		Elevation (Ft)	
				Allocation	Remaining	Full	08/22/2009
08/21/2009	90	1,877	30,111	4,100	2,223	44.0	36.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 23, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/23/2008	217.4	617,447	88.8%	91.2	208,313	81.0%	825,760	86.7%
08/23/2009	211.4	481,749	69.3%	82.0	79,129	30.8%	560,878	58.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/22/2009	102	534	0.00	102	221	0.00	755
MTD		12,270	0.09		5,810	0.11	18,080

STREAM FLOWS

Gauging Station	08/22/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,330
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	37
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	349	7,789
NCAT : Nueces River at Calallen, Texas	0	137
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	4	65

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	379
Return Flow Credit (Effective: 08/01/2009)	500
Passthru Target: 5,000 Reservoir Inflow: 65	65
Estuary Inflows (NCAT + RBP)	145
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2009		Elevation (Ft)	
				Allocation	Remaining	Full	08/23/2009
08/22/2009	90	1,967	30,201	4,100	2,133	44.0	36.5

Report Generated: 08/23/2009 at 10:14:07 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 24, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/24/2008	217.4	617,204	88.8%	91.3	208,485	81.0%	825,689	86.7%
08/24/2009	211.4	481,130	69.2%	81.9	78,329	30.4%	559,459	58.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/23/2009	103	571	0.00	101	256	0.00	827
MTD		12,841	0.09		6,066	0.11	18,907

STREAM FLOWS

Gauging Station	08/23/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,391
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	39
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	349	8,139
NCAT : Nueces River at Calallen, Texas	0	137
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	4	69

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	379
Return Flow Credit (Effective: 08/01/2009)	500
Passthru Target: 5,000 Reservoir Inflow: 69	69
Estuary Inflows (NCAT + RBP)	145
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2009		Elevation (Ft)	
				Allocation	Remaining	Full	08/24/2009
08/23/2009	90	2,057	30,291	4,100	2,043	44.0	36.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 25, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/25/2008	217.4	617,690	88.8%	91.2	208,313	81.0%	826,003	86.7%
08/25/2009	211.3	480,303	69.1%	81.9	78,130	30.4%	558,433	58.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/24/2009	102	606	0.00	100	278	0.00	884
MTD		13,447	0.09		6,344	0.11	19,791

STREAM FLOWS

Gauging Station	08/24/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,453
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	41
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	349	8,488
NCAT : Nueces River at Calallen, Texas	3	141
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	4	73

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	379
Return Flow Credit (Effective: 08/01/2009)	500
Passthru Target: 5,000 Reservoir Inflow: 73	73
Estuary Inflows (NCAT + RBP)	149
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2009		Elevation (Ft)	
				Allocation	Remaining	Full	08/25/2009
08/24/2009	90	2,147	30,381	4,100	1,953	44.0	36.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 26, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/26/2008	217.4	617,447	88.8%	91.2	208,313	81.0%	825,760	86.7%
08/26/2009	211.3	479,472	69.0%	81.8	77,435	30.1%	556,907	58.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/25/2009	100	545	0.00	99	230	0.00		775
MTD		13,992	0.09		6,574	0.11		20,566

STREAM FLOWS

Gauging Station	08/25/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,515
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	42
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	349	8,837
NCAT : Nueces River at Calallen, Texas	0	141
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	77

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	379
Return Flow Credit (Effective: 08/01/2009)	500
Passthru Target: 5,000 Reservoir Inflow: 77	77
Estuary Inflows (NCAT + RBP)	149
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2009		Elevation (Ft)	
				Allocation	Remaining	Full	08/26/2009
08/25/2009	90	2,237	30,471	4,100	1,863	44.0	36.6

Report Generated: 08/26/2009 at 8:26:04 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 27, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/27/2008	217.4	616,960	88.7%	91.3	208,485	81.0%	825,445	86.7%
08/27/2009	211.2	478,219	68.8%	81.7	76,843	29.9%	555,062	58.3%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/26/2009	101	569	0.00	98	246	0.00	815	
MTD		14,561	0.09		6,820	0.11	21,381	

STREAM FLOWS

Gauging Station	08/26/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,576
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	44
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	349	9,187
NCAT : Nueces River at Calallen, Texas	0	141
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	81

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	379
Return Flow Credit (Effective: 08/01/2009)	500
Passthru Target: 5,000 Reservoir Inflow: 81	81
Estuary Inflows (NCAT + RBP)	149
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2009		Elevation (Ft)	
				Allocation	Remaining	Full	08/27/2009
08/26/2009	90	2,327	30,560	4,100	1,773	44.0	36.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 28, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/28/2008	217.4	616,717	88.7%	91.2	208,313	81.0%	825,030	86.6%
08/28/2009	211.2	477,594	68.7%	81.7	76,549	29.8%	554,143	58.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/27/2009	101	544	0.00	100	217	0.00	761
MTD		15,105	0.09		7,037	0.11	22,142

STREAM FLOWS

Gauging Station	08/27/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,638
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	46
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	341	9,528
NCAT : Nueces River at Calallen, Texas	0	141
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	4	85

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	379
Return Flow Credit (Effective: 08/01/2009)	500
Passthru Target: 5,000 Reservoir Inflow: 85	85
Estuary Inflows (NCAT + RBP)	149
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2009		Elevation (Ft)	
				Allocation	Remaining	Full	08/28/2009
08/27/2009	90	2,417	30,650	4,100	1,683	44.0	36.5

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 29, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/29/2008	217.4	616,474	88.7%	91.2	208,313	81.0%	824,787	86.6%
08/29/2009	211.1	476,148	68.5%	81.7	76,157	29.6%	552,305	58.0%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/28/2009	100	483	0.00	100	245	0.26	728
MTD		15,588	0.09		7,282	0.37	22,870

STREAM FLOWS

Gauging Station	08/28/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,699
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	47
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	330	9,858
NCAT : Nueces River at Calallen, Texas	0	141
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	89

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	379
Return Flow Credit (Effective: 08/01/2009)	500
Passthru Target: 5,000 Reservoir Inflow: 89	89
Estuary Inflows (NCAT + RBP)	149
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2009		Elevation (Ft)	
				Allocation	Remaining	Full	08/29/2009
08/28/2009	90	2,507	30,740	4,100	1,593	44.0	36.5

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 30, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/30/2008	217.4	616,474	88.7%	91.3	208,658	81.1%	825,132	86.6%
08/30/2009	211.1	476,561	68.5%	81.6	75,864	29.5%	552,425	58.0%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/29/2009	97	411	0.00	95	136	0.00	547
MTD		15,999	0.09		7,418	0.37	23,417

STREAM FLOWS

Gauging Station	08/29/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,761
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	48
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	341	10,199
NCAT : Nueces River at Calallen, Texas	0	141
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	93

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	379
Return Flow Credit (Effective: 08/01/2009)	500
Passthru Target: 5,000 Reservoir Inflow: 93	93
Estuary Inflows (NCAT + RBP)	149
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2009		Elevation (Ft)	
				Allocation	Remaining	Full	08/30/2009
08/29/2009	90	2,597	30,830	4,100	1,503	44.0	36.5

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 31, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/31/2008	217.4	616,717	88.7%	91.2	208,313	81.0%	825,030	86.6%
08/31/2009	211.1	476,355	68.5%	81.5	74,703	29.0%	551,058	57.9%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/30/2009	100	471	0.00	98	151	0.00	622
MTD		16,470	0.09		7,569	0.37	24,039

STREAM FLOWS

Gauging Station	08/30/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,822
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	48
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	351	10,550
NCAT : Nueces River at Calallen, Texas	26	166
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	97

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	379
Return Flow Credit (Effective: 08/01/2009)	500
Passthru Target: 5,000 Reservoir Inflow: 97	97
Estuary Inflows (NCAT + RBP)	174
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2009		Elevation (Ft)	
				Allocation	Remaining	Full	08/31/2009
08/30/2009	90	2,686	30,920	4,100	1,414	44.0	36.5