

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 1, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/01/2008	217.3	615,987	88.6%	91.2	208,141	80.9%	824,128	86.5%
09/01/2009	211.1	476,355	68.5%	81.5	74,895	29.1%	551,250	57.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/31/2009	94	338	0.00	93	124	0.03	462
MTD		16,808	0.09		7,693	0.40	24,501

STREAM FLOWS

Gauging Station	08/31/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	1,882
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	1	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	48
Release from Choke Canyon Reservoir	58	1,785
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	341	10,892
NCAT : Nueces River at Calallen, Texas	30	196
RBP : Rincon Bayou Pipeline	0	8
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3	100

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit : 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	379
Return Flow Credit (Effective: 08/01/2009)	500
Passthru Target: 5,000 Reservoir Inflow: 100	100
Estuary Inflows (NCAT + RBP)	204
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2009		Elevation (Ft)	
				Allocation	Remaining	Full	09/01/2009
08/31/2009	90	2,776	31,010	4,100	1,324	44.0	36.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 2, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/02/2008	217.3	615,501	88.5%	91.2	208,141	80.9%	823,642	86.5%
09/02/2009	211.1	475,735	68.4%	81.5	74,799	29.1%	550,534	57.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/01/2009	89	169	0.00	88	67	0.09	236
MTD		169	0.00		67	0.09	236

STREAM FLOWS

Gauging Station	09/01/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	60
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	1	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	0
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	310	310
NCAT : Nueces River at Calallen, Texas	81	81
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3	3

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	204
Return Flow Credit (Effective: 09/01/2009)	500
Passthru Target: 11,500 Reservoir Inflow: 3	3
Estuary Inflows (NCAT + RBP)	81
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2009		Elevation (Ft)	
				Allocation	Remaining	Full	09/02/2009
09/01/2009	90	90	31,100	4,100	4,010	44.0	36.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 3, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/03/2008	217.3	615,014	88.5%	91.2	208,313	81.0%	823,327	86.4%
09/03/2009	211.1	475,317	68.4%	81.5	74,223	28.9%	549,540	57.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/02/2009	94	362	0.00	94	128	0.00	490
MTD		531	0.00		195	0.09	726

STREAM FLOWS

Gauging Station	09/02/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	119
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	1	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	0
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	286	596
NCAT : Nueces River at Calallen, Texas	62	143
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3	6

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	204
Return Flow Credit (Effective: 09/01/2009)	500
Passthru Target: 11,500 Reservoir Inflow: 6	6
Estuary Inflows (NCAT + RBP)	143
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2009		Elevation (Ft)	
				Allocation	Remaining	Full	09/03/2009
09/02/2009	90	180	31,190	4,100	3,920	44.0	36.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 4, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/04/2008	217.3	614,527	88.4%	91.2	207,797	80.8%	822,324	86.3%
09/04/2009	211.1	474,691	68.3%	81.4	73,936	28.7%	548,627	57.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/03/2009	99	494	0.00	96	200	0.00	694
MTD		1,025	0.00		395	0.09	1,420

STREAM FLOWS

Gauging Station	09/03/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	179
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	1	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	2
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	276	871
NCAT : Nueces River at Calallen, Texas	50	193
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3	9

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	204
Return Flow Credit (Effective: 09/01/2009)	500
Passthru Target: 11,500 Reservoir Inflow: 9	9
Estuary Inflows (NCAT + RBP)	193
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2009		Elevation (Ft)	
				Allocation	Remaining	Full	09/04/2009
09/03/2009	90	270	31,280	4,100	3,830	44.0	36.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 5, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/05/2008	217.3	614,284	88.4%	91.2	207,281	80.6%	821,565	86.3%
09/05/2009	211.0	473,233	68.1%	81.5	74,606	29.0%	547,839	57.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/04/2009	93	229	0.06	92	118	0.17	347
MTD		1,254	0.06		513	0.26	1,767

STREAM FLOWS

Gauging Station	09/04/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	238
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	1	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	4
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	260	1,131
NCAT : Nueces River at Calallen, Texas	24	216
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	3	12

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	204
Return Flow Credit (Effective: 09/01/2009)	500
Passthru Target: 11,500 Reservoir Inflow: 12	12
Estuary Inflows (NCAT + RBP)	216
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2009		Elevation (Ft)	
				Allocation	Remaining	Full	09/05/2009
09/04/2009	90	361	31,371	4,100	3,739	44.0	36.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 6, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/06/2008	217.3	613,797	88.3%	91.2	206,938	80.4%	820,735	86.2%
09/06/2009	211.0	473,439	68.1%	81.5	74,606	29.0%	548,045	57.5%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/05/2009	89	157	0.12	92	73	0.01	230
MTD		1,411	0.18		586	0.27	1,997

STREAM FLOWS

Gauging Station	09/05/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	298
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	1	5
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	6
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	284	1,415
NCAT : Nueces River at Calallen, Texas	0	216
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3	14

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	204
Return Flow Credit (Effective: 09/01/2009)	500
Passthru Target: 11,500 Reservoir Inflow: 14	14
Estuary Inflows (NCAT + RBP)	216
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2009		Elevation (Ft)	
				Allocation	Remaining	Full	09/06/2009
09/05/2009	90	451	31,461	4,100	3,649	44.0	36.3

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 7, 2009

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/07/2008	217.2	613,310	88.2%	91.1	206,594	80.3%	819,904	86.1%
09/07/2009	211.0	473,439	68.1%	81.5	74,510	29.0%	547,949	57.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/06/2009	95	421	0.00	89	95	0.05	516
MTD		1,832	0.18		681	0.32	2,513

STREAM FLOWS

Gauging Station	09/06/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	357
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	1	6
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	8
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	284	1,699
NCAT : Nueces River at Calallen, Texas	34	250
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3	17

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	204
Return Flow Credit (Effective: 09/01/2009)	500
Passthru Target: 11,500 Reservoir Inflow: 17	17
Estuary Inflows (NCAT + RBP)	250
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2009		Elevation (Ft)	
				Allocation	Remaining	Full	09/07/2009
09/06/2009	90	541	31,551	4,100	3,559	44.0	36.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 8, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/08/2008	217.2	612,580	88.1%	91.1	206,251	80.2%	818,831	86.0%
09/08/2009	211.0	473,855	68.2%	81.5	74,703	29.0%	548,558	57.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/07/2009	93	229	0.07	93	157	0.84	386
MTD		2,061	0.25		838	1.16	2,899

STREAM FLOWS

Gauging Station	09/07/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	417
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	1	6
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	9
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	286	1,985
NCAT : Nueces River at Calallen, Texas	58	308
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3	20

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	204
Return Flow Credit (Effective: 09/01/2009)	500
Passthru Target: 11,500 Reservoir Inflow: 20	20
Estuary Inflows (NCAT + RBP)	308
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2009		Elevation (Ft)	
				Allocation	Remaining	Full	09/08/2009
09/07/2009	91	632	31,642	4,100	3,468	44.0	36.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 9, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/09/2008	217.2	611,616	88.0%	91.1	206,079	80.1%	817,695	85.8%
09/09/2009	211.0	473,026	68.0%	81.5	74,414	28.9%	547,440	57.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/08/2009	92	409	1.75	94	123	0.29	532
MTD		2,470	2.00		961	1.45	3,431

STREAM FLOWS

Gauging Station	09/08/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	478
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	1	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	11
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	288	2,273
NCAT : Nueces River at Calallen, Texas	42	349
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	5	25

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	204
Return Flow Credit (Effective: 09/01/2009)	500
Passthru Target: 11,500 Reservoir Inflow: 25	25
Estuary Inflows (NCAT + RBP)	349
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2009		Elevation (Ft)	
				Allocation	Remaining	Full	09/09/2009
09/08/2009	90	722	31,732	4,100	3,378	44.0	36.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 10, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/10/2008	217.2	611,857	88.0%	91.1	205,736	80.0%	817,593	85.8%
09/10/2009	211.1	474,899	68.3%	81.6	75,864	29.5%	550,763	57.8%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/09/2009	90	157	0.16	94	Pan overflow	1.56		157
MTD		2,627	2.16		961	3.01		3,588

STREAM FLOWS

Gauging Station	09/09/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	544
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	1	8
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	14
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	278	2,551
NCAT : Nueces River at Calallen, Texas	34	383
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	9	34

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	204
Return Flow Credit (Effective: 09/01/2009)	500
Passthru Target: 11,500 Reservoir Inflow: 34	34
Estuary Inflows (NCAT + RBP)	383
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2009		Elevation (Ft)	
				Allocation	Remaining	Full	09/10/2009
09/09/2009	90	812	31,822	4,100	3,288	44.0	36.2

Report Generated: 09/10/2009 at 9:18:11 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 11, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/11/2008	217.1	611,134	87.9%	91.1	205,050	79.7%	816,184	85.7%
09/11/2009	211.4	480,923	69.2%	81.7	76,745	29.8%	557,668	58.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/10/2009	86	303	1.45	86	80	0.54	383
MTD		2,930	3.61		1,041	3.55	3,971

STREAM FLOWS

Gauging Station	09/10/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	609
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	1	9
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	24	37
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	234	2,785
NCAT : Nueces River at Calallen, Texas	202	586
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	9	43

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	204
Return Flow Credit (Effective: 09/01/2009)	500
Passthru Target: 11,500 Reservoir Inflow: 43	43
Estuary Inflows (NCAT + RBP)	586
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2009		Elevation (Ft)	
				Allocation	Remaining	Full	09/11/2009
09/10/2009	90	902	31,912	4,100	3,198	44.0	36.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 12, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/12/2008	217.1	610,652	87.8%	91.1	205,221	79.8%	815,873	85.7%
09/12/2009	211.5	483,209	69.5%	82.0	79,230	30.8%	562,439	59.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/11/2009	79	97	0.82	82	Pan overflow	1.32	97
MTD		3,027	4.43		1,041	4.87	4,068

STREAM FLOWS

Gauging Station	09/11/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	570	1,179
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	13	22
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	97	135
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	163	2,948
NCAT : Nueces River at Calallen, Texas	349	935
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	525	568

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	204
Return Flow Credit (Effective: 09/01/2009)	500
Passthru Target: 11,500 Reservoir Inflow: 568	568
Estuary Inflows (NCAT + RBP)	935
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2009		Elevation (Ft)	
				Allocation	Remaining	Full	09/12/2009
09/11/2009	90	993	32,003	4,100	3,107	44.0	36.5

Report Generated: 09/12/2009 at 8:27:25 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 13, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/13/2008	217.1	610,652	87.8%	91.0	204,023	79.3%	814,675	85.5%
09/13/2009	211.5	483,836	69.6%	82.0	79,230	30.8%	563,066	59.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/12/2009	87	195	0.01	87	140	0.57	335
MTD		3,222	4.44		1,181	5.44	4,403

STREAM FLOWS

Gauging Station	09/12/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	365	1,544
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	13	35
SMTT : San Miguel Creek at Tilden, Texas	631	631
ARWT : Atascosa River at Whitsett, Texas	270	405
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	3,089
NCAT : Nueces River at Calallen, Texas	393	1,328
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	952	1,519

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	204
Return Flow Credit (Effective: 09/01/2009)	500
Passthru Target: 11,500 Reservoir Inflow: 1,519	1,519
Estuary Inflows (NCAT + RBP)	1,328
PassThru Surplus / -Deficit:	513

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2009		Elevation (Ft)	
				Allocation	Remaining	Full	09/13/2009
09/12/2009	91	1,084	32,094	4,100	3,016	44.0	36.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 14, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/14/2008	217.1	609,929	87.7%	90.9	203,167	79.0%	813,096	85.4%
09/14/2009	211.5	484,672	69.7%	82.0	79,733	31.0%	564,405	59.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/13/2009	86	341	0.00	88	171	0.00	512
MTD		3,563	4.44		1,352	5.44	4,915

STREAM FLOWS

Gauging Station	09/13/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	496	2,041
NRIT : Nueces River at Tilden, Texas	7	7
FRIT : Frio River at Tilden, Texas	54	88
SMTT : San Miguel Creek at Tilden, Texas	998	1,630
ARWT : Atascosa River at Whitsett, Texas	399	804
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	3,232
NCAT : Nueces River at Calallen, Texas	260	1,588
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,491	3,010

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	204
Return Flow Credit (Effective: 09/01/2009)	500
Passthru Target: 11,500 Reservoir Inflow: 3,010	3,010
Estuary Inflows (NCAT + RBP)	1,588
PassThru Surplus / -Deficit:	-718

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2009		Elevation (Ft)	
				Allocation	Remaining	Full	09/14/2009
09/13/2009	91	1,174	32,184	4,100	2,926	44.0	36.5

Report Generated: 09/14/2009 at 9:06:44 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 15, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/15/2008	217.0	608,000	87.4%	91.0	203,852	79.2%	811,852	85.2%
09/15/2009	211.6	485,925	69.9%	82.1	79,935	31.1%	565,860	59.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/14/2009	87	293	0.00	88	165	0.00	458
MTD		3,856	4.44		1,517	5.44	5,373

STREAM FLOWS

Gauging Station	09/14/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	568	2,608
NRIT : Nueces River at Tilden, Texas	0	7
FRIT : Frio River at Tilden, Texas	727	815
SMTT : San Miguel Creek at Tilden, Texas	355	1,985
ARWT : Atascosa River at Whitsett, Texas	554	1,357
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	3,392
NCAT : Nueces River at Calallen, Texas	97	1,685
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,592	4,602

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	204
Return Flow Credit (Effective: 09/01/2009)	500
Passthru Target: 11,500 Reservoir Inflow: 4,602	4,602
Estuary Inflows (NCAT + RBP)	1,685
PassThru Surplus / -Deficit:	-2,213

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2009		Elevation (Ft)	
				Allocation	Remaining	Full	09/15/2009
09/14/2009	91	1,266	32,276	4,100	2,834	44.0	37.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 16, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/16/2008	217.0	607,277	87.3%	90.9	202,997	78.9%	810,274	85.1%
09/16/2009	211.7	488,246	70.2%	82.1	80,340	31.2%	568,586	59.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/15/2009	94	343	0.00	91	148	0.00	491
MTD		4,199	4.44		1,665	5.44	5,864

STREAM FLOWS

Gauging Station	09/15/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	403	3,011
NRIT : Nueces River at Tilden, Texas	0	7
FRIT : Frio River at Tilden, Texas	967	1,781
SMTT : San Miguel Creek at Tilden, Texas	117	2,102
ARWT : Atascosa River at Whitsett, Texas	75	1,433
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	197	3,589
NCAT : Nueces River at Calallen, Texas	3	1,688
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,429	6,031

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	204
Return Flow Credit (Effective: 09/01/2009)	500
Passthru Target: 11,500 Reservoir Inflow: 6,031	6,031
Estuary Inflows (NCAT + RBP)	1,688
PassThru Surplus / -Deficit:	-3,639

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2009		Elevation (Ft)	
				Allocation	Remaining	Full	09/16/2009
09/15/2009	91	1,357	32,367	4,100	2,743	44.0	38.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 17, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/17/2008	217.0	606,554	87.2%	90.9	202,142	78.6%	808,696	84.9%
09/17/2009	211.8	490,757	70.6%	82.1	80,036	31.1%	570,793	59.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/16/2009	94	368	0.00	92	206	0.00	574
MTD		4,567	4.44		1,871	5.44	6,438

STREAM FLOWS

Gauging Station	09/16/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	121	3,132
NRIT : Nueces River at Tilden, Texas	0	7
FRIT : Frio River at Tilden, Texas	1,360	3,141
SMTT : San Miguel Creek at Tilden, Texas	44	2,146
ARWT : Atascosa River at Whitsett, Texas	28	1,461
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	220	3,809
NCAT : Nueces River at Calallen, Texas	0	1,688
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,467	7,498

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	204
Return Flow Credit (Effective: 09/01/2009)	500
Passthru Target: 11,500 Reservoir Inflow: 7,498	7,498
Estuary Inflows (NCAT + RBP)	1,688
PassThru Surplus / -Deficit:	-5,106

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2009		Elevation (Ft)	
				Allocation	Remaining	Full	09/17/2009
09/16/2009	91	1,448	32,458	4,100	2,652	44.0	38.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 18, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/18/2008	216.9	605,590	87.1%	90.9	201,972	78.5%	807,562	84.8%
09/18/2009	211.8	489,291	70.4%	82.0	79,531	30.9%	568,822	59.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/17/2009	92	429	0.00	90	194	0.00	623
MTD		4,996	4.44		2,065	5.44	7,061

STREAM FLOWS

Gauging Station	09/17/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	85	3,218
NRIT : Nueces River at Tilden, Texas	0	7
FRIT : Frio River at Tilden, Texas	901	4,042
SMTT : San Miguel Creek at Tilden, Texas	19	2,165
ARWT : Atascosa River at Whitsett, Texas	16	1,477
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	270	4,079
NCAT : Nueces River at Calallen, Texas	7	1,695
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	948	8,447

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	204
Return Flow Credit (Effective: 09/01/2009)	500
Passthru Target: 11,500 Reservoir Inflow: 8,447	8,447
Estuary Inflows (NCAT + RBP)	1,695
PassThru Surplus / -Deficit:	-6,048

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2009		Elevation (Ft)	
				Allocation	Remaining	Full	09/18/2009
09/17/2009	92	1,540	32,550	4,100	2,560	44.0	38.5

Report Generated: 09/18/2009 at 8:50:47 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 19, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/19/2008	216.9	604,867	87.0%	90.8	201,290	78.2%	806,157	84.6%
09/19/2009	211.7	488,873	70.3%	82.0	79,531	30.9%	568,404	59.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/18/2009	90	331	0.00	89	76	0.00	407
MTD		5,327	4.44		2,141	5.44	7,468

STREAM FLOWS

Gauging Station	09/18/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	0	3,218
NRIT : Nueces River at Tilden, Texas	0	7
FRIT : Frio River at Tilden, Texas	246	4,289
SMTT : San Miguel Creek at Tilden, Texas	9	2,174
ARWT : Atascosa River at Whitsett, Texas	11	1,488
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	268	4,347
NCAT : Nueces River at Calallen, Texas	24	1,719
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	266	8,713

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	204
Return Flow Credit (Effective: 09/01/2009)	500
Passthru Target: 11,500 Reservoir Inflow: 8,713	8,713
Estuary Inflows (NCAT + RBP)	1,719
PassThru Surplus / -Deficit:	-6,290

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2009		Elevation (Ft)	
				Allocation	Remaining	Full	09/19/2009
09/18/2009	92	1,632	32,642	4,100	2,468	44.0	38.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 20, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/20/2008	216.9	604,385	86.9%	90.8	200,949	78.1%	805,334	84.5%
09/20/2009	211.7	487,824	70.2%	82.0	79,029	30.7%	566,853	59.5%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/19/2009	92	342	0.00	90	134	0.00		476
MTD		5,669	4.44		2,275	5.44		7,944

STREAM FLOWS

Gauging Station	09/19/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	3,285
NRIT : Nueces River at Tilden, Texas	0	7
FRIT : Frio River at Tilden, Texas	117	4,406
SMTT : San Miguel Creek at Tilden, Texas	5	2,179
ARWT : Atascosa River at Whitsett, Texas	8	1,496
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	270	4,617
NCAT : Nueces River at Calallen, Texas	30	1,749
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	132	8,844

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	204
Return Flow Credit (Effective: 09/01/2009)	500
Passthru Target: 11,500 Reservoir Inflow: 8,844	8,844
Estuary Inflows (NCAT + RBP)	1,749
PassThru Surplus / -Deficit:	-6,392

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2009		Elevation (Ft)	
				Allocation	Remaining	Full	09/20/2009
09/19/2009	92	1,724	32,734	4,100	2,376	44.0	38.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 21, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/21/2008	216.8	603,903	86.9%	90.8	200,608	78.0%	804,511	84.5%
09/21/2009	211.6	486,345	70.0%	81.9	78,628	30.6%	564,973	59.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/20/2009	90	183	0.00	91	210	0.00	393
MTD		5,852	4.44		2,485	5.44	8,337

STREAM FLOWS

Gauging Station	09/20/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	3,353
NRIT : Nueces River at Tilden, Texas	0	7
FRIT : Frio River at Tilden, Texas	71	4,477
SMTT : San Miguel Creek at Tilden, Texas	3	2,182
ARWT : Atascosa River at Whitsett, Texas	7	1,502
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	270	4,887
NCAT : Nueces River at Calallen, Texas	36	1,784
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	84	8,928

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	204
Return Flow Credit (Effective: 09/01/2009)	500
Passthru Target: 11,500 Reservoir Inflow: 8,928	8,928
Estuary Inflows (NCAT + RBP)	1,784
PassThru Surplus / -Deficit:	-6,440

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2009		Elevation (Ft)	
				Allocation	Remaining	Full	09/21/2009
09/20/2009	92	1,816	32,826	4,100	2,284	44.0	38.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 22, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/22/2008	216.8	603,421	86.8%	90.8	200,437	77.9%	803,858	84.4%
09/22/2009	211.6	486,979	70.0%	81.9	78,329	30.4%	565,308	59.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/21/2009	95	391	0.00	95	174	0.00	565
MTD		6,243	4.44		2,659	5.44	8,902

STREAM FLOWS

Gauging Station	09/21/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	3,418
NRIT : Nueces River at Tilden, Texas	0	7
FRIT : Frio River at Tilden, Texas	46	4,523
SMTT : San Miguel Creek at Tilden, Texas	1	2,183
ARWT : Atascosa River at Whitsett, Texas	6	1,508
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	268	5,155
NCAT : Nueces River at Calallen, Texas	50	1,834
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	55	8,983

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	204
Return Flow Credit (Effective: 09/01/2009)	500
Passthru Target: 11,500 Reservoir Inflow: 8,983	8,983
Estuary Inflows (NCAT + RBP)	1,834
PassThru Surplus / -Deficit:	-6,445

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2009		Elevation (Ft)	
				Allocation	Remaining	Full	09/22/2009
09/21/2009	92	1,908	32,918	4,100	2,192	44.0	38.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 23, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/23/2008	216.8	602,939	86.7%	90.9	201,631	78.4%	804,570	84.5%
09/23/2009	211.6	486,979	70.0%	81.9	78,130	30.4%	565,109	59.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/22/2009	79	244	0.98	83	110	0.38	354
MTD		6,487	5.42		2,769	5.82	9,256

STREAM FLOWS

Gauging Station	09/22/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	3,486
NRIT : Nueces River at Tilden, Texas	0	7
FRIT : Frio River at Tilden, Texas	32	4,555
SMTT : San Miguel Creek at Tilden, Texas	2	2,185
ARWT : Atascosa River at Whitsett, Texas	7	1,515
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	270	5,425
NCAT : Nueces River at Calallen, Texas	28	1,862
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	43	9,027

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru	11,500
Monthly Target: 11,500	
Salinity Relief Credit : 0 Effective:	
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	204
Return Flow Credit (Effective: 09/01/2009)	500
Passthru	9,027
Target: 11,500	
Reservoir Inflow: 9,027	
Estuary Inflows (NCAT + RBP)	1,862
PassThru Surplus / -Deficit:	-6,461

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2009		Elevation (Ft)	
				Allocation	Remaining	Full	09/23/2009
09/22/2009	92	2,000	33,010	4,100	2,100	44.0	38.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 24, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/24/2008	216.8	602,457	86.7%	90.9	202,826	78.8%	805,283	84.5%
09/24/2009	211.6	486,134	69.9%	81.7	76,745	29.8%	562,879	59.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/23/2009	69	122	0.42	68	6	0.23	128
MTD		6,609	5.84		2,775	6.05	9,384

STREAM FLOWS

Gauging Station	09/23/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	79	3,565
NRTT : Nueces River at Tilden, Texas	0	7
FRTT : Frio River at Tilden, Texas	22	4,576
SMTT : San Miguel Creek at Tilden, Texas	0	2,185
ARWT : Atascosa River at Whitsett, Texas	8	1,523
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	270	5,695
NCAT : Nueces River at Calallen, Texas	44	1,905
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	44	9,071

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	204
Return Flow Credit (Effective: 09/01/2009)	500
Passthru Target: 11,500 Reservoir Inflow: 9,071	9,071
Estuary Inflows (NCAT + RBP)	1,905
PassThru Surplus / -Deficit:	-6,461

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2009		Elevation (Ft)	
				Allocation	Remaining	Full	09/24/2009
09/23/2009	92	2,092	33,102	4,100	2,008	44.0	38.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 25, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/25/2008	216.8	601,975	86.6%	90.9	202,997	78.9%	804,972	84.5%
09/25/2009	211.6	485,507	69.8%	81.9	77,931	30.3%	563,438	59.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/24/2009	65	73	0.03	69	46	0.01	119
MTD		6,682	5.87		2,821	6.06	9,503

STREAM FLOWS

Gauging Station	09/24/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	145	3,710
NRIT : Nueces River at Tilden, Texas	0	7
FRIT : Frio River at Tilden, Texas	15	4,592
SMTT : San Miguel Creek at Tilden, Texas	0	2,185
ARWT : Atascosa River at Whitsett, Texas	12	1,534
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	270	5,965
NCAT : Nueces River at Calallen, Texas	75	1,981
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	103	9,174

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	204
Return Flow Credit (Effective: 09/01/2009)	500
Passthru Target: 11,500 Reservoir Inflow: 9,174	9,174
Estuary Inflows (NCAT + RBP)	1,981
PassThru Surplus / -Deficit:	-6,489

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2009		Elevation (Ft)	
				Allocation	Remaining	Full	09/25/2009
09/24/2009	92	2,184	33,194	4,100	1,916	44.0	38.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 26, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/26/2008	216.8	601,734	86.5%	90.9	202,484	78.7%	804,218	84.4%
09/26/2009	211.6	486,768	70.0%	81.8	77,139	30.0%	563,907	59.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/25/2009	84	159	0.00	83	86	0.00	245
MTD		6,841	5.87		2,907	6.06	9,748

STREAM FLOWS

Gauging Station	09/25/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	3,801
NRIT : Nueces River at Tilden, Texas	0	7
FRIT : Frio River at Tilden, Texas	11	4,603
SMTT : San Miguel Creek at Tilden, Texas	0	2,185
ARWT : Atascosa River at Whitsett, Texas	26	1,560
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	570	6,535
NCAT : Nueces River at Calallen, Texas	75	2,056
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	45	9,218

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	204
Return Flow Credit (Effective: 09/01/2009)	500
Passthru Target: 11,500 Reservoir Inflow: 9,218	9,218
Estuary Inflows (NCAT + RBP)	2,056
PassThru Surplus / -Deficit:	-6,458

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2009		Elevation (Ft)	
				Allocation	Remaining	Full	09/26/2009
09/25/2009	92	2,277	33,287	4,100	1,823	44.0	38.5

Report Generated: 09/26/2009 at 8:16:12 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 27, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/27/2008	216.7	601,010	86.4%	90.9	201,631	78.4%	802,641	84.3%
09/27/2009	211.6	486,345	70.0%	81.7	76,353	29.7%	562,698	59.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/26/2009	89	244	0.00	88	97	0.00	341
MTD		7,085	5.87		3,004	6.06	10,089

STREAM FLOWS

Gauging Station	09/26/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	85	3,887
NRIT : Nueces River at Tilden, Texas	0	7
FRIT : Frio River at Tilden, Texas	8	4,611
SMTT : San Miguel Creek at Tilden, Texas	0	2,185
ARWT : Atascosa River at Whitsett, Texas	16	1,576
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	923	7,458
NCAT : Nueces River at Calallen, Texas	242	2,298
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	36	9,254

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	204
Return Flow Credit (Effective: 09/01/2009)	500
Passthru Target: 11,500 Reservoir Inflow: 9,254	9,254
Estuary Inflows (NCAT + RBP)	2,298
PassThru Surplus / -Deficit:	-6,252

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2009		Elevation (Ft)	
				Allocation	Remaining	Full	09/27/2009
09/26/2009	92	2,369	33,379	4,100	1,731	44.0	38.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 28, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/28/2008	216.7	600,528	86.4%	90.8	200,949	78.1%	801,477	84.1%
09/28/2009	211.5	484,881	69.7%	81.6	75,282	29.3%	560,163	58.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/27/2009	92	293	0.00	93	113	0.00	406
MTD		7,378	5.87		3,117	6.06	10,495

STREAM FLOWS

Gauging Station	09/27/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	3,962
NRIT : Nueces River at Tilden, Texas	0	7
FRIT : Frio River at Tilden, Texas	7	4,617
SMTT : San Miguel Creek at Tilden, Texas	0	2,185
ARWT : Atascosa River at Whitsett, Texas	12	1,588
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	925	8,383
NCAT : Nueces River at Calallen, Texas	592	2,890
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	25	9,279

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	204
Return Flow Credit (Effective: 09/01/2009)	500
Passthru Target: 11,500 Reservoir Inflow: 9,279	9,279
Estuary Inflows (NCAT + RBP)	2,890
PassThru Surplus / -Deficit:	-5,685

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2009		Elevation (Ft)	
				Allocation	Remaining	Full	09/28/2009
09/27/2009	92	2,461	33,471	4,100	1,639	44.0	38.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 29, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/29/2008	216.7	600,051	86.3%	90.8	200,778	78.0%	800,829	84.1%
09/29/2009	211.6	485,507	69.8%	81.5	74,606	29.0%	560,113	58.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/28/2009	91	305	0.00	95	235	0.00	540
MTD		7,683	5.87		3,352	6.06	11,035

STREAM FLOWS

Gauging Station	09/28/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	4,032
NRIT : Nueces River at Tilden, Texas	0	7
FRIT : Frio River at Tilden, Texas	6	4,623
SMTT : San Miguel Creek at Tilden, Texas	0	2,185
ARWT : Atascosa River at Whitsett, Texas	9	1,597
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	933	9,316
NCAT : Nueces River at Calallen, Texas	582	3,472
RBP : Rincon Bayou Pipeline	64	64
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	17	9,296

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru	11,500
Monthly Target: 11,500	
Salinity Relief Credit : 0 Effective:	
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	204
Return Flow Credit (Effective: 09/01/2009)	500
Passthru	9,296
Target: 11,500	
Reservoir Inflow: 9,296	
Estuary Inflows (NCAT + RBP)	3,535
PassThru Surplus / -Deficit:	-5,057

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2009		Elevation (Ft)	
				Allocation	Remaining	Full	09/29/2009
09/28/2009	92	2,554	33,564	4,100	1,546	44.0	38.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 30, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/30/2008	216.7	599,573	86.2%	90.7	199,757	77.6%	799,330	83.9%
09/30/2009	211.6	485,507	69.8%	81.4	73,460	28.6%	558,967	58.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/29/2009	85	220	0.00	87	11	0.00	231
MTD		7,903	5.87		3,363	6.06	11,266

STREAM FLOWS

Gauging Station	09/29/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	4,099
NRTT : Nueces River at Tilden, Texas	0	7
FRTT : Frio River at Tilden, Texas	4	4,627
SMTT : San Miguel Creek at Tilden, Texas	0	2,185
ARWT : Atascosa River at Whitsett, Texas	7	1,604
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	941	10,256
NCAT : Nueces River at Calallen, Texas	536	4,007
RBP : Rincon Bayou Pipeline	107	171
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	14	9,311

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	204
Return Flow Credit (Effective: 09/01/2009)	500
Passthru Target: 11,500 Reservoir Inflow: 9,311	9,311
Estuary Inflows (NCAT + RBP)	4,178
PassThru Surplus / -Deficit:	-4,428

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2009		Elevation (Ft)	
				Allocation	Remaining	Full	09/30/2009
09/29/2009	92	2,646	33,656	4,100	1,454	44.0	38.5