

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 1, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/01/2008	216.7	599,573	86.2%	90.7	199,246	77.4%	798,819	83.9%
10/01/2009	211.5	483,836	69.6%	81.3	72,798	28.3%	556,634	58.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/30/2009	92	317	0.00	92	110	0.00	427
MTD		8,220	5.87		3,473	6.06	11,693

STREAM FLOWS

Gauging Station	09/30/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	4,165
NRIT : Nueces River at Tilden, Texas	0	7
FRIT : Frio River at Tilden, Texas	3	4,631
SMTT : San Miguel Creek at Tilden, Texas	0	2,185
ARWT : Atascosa River at Whitsett, Texas	524	2,128
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	812	11,068
NCAT : Nueces River at Calallen, Texas	530	4,537
RBP : Rincon Bayou Pipeline	107	278
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	11	9,322

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 11,500 Salinity Relief Credit : 0 Effective:	11,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	204
Return Flow Credit (Effective: 09/01/2009)	500
Passthru Target: 11,500 Reservoir Inflow: 9,322	9,322
Estuary Inflows (NCAT + RBP)	4,815
PassThru Surplus / -Deficit:	-3,802

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2009		Elevation (Ft)	
				Allocation	Remaining	Full	10/01/2009
09/30/2009	92	2,738	33,748	4,100	1,362	44.0	38.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 2, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/02/2008	216.6	599,096	86.2%	90.7	198,567	77.2%	797,663	83.7%
10/02/2009	211.4	482,792	69.4%	81.3	72,986	28.4%	555,778	58.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/01/2009	92	328	0.00	94	270	0.00	598
MTD		328	0.00		270	0.00	598

STREAM FLOWS

Gauging Station	10/01/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	510	510
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	3	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	266	266
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	802	802
NCAT : Nueces River at Calallen, Texas	1,032	1,032
RBP : Rincon Bayou Pipeline	107	107
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	455	455

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,802
Return Flow Credit (Effective:)	0
Passthru Target: 9,000 Reservoir Inflow: 455	455
Estuary Inflows (NCAT + RBP)	1,139
PassThru Surplus / -Deficit:	-3,118

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2009		Elevation (Ft)	
				Allocation	Remaining	Full	10/02/2009
10/01/2009	92	92	33,840	3,050	2,958	44.0	40.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 3, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/03/2008	216.6	598,380	86.1%	90.6	197,548	76.8%	795,928	83.6%
10/03/2009	211.5	484,463	69.7%	81.3	72,610	28.2%	557,073	58.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/02/2009	83	329	0.01	84	109	0.00	438
MTD		657	0.01		379	0.00	1,036

STREAM FLOWS

Gauging Station	10/02/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	187	697
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	2	5
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	58	324
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	282	1,084
NCAT : Nueces River at Calallen, Texas	736	1,769
RBP : Rincon Bayou Pipeline	103	210
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	131	587

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,802
Return Flow Credit (Effective:)	0
Passthru Target: 9,000 Reservoir Inflow: 587	587
Estuary Inflows (NCAT + RBP)	1,979
PassThru Surplus / -Deficit:	-2,410

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2009		Elevation (Ft)	
				Allocation	Remaining	Full	10/03/2009
10/02/2009	92	185	33,933	3,050	2,865	44.0	39.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 4, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/04/2008	216.6	597,663	86.0%	90.6	197,040	76.6%	794,703	83.4%
10/04/2009	211.5	483,627	69.6%	81.5	74,895	29.1%	558,522	58.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/03/2009	87	219	0.38	90	101	0.32	320
MTD		876	0.39		480	0.32	1,356

STREAM FLOWS

Gauging Station	10/03/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	97	794
NRIT : Nueces River at Tilden, Texas	71	71
FRIT : Frio River at Tilden, Texas	2	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	30	353
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	280	1,364
NCAT : Nueces River at Calallen, Texas	181	1,949
RBP : Rincon Bayou Pipeline	117	328
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	42	629

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,802
Return Flow Credit (Effective:)	0
Passthru Target: 9,000 Reservoir Inflow: 629	629
Estuary Inflows (NCAT + RBP)	2,277
PassThru Surplus / -Deficit:	-2,154

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2009		Elevation (Ft)	
				Allocation	Remaining	Full	10/04/2009
10/03/2009	92	277	34,025	3,050	2,773	44.0	39.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 5, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/05/2008	216.6	597,186	85.9%	90.5	196,193	76.3%	793,379	83.3%
10/05/2009	211.5	484,672	69.7%	81.5	74,703	29.0%	559,375	58.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/04/2009	89	183	0.40	90	73	0.02	256
MTD		1,059	0.79		553	0.34	1,612

STREAM FLOWS

Gauging Station	10/04/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	93	887
NRTT : Nueces River at Tilden, Texas	123	195
FRTT : Frio River at Tilden, Texas	4	12
SMTT : San Miguel Creek at Tilden, Texas	12	12
ARWT : Atascosa River at Whitsett, Texas	36	389
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	341	1,705
NCAT : Nueces River at Calallen, Texas	107	2,056
RBP : Rincon Bayou Pipeline	113	441
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	52	681

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru	9,000
Monthly Target: 9,000	
Salinity Relief Credit : 0 Effective:	
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,802
Return Flow Credit (Effective:)	0
Passthru	681
Target: 9,000	
Reservoir Inflow: 681	
Estuary Inflows (NCAT + RBP)	2,497
PassThru Surplus / -Deficit:	-1,986

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2009		Elevation (Ft)	
				Allocation	Remaining	Full	10/05/2009
10/04/2009	92	369	34,117	3,050	2,681	44.0	39.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 6, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/06/2008	216.5	596,469	85.8%	90.5	195,854	76.1%	792,323	83.2%
10/06/2009	211.5	483,836	69.6%	81.5	74,223	28.9%	558,059	58.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/05/2009	92	231	0.00	91	117	0.00	348
MTD		1,290	0.79		670	0.34	1,960

STREAM FLOWS

Gauging Station	10/05/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	177	1,064
NRIT : Nueces River at Tilden, Texas	34	228
FRIT : Frio River at Tilden, Texas	4	15
SMTT : San Miguel Creek at Tilden, Texas	3	15
ARWT : Atascosa River at Whitsett, Texas	1,312	1,701
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	331	2,037
NCAT : Nueces River at Calallen, Texas	181	2,237
RBP : Rincon Bayou Pipeline	135	576
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	125	806

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,802
Return Flow Credit (Effective:)	0
Passthru Target: 9,000 Reservoir Inflow: 806	806
Estuary Inflows (NCAT + RBP)	2,813
PassThru Surplus / -Deficit:	-1,796

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2009		Elevation (Ft)	
				Allocation	Remaining	Full	10/06/2009
10/05/2009	93	462	34,210	3,050	2,588	44.0	41.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 7, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/07/2008	216.5	596,469	85.8%	90.5	195,347	75.9%	791,816	83.1%
10/07/2009	211.5	484,463	69.7%	81.5	74,606	29.0%	559,069	58.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/06/2009	93	268	0.00	96	174	0.00	442
MTD		1,558	0.79		844	0.34	2,402

STREAM FLOWS

Gauging Station	10/06/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,947	3,011
NRIT : Nueces River at Tilden, Texas	10	238
FRIT : Frio River at Tilden, Texas	7	22
SMTT : San Miguel Creek at Tilden, Texas	6	21
ARWT : Atascosa River at Whitsett, Texas	2,263	3,964
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	318	2,354
NCAT : Nueces River at Calallen, Texas	44	2,281
RBP : Rincon Bayou Pipeline	133	709
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,903	2,709

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,802
Return Flow Credit (Effective:)	0
Passthru Target: 9,000 Reservoir Inflow: 2,709	2,709
Estuary Inflows (NCAT + RBP)	2,989
PassThru Surplus / -Deficit:	-3,522

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2009		Elevation (Ft)	
				Allocation	Remaining	Full	10/07/2009
10/06/2009	93	555	34,303	3,050	2,495	44.0	42.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 8, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/08/2008	216.5	596,231	85.8%	90.4	194,672	75.7%	790,903	83.0%
10/08/2009	211.4	482,583	69.4%	81.6	75,475	29.3%	558,058	58.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/07/2009	93	401	0.00	91	158	0.03	559
MTD		1,959	0.79		1,002	0.37	2,961

STREAM FLOWS

Gauging Station	10/07/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,622	4,633
NRIT : Nueces River at Tilden, Texas	3	241
FRIT : Frio River at Tilden, Texas	12	34
SMTT : San Miguel Creek at Tilden, Texas	3	24
ARWT : Atascosa River at Whitsett, Texas	220	4,184
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	310	2,664
NCAT : Nueces River at Calallen, Texas	10	2,291
RBP : Rincon Bayou Pipeline	109	818
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,579	4,288

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,802
Return Flow Credit (Effective:)	0
Passthru Target: 9,000 Reservoir Inflow: 4,288	4,288
Estuary Inflows (NCAT + RBP)	3,109
PassThru Surplus / -Deficit:	-4,981

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2009		Elevation (Ft)	
				Allocation	Remaining	Full	10/08/2009
10/07/2009	94	649	34,397	3,050	2,401	44.0	44.3

Report Generated: 10/08/2009 at 8:54:39 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 9, 2009**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/09/2008	216.5	595,753	85.7%	90.4	194,503	75.6%	790,256	83.0%
10/09/2009	211.4	482,583	69.4%	81.6	75,864	29.5%	558,447	58.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/08/2009	94	389	0.00	92	148	0.00	537
MTD		2,348	0.79		1,150	0.37	3,498

STREAM FLOWS

Gauging Station	10/08/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	216	4,849
NRIT : Nueces River at Tilden, Texas	1	242
FRIT : Frio River at Tilden, Texas	6	39
SMTT : San Miguel Creek at Tilden, Texas	2	26
ARWT : Atascosa River at Whitsett, Texas	103	4,288
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	308	2,972
NCAT : Nueces River at Calallen, Texas	30	2,321
RBP : Rincon Bayou Pipeline	137	955
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	166	4,454

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,802
Return Flow Credit (Effective:)	0
Passthru Target: 9,000 Reservoir Inflow: 4,454	4,454
Estuary Inflows (NCAT + RBP)	3,275
PassThru Surplus / -Deficit:	-4,980

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2009		Elevation (Ft)	
				Allocation	Remaining	Full	10/09/2009
10/08/2009	116	765	34,513	3,050	2,285	44.0	44.2

Report Generated: 10/09/2009 at 10:05:52 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 10, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/10/2008	216.4	594,321	85.5%	90.4	194,503	75.6%	788,824	82.8%
10/10/2009	211.5	483,001	69.5%	81.7	75,549	29.4%	558,550	58.6%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
10/09/2009	80	243	0.85	81	74	0.12		317
MTD		2,591	1.64		1,224	0.49		3,815

STREAM FLOWS

Gauging Station	10/09/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	143	4,992
NRIT : Nueces River at Tilden, Texas	0	242
FRIT : Frio River at Tilden, Texas	4	43
SMTT : San Miguel Creek at Tilden, Texas	1	27
ARWT : Atascosa River at Whitsett, Texas	64	4,351
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	314	3,285
NCAT : Nueces River at Calallen, Texas	7	2,328
RBP : Rincon Bayou Pipeline	181	1,135
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	90	4,544

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,802
Return Flow Credit (Effective:)	0
Passthru Target: 9,000 Reservoir Inflow: 4,544	4,544
Estuary Inflows (NCAT + RBP)	3,463
PassThru Surplus / -Deficit:	-4,883

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2009		Elevation (Ft)	
				Allocation	Remaining	Full	10/10/2009
10/09/2009	144	909	34,657	3,050	2,141	44.0	44.3

Report Generated: 10/10/2009 at 9:25:12 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 11, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/11/2008	216.4	593,843	85.4%	90.2	190,800	74.2%	784,643	82.4%
10/11/2009	211.5	483,627	69.6%	81.7	76,353	29.7%	559,980	58.8%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
10/10/2009	62	61	0.03	66	46	0.01		107
MTD		2,652	1.67		1,270	0.50		3,922

STREAM FLOWS

Gauging Station	10/10/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	127	5,119
NRTT : Nueces River at Tilden, Texas	0	242
FRTT : Frio River at Tilden, Texas	2	45
SMTT : San Miguel Creek at Tilden, Texas	1	27
ARWT : Atascosa River at Whitsett, Texas	46	4,397
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	316	3,601
NCAT : Nueces River at Calallen, Texas	32	2,359
RBP : Rincon Bayou Pipeline	169	1,304
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	72	4,616

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru	9,000
Monthly Target: 9,000	
Salinity Relief Credit : 0 Effective:	
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,802
Return Flow Credit (Effective:)	0
Passthru	4,616
Target: 9,000	
Reservoir Inflow: 4,616	
Estuary Inflows (NCAT + RBP)	3,664
PassThru Surplus / -Deficit:	-4,754

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2009		Elevation (Ft)	
				Allocation	Remaining	Full	10/11/2009
10/10/2009	144	1,053	34,801	3,050	1,997	44.0	44.3

Report Generated: 10/11/2009 at 8:47:52 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 12, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/12/2008	216.4	593,130	85.3%	90.2	190,297	74.0%	783,427	82.2%
10/12/2009	211.4	482,792	69.4%	81.7	76,157	29.6%	558,949	58.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/11/2009	62	73	0.10	65	0	0.02	73
MTD		2,725	1.77		1,270	0.52	3,995

STREAM FLOWS

Gauging Station	10/11/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	103	5,223
NRTT : Nueces River at Tilden, Texas	0	242
FRTT : Frio River at Tilden, Texas	1	46
SMTT : San Miguel Creek at Tilden, Texas	0	28
ARWT : Atascosa River at Whitsett, Texas	38	4,434
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	318	3,918
NCAT : Nueces River at Calallen, Texas	32	2,391
RBP : Rincon Bayou Pipeline	157	1,461
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	47	4,663

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/11/2009)	-3,802
Return Flow Credit (Effective: 10/11/2009)	500
Passthru Target: 9,000 Reservoir Inflow: 4,663	4,663
Estuary Inflows (NCAT + RBP)	3,852
PassThru Surplus / -Deficit:	-4,113

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2009		Elevation (Ft)	
				Allocation	Remaining	Full	10/12/2009
10/11/2009	144	1,197	34,945	3,050	1,853	44.0	44.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 13, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/13/2008	216.4	592,420	85.2%	90.1	189,627	73.7%	782,047	82.1%
10/13/2009	211.4	482,165	69.3%	81.8	76,942	29.9%	559,107	58.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/12/2009	75	61	0.11	76	80	1.25	141
MTD		2,786	1.88		1,350	1.77	4,136

STREAM FLOWS

Gauging Station	10/12/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	5,314
NRTT : Nueces River at Tilden, Texas	0	242
FRTT : Frio River at Tilden, Texas	1	47
SMTT : San Miguel Creek at Tilden, Texas	0	28
ARWT : Atascosa River at Whitsett, Texas	34	4,468
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	310	4,228
NCAT : Nueces River at Calallen, Texas	48	2,439
RBP : Rincon Bayou Pipeline	191	1,652
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	35	4,698

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/11/2009)	-3,802
Return Flow Credit (Effective: 10/11/2009)	500
Passthru Target: 9,000 Reservoir Inflow: 4,698	4,698
Estuary Inflows (NCAT + RBP)	4,090
PassThru Surplus / -Deficit:	-3,910

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2009		Elevation (Ft)	
				Allocation	Remaining	Full	10/13/2009
10/12/2009	144	1,341	35,089	3,050	1,709	44.0	44.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 14, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/14/2008	216.4	593,130	85.3%	90.2	189,794	73.8%	782,924	82.2%
10/14/2009	211.4	482,165	69.3%	81.8	77,534	30.1%	559,699	58.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/13/2009	88	207	0.02	88	52	0.00	259
MTD		2,993	1.90		1,402	1.77	4,395

STREAM FLOWS

Gauging Station	10/13/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	93	5,407
NRTT : Nueces River at Tilden, Texas	0	242
FRTT : Frio River at Tilden, Texas	1	48
SMTT : San Miguel Creek at Tilden, Texas	0	28
ARWT : Atascosa River at Whitsett, Texas	36	4,504
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	308	4,536
NCAT : Nueces River at Calallen, Texas	2	2,441
RBP : Rincon Bayou Pipeline	145	1,796
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	37	4,735

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/11/2009)	-3,802
Return Flow Credit (Effective: 10/11/2009)	500
Passthru Target: 9,000 Reservoir Inflow: 4,735	4,735
Estuary Inflows (NCAT + RBP)	4,237
PassThru Surplus / -Deficit:	-3,800

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2009		Elevation (Ft)	
				Allocation	Remaining	Full	10/14/2009
10/13/2009	144	1,485	35,233	3,050	1,565	44.0	44.2

Report Generated: 10/14/2009 at 8:57:07 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 15, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/15/2008	216.4	592,893	85.3%	90.1	189,459	73.6%	782,352	82.1%
10/15/2009	211.5	483,209	69.5%	81.8	77,238	30.0%	560,447	58.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/14/2009	90	219	0.00	94	155	0.00	374
MTD		3,212	1.90		1,557	1.77	4,769

STREAM FLOWS

Gauging Station	10/14/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	89	5,496
NRTT : Nueces River at Tilden, Texas	0	242
FRTT : Frio River at Tilden, Texas	1	49
SMTT : San Miguel Creek at Tilden, Texas	0	28
ARWT : Atascosa River at Whitsett, Texas	28	4,532
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	302	4,837
NCAT : Nueces River at Calallen, Texas	40	2,480
RBP : Rincon Bayou Pipeline	147	1,943
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	33	4,768

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/11/2009)	-3,802
Return Flow Credit (Effective: 10/11/2009)	500
Passthru Target: 9,000 Reservoir Inflow: 4,768	4,768
Estuary Inflows (NCAT + RBP)	4,424
PassThru Surplus / -Deficit:	-3,646

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2009		Elevation (Ft)	
				Allocation	Remaining	Full	10/15/2009
10/14/2009	143	1,628	35,376	3,050	1,422	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 16, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/16/2008	216.4	593,366	85.3%	90.2	190,465	74.0%	783,831	82.3%
10/16/2009	211.4	481,543	69.3%	81.8	77,040	29.9%	558,583	58.6%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/15/2009	94	304	0.00	95	149	0.00	453
MTD		3,516	1.90		1,706	1.77	5,222

STREAM FLOWS

Gauging Station	10/15/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	85	5,582
NRTT : Nueces River at Tilden, Texas	0	242
FRTT : Frio River at Tilden, Texas	1	50
SMTT : San Miguel Creek at Tilden, Texas	0	28
ARWT : Atascosa River at Whitsett, Texas	24	4,556
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	294	5,131
NCAT : Nueces River at Calallen, Texas	4	2,485
RBP : Rincon Bayou Pipeline	181	2,124
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	28	4,796

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/11/2009)	-3,802
Return Flow Credit (Effective: 10/11/2009)	500
Passthru Target: 9,000 Reservoir Inflow: 4,796	4,796
Estuary Inflows (NCAT + RBP)	4,609
PassThru Surplus / -Deficit:	-3,489

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2009		Elevation (Ft)	
				Allocation	Remaining	Full	10/16/2009
10/15/2009	143	1,771	35,519	3,050	1,279	44.0	44.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 17, 2009**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/17/2008	216.4	593,130	85.3%	90.1	189,459	73.6%	782,589	82.2%
10/17/2009	211.4	481,336	69.2%	81.7	76,549	29.8%	557,885	58.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/16/2009	78	316	0.00	78	120	0.00	436
MTD		3,832	1.90		1,826	1.77	5,658

STREAM FLOWS

Gauging Station	10/16/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	79	5,661
NRTT : Nueces River at Tilden, Texas	0	242
FRTT : Frio River at Tilden, Texas	0	50
SMTT : San Miguel Creek at Tilden, Texas	0	28
ARWT : Atascosa River at Whitsett, Texas	22	4,577
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	262	5,393
NCAT : Nueces River at Calallen, Texas	66	2,550
RBP : Rincon Bayou Pipeline	73	2,197
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	22	4,818

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/11/2009)	-3,802
Return Flow Credit (Effective: 10/11/2009)	500
Passthru Target: 9,000 Reservoir Inflow: 4,818	4,818
Estuary Inflows (NCAT + RBP)	4,748
PassThru Surplus / -Deficit:	-3,372

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2009		Elevation (Ft)	
				Allocation	Remaining	Full	10/17/2009
10/16/2009	143	1,914	35,662	3,050	1,136	44.0	44.3

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 18, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/18/2008	216.4	592,893	85.3%	90.1	189,125	73.5%	782,018	82.1%
10/18/2009	211.4	481,336	69.2%	81.7	76,353	29.7%	557,689	58.5%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
10/17/2009	76	231	0.00	75	108	0.00	339	
MTD		4,063	1.90		1,934	1.77	5,997	

STREAM FLOWS

Gauging Station	10/17/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	77	5,739
NRTT : Nueces River at Tilden, Texas	0	242
FRTT : Frio River at Tilden, Texas	0	50
SMTT : San Miguel Creek at Tilden, Texas	0	28
ARWT : Atascosa River at Whitsett, Texas	18	4,596
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	262	5,655
NCAT : Nueces River at Calallen, Texas	40	2,590
RBP : Rincon Bayou Pipeline	81	2,279
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	20	4,838

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/11/2009)	-3,802
Return Flow Credit (Effective: 10/11/2009)	500
Passthru Target: 9,000 Reservoir Inflow: 4,838	4,838
Estuary Inflows (NCAT + RBP)	4,869
PassThru Surplus / -Deficit:	-3,271

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2009		Elevation (Ft)	
				Allocation	Remaining	Full	10/18/2009
10/17/2009	142	2,056	35,805	3,050	994	44.0	44.3

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 19, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/19/2008	216.4	593,605	85.4%	90.1	188,623	73.3%	782,228	82.1%
10/19/2009	211.4	480,923	69.2%	81.6	75,767	29.5%	556,690	58.4%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
10/18/2009	79	291	0.00	78	113	0.00	404	
MTD		4,354	1.90		2,047	1.77	6,401	

STREAM FLOWS

Gauging Station	10/18/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	5,814
NRTT : Nueces River at Tilden, Texas	0	242
FRTT : Frio River at Tilden, Texas	0	50
SMTT : San Miguel Creek at Tilden, Texas	0	28
ARWT : Atascosa River at Whitsett, Texas	16	4,612
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	286	5,941
NCAT : Nueces River at Calallen, Texas	50	2,640
RBP : Rincon Bayou Pipeline	81	2,360
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	18	4,856

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/11/2009)	-3,802
Return Flow Credit (Effective: 10/11/2009)	500
Passthru Target: 9,000 Reservoir Inflow: 4,856	4,856
Estuary Inflows (NCAT + RBP)	5,000
PassThru Surplus / -Deficit:	-3,158

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2009		Elevation (Ft)	
				Allocation	Remaining	Full	10/19/2009
10/18/2009	142	2,198	35,946	3,050	852	44.0	44.3

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 20, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/20/2008	216.3	591,947	85.1%	90.1	188,121	73.1%	780,068	81.9%
10/20/2009	211.3	480,716	69.1%	81.6	75,379	29.3%	556,095	58.4%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/19/2009	82	267	0.00	81	124	0.00	391
MTD		4,621	1.90		2,171	1.77	6,792

STREAM FLOWS

Gauging Station	10/19/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	5,888
NRTT : Nueces River at Tilden, Texas	0	242
FRTT : Frio River at Tilden, Texas	0	50
SMTT : San Miguel Creek at Tilden, Texas	0	28
ARWT : Atascosa River at Whitsett, Texas	14	4,626
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	304	6,245
NCAT : Nueces River at Calallen, Texas	30	2,669
RBP : Rincon Bayou Pipeline	133	2,493
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	16	4,872

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/11/2009)	-3,802
Return Flow Credit (Effective: 10/11/2009)	500
Passthru Target: 9,000 Reservoir Inflow: 4,872	4,872
Estuary Inflows (NCAT + RBP)	5,163
PassThru Surplus / -Deficit:	-3,011

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2009		Elevation (Ft)	
				Allocation	Remaining	Full	10/20/2009
10/19/2009	142	2,340	36,088	3,050	710	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 21, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/21/2008	216.3	591,711	85.1%	90.0	187,620	72.9%	779,331	81.8%
10/21/2009	211.3	479,681	69.0%	81.5	74,895	29.1%	554,576	58.2%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
10/20/2009	85	267	0.00	84	101	0.05	368	
MTD		4,888	1.90		2,272	1.82	7,160	

STREAM FLOWS

Gauging Station	10/20/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	5,959
NRTT : Nueces River at Tilden, Texas	0	242
FRTT : Frio River at Tilden, Texas	0	50
SMTT : San Miguel Creek at Tilden, Texas	0	28
ARWT : Atascosa River at Whitsett, Texas	13	4,639
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	280	6,525
NCAT : Nueces River at Calallen, Texas	0	2,669
RBP : Rincon Bayou Pipeline	147	2,640
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	14	4,885

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/11/2009)	-3,802
Return Flow Credit (Effective: 10/11/2009)	500
Passthru Target: 9,000 Reservoir Inflow: 4,885	4,885
Estuary Inflows (NCAT + RBP)	5,309
PassThru Surplus / -Deficit:	-2,878

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2009		Elevation (Ft)	
				Allocation	Remaining	Full	10/21/2009
10/20/2009	141	2,481	36,229	3,050	569	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 22, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/22/2008	216.3	591,001	85.0%	90.0	187,454	72.9%	778,455	81.7%
10/22/2009	211.3	479,472	69.0%	81.4	73,936	28.7%	553,408	58.1%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/21/2009	84	279	0.57	83	44	0.34	323
MTD		5,167	2.47		2,316	2.16	7,483

STREAM FLOWS

Gauging Station	10/21/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	6,030
NRTT : Nueces River at Tilden, Texas	0	242
FRTT : Frio River at Tilden, Texas	1	51
SMTT : San Miguel Creek at Tilden, Texas	0	28
ARWT : Atascosa River at Whitsett, Texas	12	4,651
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	236	6,761
NCAT : Nueces River at Calallen, Texas	0	2,669
RBP : Rincon Bayou Pipeline	69	2,710
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	15	4,900

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/11/2009)	-3,802
Return Flow Credit (Effective: 10/11/2009)	500
Passthru Target: 9,000 Reservoir Inflow: 4,900	4,900
Estuary Inflows (NCAT + RBP)	5,379
PassThru Surplus / -Deficit:	-2,823

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2009		Elevation (Ft)	
				Allocation	Remaining	Full	10/22/2009
10/21/2009	141	2,622	36,370	3,050	428	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 23, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/23/2008	216.3	591,001	85.0%	90.0	187,620	72.9%	778,621	81.7%
10/23/2009	211.3	480,510	69.1%	81.6	75,088	29.2%	555,598	58.3%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
10/22/2009	76	218	0.00	76	186	0.00	404	
MTD		5,385	2.47		2,502	2.16	7,887	

STREAM FLOWS

Gauging Station	10/22/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	6,104
NRTT : Nueces River at Tilden, Texas	0	242
FRTT : Frio River at Tilden, Texas	5	56
SMTT : San Miguel Creek at Tilden, Texas	0	28
ARWT : Atascosa River at Whitsett, Texas	11	4,661
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	214	6,975
NCAT : Nueces River at Calallen, Texas	28	2,697
RBP : Rincon Bayou Pipeline	0	2,710
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	21	4,921

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/11/2009)	-3,802
Return Flow Credit (Effective: 10/11/2009)	500
Passthru Target: 9,000 Reservoir Inflow: 4,921	4,921
Estuary Inflows (NCAT + RBP)	5,407
PassThru Surplus / -Deficit:	-2,817

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2009		Elevation (Ft)	
				Allocation	Remaining	Full	10/23/2009
10/22/2009	140	2,763	36,511	3,050	287	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 24, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/24/2008	216.2	589,568	84.8%	90.0	186,453	72.5%	776,021	81.5%
10/24/2009	211.3	480,097	69.1%	81.5	74,606	29.0%	554,703	58.2%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
10/23/2009	75	243	0.00	74	162	0.00	405	
MTD		5,628	2.47		2,664	2.16	8,292	

STREAM FLOWS

Gauging Station	10/23/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	6,175
NRTT : Nueces River at Tilden, Texas	0	242
FRTT : Frio River at Tilden, Texas	5	62
SMTT : San Miguel Creek at Tilden, Texas	0	28
ARWT : Atascosa River at Whitsett, Texas	11	4,672
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	218	7,194
NCAT : Nueces River at Calallen, Texas	60	2,757
RBP : Rincon Bayou Pipeline	0	2,710
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	19	4,941

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/11/2009)	-3,802
Return Flow Credit (Effective: 10/11/2009)	500
Passthru Target: 9,000 Reservoir Inflow: 4,941	4,941
Estuary Inflows (NCAT + RBP)	5,466
PassThru Surplus / -Deficit:	-2,776

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2009		Elevation (Ft)	
				Allocation	Remaining	Full	10/24/2009
10/23/2009	140	2,903	36,651	3,050	147	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 25, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/25/2008	216.3	590,046	84.9%	89.9	185,953	72.3%	775,999	81.5%
10/25/2009	211.3	479,472	69.0%	81.5	74,414	28.9%	553,886	58.1%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
10/24/2009	79	182	0.00	79	129	0.00	311	
MTD		5,810	2.47		2,793	2.16	8,603	

STREAM FLOWS

Gauging Station	10/24/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	6,247
NRTT : Nueces River at Tilden, Texas	0	242
FRTT : Frio River at Tilden, Texas	5	66
SMTT : San Miguel Creek at Tilden, Texas	0	28
ARWT : Atascosa River at Whitsett, Texas	10	4,682
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	200	7,394
NCAT : Nueces River at Calallen, Texas	83	2,840
RBP : Rincon Bayou Pipeline	0	2,710
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	19	4,959

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/11/2009)	-3,802
Return Flow Credit (Effective: 10/11/2009)	500
Passthru Target: 9,000 Reservoir Inflow: 4,959	4,959
Estuary Inflows (NCAT + RBP)	5,550
PassThru Surplus / -Deficit:	-2,712

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2009		Elevation (Ft)	
				Allocation	Remaining	Full	10/25/2009
10/24/2009	140	3,043	36,791	3,050	7	44.0	44.0

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 26, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/26/2008	216.2	588,852	84.7%	89.9	185,454	72.1%	774,306	81.3%
10/26/2009	211.2	478,219	68.8%	81.5	74,414	28.9%	552,633	58.0%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
10/25/2009	86	157	0.00	83	34	0.05	191	
MTD		5,967	2.47		2,827	2.21	8,794	

STREAM FLOWS

Gauging Station	10/25/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	6,318
NRTT : Nueces River at Tilden, Texas	0	242
FRTT : Frio River at Tilden, Texas	4	70
SMTT : San Miguel Creek at Tilden, Texas	0	28
ARWT : Atascosa River at Whitsett, Texas	17	4,699
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	165	7,559
NCAT : Nueces River at Calallen, Texas	67	2,908
RBP : Rincon Bayou Pipeline	0	2,710
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	18	4,977

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/11/2009)	-3,802
Return Flow Credit (Effective: 10/11/2009)	500
Passthru Target: 9,000 Reservoir Inflow: 4,977	4,977
Estuary Inflows (NCAT + RBP)	5,617
PassThru Surplus / -Deficit:	-2,662

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2009		Elevation (Ft)	
				Allocation	Remaining	Full	10/26/2009
10/25/2009	139	3,182	36,930	3,050	-132	44.0	44.0

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 27, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/27/2008	216.2	587,431	84.5%	89.9	186,287	72.4%	773,718	81.2%
10/27/2009	211.2	478,428	68.8%	81.6	75,670	29.4%	554,098	58.2%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
10/26/2009	74	61	1.00	82	153	1.40	214	
MTD		6,028	3.47		2,980	3.61	9,008	

STREAM FLOWS

Gauging Station	10/26/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	79	6,398
NRTT : Nueces River at Tilden, Texas	0	242
FRTT : Frio River at Tilden, Texas	11	81
SMTT : San Miguel Creek at Tilden, Texas	0	28
ARWT : Atascosa River at Whitsett, Texas	30	4,729
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	153	7,712
NCAT : Nueces River at Calallen, Texas	101	3,009
RBP : Rincon Bayou Pipeline	0	2,710
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	33	5,010

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/11/2009)	-3,802
Return Flow Credit (Effective: 10/11/2009)	500
Passthru Target: 9,000 Reservoir Inflow: 5,010	5,010
Estuary Inflows (NCAT + RBP)	5,718
PassThru Surplus / -Deficit:	-2,593

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2009		Elevation (Ft)	
				Allocation	Remaining	Full	10/27/2009
10/26/2009	140	3,322	37,070	3,050	-272	44.0	44.0

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 28, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/28/2008	216.2	588,140	84.6%	89.8	184,623	71.8%	772,763	81.1%
10/28/2009	211.2	477,181	68.6%	81.7	76,157	29.6%	553,338	58.1%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
10/27/2009	70	145	0.00	70	80	0.00	225	
MTD		6,173	3.47		3,060	3.61	9,233	

STREAM FLOWS

Gauging Station	10/27/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	151	6,549
NRTT : Nueces River at Tilden, Texas	0	242
FRTT : Frio River at Tilden, Texas	7	88
SMTT : San Miguel Creek at Tilden, Texas	0	28
ARWT : Atascosa River at Whitsett, Texas	32	4,760
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	7,859
NCAT : Nueces River at Calallen, Texas	115	3,124
RBP : Rincon Bayou Pipeline	0	2,710
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	100	5,110

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/11/2009)	-3,802
Return Flow Credit (Effective: 10/11/2009)	500
Passthru Target: 9,000 Reservoir Inflow: 5,110	5,110
Estuary Inflows (NCAT + RBP)	5,834
PassThru Surplus / -Deficit:	-2,578

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2009		Elevation (Ft)	
				Allocation	Remaining	Full	10/28/2009
10/27/2009	140	3,461	37,209	3,050	-411	44.0	44.2

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 29, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/29/2008	216.1	586,485	84.4%	89.8	183,960	71.5%	770,445	80.9%
10/29/2009	211.1	475,942	68.5%	81.6	75,282	29.3%	551,224	57.9%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
10/28/2009	83	133	0.00	83	85	0.00	218	
MTD		6,306	3.47		3,145	3.61	9,451	

STREAM FLOWS

Gauging Station	10/28/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	157	6,705
NRTT : Nueces River at Tilden, Texas	0	242
FRTT : Frio River at Tilden, Texas	6	94
SMTT : San Miguel Creek at Tilden, Texas	0	28
ARWT : Atascosa River at Whitsett, Texas	381	5,142
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	133	7,992
NCAT : Nueces River at Calallen, Texas	101	3,225
RBP : Rincon Bayou Pipeline	0	2,710
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	105	5,215

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/11/2009)	-3,802
Return Flow Credit (Effective: 10/11/2009)	500
Passthru Target: 9,000 Reservoir Inflow: 5,215	5,215
Estuary Inflows (NCAT + RBP)	5,935
PassThru Surplus / -Deficit:	-2,582

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2009		Elevation (Ft)	
				Allocation	Remaining	Full	10/29/2009
10/28/2009	139	3,601	37,349	3,050	-551	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 30, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/30/2008	216.1	585,546	84.2%	89.8	183,628	71.4%	769,174	80.8%
10/30/2009	211.2	477,594	68.7%	81.7	76,157	29.6%	553,751	58.1%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/29/2009	89	351	0.01	90	176	0.00	527
MTD		6,657	3.48		3,321	3.61	9,978

STREAM FLOWS

Gauging Station	10/29/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	312	7,017
NRTT : Nueces River at Tilden, Texas	0	242
FRTT : Frio River at Tilden, Texas	28	122
SMTT : San Miguel Creek at Tilden, Texas	0	28
ARWT : Atascosa River at Whitsett, Texas	135	5,277
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	115	8,107
NCAT : Nueces River at Calallen, Texas	62	3,287
RBP : Rincon Bayou Pipeline	0	2,710
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	282	5,497

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/11/2009)	-3,802
Return Flow Credit (Effective: 10/11/2009)	500
Passthru Target: 9,000 Reservoir Inflow: 5,497	5,497
Estuary Inflows (NCAT + RBP)	5,996
PassThru Surplus / -Deficit:	-2,803

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2009		Elevation (Ft)	
				Allocation	Remaining	Full	10/30/2009
10/29/2009	139	3,740	37,488	3,050	-690	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 31, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
10/31/2008	216.0	584,844	84.1%	89.8	183,462	71.3%	768,306	80.7%
10/31/2009	211.2	478,219	68.8%	81.7	75,962	29.5%	554,181	58.2%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/30/2009	71	206	0.00	69	153	0.00	359
MTD		6,863	3.48		3,474	3.61	10,337

STREAM FLOWS

Gauging Station	10/30/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	183	7,200
NRTT : Nueces River at Tilden, Texas	0	242
FRTT : Frio River at Tilden, Texas	46	167
SMTT : San Miguel Creek at Tilden, Texas	0	28
ARWT : Atascosa River at Whitsett, Texas	79	5,356
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	127	8,234
NCAT : Nueces River at Calallen, Texas	12	3,299
RBP : Rincon Bayou Pipeline		2,710
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	171	5,668

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 10/11/2009)	-3,802
Return Flow Credit (Effective: 10/11/2009)	500
Passthru Target: 9,000 Reservoir Inflow: 5,668	5,668
Estuary Inflows (NCAT + RBP)	6,008
PassThru Surplus / -Deficit:	-2,961

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2009		Elevation (Ft)	
				Allocation	Remaining	Full	10/31/2009
10/30/2009	139	3,879	37,627	3,050	-829	44.0	44.1