Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 1, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lal	ke Corpus Christi	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/01/2008	215.6	573,581	82.5%	89.2	174,589	67.9%	748,170	78.5%
12/01/2009	211.1	474,691	68.3%	82.3	82,179	31.9%	556,870	58.5%

	Weather Related Information										
	Choke Canyon Reservoir Lake Corpus Christi Reservoir Combine						Combined				
Date	Air Temp Evaporation Rainfall Air (°F) (AcFt) (Inches)				Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
11/30/2009	53	96	0.27	53	18	0.38	114				
MTD		4,475	2.66		2,026	5.50	6,501				

STREAM FLOWS

Gauging Station	11/30/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	139	7,573
NRTT: Nueces River at Tilden, Texas	14	498
FRTT: Frio River at Tilden, Texas	16	612
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	26	4,746
Release from Choke Canyon Reservoir	58	1,727
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	133	4,943
NCAT: Nueces River at Calallen, Texas	11	3,529
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	97	6,458

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 0 Effectiv	re:	4,000
Credit / -Deficit From Previous Month	-3,106	
Return Flow Credit (Effective: 11/01/2	500	
Passthru Target: 4,000 Reservoir Inflow: 6,458	Comment: The remaining required passthru of 3,106 AF for Oct 2009 will be released at a later date. It is being delayed in order to study the long-term effects of the freshwater delivered to the upper delta via the Rincon Bayou Pipeline Sep 28 - Oct 21, 2009	4,000
Estuary Inflows (NCAT + RBP)		3,529
PassThru Surplus / -Deficit:		-3,077

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	ntake MTD		Novem	ber 2009	Elevation (Ft)	
Date	Дану Іптаке	MID	YTD	Allocation	Remaining	Full	12/01/2009
11/30/2009	137	4,139	41,905	3,050	-1,089	44.0	44.1

Report Generated: 12/01/2009 at 10:36:36 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 2, 2009

RESERVOIR STATISTICS

Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System					
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%		
12/02/2008	215.5	573,113	82.4%	89.2	174,100	67.7%	747,213	78.4%		
12/02/2009	211.0	474,273	68.2%	82.4	83,732	32.5%	558,005	58.6%		
	Woothon Deloted Information									

	Weather Related Information										
	C	hoke Canyon Reservoir	Lak	Combined							
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
12/01/2009	51	72	0.70	50	36	1.04	108				
MTD		72	0.70		36	1.04	108				

STREAM FLOWS

Gauging Station	12/01/2009 (AcFt)	MTD (AcFt)					
NTRT: Nueces River at Three Rivers, Texas	151	151					
NRTT: Nueces River at Tilden, Texas	12	12					
FRTT: Frio River at Tilden, Texas	17	17					
SMTT: San Miguel Creek at Tilden, Texas	0	0					
ARWT: Atascosa River at Whitsett, Texas	24	24					
Release from Choke Canyon Reservoir	58	58					
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	155	155					
NCAT: Nueces River at Calallen, Texas	26	26					
RBP: Rincon Bayou Pipeline	0	0					
Reservoir Inflow	Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	110	110					

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effectiv	re:	4,500
Credit / -Deficit From Previous Month	-3,077	
Return Flow Credit (Effective: 12/01/2	500	
Passthru Target: 4,500 Reservoir Inflow: 110	Comment: The Nov 2009 surplus of 29 AF has been credited towards the Oct 2009 deficit. The remaining Oct 2009 deficit of 3,077 AF will be released at a later date.	110
Estuary Inflows (NCAT + RBP)	26	
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Deceml	ber 2009		Elevation (Ft)
Date	D ану Intake	MIID	110	Allocation	Remaining	Full	12/02/2009
12/01/2009	137	137	42,043	3,050	2,913	44.0	44.1

Report Generated: 12/02/2009 at 11:36:55 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 3, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lal	ke Corpus Christi I	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/03/2008	215.5	572,879	82.4%	89.2	173,288	67.4%	746,167	78.3%
12/03/2009	211.0	474,064	68.2%	82.4	83,940	32.6%	558,004	58.6%

	Weather Related Information										
	Choke Canyon Reservoir				Lake Corpus Christi Reservoir						
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
12/02/2009	57	120	0.00	60	91	0.00	211				
MTD		192	0.70		127	1.04	319				

STREAM FLOWS

Gauging Station	12/02/2009 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	147	298				
NRTT: Nueces River at Tilden, Texas	11	23				
FRTT: Frio River at Tilden, Texas	34	50				
SMTT: San Miguel Creek at Tilden, Texas	2	2				
ARWT: Atascosa River at Whitsett, Texas	28	52				
Release from Choke Canyon Reservoir	58	115				
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	121	276				
NCAT: Nueces River at Calallen, Texas	159	185				
RBP: Rincon Bayou Pipeline	0	0				
Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	125	235				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effectiv	e:	4,500		
Credit / -Deficit From Previous Month	Credit / -Deficit From Previous Month (Date Deficit Satisfied:)			
Return Flow Credit (Effective: 12/01/2	500			
Passthru Target: 4,500 Reservoir Inflow: 235	Comment: The Nov 2009 surplus of 29 AF has been credited towards the Oct 2009 deficit. The remaining Oct 2009 deficit of 3,077 AF will be released at a later date.	235		
Estuary Inflows (NCAT + RBP)	185			
PassThru Surplus / -Deficit:		0		

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	YTD	December 2009		December 2009 Elevation (Ft)		Elevation (Ft)
Date			YID	Allocation	Remaining	Full	12/03/2009	
12/02/2009	137	274	42,180	3,050	2,776	44.0	44.2	

Report Generated: 12/03/2009 at 9:38:49 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 4, 2009

RESERVOIR STATISTICS

		Choke Canyon Re	servoir	Lake Corpus Christi Reservoir		Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/04/2008	215.5	572,410	82.3%	89.3	175,404	68.2%	747,814	78.5%
12/04/2009	211.0	473,646	68.1%	82.5	84,044	32.7%	557,690	58.5%

	Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/03/2009	51	108	0.00	50	43	0.45	151	
MTD		300	0.70		170	1.49	470	

STREAM FLOWS

Gauging Station	12/03/2009 (AcFt)	MTD (AcFt)			
NTRT: Nueces River at Three Rivers, Texas	131	429			
NRTT: Nueces River at Tilden, Texas	7	30			
FRTT: Frio River at Tilden, Texas	32	82			
SMTT: San Miguel Creek at Tilden, Texas	3	5			
ARWT: Atascosa River at Whitsett, Texas	220	272			
Release from Choke Canyon Reservoir	58	173			
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	83	359			
NCAT: Nueces River at Calallen, Texas	197	381			
RBP: Rincon Bayou Pipeline	0	0			
Reservoir Inflow					
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	108	343			

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective Credit: 0	tive:	4,500
Credit / -Deficit From Previous Mor	nth (Date Deficit Satisfied:)	-3,077
Return Flow Credit (Effective: 12/01/2009)		500
Passthru Target: 4,500 Reservoir Inflow: 343	Comment: The Nov 2009 surplus of 29 AF has been credited towards the Oct 2009 deficit. The remaining Oct 2009 deficit of 3,077 AF will be released at a later date.	343
Estuary Inflows (NCAT + RBP)		381
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Doily Intoly	MTD	YTD December 2009 Elevation (Ft)		December 2009		Elevation (Ft)
Date	ate Daily Intake	MID	YID	Allocation	Remaining	Full	12/04/2009
12/03/2009	137	412	42,317	3,050	2,638	44.0	44.1

Report Generated: 12/04/2009 at 9:14:51 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 5, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir		Lal	ke Corpus Christi l	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/05/2008	215.5	571,944	82.3%	89.2	174,100	67.7%	746,044	78.3%
12/05/2009	211.0	474,064	68.2%	82.5	84,253	32.8%	558,317	58.6%

Weather Related Information								
	Choke Canyon Reservoir			Lake	Combined			
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/04/2009	44	Pan Froze	0.01	41	12	0.10	12	
MTD		300	0.71		182	1.59	482	

STREAM FLOWS

Gauging Station	12/04/2009 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	254	683				
NRTT: Nueces River at Tilden, Texas	3	33				
FRTT: Frio River at Tilden, Texas	26	108				
SMTT: San Miguel Creek at Tilden, Texas	3	8				
ARWT: Atascosa River at Whitsett, Texas	105	377				
Release from Choke Canyon Reservoir	58	230				
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	103	463				
NCAT: Nueces River at Calallen, Texas	93	474				
RBP: Rincon Bayou Pipeline		0				
Reservoir Inflow	Reservoir Inflow					
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	226	569				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effec	tive:	4,500
Credit / -Deficit From Previous Mon	-3,077	
Return Flow Credit (Effective: 12/01/2009)		500
Passthru Target: 4,500 Reservoir Inflow: 569	Comment: The Nov 2009 surplus of 29 AF has been credited towards the Oct 2009 deficit. The remaining Oct 2009 deficit of 3,077 AF will be released at a later date.	569
Estuary Inflows (NCAT + RBP)		474
PassThru Surplus / -Deficit:		-2,671

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Doily Intoko	v Intake MTD YTD		Decem	ber 2009	Elevation (Ft)	
Date	Daily Intake	MIID	110	Allocation	Remaining	Full	12/05/2009
12/04/2009	137	549	42,454	3,050	2,501	44.0	44.1

Report Generated: 12/06/2009 at 8:40:58 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 6, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir		Lai	ke Corpus Christi l	Combined Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
12/06/2008	215.5	571,481	82.2%	89.1	172,801	67.2%	744,282	78.1%	
12/06/2009	211.0	474,064	68.2%	82.5	84,777	33.0%	558,841	58.7%	
	W-sk D-l-4-3 Feb								

	Weather Related Information								
	C	hoke Canyon Reservoir		Lake		Combined			
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
12/05/2009	50	120	0.00	49	37	0.03	157		
MTD		420	0.71		219	1.62	639		

STREAM FLOWS

Gauging Station	12/05/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	165	848
NRTT: Nueces River at Tilden, Texas	2	35
FRTT: Frio River at Tilden, Texas	22	130
SMTT: San Miguel Creek at Tilden, Texas	2	10
ARWT: Atascosa River at Whitsett, Texas	54	431
Release from Choke Canyon Reservoir	58	288
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	77	540
NCAT: Nueces River at Calallen, Texas	50	524
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	131	700

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effect	tive:	4,500
Credit / -Deficit From Previous Mon	nth (Date Deficit Satisfied:)	-3,077
Return Flow Credit (Effective: 12/0	1/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 700	Comment: The Nov 2009 surplus of 29 AF has been credited towards the Oct 2009 deficit. The remaining Oct 2009 deficit of 3,077 AF will be released at a later date.	700
Estuary Inflows (NCAT + RBP)		524
PassThru Surplus / -Deficit:		-2,753

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2009		Elevation (Ft)	
Date	Daily Intake	MID	YID	Allocation	Remaining	Full	12/06/2009
12/05/2009	137	686	42,591	3,050	2,364	44.0	44.1

Report Generated: 12/06/2009 at 8:30:32 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 7, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lai	ke Corpus Christi	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
12/07/2008	215.5	571,249	82.2%	89.1	172,638	67.1%	743,887	78.1%	
12/07/2009	211.0	473,026	68.0%	82.5	84,882	33.0%	557,908	58.6%	
	Weather Related Information								

	Weather Related Information									
	C	hoke Canyon Reservoir		Lak	Combined					
Date	ate 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				Rainfall (Inches)	Evaporation (AcFt)				
12/06/2009	65	36	0.00	66	43	0.00	79			
MTD		456	0.71		262	1.62	718			

STREAM FLOWS

Gauging Station	12/06/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	131	979
NRTT: Nueces River at Tilden, Texas	1	36
FRTT: Frio River at Tilden, Texas	19	149
SMTT: San Miguel Creek at Tilden, Texas	2	12
ARWT: Atascosa River at Whitsett, Texas	38	468
Release from Choke Canyon Reservoir	58	345
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	99	639
NCAT: Nueces River at Calallen, Texas	16	540
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	94	794

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effec	tive:	4,500
Credit / -Deficit From Previous Mor	nth (Date Deficit Satisfied:)	-3,077
Return Flow Credit (Effective: 12/0	1/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 794	Comment: The Nov 2009 surplus of 29 AF has been credited towards the Oct 2009 deficit. The remaining Oct 2009 deficit of 3,077 AF will be released at a later date.	794
Estuary Inflows (NCAT + RBP)		540
PassThru Surplus / -Deficit:		-2,831

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Doily Intoly	MTD	YTD	Decem	December 2009		Elevation (Ft)	
Date	Daily Intake	MID	Allocation	Remaining	Full	12/07/2009		
12/06/2009	137	822	42,728	3,050	2,228	44.0	44.1	

Report Generated: 12/07/2009 at 8:51:14 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 8, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir		Lal	ke Corpus Christi	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/08/2008	215.5	571,017	82.1%	89.1	172,152	66.9%	743,169	78.0%
12/08/2009	211.0	472,613	68.0%	82.5	84,882	33.0%	557,495	58.5%

	Weather Related Information									
	Choke Canyon Reservoir			Lake	:	Combined				
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)			
12/07/2009	56	12	0.10	58	31	0.10	43			
MTD		468	0.81		293	1.72	761			

STREAM FLOWS

Gauging Station	12/07/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	115	1,094
NRTT: Nueces River at Tilden, Texas	1	37
FRTT: Frio River at Tilden, Texas	17	166
SMTT: San Miguel Creek at Tilden, Texas	0	12
ARWT: Atascosa River at Whitsett, Texas	30	498
Release from Choke Canyon Reservoir	58	403
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	107	746
NCAT: Nueces River at Calallen, Texas	1	541
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	75	868

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effect	ě	
Credit / -Deficit From Previous Mor	nth (Date Deficit Satisfied:)	-3,077
Return Flow Credit (Effective: 12/0	1/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 868	Comment: The Nov 2009 surplus of 29 AF has been credited towards the Oct 2009 deficit. The remaining Oct 2009 deficit of 3,077 AF will be released at a later date.	868
Estuary Inflows (NCAT + RBP)		541
PassThru Surplus / -Deficit:		-2,904

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Doily Intoly	MTD	YTD	Decem	ber 2009		Elevation (Ft)
Date	Daily Intake	MIID	YID	Allocation	Remaining	Full	12/08/2009
12/07/2009	136	959	42,864	3,050	2,091	44.0	44.1

Report Generated: 12/09/2009 at 9:19:09 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 9, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir		Lai	ke Corpus Christi l	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/09/2008	215.5	571,249	82.2%	89.1	171,666	66.7%	742,915	78.0%
12/09/2009	211.0	473,026	68.0%	82.5	84,987	33.0%	558,013	58.6%

	Weather Related Information									
	Choke Canyon Reservoir			Lake	r	Combined				
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)			
12/08/2009	58	24	0.04	61	12	0.00	36			
MTD		492	0.85		305	1.72	797			

STREAM FLOWS

Gauging Station	12/08/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	107	1,201
NRTT: Nueces River at Tilden, Texas	1	37
FRTT: Frio River at Tilden, Texas	14	180
SMTT: San Miguel Creek at Tilden, Texas	0	12
ARWT: Atascosa River at Whitsett, Texas	28	526
Release from Choke Canyon Reservoir	58	461
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	117	863
NCAT: Nueces River at Calallen, Texas	15	556
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	64	932

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effec		
Credit / -Deficit From Previous Mon	nth (Date Deficit Satisfied:)	-3,077
Return Flow Credit (Effective: 12/0	1/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 932	Comment: The Nov 2009 surplus of 29 AF has been credited towards the Oct 2009 deficit. The remaining Oct 2009 deficit of 3,077 AF will be released at a later date.	932
Estuary Inflows (NCAT + RBP)		556
PassThru Surplus / -Deficit:		-2,952

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD YTD		December 2009			Elevation (Ft)
Date	Daily Intake	MID	YID	Allocation	Remaining	Full	12/09/2009
12/08/2009	137	1,096	43,002	3,050	1,954	44.0	44.1

Report Generated: 12/09/2009 at 8:45:52 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 10, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir		Lal	ke Corpus Christi l	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/10/2008	215.5	571,249	82.2%	89.1	172,638	67.1%	743,887	78.1%
12/10/2009	211.0	473,855	68.2%	82.5	84,987	33.0%	558,842	58.7%

	Weather Related Information									
	Choke Canyon Reservoir			Lake	e Corpus Christi Reservoir		Combined			
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)			
12/09/2009	49	145	0.00	53	67	0.00	212			
MTD		637	0.85		372	1.72	1,009			

STREAM FLOWS

Gauging Station	12/09/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	101	1,302
NRTT: Nueces River at Tilden, Texas	0	38
FRTT: Frio River at Tilden, Texas	12	191
SMTT: San Miguel Creek at Tilden, Texas	1	13
ARWT: Atascosa River at Whitsett, Texas	24	550
Release from Choke Canyon Reservoir	58	518
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	113	977
NCAT: Nueces River at Calallen, Texas	38	594
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	57	989

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effe	ctive:	4,500
Credit / -Deficit From Previous Mo	onth (Date Deficit Satisfied:)	-3,077
Return Flow Credit (Effective: 12/0	01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 989	Comment: The Nov 2009 surplus of 29 AF has been credited towards the Oct 2009 deficit. The remaining Oct 2009 deficit of 3,077 AF will be released at a later date.	989
Estuary Inflows (NCAT + RBP)		594
PassThru Surplus / -Deficit:		-2,971

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Doily Intoly	MTD	YTD	Deceml	ber 2009		Elevation (Ft)
Date	Dany Intake	Daily Intake MTD YTI	110	Allocation	Remaining	Full	12/10/2009
12/09/2009	137	1,234	43,139	3,050	1,816	44.0	44.1

Report Generated: 12/10/2009 at 8:37:30 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 11, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir		Lal	ke Corpus Christi l	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/11/2008	215.4	570,553	82.1%	89.1	172,314	67.0%	742,867	78.0%
12/11/2009	210.9	472,406	67.9%	82.5	84,882	33.0%	557,288	58.5%

	Weather Related Information										
	Choke Canyon Reservoir Lake Corpus Christi Reservoir						Combined				
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp Evaporation Rainfall (°F) (AcFt) (Inches)			Evaporation (AcFt)				
12/10/2009	50	120	0.00	49	49	0.00	169				
MTD		757	0.85		421	1.72	1,178				

STREAM FLOWS

Gauging Station	12/10/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	95	1,397
NRTT: Nueces River at Tilden, Texas	0	38
FRTT: Frio River at Tilden, Texas	10	202
SMTT: San Miguel Creek at Tilden, Texas	1	14
ARWT: Atascosa River at Whitsett, Texas	22	572
Release from Choke Canyon Reservoir	58	576
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	119	1,096
NCAT: Nueces River at Calallen, Texas	0	594
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	49	1,038

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effect	tive:	4,500
Credit / -Deficit From Previous Mon	-3,077	
Return Flow Credit (Effective: 12/0	1/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 1,038	Comment: The Nov 2009 surplus of 29 AF has been credited towards the Oct 2009 deficit. The remaining Oct 2009 deficit of 3,077 AF will be released at a later date.	1,038
Estuary Inflows (NCAT + RBP)		594
PassThru Surplus / -Deficit:		-3,021

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Decemb	ber 2009		Elevation (Ft)
Date		MID	YID	Allocation	Remaining	Full	12/11/2009
12/10/2009	137	1,370	43,276	3,050	1,680	44.0	44.2

Report Generated: 12/11/2009 at 9:01:27 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 12, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lai	ke Corpus Christi	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/12/2008	215.4	569,626	81.9%	89.1	171,666	66.7%	741,292	77.8%
12/12/2009	210.9	472,199	67.9%	82.5	84,672	32.9%	556,871	58.5%
			**		T 0			

	Weather Related Information											
	Choke Canyon Reservoir				e Corpus Christi Reservoir		Combined					
Date	Air Temp (°F)	Evaporation (AcFt)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)						
12/11/2009	48	24	0.28	49	18	0.09	42					
MTD		781	1.13		439	1.81	1,220					

STREAM FLOWS

Gauging Station	12/11/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	93	1,491
NRTT: Nueces River at Tilden, Texas	0	38
FRTT: Frio River at Tilden, Texas	10	211
SMTT: San Miguel Creek at Tilden, Texas	1	16
ARWT: Atascosa River at Whitsett, Texas	22	594
Release from Choke Canyon Reservoir	58	633
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	109	1,205
NCAT: Nueces River at Calallen, Texas	0	594
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	47	1,085

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effect	tive:	4,500
Credit / -Deficit From Previous Mon	-3,077	
Return Flow Credit (Effective: 12/01	500	
Passthru Target: 4,500 Reservoir Inflow: 1,085	Comment: The Nov 2009 surplus of 29 AF has been credited towards the Oct 2009 deficit. The remaining Oct 2009 deficit of 3,077 AF will be released at a later date.	1,085
Estuary Inflows (NCAT + RBP)		594
PassThru Surplus / -Deficit:		-3,068

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Decemb	ber 2009		Elevation (Ft)
Date		MID	YID	Allocation	Remaining	Full	12/12/2009
12/11/2009	137	1,507	43,413	3,050	1,543	44.0	44.2

Report Generated: 12/12/2009 at 8:56:41 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 13, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lal	ke Corpus Christi l	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/13/2008	215.4	569,394	81.9%	89.0	171,343	66.6%	740,737	77.8%
12/13/2009	210.9	472,199	67.9%	82.5	84,882	33.0%	557,081	58.5%

Weather Related Information										
	Choke Canyon Reservoir Lake Corpus Christi Reservoir Combine									
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)			
12/12/2009	51	12	0.00	51	12	0.00	24			
MTD		793	1.13		451	1.81	1,244			

STREAM FLOWS

Gauging Station	12/12/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	93	1,584
NRTT: Nueces River at Tilden, Texas	0	38
FRTT: Frio River at Tilden, Texas	9	221
SMTT: San Miguel Creek at Tilden, Texas	1	17
ARWT: Atascosa River at Whitsett, Texas	22	615
Release from Choke Canyon Reservoir	58	691
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	137	1,342
NCAT: Nueces River at Calallen, Texas	0	594
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	47	1,131

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effec	6			
Credit / -Deficit From Previous Mor	-3,077			
Return Flow Credit (Effective: 12/0)	500			
Passthru Target: 4,500 Reservoir Inflow: 1,131	Comment: The Nov 2009 surplus of 29 AF has been credited towards the Oct 2009 deficit. The remaining Oct 2009 deficit of 3,077 AF will be released at a later date.	1,131		
Estuary Inflows (NCAT + RBP)		594		
PassThru Surplus / -Deficit:		-3,114		

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Doily Intoko	MTD	YTD	Decemb	ber 2009		Elevation (Ft)
	Daily Intake	MID	YID	Allocation	Remaining	Full	12/13/2009
12/12/2009	137	1,644	43,550	3,050	1,406	44.0	44.2

Report Generated: 12/13/2009 at 8:13:02 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 14, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lal	ke Corpus Christi I	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/14/2008	215.4	568,930	81.8%	89.0	170,696	66.4%	739,626	77.6%
12/14/2009	211.0	472,613	68.0%	82.5	84,882	33.0%	557,495	58.5%

	Weather Related Information										
	C	hoke Canyon Reservoir		Lak	:	Combined					
Date	Air Temp Evaporation Rainfall (°F) (AcFt) (Inches)			Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
12/13/2009	56	12	0.04	54	6	0.05	18				
MTD		805	1.17		457	1.86	1,262				

STREAM FLOWS

Gauging Station	12/13/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	93	1,677
NRTT: Nueces River at Tilden, Texas	0	39
FRTT: Frio River at Tilden, Texas	9	230
SMTT: San Miguel Creek at Tilden, Texas	1	18
ARWT: Atascosa River at Whitsett, Texas	20	635
Release from Choke Canyon Reservoir	58	748
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	153	1,495
NCAT: Nueces River at Calallen, Texas	0	594
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	46	1,177

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effect	tive:	4,500
Credit / -Deficit From Previous Mor	-3,077	
Return Flow Credit (Effective: 12/0	500	
Passthru Target: 4,500 Reservoir Inflow: 1,177	Comment: The Nov 2009 surplus of 29 AF has been credited towards the Oct 2009 deficit. The remaining Oct 2009 deficit of 3,077 AF will be released at a later date.	1,177
Estuary Inflows (NCAT + RBP)		594
PassThru Surplus / -Deficit:		-3,160

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Deceml	ber 2009		Elevation (Ft)
Date	D ану Intake	MIID	110	Allocation	Remaining	Full	12/14/2009
12/13/2009	137	1,781	43,686	3,050	1,269	44.0	44.2

Report Generated: 12/14/2009 at 8:25:12 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 15, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lal	ke Corpus Christi l	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/15/2008	215.4	568,699	81.8%	89.0	171,181	66.5%	739,880	77.7%
12/15/2009	210.9	471,375	67.8%	82.6	85,619	33.3%	556,994	58.5%

	Weather Related Information										
	C	hoke Canyon Reservoir		Lake		Combined					
Date	Air Temp Evaporation Rainfall (°F) (AcFt) (Inches)			Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
12/14/2009	62	36	0.00	66	18	0.00	54				
MTD		841	1.17		475	1.86	1,316				

STREAM FLOWS

Gauging Station	12/14/2009 (AcFt)	MTD (AcFt)			
NTRT: Nueces River at Three Rivers, Texas	93	1,771			
NRTT: Nueces River at Tilden, Texas	0	39			
FRTT: Frio River at Tilden, Texas	8	238			
SMTT: San Miguel Creek at Tilden, Texas	1	19			
ARWT: Atascosa River at Whitsett, Texas	20	655			
Release from Choke Canyon Reservoir	58	806			
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	109	1,604			
NCAT: Nueces River at Calallen, Texas	0	594			
RBP: Rincon Bayou Pipeline	0	0			
Reservoir Inflow					
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	45	1,222			

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 <u>Salinity Relief Credit</u> : 0 Effec	tive:	4,500
Credit / -Deficit From Previous Mon	-3,077	
Return Flow Credit (Effective: 12/0)	500	
Passthru Target: 4,500 Reservoir Inflow: 1,222	Comment: The Nov 2009 surplus of 29 AF has been credited towards the Oct 2009 deficit. The remaining Oct 2009 deficit of 3,077 AF will be released at a later date.	1,222
Estuary Inflows (NCAT + RBP)	594	
PassThru Surplus / -Deficit:		-3,205

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2009		December 2009 Elevation (Ft)	
Date	Dany Intake	MID	YID	Allocation	Remaining	Full	12/15/2009
12/14/2009	137	1,918	43,823	3,050	1,132	44.0	44.1

Report Generated: 12/15/2009 at 11:15:16 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 16, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lai	ke Corpus Christi l	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/16/2008	215.3	568,467	81.8%	89.0	171,343	66.6%	739,810	77.7%
12/16/2009	210.9	471,992	67.9%	82.6	85,092	33.1%	557,084	58.5%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/15/2009	53	60	0.43	62	55	0.38	115	
MTD		901	1.60		530	2.24	1,431	

STREAM FLOWS

Gauging Station	12/15/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	89	1,860
NRTT: Nueces River at Tilden, Texas	0	39
FRTT: Frio River at Tilden, Texas	7	245
SMTT: San Miguel Creek at Tilden, Texas	1	20
ARWT: Atascosa River at Whitsett, Texas	19	674
Release from Choke Canyon Reservoir	58	863
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	97	1,701
NCAT: Nueces River at Calallen, Texas	0	594
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	40	1,261

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effec	4,500	
Credit / -Deficit From Previous Mon	-3,077	
Return Flow Credit (Effective: 12/0	500	
Passthru Target: 4,500 Reservoir Inflow: 1,261	Comment: The Nov 2009 surplus of 29 AF has been credited towards the Oct 2009 deficit. The remaining Oct 2009 deficit of 3,077 AF will be released at a later date.	1,261
Estuary Inflows (NCAT + RBP)	594	
PassThru Surplus / -Deficit:		-3,244

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake			MTD YTD		December 2009		Elevation (Ft)
Date		MID	110	Allocation	Remaining	Full	12/16/2009	
12/15/2009	137	2,055	43,960	3,050	995	44.0	44.1	

Report Generated: 12/16/2009 at 9:27:37 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 17, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/17/2008	215.3	568,235	81.7%	89.0	171,019	66.5%	739,254	77.6%
12/17/2009	210.9	472,406	67.9%	82.6	85,619	33.3%	558,025	58.6%
Weather Related Information								
Choke Canyon Reservoir				Lake C	Corpus Christi Reservoir		Combined	

	weather Related Information								
	Choke Canyon Reservoir			Lak		Combined			
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
12/16/2009	44	12	0.31	46	0	0.56	12		
MTD		913	1.91		530	2.80	1,443		

STREAM FLOWS

Gauging Station	12/16/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	93	1,953
NRTT: Nueces River at Tilden, Texas	0	39
FRTT: Frio River at Tilden, Texas	10	255
SMTT: San Miguel Creek at Tilden, Texas	1	21
ARWT: Atascosa River at Whitsett, Texas	20	694
Release from Choke Canyon Reservoir	58	921
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	73	1,775
NCAT: Nueces River at Calallen, Texas	38	632
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	46	1,308

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effec	tive:	4,500
Credit / -Deficit From Previous Mor	nth (Date Deficit Satisfied:)	-3,077
Return Flow Credit (Effective: 12/0	500	
Passthru Target: 4,500 Reservoir Inflow: 1,308	Comment: The Nov 2009 surplus of 29 AF has been credited towards the Oct 2009 deficit. The remaining Oct 2009 deficit of 3,077 AF will be released at a later date.	1,308
Estuary Inflows (NCAT + RBP)	632	
PassThru Surplus / -Deficit:		-3,253

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Doily Intoko	take MTD YTD		Decem	ber 2009	Elevation (Ft)	
Date	Daily Intake	MID	YID	Allocation	Remaining	Full	12/17/2009
12/16/2009	137	2,191	44,097	3,050	859	44.0	44.1

Report Generated: 12/17/2009 at 9:59:22 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 18, 2009

RESERVOIR STATISTICS

Choke Canyon Reservoir			Lai	ke Corpus Christi	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/18/2008	215.3	567,771	81.7%	89.0	170,535	66.3%	738,306	77.5%
12/18/2009	211.0	473,855	68.2%	82.7	86,148	33.5%	560,003	58.8%

	Weather Related Information								
	Choke Canyon Reservoir Lake Corpus Christi Reservoir				r	Combined			
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)					
12/17/2009	50	72	0.03	50	19	0.00	91		
MTD		985	1.94		549	2.80	1,534		

STREAM FLOWS

Gauging Station	12/17/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	93	2,047
NRTT: Nueces River at Tilden, Texas	1	40
FRTT: Frio River at Tilden, Texas	11	265
SMTT: San Miguel Creek at Tilden, Texas	1	22
ARWT: Atascosa River at Whitsett, Texas	22	716
Release from Choke Canyon Reservoir	58	979
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	71	1,846
NCAT: Nueces River at Calallen, Texas	83	715
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	48	1,355

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effect	tive:	4,500
Credit / -Deficit From Previous Mor	nth (Date Deficit Satisfied:)	-3,077
Return Flow Credit (Effective: 12/0	1/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 1,355	Comment: The Nov 2009 surplus of 29 AF has been credited towards the Oct 2009 deficit. The remaining Oct 2009 deficit of 3,077 AF will be released at a later date.	1,355
Estuary Inflows (NCAT + RBP)		715
PassThru Surplus / -Deficit:		-3,217

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake MTD YTD		VTD	Decem	ber 2009	Elevation (Ft)	
Date	Daily Intake	MIID	110	Allocation	Remaining	Full	12/18/2009
12/17/2009	137	2,328	44,233	3,050	722	44.0	44.1

Report Generated: 12/18/2009 at 8:50:21 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 19, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir		Lai	ke Corpus Christi l	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/19/2008	215.3	567,539	81.6%	89.0	170,696	66.4%	738,235	77.5%
12/19/2009	211.0	473,646	68.1%	82.7	86,148	33.5%	559,794	58.8%

	Weather Related Information									
	C	hoke Canyon Reservoir	Lak	:	Combined					
Date	Air Temp (°F)	Evaporation (AcFt)					Evaporation (AcFt)			
12/18/2009	57	48	0.00	58	74	0.00	122			
MTD		1,033	1.94		623	2.80	1,656			

STREAM FLOWS

Gauging Station	12/18/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	93	2,140
NRTT: Nueces River at Tilden, Texas	1	41
FRTT: Frio River at Tilden, Texas	9	275
SMTT: San Miguel Creek at Tilden, Texas	1	23
ARWT: Atascosa River at Whitsett, Texas	22	737
Release from Choke Canyon Reservoir	58	1,036
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	71	1,918
NCAT: Nueces River at Calallen, Texas	121	836
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	46	1,401

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 <u>Salinity Relief Credit</u> : 0 Effec	tive:	4,500
Credit / -Deficit From Previous Mon	nth (Date Deficit Satisfied:)	-3,077
Return Flow Credit (Effective: 12/0)	1/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 1,401	Comment: The Nov 2009 surplus of 29 AF has been credited towards the Oct 2009 deficit. The remaining Oct 2009 deficit of 3,077 AF will be released at a later date.	1,401
Estuary Inflows (NCAT + RBP)		836
PassThru Surplus / -Deficit:		-3,142

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Doily Intoko	MTD YTD		December 2009		Elevation (Ft)	
Date	Daily Intake	MID	Allo	Allocation	Remaining	Full	12/19/2009
12/18/2009	136	2,464	44,370	3,050	586	44.0	44.1

Report Generated: 12/19/2009 at 8:20:53 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 20, 2009

RESERVOIR STATISTICS

Choke Canyon Reservoir			Lai	ke Corpus Christi l	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/20/2008	215.3	567,307	81.6%	89.0	170,535	66.3%	737,842	77.5%
12/20/2009	211.0	473,626	68.1%	82.7	86,148	33.5%	559,774	58.8%

	Weather Related Information										
	C	hoke Canyon Reservoir		Lake	e Corpus Christi Reservoir	Combined					
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
12/19/2009	64	108	0.00	64	56	0.00	164				
MTD		1,141	1.94		679	2.80	1,820				

STREAM FLOWS

Gauging Station	12/19/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	93	2,233
NRTT: Nueces River at Tilden, Texas	1	42
FRTT: Frio River at Tilden, Texas	7	282
SMTT: San Miguel Creek at Tilden, Texas	0	23
ARWT: Atascosa River at Whitsett, Texas	22	759
Release from Choke Canyon Reservoir	58	1,094
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	60	1,977
NCAT: Nueces River at Calallen, Texas	58	894
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	43	1,445

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effec				
Credit / -Deficit From Previous Mon	Credit / -Deficit From Previous Month (Date Deficit Satisfied:)			
Return Flow Credit (Effective: 12/0	Return Flow Credit (Effective: 12/01/2009)			
Passthru Target: 4,500 Reservoir Inflow: 1,445	Comment: The Nov 2009 surplus of 29 AF has been credited towards the Oct 2009 deficit. The remaining Oct 2009 deficit of 3,077 AF will be released at a later date.	1,445		
Estuary Inflows (NCAT + RBP)		894		
PassThru Surplus / -Deficit:		-3,128		

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Doily Intoko	MTD YTD December 2009 Ele		December 2009		Elevation (Ft)	
Date	Daily Intake	MID	YID	Allocation	Remaining	Full	12/20/2009
12/19/2009	136	2,600	44,506	3,050	450	44.0	44.1

Report Generated: 12/20/2009 at 8:20:19 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 21, 2009

RESERVOIR STATISTICS

Choke Canyon Reservoir			Lai	ke Corpus Christi	Combined Reservoir System					
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%		
12/21/2008	215.3	566,843	81.5%	89.1	172,963	67.2%	739,806	77.7%		
12/21/2009	211.0	473,439	68.1%	82.6	85,830	33.4%	559,269	58.7%		
	W d. D.L. W.C. d.									

	Weather Related Information												
	Choke Canyon Reservoir			Lake		Combined							
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)						
12/20/2009	66	132	0.00	64	25	0.00	157						
MTD		1,273	1.94		704	2.80	1,977						

STREAM FLOWS

Gauging Station	12/20/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	93	2,326
NRTT: Nueces River at Tilden, Texas	1	43
FRTT: Frio River at Tilden, Texas	6	288
SMTT: San Miguel Creek at Tilden, Texas	0	24
ARWT: Atascosa River at Whitsett, Texas	24	783
Release from Choke Canyon Reservoir	58	1,151
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	81	2,058
NCAT: Nueces River at Calallen, Texas	11	904
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	42	1,487

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effect	č			
Credit / -Deficit From Previous Mon	th (Date Deficit Satisfied:)	-3,077		
Return Flow Credit (Effective: 12/0)	Return Flow Credit (Effective: 12/01/2009)			
Passthru Target: 4,500 Reservoir Inflow: 1,487	Comment: The Nov 2009 surplus of 29 AF has been credited towards the Oct 2009 deficit. The remaining Oct 2009 deficit of 3,077 AF will be released at a later date.	1,487		
Estuary Inflows (NCAT + RBP)		904		
PassThru Surplus / -Deficit:		-3,159		

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Doily Intoko	MTD YTD December 2009 Elevation		December 2009		Elevation (Ft)	
Date	Daily Intake	MIID	YID	Allocation	Remaining	Full	12/21/2009
12/20/2009	136	2,736	44,642	3,050	314	44.0	44.2

Report Generated: 12/21/2009 at 9:22:02 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 22, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lai	ke Corpus Christi	Combined Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%		
12/22/2008	215.3	566,611	81.5%	89.0	171,343	66.6%	737,954	77.5%		
12/22/2009	211.0	472,819	68.0%	82.6	85,936	33.4%	558,755	58.7%		
	Weather Related Information									

			Weather Rela	ted Information			
	Choke Canyon Reservoir			Lak	r	Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/21/2009	71	96	0.00	70	43	0.00	139
MTD		1,369	1.94		747	2.80	2,116

STREAM FLOWS

Gauging Station	12/21/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	95	2,422
NRTT: Nueces River at Tilden, Texas	0	43
FRTT: Frio River at Tilden, Texas	2	290
SMTT: San Miguel Creek at Tilden, Texas	0	24
ARWT: Atascosa River at Whitsett, Texas	20	803
Release from Choke Canyon Reservoir	58	1,209
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	103	2,162
NCAT: Nueces River at Calallen, Texas	0	905
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	40	1,527

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500		4,500
Salinity Relief Credit: 0 Efformation of Credit / -Deficit From Previous M		-3,077
Return Flow Credit (Effective: 12/	01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 1,527	Comment: The Nov 2009 surplus of 29 AF has been credited towards the Oct 2009 deficit. The remaining Oct 2009 deficit of 3,077 AF will be released at a later date.	1,527
Estuary Inflows (NCAT + RBP)		905
PassThru Surplus / -Deficit:		-3,199

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	YTD	Decemb	ber 2009		Elevation (Ft)
Date		MID	YID	Allocation	Remaining	Full	12/22/2009
12/21/2009	136	2,873	44,778	3,050	177	44.0	44.1

Report Generated: 12/22/2009 at 8:54:51 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 23, 2009

RESERVOIR STATISTICS

		Choke Canyon Re	servoir	Lake Corpus Christi Reservoir			Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%		
12/23/2008	215.3	566,380	81.5%	89.0	170,373	66.2%	736,753	77.3%		
12/23/2009	210.9	471,992	67.9%	82.6	86,042	33.4%	558,034	58.6%		
	Weather Related Information									
		G1 1 6	, n		× 1 .			G 1: 1		

	Weather Related Information										
Choke Canyon Reservoir				Lake	Combined						
Date	Date Air Temp Evaporation Rainfall Air Temp Evaporation Rainfall (Inches) (°F) (AcFt) (Inches)				Evaporation (AcFt)						
12/22/2009	75	96	0.00	76	62	0.00	158				
MTD		1,465	1.94		809	2.80	2,274				

STREAM FLOWS

Gauging Station	12/22/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	79	2,501
NRTT: Nueces River at Tilden, Texas	0	43
FRTT: Frio River at Tilden, Texas	2	292
SMTT: San Miguel Creek at Tilden, Texas	0	24
ARWT: Atascosa River at Whitsett, Texas	20	823
Release from Choke Canyon Reservoir	58	1,266
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	103	2,265
NCAT: Nueces River at Calallen, Texas	3	908
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	24	1,551

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effect	tive:	4,500
Credit / -Deficit From Previous Mor	-3,077	
Return Flow Credit (Effective: 12/0	500	
Passthru Target: 4,500 Reservoir Inflow: 1,551	Comment: The Nov 2009 surplus of 29 AF has been credited towards the Oct 2009 deficit. The remaining Oct 2009 deficit of 3,077 AF will be released at a later date.	1,551
Estuary Inflows (NCAT + RBP)		908
PassThru Surplus / -Deficit:		-3,220

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Decemb	ber 2009		Elevation (Ft)
Date		MID	YID	Allocation	Remaining	Full	12/23/2009
12/22/2009	136	3,008	44,914	3,050	42	44.0	44.1

Report Generated: 12/23/2009 at 9:05:38 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 24, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lai	ke Corpus Christi l	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/24/2008	215.2	566,148	81.4%	89.0	170,212	66.2%	736,360	77.3%
12/24/2009	210.9	472,199	67.9%	82.5	84,462	32.8%	556,661	58.4%

	Weather Related Information											
Choke Canyon Reservoir				Lake	e Corpus Christi Reservoir	:	Combined					
Date	Date Air Temp Evaporation Rainfall Air Temp (°F) (AcFt) (Inches) (°F)			Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)						
12/23/2009	78	156	0.15	77	134	0.02	290					
MTD		1,621	2.09		943	2.82	2,564					

STREAM FLOWS

Gauging Station	12/23/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	77	2,579
NRTT: Nueces River at Tilden, Texas	0	43
FRTT: Frio River at Tilden, Texas	2	294
SMTT: San Miguel Creek at Tilden, Texas	0	24
ARWT: Atascosa River at Whitsett, Texas	19	841
Release from Choke Canyon Reservoir	58	1,324
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	99	2,364
NCAT: Nueces River at Calallen, Texas	13	920
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	22	1,572

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effec	tive:	4,500
Credit / -Deficit From Previous Mon	nth (Date Deficit Satisfied:)	-3,077
Return Flow Credit (Effective: 12/0	500	
Passthru Target: 4,500 Reservoir Inflow: 1,572	Comment: The Nov 2009 surplus of 29 AF has been credited towards the Oct 2009 deficit. The remaining Oct 2009 deficit of 3,077 AF will be released at a later date.	1,572
Estuary Inflows (NCAT + RBP)		920
PassThru Surplus / -Deficit:		-3,229

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	YTD	Decemb	ber 2009		Elevation (Ft)
Date		MID	YID	Allocation	Remaining	Full	12/24/2009
12/23/2009	136	3,144	45,050	3,050	-94	44.0	44.1

Report Generated: 12/24/2009 at 8:16:11 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 25, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lal	ke Corpus Christi	Combined Reservoir System			
Date	Elevation (Ft) Volume (AcFt) Percent of Capacity			Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
12/25/2008	215.2	566,148	81.4%	88.9	169,889	66.0%	736,037	77.3%	
12/25/2009	210.9	471,786	67.9%	82.6	85,724	33.3%	557,510	58.5%	
	Weather Related Information								

	Weather Related Information										
	Choke Canyon Reservoir Lake Corpus Christi Reservoir						Combined				
Date	Air Temp (°F)	Evaporation (AcFt)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)					
12/24/2009	56	180	0.00	60	172	0.00	352				
MTD		1,801	2.09		1,115	2.82	2,916				

STREAM FLOWS

Gauging Station	12/24/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	77	2,656
NRTT: Nueces River at Tilden, Texas	0	44
FRTT: Frio River at Tilden, Texas	2	296
SMTT: San Miguel Creek at Tilden, Texas	0	24
ARWT: Atascosa River at Whitsett, Texas	17	859
Release from Choke Canyon Reservoir	58	1,382
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	111	2,475
NCAT: Nueces River at Calallen, Texas	7	928
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	22	1,594

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 <u>Salinity Relief Credit</u> : 0 Effec	4,500					
Credit / -Deficit From Previous Mon	-3,077					
Return Flow Credit (Effective: 12/0)	500					
Passthru Target: 4,500 Reservoir Inflow: 1,594	Comment: The Nov 2009 surplus of 29 AF has been credited towards the Oct 2009 deficit. The remaining Oct 2009 deficit of 3,077 AF will be released at a later date.	1,594				
Estuary Inflows (NCAT + RBP)	928					
PassThru Surplus / -Deficit:	PassThru Surplus / -Deficit:					

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Doily Intoly	MTD	YTD	Decemb	ber 2009		Elevation (Ft)
	Daily Intake	MID	YID	Allocation	Remaining	Full	12/25/2009
12/24/2009	136	3,280	45,185	3,050	-230	44.0	44.1

Report Generated: 12/25/2009 at 8:57:57 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 26, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lai	ke Corpus Christi	Combined Reservoir System				
Date	Elevation (Ft) Volume (AcFt) Percent of Capacity			Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%		
12/26/2008	215.2	565,684	81.4%	88.9	169,245	65.8%	734,929	77.2%		
12/26/2009 210.9 471,579 67.8% 82.6 85,830 33.4% 55							557,409	58.5%		
	Weather Related Information									

	Weather Related Information										
	C	hoke Canyon Reservoir	Lak	Combined							
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
12/25/2009	51	180	0.00	49	55	0.00	235				
MTD		1,981	2.09		1,170	2.82	3,151				

STREAM FLOWS

Gauging Station	12/25/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	75	2,731
NRTT: Nueces River at Tilden, Texas	0	44
FRTT: Frio River at Tilden, Texas	2	298
SMTT: San Miguel Creek at Tilden, Texas	0	24
ARWT: Atascosa River at Whitsett, Texas	15	874
Release from Choke Canyon Reservoir	58	1,439
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	77	2,553
NCAT: Nueces River at Calallen, Texas	34	961
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	19	1,614

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effectiv	4,500	
Credit / -Deficit From Previous Month	-3,077	
Return Flow Credit (Effective: 12/01/2	500	
Passthru Target: 4,500 Reservoir Inflow: 1,614	1,614	
Estuary Inflows (NCAT + RBP)	961	
PassThru Surplus / -Deficit:		-3,229

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Deceml	ber 2009		Elevation (Ft)
	D ану Intake	MIID	YID	Allocation	Remaining	Full	12/26/2009
12/25/2009	136	3,416	45,321	3,050	-366	44.0	44.1

Report Generated: 12/28/2009 at 9:09:42 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 27, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lai	ke Corpus Christi l	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
12/27/2008	215.2	565,452	81.3%	88.9	169,245	65.8%	734,697	77.1%	
12/27/2009	210.9	470,966	67.7%	82.6	85,408	33.2%	556,374	58.4%	
	Weather Related Information								

	Weather Related Information										
	Choke Canyon Reservoir Lake Corpus Christ					r	Combined				
Date	Date Air Temp Evaporation Rainfall (Inches)				Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
12/26/2009	56	72	0.00	54	31	0.00	103				
MTD		2,053	2.09		1,201	2.82	3,254				

STREAM FLOWS

Gauging Station	12/26/2009 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	73	2,805				
NRTT: Nueces River at Tilden, Texas	0	44				
FRTT: Frio River at Tilden, Texas	1	299				
SMTT: San Miguel Creek at Tilden, Texas	0	24				
ARWT: Atascosa River at Whitsett, Texas	15	888				
Release from Choke Canyon Reservoir	58	1,497				
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	75	2,628				
NCAT: Nueces River at Calallen, Texas	17	978				
RBP: Rincon Bayou Pipeline	0	0				
Reservoir Inflow	Reservoir Inflow					
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	17	1,631				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effect	tive:	4,500
Credit / -Deficit From Previous Mor	nth (Date Deficit Satisfied:)	-3,077
Return Flow Credit (Effective: 12/0	500	
Passthru Target: 4,500 Reservoir Inflow: 1,631	Comment: The Nov 2009 surplus of 29 AF has been credited towards the Oct 2009 deficit. The remaining Oct 2009 deficit of 3,077 AF will be released at a later date.	1,631
Estuary Inflows (NCAT + RBP)		978
PassThru Surplus / -Deficit:		-3,230

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD YTD December 2009 Ele		December 2009		Elevation (Ft)		
Date	Daily Ilitake	MID YID	Dany Intake WIID	110	Allocation	Remaining	Full	12/27/2009
12/26/2009	136	3,551	45,457	3,050	-501	44.0	44.1	

Report Generated: 12/27/2009 at 8:25:40 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 28, 2009

RESERVOIR STATISTICS

		Choke Canyon Re	servoir	Lal	Lake Corpus Christi Reservoir		Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/28/2008	215.2	564,991	81.3%	89.0	170,212	66.2%	735,203	77.2%
12/28/2009	210.9	471,992	67.9%	82.6	85,724	33.3%	557,716	58.6%

	Weather Related Information								
	Choke Canyon Reservoir			Lake	Combined				
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
12/27/2009	59	120	0.00	60	55	0.00	175		
MTD		2,173	2.09		1,256	2.82	3,429		

STREAM FLOWS

Gauging Station	12/27/2009 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	75	2,880				
NRTT: Nueces River at Tilden, Texas	0	44				
FRTT: Frio River at Tilden, Texas	1	300				
SMTT: San Miguel Creek at Tilden, Texas	0	24				
ARWT: Atascosa River at Whitsett, Texas	15	903				
Release from Choke Canyon Reservoir	58	1,554				
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	111	2,739				
NCAT: Nueces River at Calallen, Texas	6	985				
RBP: Rincon Bayou Pipeline	0	0				
Reservoir Inflow	Reservoir Inflow					
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	19	1,650				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effect	tive:	4,500
Credit / -Deficit From Previous Mor	nth (Date Deficit Satisfied:)	-3,077
Return Flow Credit (Effective: 12/0	500	
Passthru Target: 4,500 Reservoir Inflow: 1,650	Comment: The Nov 2009 surplus of 29 AF has been credited towards the Oct 2009 deficit. The remaining Oct 2009 deficit of 3,077 AF will be released at a later date.	1,650
Estuary Inflows (NCAT + RBP)		985
PassThru Surplus / -Deficit:		-3,243

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Doily Intoly	MTD YTD December 2009 Elevation		December 2009		Elevation (Ft)	
Date	Daily Intake	MID YID	110	Allocation	Remaining	Full	12/28/2009
12/27/2009	135	3,687	45,592	3,050	-637	44.0	44.1

Report Generated: 12/28/2009 at 8:59:50 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 29, 2009

RESERVOIR STATISTICS

FULL 220.5 695,271 100% 94.0 257,260 100% 952,531 12/29/2008 215.2 564,761 81.2% 88.9 169,728 66.0% 734,489 12/29/2009 210.9 470,966 67.7% 82.6 85,619 33.3% 556,585			Choke Canyon Re	servoir	La	Lake Corpus Christi Reservoir		Combined Reservoir System	
12/29/2008 215.2 564,761 81.2% 88.9 169,728 66.0% 734,489 12/29/2009 210.9 470,966 67.7% 82.6 85,619 33.3% 556,585	Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
12/29/2009 210.9 470,966 67.7% 82.6 85,619 33.3% 556,585	FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
	12/29/2008	215.2	564,761	81.2%	88.9	169,728	66.0%	734,489	77.1%
Weather Polated Information	12/29/2009	210.9	470,966	67.7%	82.6	85,619	33.3%	556,585	58.4%
weather Related Information		Weather Related Information							

	Weather Related Information									
	Choke Canyon Reservoir			Lak	Combined					
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)			
12/28/2009	56	156	0.00	55	68	0.00	224			
MTD		2,329	2.09		1,324	2.82	3,653			

STREAM FLOWS

Gauging Station	12/28/2009 (AcFt)	MTD (AcFt)			
NTRT: Nueces River at Three Rivers, Texas	73	2,954			
NRTT: Nueces River at Tilden, Texas	0	44			
FRTT: Frio River at Tilden, Texas	1	302			
SMTT: San Miguel Creek at Tilden, Texas	0	24			
ARWT: Atascosa River at Whitsett, Texas	15	918			
Release from Choke Canyon Reservoir	58	1,612			
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	105	2,845			
NCAT: Nueces River at Calallen, Texas	5	989			
RBP: Rincon Bayou Pipeline	0	0			
Reservoir Inflow					
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	17	1,667			

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effec	tive:	4,500
Credit / -Deficit From Previous Mor	nth (Date Deficit Satisfied:)	-3,077
Return Flow Credit (Effective: 12/0	1/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 1,667	Comment: The Nov 2009 surplus of 29 AF has been credited towards the Oct 2009 deficit. The remaining Oct 2009 deficit of 3,077 AF will be released at a later date.	1,667
Estuary Inflows (NCAT + RBP)		989
PassThru Surplus / -Deficit:		-3,255

LAKE TEXANA STATISTICS (All values are in AcFt)

Date Daily Intake		MTD YTD		Decem	ber 2009	Elevation (Ft)	
Date	рану іптаке	MIID	110	Allocation	Remaining	Full	12/29/2009
12/28/2009	136	3,822	45,728	3,050	-772	44.0	44.1

Report Generated: 12/29/2009 at 8:56:52 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 30, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lai	ke Corpus Christi	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
12/30/2008	215.2	564,761	81.2%	88.9	169,406	65.9%	734,167	77.1%	
12/30/2009	210.9	470,966	67.7%	82.5	84,987	33.0%	555,953	58.4%	
	Weather Related Information								

	Weather Related Information									
	C	hoke Canyon Reservoir	Lak	Combined						
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)			
12/29/2009	45	60	1.05	46	0	0.33	60			
MTD		2,389	3.14		1,324	3.15	3,713			

STREAM FLOWS

Gauging Station	12/29/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	71	3,025
NRTT: Nueces River at Tilden, Texas	0	44
FRTT: Frio River at Tilden, Texas	1	303
SMTT: San Miguel Creek at Tilden, Texas	0	24
ARWT: Atascosa River at Whitsett, Texas	16	934
Release from Choke Canyon Reservoir	58	1,669
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	95	2,940
NCAT: Nueces River at Calallen, Texas	4	993
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	15	1,683

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effect	tive:	4,500
Credit / -Deficit From Previous Mor	-3,077	
Return Flow Credit (Effective: 12/0	500	
Passthru Target: 4,500 Reservoir Inflow: 1,683	Comment: The Nov 2009 surplus of 29 AF has been credited towards the Oct 2009 deficit. The remaining Oct 2009 deficit of 3,077 AF will be released at a later date.	1,683
Estuary Inflows (NCAT + RBP)		993
PassThru Surplus / -Deficit:		-3,267

LAKE TEXANA STATISTICS (All values are in AcFt)

Date Daily Intake		MTD YTD		Deceml	ber 2009	Elevation (Ft)	
Date	рану іптаке	MIID	YID	Allocation	Remaining	Full	12/30/2009
12/29/2009	136	3,958	45,864	3,050	-908	44.0	44.1

Report Generated: 12/30/2009 at 8:30:55 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: December 31, 2009

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lai	ke Corpus Christi	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
12/31/2008	215.2	564,532	81.2%	88.9	169,245	65.8%	733,777	77.0%	
12/31/2009	210.9	472,199	67.9%	82.6	85,724	33.3%	557,923	58.6%	
	Weather Related Information								

	Weather Related Information									
	C	hoke Canyon Reservoir	Lake	Combined						
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)			
12/30/2009	56	96	0.00	62	43	0.00	139			
MTD		2,485	3.14		1,367	3.15	3,852			

STREAM FLOWS

Gauging Station	12/30/2009 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	85	3,110
NRTT: Nueces River at Tilden, Texas	1	45
FRTT: Frio River at Tilden, Texas	1	304
SMTT: San Miguel Creek at Tilden, Texas	0	24
ARWT: Atascosa River at Whitsett, Texas	17	952
Release from Choke Canyon Reservoir	58	1,727
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	101	3,041
NCAT: Nueces River at Calallen, Texas	2	995
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	29	1,712

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective	/e:	4,500			
Credit / -Deficit From Previous Month	-3,077				
Return Flow Credit (Effective: 12/01/2	500				
Passthru Target: 4,500 Reservoir Inflow: 1,712	Comment: The Nov 2009 surplus of 29 AF has been credited towards the Oct 2009 deficit. The remaining Oct 2009 deficit of 3,077 AF will be released at a later date.	1,712			
Estuary Inflows (NCAT + RBP)	995				
PassThru Surplus / -Deficit:	PassThru Surplus / -Deficit:				

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Date Daily Intake		YTD	December 2009		Elevation (Ft)	
Date	Daily Intake	MTD	YID	Allocation	Remaining	Full	12/31/2009
12/30/2009	136	4,094	45,999	3,050	-1,044	44.0	44.1

Report Generated: 12/31/2009 at 8:41:14 AM