

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 1, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/01/2009	215.2	564,302	81.2%	88.9	169,245	65.8%	733,547	77.0%
01/01/2010	210.8	470,353	67.7%	82.6	85,513	33.2%	555,866	58.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/31/2009	69	180	0.00	70	98	0.00	278
MTD		2,665	3.14		1,465	3.15	4,130

STREAM FLOWS

Gauging Station	12/31/2009 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	87	3,198
NRTT : Nueces River at Tilden, Texas	1	45
FRTT : Frio River at Tilden, Texas	1	306
SMTT : San Miguel Creek at Tilden, Texas	0	24
ARWT : Atascosa River at Whitsett, Texas	17	968
Release from Choke Canyon Reservoir	58	1,785
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	99	3,140
NCAT : Nueces River at Calallen, Texas	22	1,017
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	31	1,743

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,077
Return Flow Credit (Effective: 12/01/2009)	500
Passthru Target: 4,500 Reservoir Inflow: 1,743 Comment: The Nov 2009 surplus of 29 AF has been credited towards the Oct 2009 deficit. The remaining Oct 2009 deficit of 3,077 AF will be released at a later date.	1,743
Estuary Inflows (NCAT + RBP)	1,017
PassThru Surplus / -Deficit:	-3,303

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2009		Elevation (Ft)	
				Allocation	Remaining	Full	01/01/2010
12/31/2009	136	4,230	46,135	3,050	-1,180	44.0	44.1

Report Generated: 01/01/2010 at 8:19:17 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 2, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/02/2009	215.2	564,302	81.2%	88.9	168,602	65.5%	732,904	76.9%
01/02/2010	210.9	471,786	67.9%	82.6	85,830	33.4%	557,616	58.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/01/2010	55	96	0.00	56	55	0.00	151
MTD		96	0.00		55	0.00	151

STREAM FLOWS

Gauging Station	01/01/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	79	79
NRTT : Nueces River at Tilden, Texas	1	1
FRTT : Frio River at Tilden, Texas	1	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	15	15
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	95	95
NCAT : Nueces River at Calallen, Texas	6	6
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	23	23

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,303
Return Flow Credit (Effective:)	0
Passthru Target: 2,500 Reservoir Inflow: 23 Comment:	23
Estuary Inflows (NCAT + RBP)	6
PassThru Surplus / -Deficit:	-3,320

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2010		Elevation (Ft)	
				Allocation	Remaining	Full	01/02/2010
01/01/2010	139	139	139	3,050	2,911	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 3, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/03/2009	215.2	564,073	81.1%	88.9	168,923	65.7%	732,996	77.0%
01/03/2010	210.9	471,375	67.8%	82.6	85,724	33.3%	557,099	58.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/02/2010	60	72	0.00	59	62	0.00	134
MTD		168	0.00		117	0.00	285

STREAM FLOWS

Gauging Station	01/02/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	77	157
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	1	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	14	29
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	95	191
NCAT : Nueces River at Calallen, Texas	28	34
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	21	44

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,303
Return Flow Credit (Effective:)	0
Passthru Target: 2,500 Reservoir Inflow: 44 Comment:	44
Estuary Inflows (NCAT + RBP)	34
PassThru Surplus / -Deficit:	-3,313

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2010		Elevation (Ft)	
				Allocation	Remaining	Full	01/03/2010
01/02/2010	139	278	278	3,050	2,772	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 4, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/04/2009	215.2	564,991	81.3%	88.9	169,084	65.7%	734,075	77.1%
01/04/2010	210.8	470,149	67.6%	82.5	84,882	33.0%	555,031	58.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/03/2010	57	24	0.01	57	0	0.00	24
MTD		192	0.01		117	0.00	309

STREAM FLOWS

Gauging Station	01/03/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	232
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	1	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	14	44
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	99	290
NCAT : Nueces River at Calallen, Texas	60	93
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	19	63

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,303
Return Flow Credit (Effective:)	0
Passthru Target: 2,500 Reservoir Inflow: 63 Comment:	63
Estuary Inflows (NCAT + RBP)	93
PassThru Surplus / -Deficit:	-3,273

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2010		Elevation (Ft)	
				Allocation	Remaining	Full	01/04/2010
01/03/2010	139	417	417	3,050	2,633	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 5, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/05/2009	215.2	564,991	81.3%	88.9	169,084	65.7%	734,075	77.1%
01/05/2010	210.9	470,966	67.7%	82.6	85,513	33.2%	556,479	58.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/04/2010	51	132	0.00	51	49	0.00	181
MTD		324	0.01		166	0.00	490

STREAM FLOWS

Gauging Station	01/04/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	306
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	4	7
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	47
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	127	417
NCAT : Nueces River at Calallen, Texas	22	115
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	20	83

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,303
Return Flow Credit (Effective:)	0
Passthru Target: 2,500 Reservoir Inflow: 83 Comment:	83
Estuary Inflows (NCAT + RBP)	115
PassThru Surplus / -Deficit:	-3,271

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2010		Elevation (Ft)	
				Allocation	Remaining	Full	01/05/2010
01/04/2010	137	554	554	3,050	2,496	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 6, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/06/2009	215.2	564,761	81.2%	88.9	168,762	65.6%	733,523	77.0%
01/06/2010	210.9	470,558	67.7%	82.6	85,302	33.2%	555,860	58.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/05/2010	53	96	0.00	51	55	0.00	151
MTD		420	0.01		221	0.00	641

STREAM FLOWS

Gauging Station	01/05/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	379
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	1	8
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	15	62
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	200	617
NCAT : Nueces River at Calallen, Texas	34	149
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	17	99

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,303
Return Flow Credit (Effective:)	0
Passthru Target: 2,500 Reservoir Inflow: 99 Comment: The remaining Oct 2009 deficit of 3,077 AF, plus the Dec 2009 deficit of 226 AF, will be passed thru during the month of Jan 2010.	99
Estuary Inflows (NCAT + RBP)	149
PassThru Surplus / -Deficit:	-3,254

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2010		Elevation (Ft)	
				Allocation	Remaining	Full	01/06/2010
01/05/2010	137	691	691	3,050	2,359	44.0	44.1

Report Generated: 01/06/2010 at 10:29:07 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 7, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/07/2009	215.2	564,532	81.2%	88.9	168,441	65.5%	732,973	77.0%
01/07/2010	210.7	468,090	67.3%	82.6	85,302	33.2%	553,392	58.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/06/2010	62	36	0.00	64	12	0.00	48
MTD		456	0.01		233	0.00	689

STREAM FLOWS

Gauging Station	01/06/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	453
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	1	9
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	14	76
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	214	832
NCAT : Nueces River at Calallen, Texas	36	185
RBP : Rincon Bayou Pipeline	67	67
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	17	116

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,303
Return Flow Credit (Effective: 01/06/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 116 Comment: The remaining Oct 2009 deficit of 3,077 AF, plus the Dec 2009 deficit of 226 AF, will be passed thru during the month of Jan 2010.	116
Estuary Inflows (NCAT + RBP)	252
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2010		Elevation (Ft)	
				Allocation	Remaining	Full	01/07/2010
01/06/2010	137	828	828	3,050	2,222	44.0	44.1

Report Generated: 01/07/2010 at 10:21:43 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 8, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/08/2009	215.2	564,302	81.2%	88.8	168,120	65.4%	732,422	76.9%
01/08/2010	210.8	468,710	67.4%	82.5	84,882	33.0%	553,592	58.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/07/2010	53	Pan Froze	0.03	57	Pan Froze	0.00	0
MTD		456	0.04		233	0.00	689

STREAM FLOWS

Gauging Station	01/07/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	526
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	1	10
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	13	89
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	238	1,070
NCAT : Nueces River at Calallen, Texas	0	185
RBP : Rincon Bayou Pipeline	109	177
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	17	133

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,303
Return Flow Credit (Effective: 01/06/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 133 Comment: The remaining Oct 2009 deficit of 3,077 AF, plus the Dec 2009 deficit of 226 AF, will be passed thru during the month of Jan 2010.	133
Estuary Inflows (NCAT + RBP)	361
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2010		Elevation (Ft)	
				Allocation	Remaining	Full	01/08/2010
01/07/2010	137	966	966	3,050	2,084	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 9, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/09/2009	215.2	564,073	81.1%	88.8	167,638	65.2%	731,711	76.8%
01/09/2010	210.8	470,353	67.7%	82.5	84,462	32.8%	554,815	58.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/08/2010	36	Pan Froze	0.00	35	Pan Froze	0.00	0
MTD		456	0.04		233	0.00	689

STREAM FLOWS

Gauging Station	01/08/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	597
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	1	11
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	12	101
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	226	1,296
NCAT : Nueces River at Calallen, Texas	0	185
RBP : Rincon Bayou Pipeline	107	284
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	15	148

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,303
Return Flow Credit (Effective: 01/06/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 148 Comment: The remaining Oct 2009 deficit of 3,077 AF, plus the Dec 2009 deficit of 226 AF, will be passed thru during the month of Jan 2010.	148
Estuary Inflows (NCAT + RBP)	468
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2010		Elevation (Ft)	
				Allocation	Remaining	Full	01/09/2010
01/08/2010	137	1,103	1,103	3,050	1,947	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 10, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/10/2009	215.1	563,614	81.1%	88.8	167,959	65.3%	731,573	76.8%
01/10/2010	210.8	469,536	67.5%	82.5	84,462	32.8%	553,998	58.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/09/2010	45	Pan Froze	0.00	43	Pan Froze	0.00	0
MTD		456	0.04		233	0.00	689

STREAM FLOWS

Gauging Station	01/09/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	669
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	1	12
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	12	113
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	218	1,515
NCAT : Nueces River at Calallen, Texas	0	185
RBP : Rincon Bayou Pipeline	107	391
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	15	163

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,303
Return Flow Credit (Effective: 01/06/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 163 Comment: The remaining Oct 2009 deficit of 3,077 AF, plus the Dec 2009 deficit of 226 AF, will be passed thru during the month of Jan 2010.	163
Estuary Inflows (NCAT + RBP)	576
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2010		Elevation (Ft)	
				Allocation	Remaining	Full	01/10/2010
01/09/2010	137	1,240	1,240	3,050	1,810	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 11, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/11/2009	215.1	563,155	81.0%	88.8	168,120	65.4%	731,275	76.8%
01/11/2010	210.8	469,329	67.5%	82.4	83,940	32.6%	553,269	58.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/10/2010	52	456	0.00	51	237	0.00	693
MTD		912	0.04		470	0.00	1,382

STREAM FLOWS

Gauging Station	01/10/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	740
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	1	13
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	12	125
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	242	1,757
NCAT : Nueces River at Calallen, Texas	0	185
RBP : Rincon Bayou Pipeline	89	480
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	15	177

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,303
Return Flow Credit (Effective: 01/06/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 177 Comment: The remaining Oct 2009 deficit of 3,077 AF, plus the Dec 2009 deficit of 226 AF, will be passed thru during the month of Jan 2010.	177
Estuary Inflows (NCAT + RBP)	665
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2010		Elevation (Ft)	
				Allocation	Remaining	Full	01/11/2010
01/10/2010	136	1,376	1,376	3,050	1,674	44.0	44.1

Report Generated: 01/11/2010 at 9:17:47 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 12, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/12/2009	215.1	562,925	81.0%	88.8	167,317	65.0%	730,242	76.7%
01/12/2010	210.8	468,916	67.4%	82.4	83,732	32.5%	552,648	58.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/11/2010	63	72	0.00	64	61	0.00	133
MTD		984	0.04		531	0.00	1,515

STREAM FLOWS

Gauging Station	01/11/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	810
NRTT : Nueces River at Tilden, Texas	0	3
FRTT : Frio River at Tilden, Texas	1	13
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	12	137
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	260	2,017
NCAT : Nueces River at Calallen, Texas	0	185
RBP : Rincon Bayou Pipeline	79	560
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	13	190

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,303
Return Flow Credit (Effective: 01/06/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 190 Comment: The remaining Oct 2009 deficit of 3,077 AF, plus the Dec 2009 deficit of 226 AF, will be passed thru during the month of Jan 2010.	190
Estuary Inflows (NCAT + RBP)	744
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2010		Elevation (Ft)	
				Allocation	Remaining	Full	01/12/2010
01/11/2010	130	1,506	1,506	3,050	1,544	44.0	44.0

Report Generated: 01/12/2010 at 10:07:26 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 13, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/13/2009	215.1	562,693	80.9%	88.8	167,317	65.0%	730,010	76.6%
01/13/2010	210.8	468,916	67.4%	82.4	83,628	32.5%	552,544	58.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/12/2010	55	36	0.07	58	24	0.07	60	
MTD		1,020	0.11		555	0.07	1,575	

STREAM FLOWS

Gauging Station	01/12/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	879
NRTT : Nueces River at Tilden, Texas	0	3
FRTT : Frio River at Tilden, Texas	1	14
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	12	149
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	296	2,313
NCAT : Nueces River at Calallen, Texas	0	185
RBP : Rincon Bayou Pipeline	79	639
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	13	203

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,303
Return Flow Credit (Effective: 01/06/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 203 Comment: The remaining Oct 2009 deficit of 3,077 AF, plus the Dec 2009 deficit of 226 AF, will be passed thru during the month of Jan 2010.	203
Estuary Inflows (NCAT + RBP)	824
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2010		Elevation (Ft)	
				Allocation	Remaining	Full	01/13/2010
01/12/2010	55	1,561	1,561	3,050	1,489	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 14, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/14/2009	215.1	562,461	80.9%	88.7	166,677	64.8%	729,138	76.5%
01/14/2010	210.7	468,296	67.4%	82.4	83,524	32.5%	551,820	57.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/13/2010	59	72	0.12	55	0	0.30	72
MTD		1,092	0.23		555	0.37	1,647

STREAM FLOWS

Gauging Station	01/13/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	951
NRTT : Nueces River at Tilden, Texas	0	3
FRTT : Frio River at Tilden, Texas	1	15
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	12	161
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	347	2,660
NCAT : Nueces River at Calallen, Texas	0	185
RBP : Rincon Bayou Pipeline	77	717
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	15	218

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,303
Return Flow Credit (Effective: 01/06/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 218 Comment: The remaining Oct 2009 deficit of 3,077 AF, plus the Dec 2009 deficit of 226 AF, will be passed thru during the month of Jan 2010.	218
Estuary Inflows (NCAT + RBP)	901
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2010		Elevation (Ft)	
				Allocation	Remaining	Full	01/14/2010
01/13/2010	8	1,569	1,569	3,050	1,481	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 15, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/15/2009	215.1	561,997	80.8%	88.7	166,357	64.7%	728,354	76.5%
01/15/2010	210.9	470,558	67.7%	82.6	85,619	33.3%	556,177	58.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/14/2010	66	168	2.16	68	Pan overflow	1.64	168
MTD		1,260	2.39		555	2.01	1,815

STREAM FLOWS

Gauging Station	01/14/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	1,026
NRTT : Nueces River at Tilden, Texas	0	3
FRTT : Frio River at Tilden, Texas	1	16
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	18	178
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	282	2,942
NCAT : Nueces River at Calallen, Texas	1	186
RBP : Rincon Bayou Pipeline	28	744
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	19	237

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,303
Return Flow Credit (Effective: 01/06/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 237 Comment: The remaining Oct 2009 deficit of 3,077 AF, plus the Dec 2009 deficit of 226 AF, will be passed thru during the month of Jan 2010.	237
Estuary Inflows (NCAT + RBP)	930
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2010		Elevation (Ft)	
				Allocation	Remaining	Full	01/15/2010
01/14/2010	52	1,621	1,621	3,050	1,429	44.0	44.0

Report Generated: 01/15/2010 at 9:18:12 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 16, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/16/2009	215.1	561,766	80.8%	88.7	166,517	64.7%	728,283	76.5%
01/16/2010	211.0	474,064	68.2%	82.8	87,855	34.2%	561,919	59.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/15/2010	56	145	1.25	57	Pan overflow	1.40	145
MTD		1,405	3.64		555	3.41	1,960

STREAM FLOWS

Gauging Station	01/15/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	568	1,594
NRTT : Nueces River at Tilden, Texas	20	22
FRTT : Frio River at Tilden, Texas	10	26
SMTT : San Miguel Creek at Tilden, Texas	36	36
ARWT : Atascosa River at Whitsett, Texas	617	796
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	826	3,768
NCAT : Nueces River at Calallen, Texas	576	761
RBP : Rincon Bayou Pipeline	0	744
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	556	792

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,303
Return Flow Credit (Effective: 01/06/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 792 Comment: The remaining Oct 2009 deficit of 3,077 AF, plus the Dec 2009 deficit of 226 AF, will be passed thru during the month of Jan 2010.	792
Estuary Inflows (NCAT + RBP)	1,506
PassThru Surplus / -Deficit:	-2,090

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2010		Elevation (Ft)	
				Allocation	Remaining	Full	01/16/2010
01/15/2010	133	1,755	1,755	3,050	1,295	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 17, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/17/2009	215.0	561,534	80.8%	88.7	166,037	64.5%	727,571	76.4%
01/17/2010	211.1	475,317	68.4%	83.2	91,884	35.7%	567,201	59.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/16/2010	62	109	0.00	61	90	0.00	199
MTD		1,514	3.64		645	3.41	2,159

STREAM FLOWS

Gauging Station	01/16/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,739	4,333
NRTT : Nueces River at Tilden, Texas	183	205
FRTT : Frio River at Tilden, Texas	127	153
SMTT : San Miguel Creek at Tilden, Texas	796	832
ARWT : Atascosa River at Whitsett, Texas	2,839	3,634
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	836	4,603
NCAT : Nueces River at Calallen, Texas	2,620	3,382
RBP : Rincon Bayou Pipeline	0	744
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3,605	4,397

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,303
Return Flow Credit (Effective: 01/06/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 4,397 Comment: The remaining Oct 2009 deficit of 3,077 AF, plus the Dec 2009 deficit of 226 AF, will be passed thru during the month of Jan 2010.	2,500
Estuary Inflows (NCAT + RBP)	4,126
PassThru Surplus / -Deficit:	-1,177

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2010		Elevation (Ft)	
				Allocation	Remaining	Full	01/17/2010
01/16/2010	141	1,896	1,896	3,050	1,154	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 18, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/18/2009	215.0	561,302	80.7%	88.7	166,197	64.6%	727,499	76.4%
01/18/2010	211.2	477,181	68.6%	83.5	95,459	37.1%	572,640	60.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/17/2010	69	109	0.00	67	13	0.00	122
MTD		1,623	3.64		658	3.41	2,281

STREAM FLOWS

Gauging Station	01/17/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,752	8,085
NRTT : Nueces River at Tilden, Texas	1,302	1,507
FRTT : Frio River at Tilden, Texas	921	1,074
SMTT : San Miguel Creek at Tilden, Texas	244	1,076
ARWT : Atascosa River at Whitsett, Texas	7,821	11,455
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	67	4,671
NCAT : Nueces River at Calallen, Texas	1,880	5,261
RBP : Rincon Bayou Pipeline	0	744
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4,859	9,257

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,303
Return Flow Credit (Effective: 01/06/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 9,257 Comment:	2,500
Estuary Inflows (NCAT + RBP)	6,006
PassThru Surplus / -Deficit:	703

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2010		Elevation (Ft)	
				Allocation	Remaining	Full	01/18/2010
01/17/2010	141	2,037	2,037	3,050	1,013	44.0	44.1

Report Generated: 01/18/2010 at 9:32:34 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 19, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/19/2009	215.0	561,070	80.7%	88.7	165,877	64.5%	726,947	76.3%
01/19/2010	211.2	478,428	68.8%	84.0	101,215	39.3%	579,643	60.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/18/2010	75	109	0.00	71	41	0.00	150
MTD		1,732	3.64		699	3.41	2,431

STREAM FLOWS

Gauging Station	01/18/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	6,630	14,715
NRTT : Nueces River at Tilden, Texas	1,792	3,300
FRTT : Frio River at Tilden, Texas	1,598	2,672
SMTT : San Miguel Creek at Tilden, Texas	411	1,487
ARWT : Atascosa River at Whitsett, Texas	5,717	17,172
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	62	4,732
NCAT : Nueces River at Calallen, Texas	717	5,978
RBP : Rincon Bayou Pipeline	0	744
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8,581	17,838

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,303
Return Flow Credit (Effective: 01/06/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 17,838 Comment:	2,500
Estuary Inflows (NCAT + RBP)	6,722
PassThru Surplus / -Deficit:	1,419

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2010		Elevation (Ft)	
				Allocation	Remaining	Full	01/19/2010
01/18/2010	141	2,178	2,178	3,050	872	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 20, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/20/2009	215.0	560,606	80.6%	88.7	165,718	64.4%	726,324	76.3%
01/20/2010	211.3	480,303	69.1%	84.7	109,254	42.5%	589,557	61.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/19/2010	80	170	0.00	77	72	0.00	242
MTD		1,902	3.64		771	3.41	2,673

STREAM FLOWS

Gauging Station	01/19/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	6,074	20,789
NRTT : Nueces River at Tilden, Texas	2,164	5,463
FRTT : Frio River at Tilden, Texas	1,870	4,542
SMTT : San Miguel Creek at Tilden, Texas	195	1,681
ARWT : Atascosa River at Whitsett, Texas	1,435	18,607
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	99	4,831
NCAT : Nueces River at Calallen, Texas	270	6,248
RBP : Rincon Bayou Pipeline	0	744
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8,081	25,919

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,303
Return Flow Credit (Effective: 01/06/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 25,919 Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date.	2,500
Estuary Inflows (NCAT + RBP)	6,992
PassThru Surplus / -Deficit:	1,689

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2010		Elevation (Ft)	
				Allocation	Remaining	Full	01/20/2010
01/19/2010	141	2,320	2,320	3,050	730	44.0	44.1

Report Generated: 01/20/2010 at 8:56:53 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 21, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/21/2009	215.0	560,376	80.6%	88.6	165,079	64.2%	725,455	76.2%
01/21/2010	211.4	482,374	69.4%	85.0	113,354	44.1%	595,728	62.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/20/2010	76	61	0.00	77	66	0.00	127
MTD		1,963	3.64		837	3.41	2,800

STREAM FLOWS

Gauging Station	01/20/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,779	23,568
NRTT : Nueces River at Tilden, Texas	2,600	8,064
FRTT : Frio River at Tilden, Texas	705	5,247
SMTT : San Miguel Creek at Tilden, Texas	77	1,759
ARWT : Atascosa River at Whitsett, Texas	464	19,072
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	155	4,986
NCAT : Nueces River at Calallen, Texas	73	6,321
RBP : Rincon Bayou Pipeline	0	744
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3,504	29,422

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,303
Return Flow Credit (Effective: 01/06/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 29,422 Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date.	2,500
Estuary Inflows (NCAT + RBP)	7,066
PassThru Surplus / -Deficit:	1,763

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2010		Elevation (Ft)	
				Allocation	Remaining	Full	01/21/2010
01/20/2010	141	2,461	2,461	3,050	589	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 22, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/22/2009	215.0	560,147	80.6%	88.6	164,442	63.9%	724,589	76.1%
01/22/2010	211.4	481,336	69.2%	85.2	115,503	44.9%	596,839	62.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/21/2010	79	182	0.00	78	118	0.00	300
MTD		2,145	3.64		955	3.41	3,100

STREAM FLOWS

Gauging Station	01/21/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,600	26,168
NRTT : Nueces River at Tilden, Texas	2,600	10,664
FRTT : Frio River at Tilden, Texas	121	5,368
SMTT : San Miguel Creek at Tilden, Texas	44	1,802
ARWT : Atascosa River at Whitsett, Texas	341	19,413
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	155	5,141
NCAT : Nueces River at Calallen, Texas	109	6,431
RBP : Rincon Bayou Pipeline	0	744
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,708	32,130

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,303
Return Flow Credit (Effective: 01/06/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 32,130 Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date.	2,500
Estuary Inflows (NCAT + RBP)	7,175
PassThru Surplus / -Deficit:	1,872

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2010		Elevation (Ft)	
				Allocation	Remaining	Full	01/22/2010
01/21/2010	142	2,603	2,603	3,050	447	44.0	44.1

Report Generated: 01/22/2010 at 9:03:04 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 23, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/23/2009	215.0	559,917	80.5%	88.6	164,283	63.9%	724,200	76.0%
01/23/2010	211.4	482,583	69.4%	85.4	117,934	45.8%	600,517	63.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/22/2010	76	170	0.00	76	105	0.00	275
MTD		2,315	3.64		1,060	3.41	3,375

STREAM FLOWS

Gauging Station	01/22/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,700	28,868
NRTT : Nueces River at Tilden, Texas	758	11,422
FRTT : Frio River at Tilden, Texas	71	5,439
SMTT : San Miguel Creek at Tilden, Texas	26	1,828
ARWT : Atascosa River at Whitsett, Texas	262	19,675
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	5,292
NCAT : Nueces River at Calallen, Texas	66	6,496
RBP : Rincon Bayou Pipeline	0	744
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,739	34,869

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,303
Return Flow Credit (Effective: 01/06/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 34,869 Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date.	2,500
Estuary Inflows (NCAT + RBP)	7,240
PassThru Surplus / -Deficit:	1,937

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2010		Elevation (Ft)	
				Allocation	Remaining	Full	01/23/2010
01/22/2010	141	2,744	2,744	3,050	306	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 24, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/24/2009	215.0	559,688	80.5%	88.6	164,283	63.9%	723,971	76.0%
01/24/2010	211.4	482,165	69.3%	85.4	118,321	46.0%	600,486	63.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/23/2010	74	243	0.00	72	120	0.00	363
MTD		2,558	3.64		1,180	3.41	3,738

STREAM FLOWS

Gauging Station	01/23/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,255	30,122
NRTT : Nueces River at Tilden, Texas	296	11,718
FRTT : Frio River at Tilden, Texas	50	5,489
SMTT : San Miguel Creek at Tilden, Texas	17	1,846
ARWT : Atascosa River at Whitsett, Texas	218	19,893
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	131	5,423
NCAT : Nueces River at Calallen, Texas	71	6,568
RBP : Rincon Bayou Pipeline	0	744
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,264	36,133

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,303
Return Flow Credit (Effective: 01/06/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 36,133 Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date.	2,500
Estuary Inflows (NCAT + RBP)	7,312
PassThru Surplus / -Deficit:	2,009

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2010		Elevation (Ft)	
				Allocation	Remaining	Full	01/24/2010
01/23/2010	141	2,885	2,885	3,050	165	44.0	44.1

Report Generated: 01/24/2010 at 8:07:52 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 25, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/25/2009	214.9	559,228	80.4%	88.6	163,965	63.7%	723,193	75.9%
01/25/2010	211.4	481,130	69.2%	85.5	119,486	46.4%	600,616	63.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/24/2010	74	182	0.00	69	219	0.00	401
MTD		2,740	3.64		1,399	3.41	4,139

STREAM FLOWS

Gauging Station	01/24/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	437	30,559
NRTT : Nueces River at Tilden, Texas	193	11,911
FRTT : Frio River at Tilden, Texas	34	5,523
SMTT : San Miguel Creek at Tilden, Texas	11	1,857
ARWT : Atascosa River at Whitsett, Texas	195	20,088
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	109	5,532
NCAT : Nueces River at Calallen, Texas	50	6,617
RBP : Rincon Bayou Pipeline	0	744
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	424	36,557

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,303
Return Flow Credit (Effective: 01/06/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 36,557 Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date.	2,500
Estuary Inflows (NCAT + RBP)	7,362
PassThru Surplus / -Deficit:	2,059

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2010		Elevation (Ft)	
				Allocation	Remaining	Full	01/25/2010
01/24/2010	141	3,026	3,026	3,050	24	44.0	44.1

Report Generated: 01/25/2010 at 8:58:46 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 26, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/26/2009	215.0	559,458	80.5%	88.6	163,806	63.7%	723,264	75.9%
01/26/2010	211.4	482,165	69.3%	85.5	119,615	46.5%	601,780	63.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/25/2010	69	134	0.00	71	151	0.00	285
MTD		2,874	3.64		1,550	3.41	4,424

STREAM FLOWS

Gauging Station	01/25/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	306	30,865
NRTT : Nueces River at Tilden, Texas	133	12,044
FRTT : Frio River at Tilden, Texas	24	5,547
SMTT : San Miguel Creek at Tilden, Texas	9	1,866
ARWT : Atascosa River at Whitsett, Texas	165	20,253
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	109	5,641
NCAT : Nueces River at Calallen, Texas	26	6,643
RBP : Rincon Bayou Pipeline	0	744
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	281	36,838

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,303
Return Flow Credit (Effective: 01/06/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 36,838 Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date.	2,500
Estuary Inflows (NCAT + RBP)	7,387
PassThru Surplus / -Deficit:	2,084

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2010		Elevation (Ft)	
				Allocation	Remaining	Full	01/26/2010
01/25/2010	141	3,167	3,167	3,050	-117	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 27, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/27/2009	214.9	559,228	80.4%	88.5	163,488	63.5%	722,716	75.9%
01/27/2010	211.3	480,097	69.1%	85.5	119,486	46.4%	599,583	62.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/26/2010	73	170	0.00	72	159	0.00	329
MTD		3,044	3.64		1,709	3.41	4,753

STREAM FLOWS

Gauging Station	01/26/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	234	31,099
NRTT : Nueces River at Tilden, Texas	95	12,139
FRTT : Frio River at Tilden, Texas	20	5,566
SMTT : San Miguel Creek at Tilden, Texas	4	1,869
ARWT : Atascosa River at Whitsett, Texas	137	20,390
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	101	5,743
NCAT : Nueces River at Calallen, Texas	32	6,675
RBP : Rincon Bayou Pipeline	0	744
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	200	37,038

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,303
Return Flow Credit (Effective: 01/06/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 37,038 Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date.	2,500
Estuary Inflows (NCAT + RBP)	7,419
PassThru Surplus / -Deficit:	2,116

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2010		Elevation (Ft)	
				Allocation	Remaining	Full	01/27/2010
01/26/2010	141	3,308	3,308	3,050	-258	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 28, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/28/2009	214.9	558,999	80.4%	88.6	164,761	64.0%	723,760	76.0%
01/28/2010	211.3	479,472	69.0%	85.5	119,096	46.3%	598,568	62.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/27/2010	70	170	0.05	69	45	0.01	215
MTD		3,214	3.69		1,754	3.42	4,968

STREAM FLOWS

Gauging Station	01/27/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	191	31,290
NRTT : Nueces River at Tilden, Texas	67	12,206
FRTT : Frio River at Tilden, Texas	24	5,590
SMTT : San Miguel Creek at Tilden, Texas	5	1,874
ARWT : Atascosa River at Whitsett, Texas	127	20,517
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	91	5,834
NCAT : Nueces River at Calallen, Texas	34	6,709
RBP : Rincon Bayou Pipeline	0	744
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	162	37,200

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,303
Return Flow Credit (Effective: 01/06/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 37,200 Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date.	2,500
Estuary Inflows (NCAT + RBP)	7,453
PassThru Surplus / -Deficit:	2,150

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2010		Elevation (Ft)	
				Allocation	Remaining	Full	01/28/2010
01/27/2010	141	3,448	3,448	3,050	-398	44.0	44.2

Report Generated: 01/28/2010 at 10:43:22 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 29, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/29/2009	214.9	558,769	80.4%	88.6	163,806	63.7%	722,575	75.9%
01/29/2010	211.4	481,543	69.3%	85.4	118,967	46.2%	600,510	63.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/28/2010	73	24	0.10	73	8	0.07	32
MTD		3,238	3.79		1,762	3.49	5,000

STREAM FLOWS

Gauging Station	01/28/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	171	31,460
NRTT : Nueces River at Tilden, Texas	52	12,258
FRTT : Frio River at Tilden, Texas	19	5,609
SMTT : San Miguel Creek at Tilden, Texas	4	1,879
ARWT : Atascosa River at Whitsett, Texas	121	20,638
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	5,975
NCAT : Nueces River at Calallen, Texas	24	6,732
RBP : Rincon Bayou Pipeline	0	744
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	136	37,336

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 625 Effective: 01/27/2010	1,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,303
Return Flow Credit (Effective: 01/06/2010)	500
Passthru Target: 1,875 Reservoir Inflow: 37,336 Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date.	1,875
Estuary Inflows (NCAT + RBP)	7,477
PassThru Surplus / -Deficit:	2,799

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2010		Elevation (Ft)	
				Allocation	Remaining	Full	01/29/2010
01/28/2010	141	3,589	3,589	3,050	-539	44.0	44.1

Report Generated: 01/29/2010 at 9:25:40 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 30, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/30/2009	214.9	558,540	80.3%	88.6	163,647	63.6%	722,187	75.8%
01/30/2010	211.3	480,097	69.1%	85.5	119,875	46.6%	599,972	63.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/29/2010	58	182	0.00	59	129	0.00	311
MTD		3,420	3.79		1,891	3.49	5,311

STREAM FLOWS

Gauging Station	01/29/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	159	31,619
NRTT : Nueces River at Tilden, Texas	40	12,298
FRTT : Frio River at Tilden, Texas	14	5,624
SMTT : San Miguel Creek at Tilden, Texas	3	1,882
ARWT : Atascosa River at Whitsett, Texas	115	20,753
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	83	6,058
NCAT : Nueces River at Calallen, Texas	54	6,786
RBP : Rincon Bayou Pipeline	0	744
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	119	37,455

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 625 Effective: 01/27/2010	1,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,303
Return Flow Credit (Effective: 01/06/2010)	500
Passthru Target: 1,875 Reservoir Inflow: 37,455 Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	1,875
Estuary Inflows (NCAT + RBP)	7,530
PassThru Surplus / -Deficit:	2,852

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2010		Elevation (Ft)	
				Allocation	Remaining	Full	01/30/2010
01/29/2010	141	3,729	3,729	3,050	-679	44.0	44.1

Report Generated: 01/30/2010 at 8:32:51 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 31, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/31/2009	214.9	558,310	80.3%	88.5	163,012	63.4%	721,322	75.7%
01/31/2010	211.4	481,130	69.2%	85.5	120,005	46.6%	601,135	63.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/30/2010	52	158	0.00	51	99	0.00	257
MTD		3,578	3.79		1,990	3.49	5,568

STREAM FLOWS

Gauging Station	01/30/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	147	31,766
NRTT : Nueces River at Tilden, Texas	30	12,327
FRTT : Frio River at Tilden, Texas	11	5,635
SMTT : San Miguel Creek at Tilden, Texas	2	1,884
ARWT : Atascosa River at Whitsett, Texas	107	20,860
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	77	6,136
NCAT : Nueces River at Calallen, Texas	54	6,840
RBP : Rincon Bayou Pipeline	0	744
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	103	37,558

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 625 Effective: 01/27/2010	1,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-3,303
Return Flow Credit (Effective: 01/06/2010)	500
Passthru Target: 1,875 Reservoir Inflow: 37,558 Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	1,875
Estuary Inflows (NCAT + RBP)	7,584
PassThru Surplus / -Deficit:	2,906

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2010		Elevation (Ft)	
				Allocation	Remaining	Full	01/31/2010
01/30/2010	141	3,870	3,870	3,050	-820	44.0	44.1