

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 1, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/01/2009	214.9	558,083	80.3%	88.5	162,853	63.3%	720,936	75.7%
02/01/2010	211.3	480,716	69.1%	85.5	119,745	46.5%	600,461	63.0%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/31/2010	47	73	0.02	46	15	0.02	88	
MTD		3,651	3.81		2,005	3.51	5,656	

STREAM FLOWS

Gauging Station	01/31/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	139	31,905
NRRT : Nueces River at Tilden, Texas	26	12,353
FRRT : Frio River at Tilden, Texas	8	5,643
SMTT : San Miguel Creek at Tilden, Texas	2	1,886
ARWT : Atascosa River at Whitsett, Texas	99	20,959
Release from Choke Canyon Reservoir	58	1,785
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	83	6,219
NCAT : Nueces River at Calallen, Texas	42	6,881
RBP : Rincon Bayou Pipeline	0	744
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	91	37,649

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru		
Monthly Target: 2,500		1,875
Salinity Relief Credit : 625 Effective: 01/27/2010		
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)		-3,303
Return Flow Credit (Effective: 01/06/2010)		500
Passthru	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	
Target: 1,875		1,875
Reservoir Inflow: 37,649		
Estuary Inflows (NCAT + RBP)		7,626
PassThru Surplus / -Deficit:		2,948

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2010		Elevation (Ft)	
				Allocation	Remaining	Full	02/01/2010
01/31/2010	141	4,011	4,011	3,050	-961	44.0	44.1

Report Generated: 02/01/2010 at 8:52:56 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 2, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/02/2009	214.9	557,856	80.2%	88.5	163,329	63.5%	721,185	75.7%
02/02/2010	211.3	479,890	69.0%	85.5	119,615	46.5%	599,505	62.9%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/01/2010	48	12	0.02	51	0	0.02	12	
MTD		12	0.02		0	0.02	12	

STREAM FLOWS

Gauging Station	02/01/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	131	131
NRIT : Nueces River at Tilden, Texas	22	22
FRIT : Frio River at Tilden, Texas	6	6
SMTT : San Miguel Creek at Tilden, Texas	1	1
ARWT : Atascosa River at Whitsett, Texas	99	99
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	77	77
NCAT : Nueces River at Calallen, Texas	36	36
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	81	81

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,948
Return Flow Credit (Effective: 02/01/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 81	81
Estuary Inflows (NCAT + RBP)	36
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2010		Elevation (Ft)	
				Allocation	Remaining	Full	02/02/2010
02/01/2010	141	141	4,151	3,040	2,899	44.0	44.1

Report Generated: 02/02/2010 at 9:43:27 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 3, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/03/2009	214.9	557,856	80.2%	88.5	162,695	63.2%	720,551	75.6%
02/03/2010	211.3	480,510	69.1%	85.5	119,615	46.5%	600,125	63.0%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/02/2010	56	0	0.60	58	0	0.50	0	
MTD		12	0.62		0	0.52	12	

STREAM FLOWS

Gauging Station	02/02/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	125	256
NRIT : Nueces River at Tilden, Texas	19	40
FRIT : Frio River at Tilden, Texas	5	11
SMTT : San Miguel Creek at Tilden, Texas	1	3
ARWT : Atascosa River at Whitsett, Texas	89	189
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	83	161
NCAT : Nueces River at Calallen, Texas	32	67
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	74	155

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,948
Return Flow Credit (Effective: 02/01/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 155	155
Estuary Inflows (NCAT + RBP)	67
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2010		Elevation (Ft)	
				Allocation	Remaining	Full	02/03/2010
02/02/2010	141	281	4,292	3,040	2,759	44.0	44.1

Report Generated: 02/03/2010 at 10:31:12 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 4, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/04/2009	214.9	557,628	80.2%	88.5	162,061	63.0%	719,689	75.6%
02/04/2010	211.5	483,001	69.5%	86.1	127,552	49.6%	610,553	64.1%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/03/2010	60	49	1.30	62	173	1.94	222	
MTD		61	1.92		173	2.46	234	

STREAM FLOWS

Gauging Station	02/03/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	143	399
NRIT : Nueces River at Tilden, Texas	32	72
FRIT : Frio River at Tilden, Texas	5	16
SMTT : San Miguel Creek at Tilden, Texas	83	86
ARWT : Atascosa River at Whitsett, Texas	199	387
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	210	371
NCAT : Nueces River at Calallen, Texas	131	199
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	174	329

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,948
Return Flow Credit (Effective: 02/01/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 329	329
Estuary Inflows (NCAT + RBP)	199
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2010		Elevation (Ft)	
				Allocation	Remaining	Full	02/04/2010
02/03/2010	141	422	4,433	3,040	2,618	44.0	44.1

Report Generated: 02/04/2010 at 9:03:04 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 5, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/05/2009	214.9	557,174	80.1%	88.5	162,695	63.2%	719,869	75.6%
02/05/2010	211.5	484,463	69.7%	86.3	130,625	50.8%	615,088	64.6%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/04/2010	59	37	0.05	61	111	0.09	148	
MTD		134	1.97		284	2.55	418	

STREAM FLOWS

Gauging Station	02/04/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	895	1,294
NRIT : Nueces River at Tilden, Texas	199	271
FRIT : Frio River at Tilden, Texas	103	119
SMTT : San Miguel Creek at Tilden, Texas	611	698
ARWT : Atascosa River at Whitsett, Texas	1,342	1,729
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	744	1,116
NCAT : Nueces River at Calallen, Texas	1,251	1,449
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,552	1,881

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 1,881	1,881
Estuary Inflows (NCAT + RBP)	1,449
PassThru Surplus / -Deficit:	1,318

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2010		Elevation (Ft)	
				Allocation	Remaining	Full	02/05/2010
02/04/2010	140	562	4,573	3,040	2,478	44.0	44.1

Report Generated: 02/05/2010 at 9:23:08 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 6, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/06/2009	214.8	556,947	80.1%	88.5	162,219	63.1%	719,166	75.5%
02/06/2010	211.7	487,401	70.1%	86.4	132,314	51.4%	619,715	65.1%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/05/2010	68	86	0.00	67	112	0.00	198	
MTD		220	1.97		396	2.55	616	

STREAM FLOWS

Gauging Station	02/05/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,422	3,716
NRIT : Nueces River at Tilden, Texas	734	1,005
FRIT : Frio River at Tilden, Texas	451	570
SMTT : San Miguel Creek at Tilden, Texas	498	1,196
ARWT : Atascosa River at Whitsett, Texas	3,791	5,520
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	155	1,270
NCAT : Nueces River at Calallen, Texas	1,475	2,924
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	3,313	5,194

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 5,194	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date 2,500
Estuary Inflows (NCAT + RBP)	2,924
PassThru Surplus / -Deficit:	2,174

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2010		Elevation (Ft)	
				Allocation	Remaining	Full	02/06/2010
02/05/2010	140	703	4,713	3,040	2,337	44.0	44.1

Report Generated: 02/06/2010 at 8:34:09 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 7, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/07/2009	214.8	556,265	80.0%	88.4	160,798	62.5%	717,063	75.3%
02/07/2010	211.7	487,824	70.2%	86.7	136,476	53.0%	624,300	65.5%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/06/2010	68	159	0.00	66	122	0.00	281	
MTD		379	1.97		518	2.55	897	

STREAM FLOWS

Gauging Station	02/06/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	4,208	7,924
NRRT : Nueces River at Tilden, Texas	1,618	2,623
FRRT : Frio River at Tilden, Texas	633	1,203
SMTT : San Miguel Creek at Tilden, Texas	774	1,970
ARWT : Atascosa River at Whitsett, Texas	4,327	9,848
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	135	1,405
NCAT : Nueces River at Calallen, Texas	625	3,549
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	5,558	10,752

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 10,752	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date 2,500
Estuary Inflows (NCAT + RBP)	3,549
PassThru Surplus / -Deficit:	2,799

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2010		Elevation (Ft)	
				Allocation	Remaining	Full	02/07/2010
02/06/2010	141	843	4,854	3,040	2,197	44.0	44.1

Report Generated: 02/07/2010 at 8:29:49 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 8, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/08/2009	214.8	555,808	79.9%	88.4	160,955	62.6%	716,763	75.2%
02/08/2010	211.7	487,824	70.2%	87.1	140,859	54.8%	628,683	66.0%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/07/2010	64	61	0.00	66	75	0.00	136	
MTD		440	1.97		593	2.55	1,033	

STREAM FLOWS

Gauging Station	02/07/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	4,486	12,410
NRIT : Nueces River at Tilden, Texas	1,814	4,437
FRIT : Frio River at Tilden, Texas	663	1,866
SMTT : San Miguel Creek at Tilden, Texas	474	2,445
ARWT : Atascosa River at Whitsett, Texas	1,606	11,453
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	131	1,536
NCAT : Nueces River at Calallen, Texas	246	3,795
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	5,566	16,318

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 16,318	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date 2,500
Estuary Inflows (NCAT + RBP)	3,795
PassThru Surplus / -Deficit:	3,045

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2010		Elevation (Ft)	
				Allocation	Remaining	Full	02/08/2010
02/07/2010	141	984	4,995	3,040	2,056	44.0	44.1

Report Generated: 02/08/2010 at 8:33:36 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 9, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/09/2009	214.8	556,947	80.1%	88.4	160,955	62.6%	717,902	75.4%
02/09/2010	211.7	488,246	70.2%	87.4	145,195	56.4%	633,441	66.5%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/08/2010	75	183	0.00	73	121	0.00	304	
MTD		623	1.97		714	2.55	1,337	

STREAM FLOWS

Gauging Station	02/08/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,604	15,015
NRIT : Nueces River at Tilden, Texas	1,929	6,367
FRIT : Frio River at Tilden, Texas	335	2,202
SMTT : San Miguel Creek at Tilden, Texas	157	2,601
ARWT : Atascosa River at Whitsett, Texas	550	12,003
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	129	1,665
NCAT : Nueces River at Calallen, Texas	91	3,887
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	3,039	19,357

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 19,357	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date 2,500
Estuary Inflows (NCAT + RBP)	3,887
PassThru Surplus / -Deficit:	3,137

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2010		Elevation (Ft)	
				Allocation	Remaining	Full	02/09/2010
02/08/2010	125	1,109	5,120	3,040	1,931	44.0	44.0

Report Generated: 02/09/2010 at 8:32:32 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 10, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/10/2009	214.8	556,038	80.0%	88.4	160,955	62.6%	716,993	75.3%
02/10/2010	211.7	488,664	70.3%	87.4	145,640	56.6%	634,304	66.6%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/09/2010	53	147	0.00	51	138	0.00	285	
MTD		770	1.97		852	2.55	1,622	

STREAM FLOWS

Gauging Station	02/09/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,243	17,258
NRIT : Nueces River at Tilden, Texas	1,771	8,137
FRIT : Frio River at Tilden, Texas	135	2,337
SMTT : San Miguel Creek at Tilden, Texas	91	2,693
ARWT : Atascosa River at Whitsett, Texas	365	12,369
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	48	1,713
NCAT : Nueces River at Calallen, Texas	34	3,920
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,412	21,769

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 21,769	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date 2,500
Estuary Inflows (NCAT + RBP)	3,920
PassThru Surplus / -Deficit:	3,170

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2010		Elevation (Ft)	
				Allocation	Remaining	Full	02/10/2010
02/09/2010	111	1,220	5,231	3,040	1,820	44.0	44.2

Report Generated: 02/10/2010 at 8:33:44 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 11, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/11/2009	214.8	556,492	80.0%	88.5	162,536	63.2%	719,028	75.5%
02/11/2010	211.7	489,082	70.3%	87.5	147,877	57.5%	636,959	66.9%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/10/2010	43	49	0.57	47	44	0.16	93	
MTD		819	2.54		896	2.71	1,715	

STREAM FLOWS

Gauging Station	02/10/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,025	19,282
NRIT : Nueces River at Tilden, Texas	709	8,846
FRIT : Frio River at Tilden, Texas	107	2,444
SMTT : San Miguel Creek at Tilden, Texas	58	2,750
ARWT : Atascosa River at Whitsett, Texas	282	12,650
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	105	1,818
NCAT : Nueces River at Calallen, Texas	6	3,926
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,132	23,901

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 23,901	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date 2,500
Estuary Inflows (NCAT + RBP)	3,926
PassThru Surplus / -Deficit:	3,176

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2010		Elevation (Ft)	
				Allocation	Remaining	Full	02/11/2010
02/10/2010	111	1,331	5,342	3,040	1,709	44.0	44.2

Report Generated: 02/11/2010 at 8:39:17 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 12, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/12/2009	214.8	556,038	80.0%	88.4	160,798	62.5%	716,836	75.3%
02/12/2010	211.8	490,126	70.5%	87.7	150,589	58.5%	640,715	67.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/11/2010	51	25	0.53	54	44	0.70	69	
MTD		844	3.07		940	3.41	1,784	

STREAM FLOWS

Gauging Station	02/11/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	993	20,275
NRIT : Nueces River at Tilden, Texas	482	9,328
FRIT : Frio River at Tilden, Texas	97	2,541
SMTT : San Miguel Creek at Tilden, Texas	54	2,804
ARWT : Atascosa River at Whitsett, Texas	316	12,966
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	133	1,951
NCAT : Nueces River at Calallen, Texas	21	3,948
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,086	24,987

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 24,987	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date 2,500
Estuary Inflows (NCAT + RBP)	3,948
PassThru Surplus / -Deficit:	3,198

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2010		Elevation (Ft)	
				Allocation	Remaining	Full	02/12/2010
02/11/2010	111	1,442	5,453	3,040	1,598	44.0	44.2

Report Generated: 02/12/2010 at 8:23:04 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 13, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/13/2009	214.8	556,492	80.0%	88.3	160,325	62.3%	716,817	75.3%
02/13/2010	211.9	491,391	70.7%	87.7	150,589	58.5%	641,980	67.4%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/12/2010	52	74	0.00	50	123	0.00	197	
MTD		918	3.07		1,063	3.41	1,981	

STREAM FLOWS

Gauging Station	02/12/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,139	21,414
NRIT : Nueces River at Tilden, Texas	558	9,886
FRIT : Frio River at Tilden, Texas	79	2,621
SMTT : San Miguel Creek at Tilden, Texas	87	2,891
ARWT : Atascosa River at Whitsett, Texas	1,255	14,221
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	113	2,064
NCAT : Nueces River at Calallen, Texas	117	4,065
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,249	26,235

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 26,235	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date 2,500
Estuary Inflows (NCAT + RBP)	4,065
PassThru Surplus / -Deficit:	3,315

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2010		Elevation (Ft)	
				Allocation	Remaining	Full	02/13/2010
02/12/2010	123	1,565	5,576	3,040	1,475	44.0	44.2

Report Generated: 02/13/2010 at 8:13:11 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 14, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/14/2009	214.8	556,038	80.0%	88.3	160,325	62.3%	716,363	75.2%
02/14/2010	211.9	491,602	70.7%	87.9	153,175	59.5%	644,777	67.7%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/13/2010	60	98	0.00	58	80	0.00	178	
MTD		1,016	3.07		1,143	3.41	2,159	

STREAM FLOWS

Gauging Station	02/13/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,442	23,856
NRIT : Nueces River at Tilden, Texas	597	10,484
FRIT : Frio River at Tilden, Texas	75	2,696
SMTT : San Miguel Creek at Tilden, Texas	179	3,070
ARWT : Atascosa River at Whitsett, Texas	2,938	17,158
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	95	2,160
NCAT : Nueces River at Calallen, Texas	161	4,226
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,638	28,873

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 28,873	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date 2,500
Estuary Inflows (NCAT + RBP)	4,226
PassThru Surplus / -Deficit:	3,476

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2010		Elevation (Ft)	
				Allocation	Remaining	Full	02/14/2010
02/13/2010	139	1,704	5,715	3,040	1,336	44.0	44.2

Report Generated: 02/14/2010 at 8:10:28 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 15, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/15/2009	214.8	555,579	79.9%	88.4	160,640	62.4%	716,219	75.2%
02/15/2010	211.8	489,708	70.4%	88.1	156,565	60.9%	646,273	67.8%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/14/2010	70	245	0.01	73	136	0.04	381	
MTD		1,261	3.08		1,279	3.45	2,540	

STREAM FLOWS

Gauging Station	02/14/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,116	26,972
NRIT : Nueces River at Tilden, Texas	558	11,041
FRIT : Frio River at Tilden, Texas	77	2,773
SMTT : San Miguel Creek at Tilden, Texas	206	3,276
ARWT : Atascosa River at Whitsett, Texas	1,753	18,911
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	93	2,253
NCAT : Nueces River at Calallen, Texas	89	4,315
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	3,343	32,216

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 32,216	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date 2,500
Estuary Inflows (NCAT + RBP)	4,315
PassThru Surplus / -Deficit:	3,565

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2010		Elevation (Ft)	
				Allocation	Remaining	Full	02/15/2010
02/14/2010	139	1,844	5,854	3,040	1,196	44.0	44.2

Report Generated: 02/15/2010 at 8:51:38 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 16, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/16/2009	214.8	555,349	79.9%	88.3	160,167	62.3%	715,516	75.1%
02/16/2010	211.8	490,546	70.6%	88.2	157,813	61.3%	648,359	68.1%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/15/2010	56	159	0.00	54	155	0.00	314	
MTD		1,420	3.08		1,434	3.45	2,854	

STREAM FLOWS

Gauging Station	02/15/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,157	28,129
NRIT : Nueces River at Tilden, Texas	62	11,103
FRIT : Frio River at Tilden, Texas	62	2,835
SMTT : San Miguel Creek at Tilden, Texas	115	3,391
ARWT : Atascosa River at Whitsett, Texas	433	19,344
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	109	2,362
NCAT : Nueces River at Calallen, Texas	22	4,337
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,276	33,492

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 33,492	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date 2,500
Estuary Inflows (NCAT + RBP)	4,337
PassThru Surplus / -Deficit:	3,587

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2010		Elevation (Ft)	
				Allocation	Remaining	Full	02/16/2010
02/15/2010	139	1,983	5,993	3,040	1,057	44.0	44.2

Report Generated: 02/16/2010 at 9:01:46 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 17, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/17/2009	214.8	555,349	79.9%	88.3	159,224	61.9%	714,573	75.0%
02/17/2010	211.8	490,546	70.6%	88.2	158,283	61.5%	648,829	68.1%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/16/2010	60	135	0.00	59	100	0.00	235	
MTD		1,555	3.08		1,534	3.45	3,089	

STREAM FLOWS

Gauging Station	02/16/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	822	28,951
NRIT : Nueces River at Tilden, Texas	373	11,476
FRIT : Frio River at Tilden, Texas	60	2,894
SMTT : San Miguel Creek at Tilden, Texas	83	3,475
ARWT : Atascosa River at Whitsett, Texas	318	19,661
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	117	2,479
NCAT : Nueces River at Calallen, Texas	15	4,352
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	907	34,399

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 34,399	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date 2,500
Estuary Inflows (NCAT + RBP)	4,352
PassThru Surplus / -Deficit:	3,602

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2010		Elevation (Ft)	
				Allocation	Remaining	Full	02/17/2010
02/16/2010	139	2,122	6,132	3,040	918	44.0	44.1

Report Generated: 02/17/2010 at 8:45:33 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 18, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/18/2009	214.8	555,120	79.8%	88.3	159,224	61.9%	714,344	75.0%
02/18/2010	211.9	491,391	70.7%	88.2	158,753	61.7%	650,144	68.3%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/17/2010	62	160	0.00	62	155	0.00	315	
MTD		1,715	3.08		1,689	3.45	3,404	

STREAM FLOWS

Gauging Station	02/17/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	578	29,529
NRTT : Nueces River at Tilden, Texas	296	11,772
FRTT : Frio River at Tilden, Texas	56	2,950
SMTT : San Miguel Creek at Tilden, Texas	52	3,526
ARWT : Atascosa River at Whitsett, Texas	218	19,880
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	119	2,598
NCAT : Nueces River at Calallen, Texas	18	4,370
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	627	35,027

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 35,027	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date 2,500
Estuary Inflows (NCAT + RBP)	4,370
PassThru Surplus / -Deficit:	3,620

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2010		Elevation (Ft)	
				Allocation	Remaining	Full	02/18/2010
02/17/2010	135	2,257	6,268	3,040	783	44.0	44.1

Report Generated: 02/18/2010 at 8:31:47 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 19, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/19/2009	214.8	554,890	79.8%	88.3	159,695	62.1%	714,585	75.0%
02/19/2010	211.8	491,180	70.6%	88.3	159,381	62.0%	650,561	68.3%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/18/2010	64	196	0.09	60	82	0.49	278	
MTD		1,911	3.17		1,771	3.94	3,682	

STREAM FLOWS

Gauging Station	02/18/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	445	29,974
NRIT : Nueces River at Tilden, Texas	238	12,010
FRIT : Frio River at Tilden, Texas	46	2,996
SMTT : San Miguel Creek at Tilden, Texas	36	3,562
ARWT : Atascosa River at Whitsett, Texas	169	20,049
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	83	2,682
NCAT : Nueces River at Calallen, Texas	26	4,396
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	468	35,495

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 35,495	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date 2,500
Estuary Inflows (NCAT + RBP)	4,396
PassThru Surplus / -Deficit:	3,646

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2010		Elevation (Ft)	
				Allocation	Remaining	Full	02/19/2010
02/18/2010	136	2,393	6,404	3,040	647	44.0	44.1

Report Generated: 02/19/2010 at 8:12:18 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 20, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/20/2009	214.7	554,660	79.8%	88.3	159,224	61.9%	713,884	74.9%
02/20/2010	211.8	491,180	70.6%	88.3	159,852	62.1%	651,032	68.3%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/19/2010	64	61	0.00	64	82	0.01	143	
MTD		1,972	3.17		1,853	3.95	3,825	

STREAM FLOWS

Gauging Station	02/19/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	355	30,329
NRIT : Nueces River at Tilden, Texas	193	12,203
FRIT : Frio River at Tilden, Texas	34	3,029
SMTT : San Miguel Creek at Tilden, Texas	26	3,588
ARWT : Atascosa River at Whitsett, Texas	127	20,176
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	85	2,767
NCAT : Nueces River at Calallen, Texas	73	4,469
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	357	35,852

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 35,852	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date 2,500
Estuary Inflows (NCAT + RBP)	4,469
PassThru Surplus / -Deficit:	3,719

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2010		Elevation (Ft)	
				Allocation	Remaining	Full	02/20/2010
02/19/2010	139	2,532	6,543	3,040	508	44.0	44.1

Report Generated: 02/20/2010 at 8:02:32 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 21, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/21/2009	214.7	554,431	79.7%	88.2	158,596	61.6%	713,027	74.9%
02/21/2010	211.8	490,969	70.6%	88.3	160,167	62.3%	651,136	68.4%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/20/2010	71	123	0.00	69	55	0.00	178	
MTD		2,095	3.17		1,908	3.95	4,003	

STREAM FLOWS

Gauging Station	02/20/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	298	30,627
NRIT : Nueces River at Tilden, Texas	155	12,357
FRIT : Frio River at Tilden, Texas	26	3,055
SMTT : San Miguel Creek at Tilden, Texas	22	3,610
ARWT : Atascosa River at Whitsett, Texas	109	20,285
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	83	2,850
NCAT : Nueces River at Calallen, Texas	52	4,521
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	288	36,140

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 36,140	2,500
Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	
Estuary Inflows (NCAT + RBP)	4,521
PassThru Surplus / -Deficit:	3,771

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2010		Elevation (Ft)	
				Allocation	Remaining	Full	02/21/2010
02/20/2010	139	2,671	6,681	3,040	369	44.0	44.1

Report Generated: 02/21/2010 at 8:17:06 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 22, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/22/2009	214.7	554,201	79.7%	88.2	158,283	61.5%	712,484	74.8%
02/22/2010	211.8	490,126	70.5%	88.4	160,955	62.6%	651,081	68.4%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/21/2010	77	221	0.00	74	129	0.01	350	
MTD		2,316	3.17		2,037	3.96	4,353	

STREAM FLOWS

Gauging Station	02/21/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	254	30,881
NRTT : Nueces River at Tilden, Texas	123	12,480
FRTT : Frio River at Tilden, Texas	22	3,077
SMTT : San Miguel Creek at Tilden, Texas	16	3,626
ARWT : Atascosa River at Whitsett, Texas	99	20,384
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	83	2,934
NCAT : Nueces River at Calallen, Texas	50	4,571
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	235	36,375

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 36,375	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date 2,500
Estuary Inflows (NCAT + RBP)	4,571
PassThru Surplus / -Deficit:	3,821

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2010		Elevation (Ft)	
				Allocation	Remaining	Full	02/22/2010
02/21/2010	139	2,809	6,820	3,040	231	44.0	44.1

Report Generated: 02/22/2010 at 8:15:39 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 23, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/23/2009	214.7	553,972	79.7%	88.2	158,126	61.5%	712,098	74.8%
02/23/2010	211.7	488,246	70.2%	88.4	160,955	62.6%	649,201	68.2%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/22/2010	64	269	0.00	65	147	0.00	416	
MTD		2,585	3.17		2,184	3.96	4,769	

STREAM FLOWS

Gauging Station	02/22/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	220	31,101
NRRT : Nueces River at Tilden, Texas	99	12,580
FRRT : Frio River at Tilden, Texas	26	3,103
SMTT : San Miguel Creek at Tilden, Texas	12	3,638
ARWT : Atascosa River at Whitsett, Texas	91	20,475
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	83	3,017
NCAT : Nueces River at Calallen, Texas	42	4,612
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	200	36,575

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 36,575	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date 2,500
Estuary Inflows (NCAT + RBP)	4,612
PassThru Surplus / -Deficit:	3,862

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2010		Elevation (Ft)	
				Allocation	Remaining	Full	02/23/2010
02/22/2010	139	2,948	6,958	3,040	92	44.0	44.1

Report Generated: 02/23/2010 at 8:33:30 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 24, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/24/2009	214.7	553,742	79.6%	88.2	157,344	61.2%	711,086	74.7%
02/24/2010	211.8	490,335	70.5%	88.4	160,640	62.4%	650,975	68.3%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/23/2010	42	61	0.23	44	18	0.12	79	
MTD		2,646	3.40		2,202	4.08	4,848	

STREAM FLOWS

Gauging Station	02/23/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	199	31,299
NRIT : Nueces River at Tilden, Texas	83	12,663
FRIT : Frio River at Tilden, Texas	24	3,127
SMTT : San Miguel Creek at Tilden, Texas	11	3,649
ARWT : Atascosa River at Whitsett, Texas	85	20,561
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	87	3,105
NCAT : Nueces River at Calallen, Texas	36	4,648
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	176	36,751

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 36,751	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date 2,500
Estuary Inflows (NCAT + RBP)	4,648
PassThru Surplus / -Deficit:	3,898

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2010		Elevation (Ft)	
				Allocation	Remaining	Full	02/24/2010
02/23/2010	138	3,086	7,096	3,040	-46	44.0	44.1

Report Generated: 02/24/2010 at 8:16:43 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 25, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/25/2009	214.7	553,287	79.6%	88.1	157,188	61.1%	710,475	74.6%
02/25/2010	211.8	490,546	70.6%	88.3	159,852	62.1%	650,398	68.3%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/24/2010	59	147	0.00	57	137	0.00	284	
MTD		2,793	3.40		2,339	4.08	5,132	

STREAM FLOWS

Gauging Station	02/24/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	183	31,482
NRIT : Nueces River at Tilden, Texas	69	12,733
FRIT : Frio River at Tilden, Texas	19	3,146
SMTT : San Miguel Creek at Tilden, Texas	9	3,658
ARWT : Atascosa River at Whitsett, Texas	81	20,642
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	87	3,192
NCAT : Nueces River at Calallen, Texas	28	4,676
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	153	36,904

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2010)	500
Passthru Target: 2,500 Reservoir Inflow: 36,904	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date 2,500
Estuary Inflows (NCAT + RBP)	4,676
PassThru Surplus / -Deficit:	3,926

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2010		Elevation (Ft)	
				Allocation	Remaining	Full	02/25/2010
02/24/2010	138	3,224	7,235	3,040	-184	44.0	44.1

Report Generated: 02/25/2010 at 8:23:46 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 26, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/26/2009	214.7	552,833	79.5%	88.1	156,409	60.8%	709,242	74.5%
02/26/2010	211.8	490,335	70.5%	88.3	160,325	62.3%	650,660	68.3%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/25/2010	68	196	0.00	65	138	0.00	334	
MTD		2,989	3.40		2,477	4.08	5,466	

STREAM FLOWS

Gauging Station	02/25/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	167	31,649
NRIT : Nueces River at Tilden, Texas	56	12,788
FRIT : Frio River at Tilden, Texas	14	3,160
SMTT : San Miguel Creek at Tilden, Texas	8	3,666
ARWT : Atascosa River at Whitsett, Texas	73	20,715
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	87	3,279
NCAT : Nueces River at Calallen, Texas	22	4,698
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	131	37,035

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,250 Effective: 02/24/2010	1,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2010)	500
Passthru Target: 1,250 Reservoir Inflow: 37,035	1,250
Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	
Estuary Inflows (NCAT + RBP)	4,698
PassThru Surplus / -Deficit:	3,948

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2010		Elevation (Ft)	
				Allocation	Remaining	Full	02/26/2010
02/25/2010	138	3,362	7,373	3,040	-322	44.0	44.0

Report Generated: 02/26/2010 at 8:50:09 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 27, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/27/2009	214.7	552,606	79.5%	88.1	157,188	61.1%	709,794	74.5%
02/27/2010	211.7	488,873	70.3%	88.4	160,640	62.4%	649,513	68.2%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/26/2010	69	257	0.00	68	211	0.00	468	
MTD		3,246	3.40		2,688	4.08	5,934	

STREAM FLOWS

Gauging Station	02/26/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	159	31,808
NRIT : Nueces River at Tilden, Texas	56	12,844
FRIT : Frio River at Tilden, Texas	13	3,173
SMTT : San Miguel Creek at Tilden, Texas	4	3,669
ARWT : Atascosa River at Whitsett, Texas	75	20,791
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	103	3,382
NCAT : Nueces River at Calallen, Texas	0	4,698
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	118	37,153

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,250 Effective: 02/24/2010	1,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2010)	500
Passthru Target: 1,250 Reservoir Inflow: 37,153	1,250
Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	
Estuary Inflows (NCAT + RBP)	4,698
PassThru Surplus / -Deficit:	3,948

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2010		Elevation (Ft)	
				Allocation	Remaining	Full	02/27/2010
02/26/2010	138	3,500	7,511	3,040	-460	44.0	44.0

Report Generated: 02/27/2010 at 8:15:19 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 28, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/28/2009	214.6	552,151	79.4%	88.2	158,753	61.7%	710,904	74.6%
02/28/2010	211.8	489,917	70.5%	88.3	159,538	62.0%	649,455	68.2%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/27/2010	66	270	0.00	68	394	0.00	664	
MTD		3,516	3.40		3,082	4.08	6,598	

STREAM FLOWS

Gauging Station	02/27/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	153	31,960
NRRT : Nueces River at Tilden, Texas	46	12,889
FRRT : Frio River at Tilden, Texas	11	3,184
SMTT : San Miguel Creek at Tilden, Texas	7	3,677
ARWT : Atascosa River at Whitsett, Texas	71	20,862
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	115	3,498
NCAT : Nueces River at Calallen, Texas	0	4,698
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	114	37,267

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,250 Effective: 02/24/2010	1,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2010)	500
Passthru Target: 1,250 Reservoir Inflow: 37,267	1,250
Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	
Estuary Inflows (NCAT + RBP)	4,698
PassThru Surplus / -Deficit:	3,948

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2010		Elevation (Ft)	
				Allocation	Remaining	Full	02/28/2010
02/27/2010	138	3,638	7,649	3,040	-598	44.0	44.0

Report Generated: 02/28/2010 at 7:54:52 AM