

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 1, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/01/2009	214.6	551,696	79.3%	88.1	156,409	60.8%	708,105	74.3%
03/01/2010	211.8	489,499	70.4%	88.3	160,167	62.3%	649,666	68.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/28/2010	68	257	0.12	66	165	0.10		422
MTD		3,773	3.52		3,036	4.18		6,809

STREAM FLOWS

Gauging Station	02/28/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	147	32,107
NRTT : Nueces River at Tilden, Texas	36	12,925
FRIT : Frio River at Tilden, Texas	10	3,194
SMTT : San Miguel Creek at Tilden, Texas	7	3,684
ARWT : Atascosa River at Whitsett, Texas	67	20,930
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	115	3,613
NCAT : Nueces River at Calallen, Texas	0	4,698
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT + FRIT + SMTT) - Release From Choke Canyon	106	37,374

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,250 Effective: 02/24/2010	1,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2010)	500
Passthru Target: 1,250 Reservoir Inflow: 37,374	1,250
Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	
Estuary Inflows (NCAT + RBP)	4,698
PassThru Surplus / -Deficit:	3,948

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2010		Elevation (Ft)	
				Allocation	Remaining	Full	03/01/2010
02/28/2010	138	3,777	7,787	3,040	-737	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 2, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/02/2009	214.6	551,242	79.3%	88.0	155,633	60.5%	706,875	74.2%
03/02/2010	211.7	488,035	70.2%	88.3	160,167	62.3%	648,202	68.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/01/2010	67	342	0.00	72	293	0.00	635
MTD		342	0.00		293	0.00	635

STREAM FLOWS

Gauging Station	03/01/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	141	141
NRTT : Nueces River at Tilden, Texas	32	32
FRIT : Frio River at Tilden, Texas	8	8
SMTT : San Miguel Creek at Tilden, Texas	2	2
ARWT : Atascosa River at Whitsett, Texas	69	69
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	131	131
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT + FRIT + SMTT) - Release From Choke Canyon	93	93

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2010)	500
Passthru Target: 3,500 Reservoir Inflow: 93 Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	93
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2010		Elevation (Ft)	
				Allocation	Remaining	Full	03/02/2010
03/01/2010	138	138	7,926	3,050	2,912	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 3, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/03/2009	214.6	550,560	79.2%	88.0	155,324	60.4%	705,884	74.1%
03/03/2010	211.7	488,873	70.3%	88.3	159,224	61.9%	648,097	68.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/02/2010	62	159	0.00	60	183	0.00		342
MTD		501	0.00		476	0.00		977

STREAM FLOWS

Gauging Station	03/02/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	135	276
NRTT : Nueces River at Tilden, Texas	26	58
FRIT : Frio River at Tilden, Texas	7	15
SMTT : San Miguel Creek at Tilden, Texas	7	9
ARWT : Atascosa River at Whitsett, Texas	66	135
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	137	268
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT + FRIT + SMTT) - Release From Choke Canyon	92	185

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2010)	500
Passthru Target: 3,500 Reservoir Inflow: 185	185
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0
Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2010		Elevation (Ft)	
				Allocation	Remaining	Full	03/03/2010
03/02/2010	138	276	8,064	3,050	2,774	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 4, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/04/2009	214.6	550,333	79.2%	88.0	155,016	60.3%	705,349	74.0%
03/04/2010	211.7	489,082	70.3%	88.3	159,224	61.9%	648,306	68.1%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/03/2010	72	282	0.00	70	146	0.00		428
MTD		783	0.00		622	0.00		1,405

STREAM FLOWS

Gauging Station	03/03/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	127	403
NRTT : Nueces River at Tilden, Texas	20	77
FRIT : Frio River at Tilden, Texas	6	22
SMTT : San Miguel Creek at Tilden, Texas	7	15
ARWT : Atascosa River at Whitsett, Texas	64	199
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	415
NCAT : Nueces River at Calallen, Texas	1	1
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT + FRIT + SMTT) - Release From Choke Canyon	82	267

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2010)	500
Passthru Target: 3,500 Reservoir Inflow: 267	267
Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	
Estuary Inflows (NCAT + RBP)	1
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2010		Elevation (Ft)	
				Allocation	Remaining	Full	03/04/2010
03/03/2010	138	414	8,202	3,050	2,636	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 5, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/05/2009	214.5	550,106	79.1%	88.0	154,862	60.2%	704,968	74.0%
03/05/2010	211.7	487,190	70.1%	88.3	159,224	61.9%	646,414	67.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/04/2010	72	183	0.00	70	183	0.00		366
MTD		966	0.00		805	0.00		1,771

STREAM FLOWS

Gauging Station	03/04/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	125	528
NRTT : Nueces River at Tilden, Texas	16	93
FRIT : Frio River at Tilden, Texas	6	28
SMTT : San Miguel Creek at Tilden, Texas	6	21
ARWT : Atascosa River at Whitsett, Texas	64	262
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	562
NCAT : Nueces River at Calallen, Texas	0	1
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT + FRIT + SMTT) - Release From Choke Canyon	79	347

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2010)	500
Passthru Target: 3,500 Reservoir Inflow: 347	347
Estuary Inflows (NCAT + RBP)	1
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2010		Elevation (Ft)	
				Allocation	Remaining	Full	03/05/2010
03/04/2010	138	552	8,340	3,050	2,498	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 6, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/06/2009	214.5	549,879	79.1%	87.9	153,941	59.8%	703,820	73.9%
03/06/2010	211.7	488,246	70.2%	88.3	159,224	61.9%	647,470	68.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/05/2010	63	147	0.00	64	73	0.00		220
MTD		1,113	0.00		878	0.00		1,991

STREAM FLOWS

Gauging Station	03/05/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	123	651
NRTT : Nueces River at Tilden, Texas	13	107
FRIT : Frio River at Tilden, Texas	5	33
SMTT : San Miguel Creek at Tilden, Texas	6	27
ARWT : Atascosa River at Whitsett, Texas	22	284
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	703
NCAT : Nueces River at Calallen, Texas	0	1
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT + FRIT + SMTT) - Release From Choke Canyon	76	423

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2010)	500
Passthru Target: 3,500 Reservoir Inflow: 423	423
Estuary Inflows (NCAT + RBP)	1
PassThru Surplus / -Deficit:	0
Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2010		Elevation (Ft)	
				Allocation	Remaining	Full	03/06/2010
03/05/2010	138	690	8,478	3,050	2,360	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 7, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/07/2009	214.5	549,197	79.0%	87.9	153,481	59.7%	702,678	73.8%
03/07/2010	211.6	486,979	70.0%	88.3	158,910	61.8%	645,889	67.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/06/2010	72	220	0.00	71	146	0.00	366	
MTD		1,333	0.00		1,024	0.00	2,357	

STREAM FLOWS

Gauging Station	03/06/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	117	768
NRTT : Nueces River at Tilden, Texas	12	119
FRIT : Frio River at Tilden, Texas	5	37
SMTT : San Miguel Creek at Tilden, Texas	5	32
ARWT : Atascosa River at Whitsett, Texas	22	306
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	133	836
NCAT : Nueces River at Calallen, Texas	0	1
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT + FRIT + SMTT) - Release From Choke Canyon	70	492

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2010)	500
Passthru Target: 3,500 Reservoir Inflow: 492	492
Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	
Estuary Inflows (NCAT + RBP)	1
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2010		Elevation (Ft)	
				Allocation	Remaining	Full	03/07/2010
03/06/2010	138	828	8,616	3,050	2,222	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 8, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/08/2009	214.5	548,747	78.9%	87.9	153,634	59.7%	702,381	73.7%
03/08/2010	211.7	487,401	70.1%	88.2	158,753	61.7%	646,154	67.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/07/2010	68	12	0.05	71	46	0.01		58
MTD		1,345	0.05		1,070	0.01		2,415

STREAM FLOWS

Gauging Station	03/07/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	115	883
NRTT : Nueces River at Tilden, Texas	10	129
FRIT : Frio River at Tilden, Texas	5	42
SMTT : San Miguel Creek at Tilden, Texas	6	38
ARWT : Atascosa River at Whitsett, Texas	20	326
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	127	963
NCAT : Nueces River at Calallen, Texas	13	14
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT + FRIT + SMTT) - Release From Choke Canyon	68	560

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2010)	500
Passthru Target: 3,500 Reservoir Inflow: 560	560
Estuary Inflows (NCAT + RBP)	14
PassThru Surplus / -Deficit:	0
Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later dat	

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2010		Elevation (Ft)	
				Allocation	Remaining	Full	03/08/2010
03/07/2010	138	966	8,754	3,050	2,084	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 9, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/09/2009	214.5	548,522	78.9%	87.9	153,634	59.7%	702,156	73.7%
03/09/2010	211.7	488,455	70.3%	88.2	158,753	61.7%	647,208	67.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/08/2010	71	24	0.04	69	37	0.10		61
MTD		1,369	0.09		1,107	0.11		2,476

STREAM FLOWS

Gauging Station	03/08/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	139	1,022
NRTT : Nueces River at Tilden, Texas	8	137
FRIT : Frio River at Tilden, Texas	6	48
SMTT : San Miguel Creek at Tilden, Texas	6	43
ARWT : Atascosa River at Whitsett, Texas	34	359
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	127	1,090
NCAT : Nueces River at Calallen, Texas	46	60
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	93	653

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2010)	500
Passthru Target: 3,500 Reservoir Inflow: 653	653
Estuary Inflows (NCAT + RBP)	60
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2010		Elevation (Ft)	
				Allocation	Remaining	Full	03/09/2010
03/08/2010	138	1,104	8,891	3,050	1,946	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 10, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/10/2009	214.5	548,297	78.9%	87.9	152,717	59.4%	701,014	73.6%
03/10/2010	211.1	487,401	70.1%	88.3	159,224	61.9%	646,625	67.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/09/2010	76	147	0.00	78	128	0.00	275
MTD		1,516	0.09		1,235	0.11	2,751

STREAM FLOWS

Gauging Station	03/09/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	137	1,159
NRTT : Nueces River at Tilden, Texas	8	144
FRIT : Frio River at Tilden, Texas	6	54
SMTT : San Miguel Creek at Tilden, Texas	7	50
ARWT : Atascosa River at Whitsett, Texas	34	393
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	125	1,215
NCAT : Nueces River at Calallen, Texas	22	81
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT + FRIT + SMTT) - Release From Choke Canyon	92	745

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2010)	500
Passthru Target: 3,500 Reservoir Inflow: 745	745
Estuary Inflows (NCAT + RBP)	81
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2010		Elevation (Ft)	
				Allocation	Remaining	Full	03/10/2010
03/09/2010	138	1,242	9,030	3,050	1,808	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 11, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/11/2009	214.5	548,522	78.9%	87.9	153,634	59.7%	702,156	73.7%
03/11/2010	211.7	488,246	70.2%	88.3	159,538	62.0%	647,784	68.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/10/2010	81	232	0.00	85	165	0.00		397
MTD		1,748	0.09		1,400	0.11		3,148

STREAM FLOWS

Gauging Station	03/10/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	119	1,278
NRTT : Nueces River at Tilden, Texas	6	150
FRIT : Frio River at Tilden, Texas	6	59
SMTT : San Miguel Creek at Tilden, Texas	6	56
ARWT : Atascosa River at Whitsett, Texas	34	427
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	127	1,342
NCAT : Nueces River at Calallen, Texas	11	92
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT + FRIT + SMTT) - Release From Choke Canyon	73	818

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2010)	500
Passthru Target: 3,500 Reservoir Inflow: 818	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date 818
Estuary Inflows (NCAT + RBP)	92
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2010		Elevation (Ft)	
				Allocation	Remaining	Full	03/11/2010
03/10/2010	139	1,381	9,168	3,050	1,669	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 12, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/12/2009	214.5	548,297	78.9%	88.0	154,401	60.0%	702,698	73.8%
03/12/2010	211.7	487,612	70.1%	88.3	159,381	62.0%	646,993	67.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/11/2010	80	355	0.00	79	302	0.00		657
MTD		2,103	0.09		1,702	0.11		3,805

STREAM FLOWS

Gauging Station	03/11/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	115	1,393
NRTT : Nueces River at Tilden, Texas	4	153
FRIT : Frio River at Tilden, Texas	5	64
SMTT : San Miguel Creek at Tilden, Texas	6	62
ARWT : Atascosa River at Whitsett, Texas	34	461
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	129	1,471
NCAT : Nueces River at Calallen, Texas	4	96
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT + FRIT + SMTT) - Release From Choke Canyon	68	887

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2010)	500
Passthru Target: 3,500 Reservoir Inflow: 887	887
Estuary Inflows (NCAT + RBP)	96
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2010		Elevation (Ft)	
				Allocation	Remaining	Full	03/12/2010
03/11/2010	138	1,519	9,306	3,050	1,531	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 13, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/13/2009	214.5	548,072	78.8%	87.9	153,481	59.7%	701,553	73.7%
03/13/2010	211.7	487,401	70.1%	88.2	158,753	61.7%	646,154	67.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/12/2010	73	354	0.00	80	274	0.00		628
MTD		2,457	0.09		1,976	0.11		4,433

STREAM FLOWS

Gauging Station	03/12/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	115	1,509
NRTT : Nueces River at Tilden, Texas	2	156
FRIT : Frio River at Tilden, Texas	5	69
SMTT : San Miguel Creek at Tilden, Texas	5	67
ARWT : Atascosa River at Whitsett, Texas	32	492
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	129	1,600
NCAT : Nueces River at Calallen, Texas	28	124
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT + FRIT + SMTT) - Release From Choke Canyon	68	955

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2010)	500
Passthru Target: 3,500 Reservoir Inflow: 955	955
Estuary Inflows (NCAT + RBP)	124
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2010		Elevation (Ft)	
				Allocation	Remaining	Full	03/13/2010
03/12/2010	139	1,658	9,446	3,050	1,392	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 14, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/14/2009	214.4	547,847	78.8%	87.9	153,023	59.5%	700,870	73.6%
03/14/2010	211.7	487,824	70.2%	88.2	158,283	61.5%	646,107	67.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/13/2010	80	257	0.00	80	219	0.00	476
MTD		2,714	0.09		2,195	0.11	4,909

STREAM FLOWS

Gauging Station	03/13/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	111	1,620
NRTT : Nueces River at Tilden, Texas	1	157
FRIT : Frio River at Tilden, Texas	5	75
SMTT : San Miguel Creek at Tilden, Texas	5	73
ARWT : Atascosa River at Whitsett, Texas	30	522
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	1,741
NCAT : Nueces River at Calallen, Texas	19	143
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT + FRIT + SMTT) - Release From Choke Canyon	64	1,019

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2010)	500
Passthru Target: 3,500 Reservoir Inflow: 1,019	1,019
Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	
Estuary Inflows (NCAT + RBP)	143
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2010		Elevation (Ft)	
				Allocation	Remaining	Full	03/14/2010
03/13/2010	139	1,797	9,585	3,050	1,253	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 15, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/15/2009	214.4	547,847	78.8%	87.9	153,328	59.6%	701,175	73.6%
03/15/2010	211.6	486,134	69.9%	88.2	158,126	61.5%	644,260	67.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/14/2010	81	256	0.00	79	210	0.00		466
MTD		2,970	0.09		2,405	0.11		5,375

STREAM FLOWS

Gauging Station	03/14/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	105	1,725
NRTT : Nueces River at Tilden, Texas	1	157
FRIT : Frio River at Tilden, Texas	5	80
SMTT : San Miguel Creek at Tilden, Texas	5	77
ARWT : Atascosa River at Whitsett, Texas	30	552
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	1,892
NCAT : Nueces River at Calallen, Texas	11	154
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT + FRIT + SMTT) - Release From Choke Canyon	58	1,076

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2010)	500
Passthru Target: 3,500 Reservoir Inflow: 1,076 Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	1,076
Estuary Inflows (NCAT + RBP)	154
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2010		Elevation (Ft)	
				Allocation	Remaining	Full	03/15/2010
03/14/2010	139	1,936	9,724	3,050	1,114	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 16, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/16/2009	214.4	547,847	78.8%	87.9	152,870	59.4%	700,717	73.6%
03/16/2010	211.6	486,134	69.9%	88.2	158,753	61.7%	644,887	67.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/15/2010	77	220	0.03	76	128	0.02		348
MTD		3,190	0.12		2,533	0.13		5,723

STREAM FLOWS

Gauging Station	03/15/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	105	1,830
NRTT : Nueces River at Tilden, Texas	0	158
FRIT : Frio River at Tilden, Texas	5	85
SMTT : San Miguel Creek at Tilden, Texas	5	82
ARWT : Atascosa River at Whitsett, Texas	30	582
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	2,043
NCAT : Nueces River at Calallen, Texas	17	171
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT + FRIT + SMTT) - Release From Choke Canyon	57	1,133

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2010)	500
Passthru Target: 3,500 Reservoir Inflow: 1,133	1,133
Estuary Inflows (NCAT + RBP)	171
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2010		Elevation (Ft)	
				Allocation	Remaining	Full	03/16/2010
03/15/2010	139	2,076	9,863	3,050	974	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 17, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/17/2009	214.4	547,397	78.7%	87.8	152,564	59.3%	699,961	73.5%
03/17/2010	211.6	485,925	69.9%	88.2	158,126	61.5%	644,051	67.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/16/2010	60	73	0.02	61	119	0.07		192
MTD		3,263	0.14		2,652	0.20		5,915

STREAM FLOWS

Gauging Station	03/16/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	105	1,935
NRTT : Nueces River at Tilden, Texas	0	158
FRIT : Frio River at Tilden, Texas	5	89
SMTT : San Miguel Creek at Tilden, Texas	5	87
ARWT : Atascosa River at Whitsett, Texas	28	609
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	2,193
NCAT : Nueces River at Calallen, Texas	3	174
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT + FRIT + SMTT) - Release From Choke Canyon	58	1,191

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2010)	500
Passthru Target: 3,500 Reservoir Inflow: 1,191	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date 1,191
Estuary Inflows (NCAT + RBP)	174
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2010		Elevation (Ft)	
				Allocation	Remaining	Full	03/17/2010
03/16/2010	139	2,215	10,002	3,050	835	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 18, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/18/2009	214.4	546,947	78.7%	87.8	152,564	59.3%	699,511	73.4%
03/18/2010	211.7	487,190	70.1%	88.2	157,813	61.3%	645,003	67.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/17/2010	73	196	0.00	71	137	0.00	333
MTD		3,459	0.14		2,789	0.20	6,248

STREAM FLOWS

Gauging Station	03/17/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	103	2,039
NRTT : Nueces River at Tilden, Texas	0	158
FRIT : Frio River at Tilden, Texas	5	94
SMTT : San Miguel Creek at Tilden, Texas	6	93
ARWT : Atascosa River at Whitsett, Texas	28	637
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	2,344
NCAT : Nueces River at Calallen, Texas	4	177
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT + FRIT + SMTT) - Release From Choke Canyon	56	1,247

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2010)	500
Passthru Target: 3,500 Reservoir Inflow: 1,247	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date 1,247
Estuary Inflows (NCAT + RBP)	177
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2010		Elevation (Ft)	
				Allocation	Remaining	Full	03/18/2010
03/17/2010	139	2,354	10,141	3,050	696	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 19, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/19/2009	214.4	546,497	78.6%	87.8	152,412	59.2%	698,909	73.4%
03/19/2010	211.6	485,507	69.8%	88.1	156,876	61.0%	642,383	67.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/18/2010	77	293	0.00	75	236	0.00	529	529
MTD		3,752	0.14		3,025	0.20	6,777	6,777

STREAM FLOWS

Gauging Station	03/18/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	103	2,142
NRTT : Nueces River at Tilden, Texas	0	158
FRIT : Frio River at Tilden, Texas	5	99
SMTT : San Miguel Creek at Tilden, Texas	5	98
ARWT : Atascosa River at Whitsett, Texas	28	665
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	2,495
NCAT : Nueces River at Calallen, Texas	11	188
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT + FRIT + SMTT) - Release From Choke Canyon	56	1,303

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2010)	500
Passthru Target: 3,500 Reservoir Inflow: 1,303 Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	1,303
Estuary Inflows (NCAT + RBP)	188
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2010		Elevation (Ft)	
				Allocation	Remaining	Full	03/19/2010
03/18/2010	139	2,493	10,280	3,050	557	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 20, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/20/2009	214.4	546,272	78.6%	87.8	152,259	59.2%	698,531	73.3%
03/20/2010	211.6	485,716	69.9%	88.1	156,565	60.9%	642,281	67.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/19/2010	76	293	0.00	75	200	0.00	493
MTD		4,045	0.14		3,225	0.20	7,270

STREAM FLOWS

Gauging Station	03/19/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	101	2,243
NRTT : Nueces River at Tilden, Texas	0	158
FRIT : Frio River at Tilden, Texas	5	105
SMTT : San Miguel Creek at Tilden, Texas	5	103
ARWT : Atascosa River at Whitsett, Texas	28	693
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	2,644
NCAT : Nueces River at Calallen, Texas	0	188
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT + FRIT + SMTT) - Release From Choke Canyon	54	1,357

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2010)	500
Passthru Target: 3,500 Reservoir Inflow: 1,357	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date 1,357
Estuary Inflows (NCAT + RBP)	188
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2010		Elevation (Ft)	
				Allocation	Remaining	Full	03/20/2010
03/19/2010	139	2,631	10,419	3,050	419	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 21, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/21/2009	214.4	546,047	78.5%	87.8	151,803	59.0%	697,850	73.3%
03/21/2010	211.6	485,298	69.8%	88.2	157,501	61.2%	642,799	67.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/20/2010	61	390	0.85	65	237	0.47		627
MTD		4,435	0.99		3,462	0.67		7,897

STREAM FLOWS

Gauging Station	03/20/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	105	2,348
NRTT : Nueces River at Tilden, Texas	0	158
FRIT : Frio River at Tilden, Texas	6	111
SMTT : San Miguel Creek at Tilden, Texas	6	109
ARWT : Atascosa River at Whitsett, Texas	30	723
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	2,795
NCAT : Nueces River at Calallen, Texas	5	194
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT + FRIT + SMTT) - Release From Choke Canyon	60	1,417

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2010)	500
Passthru Target: 3,500 Reservoir Inflow: 1,417	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date 1,417
Estuary Inflows (NCAT + RBP)	194
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2010		Elevation (Ft)	
				Allocation	Remaining	Full	03/21/2010
03/20/2010	139	2,770	10,557	3,050	280	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 22, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/22/2009	214.4	545,822	78.5%	87.8	151,499	58.9%	697,321	73.2%
03/22/2010	211.6	485,507	69.8%	88.1	157,062	61.1%	642,569	67.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/21/2010	67	232	0.00	66	227	0.00		459
MTD		4,667	0.99		3,689	0.67		8,356

STREAM FLOWS

Gauging Station	03/21/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	103	2,451
NRTT : Nueces River at Tilden, Texas	0	158
FRIT : Frio River at Tilden, Texas	7	118
SMTT : San Miguel Creek at Tilden, Texas	7	116
ARWT : Atascosa River at Whitsett, Texas	38	760
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	2,942
NCAT : Nueces River at Calallen, Texas	20	213
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT + FRIT + SMTT) - Release From Choke Canyon	59	1,476

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2010)	500
Passthru Target: 3,500 Reservoir Inflow: 1,476	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date 1,476
Estuary Inflows (NCAT + RBP)	213
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2010		Elevation (Ft)	
				Allocation	Remaining	Full	03/22/2010
03/21/2010	139	2,909	10,696	3,050	141	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 23, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/23/2009	214.3	545,147	78.4%	87.7	150,437	58.5%	695,584	73.0%
03/23/2010	211.6	485,507	69.8%	88.1	156,565	60.9%	642,072	67.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/22/2010	75	293	0.00	73	200	0.00	493
MTD		4,960	0.99		3,889	0.67	8,849

STREAM FLOWS

Gauging Station	03/22/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	115	2,567
NRTT : Nueces River at Tilden, Texas	0	158
FRIT : Frio River at Tilden, Texas	7	125
SMTT : San Miguel Creek at Tilden, Texas	6	122
ARWT : Atascosa River at Whitsett, Texas	36	796
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	3,091
NCAT : Nueces River at Calallen, Texas	19	232
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT + FRIT + SMTT) - Release From Choke Canyon	71	1,547

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2010)	500
Passthru Target: 3,500 Reservoir Inflow: 1,547	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date 1,547
Estuary Inflows (NCAT + RBP)	232
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2010		Elevation (Ft)	
				Allocation	Remaining	Full	03/23/2010
03/22/2010	138	3,047	10,834	3,050	3	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 24, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/24/2009	214.3	544,697	78.3%	87.7	149,833	58.2%	694,530	72.9%
03/24/2010	211.5	484,881	69.7%	88.1	156,409	60.8%	641,290	67.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/23/2010	77	256	0.00	75	190	0.00	446
MTD		5,216	0.99		4,079	0.67	9,295

STREAM FLOWS

Gauging Station	03/23/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	115	2,682
NRTT : Nueces River at Tilden, Texas	0	158
FRIT : Frio River at Tilden, Texas	8	133
SMTT : San Miguel Creek at Tilden, Texas	6	127
ARWT : Atascosa River at Whitsett, Texas	34	830
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	137	3,228
NCAT : Nueces River at Calallen, Texas	20	252
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT + FRIT + SMTT) - Release From Choke Canyon	71	1,618

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2010)	500
Passthru Target: 3,500 Reservoir Inflow: 1,618	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date 1,618
Estuary Inflows (NCAT + RBP)	252
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2010		Elevation (Ft)	
				Allocation	Remaining	Full	03/24/2010
03/23/2010	138	3,185	10,973	3,050	-135	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 25, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/25/2009	214.3	544,472	78.3%	87.7	150,740	58.6%	695,212	73.0%
03/25/2010	211.6	485,507	69.8%	88.1	157,188	61.1%	642,695	67.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/24/2010	76	232	0.48	76	73	0.19	305
MTD		5,448	1.47		4,152	0.86	9,600

STREAM FLOWS

Gauging Station	03/24/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	111	2,793
NRTT : Nueces River at Tilden, Texas	0	158
FRIT : Frio River at Tilden, Texas	10	142
SMTT : San Miguel Creek at Tilden, Texas	5	132
ARWT : Atascosa River at Whitsett, Texas	30	860
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	3,339
NCAT : Nueces River at Calallen, Texas	17	269
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT + FRIT + SMTT) - Release From Choke Canyon	68	1,686

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2010)	500
Passthru Target: 3,500 Reservoir Inflow: 1,686	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date 1,686
Estuary Inflows (NCAT + RBP)	269
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2010		Elevation (Ft)	
				Allocation	Remaining	Full	03/25/2010
03/24/2010	139	3,324	11,112	3,050	-274	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 26, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/26/2009	214.3	544,247	78.3%	87.7	150,740	58.6%	694,987	73.0%
03/26/2010	211.6	486,768	70.0%	88.1	156,876	61.0%	643,644	67.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/25/2010	73	208	0.00	70	290	0.00		498
MTD		5,656	1.47		4,442	0.86		10,098

STREAM FLOWS

Gauging Station	03/25/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	115	2,908
NRTT : Nueces River at Tilden, Texas	0	158
FRIT : Frio River at Tilden, Texas	10	153
SMTT : San Miguel Creek at Tilden, Texas	5	137
ARWT : Atascosa River at Whitsett, Texas	30	889
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	3,450
NCAT : Nueces River at Calallen, Texas	1	269
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT + FRIT + SMTT) - Release From Choke Canyon	73	1,759

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2010)	500
Passthru Target: 3,500 Reservoir Inflow: 1,759	1,759 Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date
Estuary Inflows (NCAT + RBP)	269
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2010		Elevation (Ft)	
				Allocation	Remaining	Full	03/26/2010
03/25/2010	139	3,463	11,250	3,050	-413	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 27, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/27/2009	214.4	546,047	78.5%	87.7	150,740	58.6%	696,787	73.2%
03/27/2010	211.6	485,925	69.9%	88.1	156,409	60.8%	642,334	67.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/26/2010	76	354	0.00	74	163	0.00		517
MTD		6,010	1.47		4,605	0.86		10,615

STREAM FLOWS

Gauging Station	03/26/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	103	3,011
NRTT : Nueces River at Tilden, Texas	0	158
FRIT : Frio River at Tilden, Texas	9	161
SMTT : San Miguel Creek at Tilden, Texas	4	141
ARWT : Atascosa River at Whitsett, Texas	30	919
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	3,561
NCAT : Nueces River at Calallen, Texas	4	273
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT + FRIT + SMTT) - Release From Choke Canyon	59	1,817

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2010)	500
Passthru Target: 3,500 Reservoir Inflow: 1,817	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date. 1,817
Estuary Inflows (NCAT + RBP)	273
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2010		Elevation (Ft)	
				Allocation	Remaining	Full	03/27/2010
03/26/2010	139	3,602	11,389	3,050	-552	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 28, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/28/2009	214.3	545,147	78.4%	87.7	150,740	58.6%	695,887	73.1%
03/28/2010	211.6	485,716	69.9%	88.1	156,721	60.9%	642,437	67.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/27/2010	82	293	0.00	81	172	0.00		465
MTD		6,303	1.47		4,777	0.86		11,080

STREAM FLOWS

Gauging Station	03/27/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	105	3,116
NRTT : Nueces River at Tilden, Texas	0	158
FRIT : Frio River at Tilden, Texas	7	169
SMTT : San Miguel Creek at Tilden, Texas	4	146
ARWT : Atascosa River at Whitsett, Texas	30	949
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	109	3,670
NCAT : Nueces River at Calallen, Texas	15	289
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT + FRIT + SMTT) - Release From Choke Canyon	59	1,876

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2010)	500
Passthru Target: 3,500 Reservoir Inflow: 1,876	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date. 1,876
Estuary Inflows (NCAT + RBP)	289
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2010		Elevation (Ft)	
				Allocation	Remaining	Full	03/28/2010
03/27/2010	139	3,740	11,528	3,050	-690	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 29, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/29/2009	214.3	544,247	78.3%	87.7	149,682	58.2%	693,929	72.9%
03/29/2010	211.5	484,881	69.7%	88.1	156,254	60.7%	641,135	67.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/28/2010	73	293	0.00	72	281	0.00		574
MTD		6,596	1.47		5,058	0.86		11,654

STREAM FLOWS

Gauging Station	03/28/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	103	3,220
NRTT : Nueces River at Tilden, Texas	0	158
FRIT : Frio River at Tilden, Texas	6	174
SMTT : San Miguel Creek at Tilden, Texas	4	149
ARWT : Atascosa River at Whitsett, Texas	30	979
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	3,781
NCAT : Nueces River at Calallen, Texas	6	294
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT + FRIT + SMTT) - Release From Choke Canyon	55	1,932

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2010)	500
Passthru Target: 3,500 Reservoir Inflow: 1,932	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date. 1,932
Estuary Inflows (NCAT + RBP)	294
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2010		Elevation (Ft)	
				Allocation	Remaining	Full	03/29/2010
03/28/2010	139	3,879	11,666	3,050	-829	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 30, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/30/2009	214.3	543,797	78.2%	87.6	148,928	57.9%	692,725	72.7%
03/30/2010	211.5	484,463	69.7%	88.0	155,479	60.4%	639,942	67.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/29/2010	78	305	0.00	76	153	0.00		458
MTD		6,901	1.47		5,211	0.86		12,112

STREAM FLOWS

Gauging Station	03/29/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	101	3,321
NRTT : Nueces River at Tilden, Texas	0	158
FRIT : Frio River at Tilden, Texas	6	180
SMTT : San Miguel Creek at Tilden, Texas	4	153
ARWT : Atascosa River at Whitsett, Texas	30	1,008
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	109	3,891
NCAT : Nueces River at Calallen, Texas	1	295
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT + FRIT + SMTT) - Release From Choke Canyon	53	1,984

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2010)	500
Passthru Target: 3,500 Reservoir Inflow: 1,984	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date. 1,984
Estuary Inflows (NCAT + RBP)	295
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2010		Elevation (Ft)	
				Allocation	Remaining	Full	03/30/2010
03/29/2010	138	4,017	11,805	3,050	-967	44.0	44.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 31, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/31/2009	214.3	543,572	78.2%	87.7	149,833	58.2%	693,405	72.8%
03/31/2010	211.5	483,001	69.5%	88.0	155,170	60.3%	638,171	67.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/30/2010	81	316	0.00	81	305	0.00		621
MTD		7,217	1.47		5,516	0.86		12,733

STREAM FLOWS

Gauging Station	03/30/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	99	3,420
NRTT : Nueces River at Tilden, Texas	0	158
FRIT : Frio River at Tilden, Texas	5	185
SMTT : San Miguel Creek at Tilden, Texas	3	156
ARWT : Atascosa River at Whitsett, Texas	30	1,038
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	109	4,000
NCAT : Nueces River at Calallen, Texas	0	296
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT + FRIT + SMTT) - Release From Choke Canyon	50	2,035

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2010)	500
Passthru Target: 3,500 Reservoir Inflow: 2,035 Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date.	2,035
Estuary Inflows (NCAT + RBP)	296
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2010		Elevation (Ft)	
				Allocation	Remaining	Full	03/31/2010
03/30/2010	138	4,156	11,943	3,050	-1,106	44.0	44.1