Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: April 1, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir						Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)		Percent of Ele Capacity		ation Ft)		ume cFt)	Percent of Capacity		Volume (AcFt)		Percent of Capacity	
FULL	220.5	695,271		100%		94.0	25	7,260	100%		952,53	31	100%	
04/01/2009	214.2	543,122		78.1%		87.6	14	8,177	57.6%		691,299		72.6%	
04/01/2010	211.5	483,001	(69.5%		88.0	15	4,709	60.1%		637,710		66.9%	
			We	ather R	≀elat	ed Info	orma	ation						
	Cho	ke Canyor	Reser	voir	Lake Corpus Christi Reservoir (Combined				
Date	Air Temp (°F)	Evapora (AcF		Rainf (Inch							Rainfall E		Evaporation (AcFt)	
03/31/2010	85		280	280 0.00		81			296		0.00		576	
MTD			7,497	-	1.47				5,812		0.86		13,309	

STREAM FLOWS

Gauging Station	03/31/2010 (AcFt)	MTD (AcFt)						
NTRT: Nueces River at Three Rivers, Texas	97	3,517						
NRTT: Nueces River at Tilden, Texas	0	158						
FRTT: Frio River at Tilden, Texas	5	190						
SMTT: San Miguel Creek at Tilden, Texas	4	160						
ARWT: Atascosa River at Whitsett, Texas	28	1,066						
Release from Choke Canyon Reservoir	58	1,785						
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	141	4,141						
NCAT: Nueces River at Calallen, Texas	5	300						
RBP: Rincon Bayou Pipeline	0	0						
Reservoir Inflow								
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	49	2,083						

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: Salinity Relief Cre		3,500
Credit / -Deficit From Pr	1,750	
Return Flow Credit (Effe	500	
Passthru Target: 3,500 Reservoir Inflow: 2,083	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date.	2,083
Estuary Inflows (NCAT -	300	
PassThru Surplus / -Def	0	

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	мтр	YTD	March	2010	Elevation (Ft)		
Date	Daily Ilitake	IVITO	טוז	Allocation	Remaining	Full	04/01/2010	
03/31/2010	138	4,294	12,081	3,050	-1,244	44.0	44.1	

Report Generated: 04/01/2010 at 8:44:41 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: April 2, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir						Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)		Percent of E Capacity				ume cFt)			Volume (AcFt)		Percent of Capacity
FULL	220.5	695,271		100%		94.0	25	7,260	100	0%	952,53	31	100%
04/02/2009	214.2	542,672		78.1%		87.6	14	8,327	57.7%		690,999		72.5%
04/02/2010	211.4	482,792	69.4%			88.0	15	4,401	60.0	0%	637,193		66.9%
			We	ather Re	elat	ed Info	orma	ition					
	Cho	oke Canyor	Reser	voir	Lake Corpus Christi Reservoir C						Combined		
Date	Air Temp (°F)	Evapora (AcF		Rainfa (Inche					Evaporation (AcFt)		tainfall E		/aporation (AcFt)
04/01/2010	80		377	377 0.0		80			268		0.00		645
MTD			377	0.	.00				268		0.00		645

STREAM FLOWS

Gauging Station	04/01/2010 (AcFt)	MTD (AcFt)					
NTRT: Nueces River at Three Rivers, Texas	93	93					
NRTT: Nueces River at Tilden, Texas	0	0					
FRTT: Frio River at Tilden, Texas	5	5					
SMTT: San Miguel Creek at Tilden, Texas	3	3					
ARWT: Atascosa River at Whitsett, Texas	28	28					
Release from Choke Canyon Reservoir	58	58					
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	195	195					
NCAT: Nueces River at Calallen, Texas	0	0					
RBP: Rincon Bayou Pipeline	0	0					
Reservoir Inflow							
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	44	44					

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	300
Return Flow Credit (Effective: 04/01/2010)	500
Passthru Target: 3,500 Reservoir Inflow: 44 Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date.	44
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Doto	Daily Intake	мтр	VTD	April	2010	Elevation (Ft)		
Date	Daily Intake	IVITO	YTD	Allocation	Remaining	Full	04/02/2010	
04/01/2010	138	138	12,219	3,050	2,912	44.0	44.0	

Report Generated: 04/02/2010 at 8:24:52 AM

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir						Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)		Percent of E Capacity		evation Volu (Ft) (Acf			Percent of Capacity		Volume (AcFt)		Percent of Capacity
FULL	220.5	695,271		100%		94.0	25	7,260	100)%	952,53	31	100%
04/03/2009	214.2	541,997		78.0%		87.5	14	7,577	57.4%		689,574		72.4%
04/03/2010	211.5	484,463	69.7%			88.0	15	55,479 60.		4% 639,94		12	67.2%
			We	ather R	elat	ed Info	orma	ation					
	Cho	ke Canyon	Reser	voir	Lake Corpus Christi Reservoir Combir					Combined			
Date	Air Temp (°F)	Evapora (AcF		Rainfa (Inche		Air Temp E					Rainfall (Inches)		vaporation (AcFt)
04/02/2010	84		207	C	0.00	83			99		0.00		306
MTD			584	С	0.00				367		0.00		951

STREAM FLOWS

Gauging Station	04/02/2010 (AcFt)	MTD (AcFt)						
NTRT: Nueces River at Three Rivers, Texas	93	187						
NRTT: Nueces River at Tilden, Texas	0	0						
FRTT: Frio River at Tilden, Texas	5	10						
SMTT: San Miguel Creek at Tilden, Texas	3	6						
ARWT: Atascosa River at Whitsett, Texas	28	56						
Release from Choke Canyon Reservoir	58	115						
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	193	387						
NCAT: Nueces River at Calallen, Texas	0	0						
RBP: Rincon Bayou Pipeline	0	0						
Reservoir Inflow								
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	44	88						

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3 Salinity Relief Cre		3,500				
Credit / -Deficit From Pre	300					
Return Flow Credit (Effect	500					
Passthru Target: 3,500 Reservoir Inflow: 88	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date.	88				
Estuary Inflows (NCAT +	0					
PassThru Surplus / -Defice	PassThru Surplus / -Deficit:					

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April	2010	Elevation (Ft)		
Date	Daily Illiake	IVITO	טוז	Allocation	Remaining	Full	04/03/2010	
04/02/2010	138	276	12,357	3,050	2,774	44.0	44.0	

Report Generated: 04/03/2010 at 8:10:17 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: April 4, 2010

	Choke Canyon Reservoir					Lake Corpus Christi Reservoir					Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)		ent of acity		ation Ft)		ume cFt)	Percent Capacit		Volum (AcFt)	- 1	Percent of Capacity
FULL	220.5	695,271		100%		94.0	25	7,260	100)%	952,53	31	100%
04/04/2009	214.2	541,547		77.9%		87.5	14	7,129	57.2	2%	688,67	76	72.3%
04/04/2010	211.5	483,418		69.5%		88.0	15	4,555 60.1		1%	% 637,97		67.0%
			We	ather R	elat	ed Info	orma	ation					
	Cho	ke Canyor	Reser	voir	Lake Corpus Christi Reservoir C					Combined			
Date	Air Temp (°F)	Evapora (AcF		Rainfa (Inche		Air Te (°F)			oration AcFt)		ainfall nches)	E	vaporation (AcFt)
04/03/2010	83		268 0		0.02	82			206		0.00		474
MTD			852	0	0.02				573		0.00		1,425

Gauging Station	04/03/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	95	282
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	5	15
SMTT: San Miguel Creek at Tilden, Texas	3	9
ARWT: Atascosa River at Whitsett, Texas	28	83
Release from Choke Canyon Reservoir	58	173
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	163	550
NCAT: Nueces River at Calallen, Texas	0	0
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	45	133

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: Salinity Relief Cr		3,500
Credit / -Deficit From Pr	300	
Return Flow Credit (Effe	500	
Passthru Target: 3,500 Reservoir Inflow: 133	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date.	133
Estuary Inflows (NCAT	0	
PassThru Surplus / -Def	icit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	мтр	YTD	April	2010	Elevation (Ft)		
Date	Daily Illiake	IVITO	טוז	Allocation	Remaining	Full	04/04/2010	
04/03/2010	138	414	12,495	3,050	2,636	44.0	44.0	

Report Generated: 04/04/2010 at 8:14:16 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: April 5, 2010

Choke Canyon Reservoir	Lake Corpus Christi Reservoir	Combined Reservoir

												Sys	stem
Date	Elevation (Ft)	Volume (AcFt)	Perce Capa		Elevat (Ft)			ume cFt)	Percent Capacit	1	Volumo (AcFt)	- 1	Percent of Capacity
FULL	220.5	695,271		100%	Ç	94.0	25	7,260	100)%	952,53	31	100%
04/05/2009	214.1	541,097	-	77.8%	8	37.4	14	6,532	57.0)%	687,62	29	72.2%
04/05/2010	211.4	482,374	(59.4%	8	37.9	15	3,941	59.8	3%	636,31	15	66.8%
			Wea	ather R	elated	Info	orma	tion					
	Cho	ke Canyon	Reser	voir		La	ke Co	orpus (Christi Res	serv	oir		Combined
Date	Air Temp (°F)	Evapora (AcF		Rainfa (Inche		ir Te (°F)			oration AcFt)		Rainfall E		vaporation (AcFt)
04/04/2010	82		267	0	0.01 81 295			0.00		562			
MTD			1,119	0	.03				868		0.00		1,987

Gauging Station	04/04/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	93	375
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	6	20
SMTT: San Miguel Creek at Tilden, Texas	3	12
ARWT: Atascosa River at Whitsett, Texas	26	109
Release from Choke Canyon Reservoir	58	230
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	157	707
NCAT: Nueces River at Calallen, Texas	1	1
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	44	177

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: Salinity Relief Cre		3,500	
Credit / -Deficit From Pr	300		
Return Flow Credit (Effective: 04/01/2010)			
Passthru Target: 3,500 Reservoir Inflow: 177	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date.	177	
Estuary Inflows (NCAT -	1		
PassThru Surplus / -Def	icit:	0	

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	April	2010	Elevation (Ft)		
Date	Daily Illiake			Allocation	Remaining	Full	04/05/2010	
04/04/2010	138	552	12,633	3,050	2,498	44.0	44.0	

Report Generated: 04/05/2010 at 8:38:22 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report Report Date: April 6, 2010

Choke Canyon Reservoir	Lake Corpus Christi Reservoir	Combined Reservoir System
------------------------	-------------------------------	------------------------------

Date	Elevation (Ft)	Volume (AcFt)		ent of acity		ation Ft)		ume cFt)	Percent Capacit	1	Volum (AcFt		Percent of Capacity
FULL	220.5	695,271		100%		94.0	25	7,260	100)%	952,5	31	100%
04/06/2009	214.1	540,647		77.8%		87.5	14	7,278	57.2	2%	687,9	25	72.2%
04/06/2010	211.4	482,374	(69.4%		87.9	15	3,023	59.5	5%	635,3	397	66.7%
			We	ather F	Relat	ed Info	orma	ation					
	Cho	ke Canyon	Reser	voir		La	ke C	orpus (Christi Res	serv	oir		Combined
Date	Air Temp (°F)	Evapora (AcF		Rainf (Inch		Air Te			oration (cFt)		Rainfall (Inches)		vaporation (AcFt)
04/05/2010	85		304	(0.00	84			231		0.00		535
MTD			1,423	(0.03				1,099		0.00		2,522

Gauging Station	04/05/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	93	468
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	6	27
SMTT: San Miguel Creek at Tilden, Texas	3	14
ARWT: Atascosa River at Whitsett, Texas	24	133
Release from Choke Canyon Reservoir	58	288
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	157	863
NCAT: Nueces River at Calallen, Texas	2	3
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	44	221

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3 Salinity Relief Cree		3,500
Credit / -Deficit From Pro	300	
Return Flow Credit (Effe	500	
Passthru Target: 3,500 Reservoir Inflow: 221	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date.	221
Estuary Inflows (NCAT +	3	
PassThru Surplus / -Defi	cit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	мтр	YTD	April	2010	EI	levation (Ft)
Date	Daily Ilitake	MID	טוז	Allocation	Remaining	Full	04/06/2010
04/05/2010	138	690	12,771	3,050	2,360	44.0	44.0

Report Generated: 04/06/2010 at 8:17:30 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: April 7, 2010

	Choke	Canyon Re	eservoir	Lake Corpus Christi Reservoir		Combined Reservoir System		
Date	Elevation	Volume	Percent of	Elevation	Volume	Percent of	Volume	Percent of

	(Ft)	(AcFt)	Capa	acity	(Ft)	(A	cFt)	Capacit	y	(AcFt))	Capacity
FULL	220.5	695,271		100%	94.0	25	7,260	100	0%	952,531		100%
04/07/2009	214.1	540,197		77.7%	87.4	14	5,640	56.6	5%	685,83	37	72.0%
04/07/2010	211.5	483,001		69.5%	87.9	15	4,094	59.9	9%	637,09	95	66.9%
	Weather Related Information											
	Cho	ke Canyon	Reser	voir	L	ake C	orpus	Christi Res	servo	ir	С	ombined
Date	Date Air Temp Evaporation Rainfall Air Temp Evaporation Rainfall Evaporation (°F) (AcFt) (Inches) (AcFt)										•	
04/06/2010	84		304	0.	00 8	2		250		0.00		554
MTD			1,763	0.	03			1,349		0.00		3,112

Gauging Station	04/06/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	89	558
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	6	32
SMTT: San Miguel Creek at Tilden, Texas	2	16
ARWT: Atascosa River at Whitsett, Texas	22	155
Release from Choke Canyon Reservoir	58	345
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	159	1,022
NCAT: Nueces River at Calallen, Texas	2	5
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	40	261

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: Salinity Relief Cre		3,500
Credit / -Deficit From Pr	300	
Return Flow Credit (Effe	500	
Passthru Target: 3,500 Reservoir Inflow: 261	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date.	261
Estuary Inflows (NCAT -	5	
PassThru Surplus / -Def	icit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

	Data	Daily Intake	MTD	YTD	April	2010	EI	evation (Ft)
	Date	Daily Intake	IVITO	עוץ [Allocation	Remaining	Full	04/07/2010
(04/06/2010	138	827	12,909	3,050	2,223	44.0	43.9

Report Generated: 04/07/2010 at 8:18:33 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: April 8, 2010

	Choke Canyon Reservoir			Lal	ke Corpus Christi l	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/08/2009	214.1	539,084	77.5%	87.3	144,899	56.3%	683,983	71.8%

04/08/2010	211.4 4	82,792 69	.4%	88.0 154,86	60.2%	637,654	4 66.9%				
	Weather Related Information										
Choke Canyon Reservoir				Lake	Lake Corpus Christi Reservoir						
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
04/07/2010	73	122	0.00	74	18	0.03	140				
MTD		1,885	0.03		1,367	0.03	3,252				

Gauging Station	04/07/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	85	643
NRTT: Nueces River at Tilden, Texas	(0
FRTT: Frio River at Tilden, Texas	5	38
SMTT: San Miguel Creek at Tilden, Texas	2	19
ARWT: Atascosa River at Whitsett, Texas	20	175
Release from Choke Canyon Reservoir	58	403
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	153	1,175
NCAT: Nueces River at Calallen, Texas	(5
RBP: Rincon Bayou Pipeline		0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	35	296

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective	e:		3,500		
Credit / -Deficit From Previous Month	redit / -Deficit From Previous Month (Date Deficit Satisfied:)				
Return Flow Credit (Effective: 04/01/20	Return Flow Credit (Effective: 04/01/2010)				
Passthru Target: 3,500 Reservoir Inflow: 296	Comment:	The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date.	296		
Estuary Inflows (NCAT + RBP)			5		
PassThru Surplus / -Deficit:			0		

LAKE TEXANA STATISTICS (All values are in AcFt)

]	Date	Daily Intake	MTD	YTD	April 2010		Elevation (Ft)	
1	Date	Дану Іптаке	WIID	110	Allocation	Remaining	Full	04/08/2010
1	04/07/2010	137	965	13,046	3,050	2,085	44.0	43.0

Report Generated: 04/08/2010 at 8:25:52 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: April 9, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lal	ke Corpus Christi l	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/09/2009	214.0	538,861	77.5%	87.3	144,024	56.0%	682,885	71.7%
04/09/2010	211.5	483,627	69.6%	87.9	153,175	59.5%	636,802	66.9%

Weather Related Information										
	C	Choke Canyon Reservoir Lake Corpus Christi Reservoir Combined								
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)			
04/08/2010	72	365	0.00	70	312	0.00	677			
MTD		2,250	0.03		1,679	0.03	3,929			

STREAM FLOWS

Gauging Station	04/08/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	85	728
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	5	43
SMTT: San Miguel Creek at Tilden, Texas	2	21
ARWT: Atascosa River at Whitsett, Texas	19	194
Release from Choke Canyon Reservoir	58	461
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	161	1,336
Nucat: Nucces River at Calallen, Texas	0	5
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	35	332

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective	č					
Credit / -Deficit From Previous Month	300					
Return Flow Credit (Effective: 04/01/20	500					
Passthru Target: 3,500 Reservoir Inflow: 332	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date.	332				
Estuary Inflows (NCAT + RBP)	5					
PassThru Surplus / -Deficit:		0				

LAKE TEXANA STATISTICS (All values are in AcFt)

Doto	Daily Intake	MTD	YTD	Apri	l 2010		Elevation (Ft)
Date	Dany Intake	MID IID		Allocation	Remaining	Full	04/09/2010
04/08/2010	137	1,102	13,183	3,050	1,948	44.0	43.9

Report Generated: 04/09/2010 at 8:10:21 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: April 10, 2010

RESERVOIR STATISTICS

		Choke Canyon Re	servoir	La	ke Corpus Christi	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
04/10/2009	214.0	538,416	77.4%	87.3	144,460	56.2%	682,876	71.7%	
04/10/2010	211.4	482,374	69.4%	87.9	152,870	59.4%	635,244	66.7%	
	Weather Related Information								
	Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	

	Weather Related filled madeli											
	C	hoke Canyon Reservoir		Lake		Combined						
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)					
04/09/2010	71	170	0.00	70	98	0.00	268					
MTD		2,420	0.03		1,777	0.03	4,197					

STREAM FLOWS

Gauging Station	04/09/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	83	812
NRTT: Nueces River at Tilden, Texas		0
FRTT: Frio River at Tilden, Texas	5	48
SMTT: San Miguel Creek at Tilden, Texas	2	23
ARWT: Atascosa River at Whitsett, Texas	18	212
Release from Choke Canyon Reservoir	58	518
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	149	1,485
NCAT: Nueces River at Calallen, Texas	3	13
RBP: Rincon Bayou Pipeline		0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	33	365

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective	č					
Credit / -Deficit From Previous Month	300					
Return Flow Credit (Effective: 04/01/20	500					
Passthru Target: 3,500 Reservoir Inflow: 365	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date.	365				
Estuary Inflows (NCAT + RBP)	13					
PassThru Surplus / -Deficit:		0				

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	YTD	Apri	l 2010		Elevation (Ft)
Date	Dany Intake	MID	110	Allocation	Remaining	Full	04/10/2010
04/09/2010	137	1,239	13,320	3,050	1,811	44.0	43.8

Report Generated: 04/10/2010 at 8:15:23 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: April 11, 2010

RESERVOIR STATISTICS

		Choke Canyon Re	servoir	Lai	ke Corpus Christi l	Combined Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%		
04/11/2009	214.0	537,971	77.4%	87.3	144,315	56.1%	682,286	71.6%		
04/11/2010	211.4	482,583	69.4%	87.8	152,564	59.3%	635,147	66.7%		
	Weather Related Information									

	Weather Related Information										
	C	hoke Canyon Reservoir		Lak	Combined						
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
04/10/2010	81	304	0.00	80	222	0.00	526				
MTD		2,724	0.03		1,999	0.03	4,723				

STREAM FLOWS

Gauging Station	04/10/2010 (AcFt)	MTD (AcFt)			
NTRT: Nueces River at Three Rivers, Texas	83	895			
NRTT: Nueces River at Tilden, Texas	0	0			
FRTT: Frio River at Tilden, Texas	5	53			
SMTT: San Miguel Creek at Tilden, Texas	2	24			
ARWT: Atascosa River at Whitsett, Texas	18	230			
Release from Choke Canyon Reservoir	58	576			
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	121	1,606			
NCAT: Nueces River at Calallen, Texas	15	28			
RBP: Rincon Bayou Pipeline	0	0			
Reservoir Inflow					
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	33	397			

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective	x	3,500
Credit / -Deficit From Previous Month	300	
Return Flow Credit (Effective: 04/01/20	500	
Passthru Target: 3,500 Reservoir Inflow: 397	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date.	397
Estuary Inflows (NCAT + RBP)		28
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Doily Intolyo	MTD YTD April 2010		April 2010			Elevation (Ft)
Date	Daily Intake	MTD	YID	Allocation	Remaining	Full	04/11/2010
04/10/2010	137	1,376	13,457	3,050	1,674	44.0	43.8

Report Generated: 04/11/2010 at 7:56:12 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: April 12, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lai	ke Corpus Christi l	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
04/12/2009	214.0	537,748	77.3%	87.3	143,735	55.9%	681,483	71.5%	
04/12/2010	211.4	481,543	69.3%	87.8	152,107	59.1%	633,650	66.5%	
	W. d. D.L. IV. C.								

	Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined		
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
04/11/2010	74	109	0.04	72	27	0.01	136		
MTD		2,833	0.07		2,026	0.04	4,859		

STREAM FLOWS

Gauging Station	04/11/2010 (AcFt)	MTD (AcFt)			
NTRT: Nueces River at Three Rivers, Texas	83	979			
NRTT: Nueces River at Tilden, Texas	0	0			
FRTT: Frio River at Tilden, Texas	5	59			
SMTT: San Miguel Creek at Tilden, Texas	1	26			
ARWT: Atascosa River at Whitsett, Texas	18	248			
Release from Choke Canyon Reservoir	58	633			
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	141	1,747			
NCAT: Nueces River at Calallen, Texas	8	35			
RBP: Rincon Bayou Pipeline	0	0			
Reservoir Inflow					
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	32	430			

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 875 Effect	2,625	
Credit / -Deficit From Previous Month	0	
Return Flow Credit (Effective: 04/01/2	500	
Passthru Target: 2,625 Reservoir Inflow: 430	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date.	430
Estuary Inflows (NCAT + RBP)		35
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Date Daily Intake	MTD	MTD YTD April 20		April 2010		Elevation (Ft)
Date			YID	Allocation	Remaining	Full	04/12/2010
04/11/2010	137	1,513	13,594	3,050	1,537	44.0	43.8

Report Generated: 04/12/2010 at 9:12:38 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: April 13, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir Lake Corpus Christi Rese		Choke Canyon Reservoir		Lake Corpus Christi Reservoir		Combined I	Reservoir System
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/13/2009	214.0	537,303	77.3%	87.3	143,735	55.9%	681,038	71.5%
04/13/2010	211.4	481,956	69.3%	87.8	152,412	59.2%	634,368	66.6%

	Weather Related Information									
	Choke Canyon Reservoir			Lake	:	Combined				
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)			
04/12/2010	71	61	0.02	69	160	0.30	221			
MTD		2,894	0.09		2,186	0.34	5,080			

STREAM FLOWS

Gauging Station	04/12/2010 (AcFt)	MTD (AcFt)			
NTRT: Nueces River at Three Rivers, Texas	85	1,064			
NRTT: Nueces River at Tilden, Texas	0	0			
FRTT: Frio River at Tilden, Texas	5	64			
SMTT: San Miguel Creek at Tilden, Texas	1	27			
ARWT: Atascosa River at Whitsett, Texas	17	265			
Release from Choke Canyon Reservoir	58	691			
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	133	1,880			
NCAT: Nueces River at Calallen, Texas	46	81			
RBP: Rincon Bayou Pipeline	0	0			
Reservoir Inflow					
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	34	464			

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 875 Effect	2,625	
Credit / -Deficit From Previous Month	0	
Return Flow Credit (Effective: 04/01/20	500	
Passthru Target: 2,625 Reservoir Inflow: 464	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date.	464
Estuary Inflows (NCAT + RBP)		81
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	YTD	April 2010		Elevation (Ft)	
Date	Daily Ilitake	MID	110	Allocation Remaining		Full	04/13/2010
04/12/2010	137	1,650	13,731	3,050	1,400	44.0	43.7

Report Generated: 04/13/2010 at 8:29:49 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: April 14, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir		Lal	ke Corpus Christi I	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/14/2009	214.0	536,858	77.2%	87.2	143,156	55.6%	680,014	71.4%
04/14/2010	211.4	482,165	69.3%	87.9	152,717	59.4%	634,882	66.7%

	Weather Related Information								
	C	hoke Canyon Reservoir		Lake	Combined				
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)			Evaporation (AcFt)		
04/13/2010	72	61	0.20	73	53	0.01	114		
MTD		2,955	0.29		2,239	0.35	5,194		

STREAM FLOWS

Gauging Station	04/13/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	99	1,163
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	5	69
SMTT: San Miguel Creek at Tilden, Texas	1	28
ARWT: Atascosa River at Whitsett, Texas	17	282
Release from Choke Canyon Reservoir	58	748
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	113	1,993
NCAT: Nueces River at Calallen, Texas	50	131
RBP: Rincon Bayou Pipeline	2	2
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	48	512

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 875 Effec	tive: 04/11/2010	2,625
Credit / -Deficit From Previous Month	0	
Return Flow Credit (Effective: 04/01/2	500	
Passthru Target: 2,625 Reservoir Inflow: 512	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date.	512
Estuary Inflows (NCAT + RBP)		133
PassThru Surplus / -Deficit:		121

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Data Daily Intoka		Date Daily Intake MTD YTD		Apri	l 2010	Elevation (Ft)	
Date	Dany Intake	MID	110	Allocation Remaining	Remaining	Full	04/14/2010	
04/13/2010	137	1,787	13,868	3,050	1,263	44.0	43.6	

Report Generated: 04/14/2010 at 8:23:13 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: April 15, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir		Lal	ke Corpus Christi l	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/15/2009	213.9	536,412	77.2%	87.2	142,724	55.5%	679,136	71.3%
04/15/2010	211.4	480,923	69.2%	87.8	152,412	59.2%	633,335	66.5%

	Weather Related Information								
	Choke Canyon Reservoir			Lake	Combined				
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)			Evaporation (AcFt)		
04/14/2010	75	61	0.35	76	0	0.04	61		
MTD		3,016	0.64		2,239	0.39	5,255		

STREAM FLOWS

Gauging Station	04/14/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	83	1,247
NRTT: Nueces River at Tilden, Texas	3	3
FRTT: Frio River at Tilden, Texas	6	75
SMTT: San Miguel Creek at Tilden, Texas	1	29
ARWT: Atascosa River at Whitsett, Texas	17	299
Release from Choke Canyon Reservoir	58	806
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	105	2,098
NCAT: Nueces River at Calallen, Texas	28	158
RBP: Rincon Bayou Pipeline	0	2
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	33	545

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 875 Effec	tive: 04/11/2010	2,625
Credit / -Deficit From Previous Month	0	
Return Flow Credit (Effective: 04/01/2	500	
Passthru Target: 2,625 Reservoir Inflow: 545	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date.	545
Estuary Inflows (NCAT + RBP)		160
PassThru Surplus / -Deficit:		116

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	YTD	April 2010			Elevation (Ft)	
Date	Daily Ilitake	MID	110	Allocation	Remaining	Full	04/15/2010	
04/14/2010	136	1,923	14,004	3,050	1,127	44.0	43.6	

Report Generated: 04/15/2010 at 8:38:19 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: April 16, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lal	ke Corpus Christi	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/16/2009	213.9	536,189	77.1%	87.1	141,718	55.1%	677,907	71.2%
04/16/2010	213.3	522,934	75.2%	88.0	155,170	60.3%	678,104	71.2%

			Weather Rela	ted Information			
	Choke Canyon Reservoir			Lake	e Corpus Christi Reservoir		Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/15/2010	74	13	5.07	73	126	1.80	139
MTD		3,029	5.71		2,365	2.19	5,394

STREAM FLOWS

Gauging Station	04/15/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	99	1,346
NRTT: Nueces River at Tilden, Texas	17	20
FRTT: Frio River at Tilden, Texas	17	92
SMTT: San Miguel Creek at Tilden, Texas	111	141
ARWT: Atascosa River at Whitsett, Texas	38	337
Release from Choke Canyon Reservoir	58	863
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	99	2,197
NCAT: Nueces River at Calallen, Texas	30	188
RBP: Rincon Bayou Pipeline	0	2
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	170	715

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 875 Effect				
Credit / -Deficit From Previous Month	(Date Deficit Satisfied:)	0		
Return Flow Credit (Effective: 04/01/2	010)	500		
Passthru Target: 2,625 Reservoir Inflow: 715	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date.	715		
Estuary Inflows (NCAT + RBP)		190		
PassThru Surplus / -Deficit:		-24		

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD YTD April 2010 Elev		April 2010		Elevation (Ft)	
Date	Daily Intake	MID	YID	Allocation	Remaining	Full	04/16/2010
04/15/2010	135	2,058	14,139	3,050	992	44.0	43.5

Report Generated: 04/16/2010 at 8:29:58 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: April 17, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir			Lal	ke Corpus Christi l	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/17/2009	213.9	535,521	77.0%	87.1	141,574	55.0%	677,095	71.1%
04/17/2010	214.7	553,742	79.6%	89.2	174,263	67.7%	728,005	76.4%

	Weather Related Information									
	Choke Canyon Reservoir			Lake	Combined					
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)			
04/16/2010	70	796	0.50	67	104	2.35	900			
MTD		3,825	6.21		2,469	4.54	6,294			

STREAM FLOWS

Gauging Station	04/16/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	6,332	7,678
NRTT: Nueces River at Tilden, Texas	226	246
FRTT: Frio River at Tilden, Texas	5,320	5,412
SMTT: San Miguel Creek at Tilden, Texas	4,446	4,587
ARWT: Atascosa River at Whitsett, Texas	1,826	2,163
Release from Choke Canyon Reservoir	58	921
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	220	2,418
NCAT: Nueces River at Calallen, Texas	99	287
RBP: Rincon Bayou Pipeline	0	2
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	16,041	16,755

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 875 Effec				
Credit / -Deficit From Previous Month	(Date Deficit Satisfied:)	0		
Return Flow Credit (Effective: 04/01/2	010)	500		
Passthru Target: 2,625 Reservoir Inflow: 16,755	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date.	2,625		
Estuary Inflows (NCAT + RBP)		289		
PassThru Surplus / -Deficit:		-1,836		

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD YTD April 2010		April 2010			Elevation (Ft)
Date		MID	YID	Allocation	Remaining	Full	04/17/2010
04/16/2010	135	2,193	14,274	3,050	857	44.0	43.5

Report Generated: 04/17/2010 at 8:53:31 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: April 18, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir			Lal	ke Corpus Christi l	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/18/2009	214.0	536,858	77.2%	87.1	141,718	55.1%	678,576	71.2%
04/18/2010	215.9	581,543	83.6%	90.1	189,292	73.6%	770,835	80.9%

	Weather Related Information									
	Choke Canyon Reservoir			Lake	e Corpus Christi Reservoir	Combined				
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)			
04/17/2010	74	82	0.66	76	107	0.19	189			
MTD		3,191	6.87		2,576	4.73	5,767			

STREAM FLOWS

Gauging Station	04/17/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	12,406	20,084
NRTT: Nueces River at Tilden, Texas	1,062	1,308
FRTT: Frio River at Tilden, Texas	3,295	8,707
SMTT: San Miguel Creek at Tilden, Texas	1,308	5,895
ARWT: Atascosa River at Whitsett, Texas	3,375	5,538
Release from Choke Canyon Reservoir	58	979
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	381	2,799
NCAT: Nueces River at Calallen, Texas	871	1,159
RBP: Rincon Bayou Pipeline	0	2
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	16,952	33,707

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 875 Effec	2,625	
Credit / -Deficit From Previous Month	0	
Return Flow Credit (Effective: 04/01/2	500	
Passthru Target: 2,625 Reservoir Inflow: 33,707	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date.	2,625
Estuary Inflows (NCAT + RBP)	1,161	
PassThru Surplus / -Deficit:		-964

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Apri	l 2010		Elevation (Ft)
Date		MID	YID	Allocation	Remaining	Full	04/18/2010
04/17/2010	135	2,328	14,409	3,050	722	44.0	43.5

Report Generated: 04/18/2010 at 8:06:49 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: April 19, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lai	ke Corpus Christi	Combined Reservoir System					
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity			
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%			
04/19/2009	214.0	537,080	77.2%	87.1	141,861	55.1%	678,941	71.3%			
04/19/2010	216.3	590,046	84.9%	90.8	200,778	78.0%	790,824	83.0%			
	Weather Related Information										

	Weather Related Information											
Choke Canyon Reservoir				Lak	e Corpus Christi Reservoir	r	Combined					
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall Air Temp Evaporation Rainfall (Inches) (°F) (AcFt) (Inches)				Evaporation (AcFt)					
04/18/2010	75	263	0.00	73	238	0.00	501					
MTD		3,454	6.87		2,814	4.73	6,268					

STREAM FLOWS

Gauging Station	04/18/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	12,446	32,530
NRTT: Nueces River at Tilden, Texas	1,953	3,261
FRTT: Frio River at Tilden, Texas	5,498	14,205
SMTT: San Miguel Creek at Tilden, Texas	987	6,882
ARWT: Atascosa River at Whitsett, Texas	6,987	12,525
Release from Choke Canyon Reservoir	58	1,036
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	139	2,938
NCAT: Nueces River at Calallen, Texas	1,346	2,505
RBP: Rincon Bayou Pipeline	0	2
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	18,873	52,581

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 875 Effect	2,625	
Credit / -Deficit From Previous Month	0	
Return Flow Credit (Effective: 04/01/2	500	
Passthru Target: 2,625 Reservoir Inflow: 52,581	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	2,625
Estuary Inflows (NCAT + RBP)	2,507	
PassThru Surplus / -Deficit:		382

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Apri	l 2010		Elevation (Ft)
Date	D ану Intake	MID	YID	Allocation	Remaining	Full	04/19/2010
04/18/2010	136	2,464	14,545	3,050	586	44.0	43.5

Report Generated: 04/19/2010 at 8:59:01 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: April 20, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
04/20/2009	213.9	536,412	77.2%	87.1	141,431	55.0%	677,843	71.2%	
04/20/2010	216.4	593,843	85.4%	91.4	211,417	82.2%	805,260	84.5%	

	Weather Related Information										
Choke Canyon Reservoir Lake Corpus Christi Reservoir Combine						Combined					
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)							
04/19/2010	74	305	0.00	72	232	0.00	537				
MTD		3,759	6.87		3,046	4.73	6,805				

STREAM FLOWS

Gauging Station	04/19/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	11,235	43,765
NRTT: Nueces River at Tilden, Texas	2,283	5,544
FRTT: Frio River at Tilden, Texas	2,719	16,925
SMTT: San Miguel Creek at Tilden, Texas	631	7,513
ARWT: Atascosa River at Whitsett, Texas	9,071	21,596
Release from Choke Canyon Reservoir	30	1,066
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	93	3,031
NCAT: Nueces River at Calallen, Texas	802	3,307
RBP: Rincon Bayou Pipeline	0	2
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	14,556	67,137

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 875 Effec	2,625	
Credit / -Deficit From Previous Month	0	
Return Flow Credit (Effective: 04/01/2	500	
Passthru Target: 2,625 Reservoir Inflow: 67,137	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	2,625
Estuary Inflows (NCAT + RBP)	3,309	
PassThru Surplus / -Deficit:		1,184

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Apri	l 2010		Elevation (Ft)
Date	рану іптаке	MID	YID	Allocation	Remaining	Full	04/20/2010
04/19/2010	136	2,601	14,683	3,050	449	44.0	43.5

Report Generated: 04/20/2010 at 10:03:56 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: April 21, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lal	ke Corpus Christi l	Combined Reservoir System			
Date	Date Elevation (Ft) Volume (AcFt) Percent of Capacity			Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
04/21/2009	213.9	536,189	77.1%	87.0	140,574	54.6%	676,763	71.0%	
04/21/2010	216.5	596,469	85.8%	91.9	220,454	85.7%	816,923	85.8%	
	Weather Related Information								

	Weather Related Information										
	C	hoke Canyon Reservoir		Lake Corpus Christi Reservoir			Combined				
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
04/20/2010	75	209	0.00	74	285	0.00	494				
MTD		3,968	6.87		3,331	4.73	7,299				

STREAM FLOWS

Gauging Station	04/20/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	10,461	54,226
NRTT: Nueces River at Tilden, Texas	1,243	6,787
FRTT: Frio River at Tilden, Texas	1,483	18,407
SMTT: San Miguel Creek at Tilden, Texas	474	7,987
ARWT: Atascosa River at Whitsett, Texas	5,340	26,936
Release from Choke Canyon Reservoir	0	1,066
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	91	3,122
NCAT: Nueces River at Calallen, Texas	302	3,608
RBP: Rincon Bayou Pipeline	0	2
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12,418	79,555

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 875 Effec					
Credit / -Deficit From Previous Month	0				
Return Flow Credit (Effective: 04/01/2	500				
Passthru Target: 2,625 Reservoir Inflow: 79,555	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	2,625			
Estuary Inflows (NCAT + RBP)	3,610				
PassThru Surplus / -Deficit:		1,485			

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Apri	l 2010]	Elevation (Ft)
Date	Daily Ilitake	MID	110	Allocation	Remaining	Full	04/21/2010
04/20/2010	136	2,737	14,818	3,050	313	44.0	43.4

Report Generated: 04/21/2010 at 8:08:02 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: April 22, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lai	ke Corpus Christi	Combined Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%		
04/22/2009	213.9	535,744	77.1%	87.0	139,436	54.2%	675,180	70.9%		
04/22/2010	216.6	597,425	85.9%	92.3	225,890	87.8%	823,315	86.4%		
	Weather Related Information									

Weather Related Information										
Choke Canyon Reservoir Lake Corpus Christi Reservoir							Combined			
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)			
04/21/2010	80	306	0.00	80	215	0.00	521			
MTD		4,274	6.87		3,546	4.73	7,820			

STREAM FLOWS

Gauging Station	04/21/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	7,126	61,352
NRTT: Nueces River at Tilden, Texas	544	7,331
FRTT: Frio River at Tilden, Texas	1,479	19,886
SMTT: San Miguel Creek at Tilden, Texas	173	8,160
ARWT: Atascosa River at Whitsett, Texas	2,084	29,020
Release from Choke Canyon Reservoir	30	1,096
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	103	3,226
NCAT: Nueces River at Calallen, Texas	105	3,714
RBP: Rincon Bayou Pipeline	0	2
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8,748	88,303

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 875 Effec					
Credit / -Deficit From Previous Month	0				
Return Flow Credit (Effective: 04/01/2	500				
Passthru Target: 2,625 Reservoir Inflow: 88,303	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	2,625			
Estuary Inflows (NCAT + RBP)	3,716				
PassThru Surplus / -Deficit:		1,591			

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Apri	l 2010		Elevation (Ft)
Date	рану іптаке	MIID	110	Allocation	Remaining	Full	04/22/2010
04/21/2010	135	2,872	14,954	3,050	178	44.0	43.4

Report Generated: 04/22/2010 at 8:31:34 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: April 23, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lal	ke Corpus Christi l	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/23/2009	213.9	535,076	77.0%	87.0	139,436	54.2%	674,512	70.8%
04/23/2010	216.7	599,812	86.3%	92.4	228,180	88.7%	827,992	86.9%

Weather Related Information										
	Choke Canyon Reservoir Lake Corpus Christi Reservoir Combined									
Date	ate Air Temp Evaporation Rainfall (OF) (AcFt) (Inches)				Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)			
04/22/2010	73	98	0.01	73	93	0.01	191			
MTD		8,011								

STREAM FLOWS

Gauging Station	04/22/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	2,700	64,052
NRTT: Nueces River at Tilden, Texas	401	7,732
FRTT: Frio River at Tilden, Texas	1,876	21,762
SMTT: San Miguel Creek at Tilden, Texas	71	8,231
ARWT: Atascosa River at Whitsett, Texas	774	29,794
Release from Choke Canyon Reservoir	58	1,153
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	135	3,361
NCAT: Nueces River at Calallen, Texas	36	3,749
RBP: Rincon Bayou Pipeline	0	2
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4,589	92,892

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 875 Effec	tive: 04/11/2010	2,625
Credit / -Deficit From Previous Month	0	
Return Flow Credit (Effective: 04/01/2	500	
Passthru Target: 2,625 Reservoir Inflow: 92,892	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	2,625
Estuary Inflows (NCAT + RBP)		3,751
PassThru Surplus / -Deficit:		1,626

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD YTD		April 2010			Elevation (Ft)
Date	Dany Intake	MID	YID	Allocation	Remaining	Full	04/23/2010
04/22/2010	135	3,008	15,089	3,050	42	44.0	43.4

Report Generated: 04/23/2010 at 8:43:29 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: April 24, 2010

RESERVOIR STATISTICS

		Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Reservoir System
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/24/2009	213.9	534,631	76.9%	86.9	139,152	54.1%	673,783	70.7%
04/24/2010	216.8	601,975	86.6%	92.5	229,947	89.4%	831,922	87.3%
Weather Related Information								
	Choke Canyon Reservoir				Lake C	Corpus Christi Reservoir		Combined

	Weather Related Information								
	Choke Canyon Reservoir			r Lake Corpus Christi Reservoir					
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
04/23/2010	88	336	0.00	87	299	0.00	635		
MTD		4,708	6.88		3,938	4.74	8,646		

STREAM FLOWS

Gauging Station	04/23/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	1,189	65,241
NRTT: Nueces River at Tilden, Texas	522	8,254
FRTT: Frio River at Tilden, Texas	2,124	23,886
SMTT: San Miguel Creek at Tilden, Texas	42	8,273
ARWT: Atascosa River at Whitsett, Texas	351	30,146
Release from Choke Canyon Reservoir	58	1,211
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	147	3,507
NCAT: Nueces River at Calallen, Texas	10	3,759
RBP: Rincon Bayou Pipeline	0	2
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3,297	96,189

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 3,500	S	2,625
Salinity Relief Credit: 875 E Credit / -Deficit From Previous Mo		0
Return Flow Credit (Effective: 04/	01/2010)	500
Passthru Target: 2,625 Reservoir Inflow: 96,189	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	2,625
Estuary Inflows (NCAT + RBP)		3,761
PassThru Surplus / -Deficit:		1,636

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	MTD YTD		April 2010		Elevation (Ft)
Date	Dany Intake	MID	110	Allocation	Remaining	Full	04/24/2010
04/23/2010	135	3,143	15,224	3,050	-93	44.0	43.4

Report Generated: 04/24/2010 at 7:54:05 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: April 25, 2010

RESERVOIR STATISTICS

		Choke Canyon Reservoir			Lake Corpus Christi Reservoir		Combined l	Reservoir System
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
04/25/2009	213.8	534,185	76.8%	86.8	137,880	53.6%	672,065	70.6%
04/25/2010	216.8	603,180	86.8%	92.4	229,063	89.0%	832,243	87.4%
	Weather Related Information							

	Weather Related Information								
	Choke Canyon Reservoir			Lak	r	Combined			
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
04/24/2010	82	462	0.00	84	360	0.00	822		
MTD		5,170	6.88		4,298	4.74	9,468		

STREAM FLOWS

Gauging Station	04/24/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	975	66,216
NRTT: Nueces River at Tilden, Texas	1,082	9,335
FRTT: Frio River at Tilden, Texas	1,465	25,351
SMTT: San Miguel Creek at Tilden, Texas	24	8,297
ARWT: Atascosa River at Whitsett, Texas	252	30,398
Release from Choke Canyon Reservoir	58	1,268
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	163	3,670
NCAT: Nueces River at Calallen, Texas	24	3,783
RBP: Rincon Bayou Pipeline	0	2
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,406	98,595

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 875 Effe	ctive: 04/11/2010	2,625
Credit / -Deficit From Previous Month	n (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/	500	
Passthru Target: 2,625 Reservoir Inflow: 98,595	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	2,625
Estuary Inflows (NCAT + RBP)		3,785
PassThru Surplus / -Deficit:		1,660

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2010		Elevation (Ft)	
Date	Дану Іптаке	MIID	YID	Allocation	Remaining	Full	04/25/2010
04/24/2010	135	3,278	15,359	3,050	-228	44.0	43.4

Report Generated: 04/25/2010 at 8:17:03 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: April 26, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
04/26/2009	213.8	533,517	76.7%	86.8	137,177	53.3%	670,694	70.4%	
04/26/2010	216.8	603,421	86.8%	92.5	229,416	89.2%	832,837	87.4%	

	Weather Related Information									
	C	hoke Canyon Reservoir		Lake	r	Combined				
Date	Air Temp (°F)	Evaporation (AcFt)	• • •				Evaporation (AcFt)			
04/25/2010	85	420	0.00	81	278	0.00	698			
MTD		5,590	6.88		4,576	4.74	10,166			

STREAM FLOWS

Gauging Station	04/25/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	1,455	67,671
NRTT: Nueces River at Tilden, Texas	1,274	10,610
FRTT: Frio River at Tilden, Texas	435	25,786
SMTT: San Miguel Creek at Tilden, Texas	14	8,311
ARWT: Atascosa River at Whitsett, Texas	179	30,577
Release from Choke Canyon Reservoir	58	1,326
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	127	3,797
NCAT: Nueces River at Calallen, Texas	32	3,815
RBP: Rincon Bayou Pipeline	0	2
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,846	100,441

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 875 Effect	•						
Credit / -Deficit From Previous Month	Credit / -Deficit From Previous Month (Date Deficit Satisfied:)						
Return Flow Credit (Effective: 04/01/2	500						
Passthru Target: 2,625 Reservoir Inflow: 100,441	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	2,625					
Estuary Inflows (NCAT + RBP)	3,817						
PassThru Surplus / -Deficit:		1,692					

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Doily Intolyo	MTD	YTD	April 2010		Elevation (Ft)	
Date	Daily Intake	MID	Alloc	Allocation	Remaining	Full	04/26/2010
04/25/2010	135	3,412	15,494	3,050	-362	44.0	43.4

Report Generated: 04/26/2010 at 9:31:31 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: April 27, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
04/27/2009	213.8	533,072	76.7%	86.8	137,036	53.3%	670,108	70.4%	
04/27/2010	216.8	602,216	86.6%	92.6	231,363	89.9%	833,579	87.5%	
	Weather Related Information								
		Choke (anyon Reservoir		Lake (Cornus Christi Reservoir	.	Combined	

	Weather Related Information									
	C	hoke Canyon Reservoir		Lake		Combined				
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)			
04/26/2010	88	489	0.00	89	268	0.00	757			
MTD		6,079	6.88		4,844	4.74	10,923			

STREAM FLOWS

Gauging Station	04/26/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	1,652	69,322
NRTT: Nueces River at Tilden, Texas	1,372	11,981
FRTT: Frio River at Tilden, Texas	204	25,990
SMTT: San Miguel Creek at Tilden, Texas	9	8,320
ARWT: Atascosa River at Whitsett, Texas	131	30,708
Release from Choke Canyon Reservoir	58	1,384
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	147	3,944
NCAT: Nueces River at Calallen, Texas	8	3,823
RBP: Rincon Bayou Pipeline	0	2
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,807	102,248

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 875 Effec	•						
Credit / -Deficit From Previous Month	Credit / -Deficit From Previous Month (Date Deficit Satisfied:)						
Return Flow Credit (Effective: 04/01/2	500						
Passthru Target: 2,625 Reservoir Inflow: 102,248	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	2,625					
Estuary Inflows (NCAT + RBP)	3,824						
PassThru Surplus / -Deficit:		1,699					

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD YTD		Apri	l 2010	Elevation (Ft)	
Date	Daily Intake	MIID	110	Allocation	Remaining	Full	04/27/2010
04/26/2010	135	3,547	15,629	3,050	-497	44.0	43.3

Report Generated: 04/27/2010 at 11:54:47 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: April 28, 2010

RESERVOIR STATISTICS

		Choke Canyon Reservoir			ke Corpus Christi	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
04/28/2009	213.8	532,849	76.6%	86.8	137,317	53.4%	670,166	70.4%	
04/28/2010	216.8	603,421	86.8%	92.6	231,186	89.9%	834,607	87.6%	
	Weather Related Information								
		Choke (Canyon Reservoir		Lake C	Corpus Christi Reservoir		Combined	

	Weather Related Information							
ĺ		C	hoke Canyon Reservoir		Lake	r	Combined	
	Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
	04/27/2010	72	266	0.00	76	351	0.00	617
ĺ	MTD		6,345	6.88		5,195	4.74	11,540

STREAM FLOWS

Gauging Station	04/27/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	1,741	71,063
NRTT: Nueces River at Tilden, Texas	1,429	13,411
FRTT: Frio River at Tilden, Texas	149	26,139
SMTT: San Miguel Creek at Tilden, Texas	6	8,326
ARWT: Atascosa River at Whitsett, Texas	111	30,819
Release from Choke Canyon Reservoir	58	1,441
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	127	4,071
NCAT: Nueces River at Calallen, Texas	0	3,823
RBP: Rincon Bayou Pipeline	0	2
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,838	104,086

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 875 Effec	tive: 04/11/2010	2,625		
Credit / -Deficit From Previous Month	(Date Deficit Satisfied:)	0		
Return Flow Credit (Effective: 04/01/2	Return Flow Credit (Effective: 04/01/2010)			
Passthru Target: 2,625 Reservoir Inflow: 104,086	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	2,625		
Estuary Inflows (NCAT + RBP)	3,825			
PassThru Surplus / -Deficit:		1,700		

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Apri	l 2010		Elevation (Ft)
Date	Daily Intake	MID	YID	Allocation	Remaining	Full	04/28/2010
04/27/2010	135	3,683	15,764	3,050	-633	44.0	43.3

Report Generated: 04/28/2010 at 8:20:33 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: April 29, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System		
Date Elevation (Ft) Volume (AcFt) Percent		Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity			
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%		
04/29/2009	213.8	532,404	76.6%	86.7	136,336	53.0%	668,740	70.2%		
04/29/2010	216.8	602,216	86.6%	92.6	231,363	89.9%	833,579	87.5%		
	Weather Related Information									

	Weather Related Information									
	C	hoke Canyon Reservoir		Lak	r	Combined				
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)			
04/28/2010	82	364	0.00	83	217	0.00	581			
MTD		6,709	6.88		5,412	4.74	12,121			

STREAM FLOWS

Gauging Station	04/28/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	1,796	72,859
NRTT: Nueces River at Tilden, Texas	1,096	14,506
FRTT: Frio River at Tilden, Texas	111	26,250
SMTT: San Miguel Creek at Tilden, Texas	4	8,330
ARWT: Atascosa River at Whitsett, Texas	101	30,920
Release from Choke Canyon Reservoir	58	1,499
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	157	4,228
NCAT: Nueces River at Calallen, Texas	4	3,827
RBP: Rincon Bayou Pipeline	0	2
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,854	105,941

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 875 Effec				
Credit / -Deficit From Previous Month	(Date Deficit Satisfied:)	0		
Return Flow Credit (Effective: 04/01/2	Return Flow Credit (Effective: 04/01/2010)			
Passthru Target: 2,625 Reservoir Inflow: 105,941	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	2,625		
Estuary Inflows (NCAT + RBP)	3,829			
PassThru Surplus / -Deficit:		1,704		

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	Apri	l 2010		Elevation (Ft)
Date	Daily Intake	MIID	YID	Allocation	Remaining	Full	04/29/2010
04/28/2010	135	3,818	15,899	3,050	-768	44.0	43.2

Report Generated: 04/29/2010 at 8:31:34 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: April 30, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lai	ke Corpus Christi	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
04/30/2009	213.7	531,958	76.5%	86.7	136,196	52.9%	668,154	70.1%	
04/30/2010	216.8	601,734	86.5%	92.6	231,186	89.9%	832,920	87.4%	
	Weather Poleted Information								

	Weather Related Information										
	C	hoke Canyon Reservoir		Lake		Combined					
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
04/29/2010	85	419	0.00	84	371	0.00	790				
MTD		7,128	6.88		5,783	4.74	12,911				

STREAM FLOWS

Gauging Station	04/29/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	1,431	74,291
NRTT: Nueces River at Tilden, Texas	504	15,011
FRTT: Frio River at Tilden, Texas	89	26,339
SMTT: San Miguel Creek at Tilden, Texas	3	8,333
ARWT: Atascosa River at Whitsett, Texas	87	31,007
Release from Choke Canyon Reservoir	58	1,556
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	145	4,373
NCAT: Nueces River at Calallen, Texas	17	3,844
RBP: Rincon Bayou Pipeline	0	2
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,466	107,407

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 875 Effect	2,625	
Credit / -Deficit From Previous Month	0	
Return Flow Credit (Effective: 04/01/2	500	
Passthru Target: 2,625 Reservoir Inflow: 107,407	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	2,625
Estuary Inflows (NCAT + RBP)	3,846	
PassThru Surplus / -Deficit:	1,721	

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2010		Elevation (Ft)	
				Allocation	Remaining	Full	04/30/2010
04/29/2010	135	3,953	16,035	3,050	-903	44.0	43.1

Report Generated: 04/30/2010 at 8:36:04 AM