Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: May 1, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir				ke Corpus Christi	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
05/01/2009	213.8	532,404	76.6%	86.7	135,777	52.8%	668,181	70.1%	
05/01/2010	216.8	602,939	86.7%	92.7	233,136	90.6%	836,075	87.8%	
	Weather Related Information								

	Weather Related Information										
	C	hoke Canyon Reservoir		Lak	Combined						
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
04/30/2010	89	280	0.00	90	248	0.00	528				
MTD		7,408	6.88		6,031	4.74	13,439				

STREAM FLOWS

Gauging Station	04/30/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	750	75,041
NRTT: Nueces River at Tilden, Texas	290	15,300
FRTT: Frio River at Tilden, Texas	77	26,417
SMTT: San Miguel Creek at Tilden, Texas	3	8,336
ARWT: Atascosa River at Whitsett, Texas	77	31,085
Release from Choke Canyon Reservoir	58	1,614
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	159	4,532
NCAT: Nueces River at Calallen, Texas	10	3,854
RBP: Rincon Bayou Pipeline	0	2
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	773	108,180

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 875 Effection	ctive: 04/11/2010	2,625
Credit / -Deficit From Previous Month	n (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2	500	
Passthru Target: 2,625 Reservoir Inflow: 108,180	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	2,625
Estuary Inflows (NCAT + RBP)		3,856
PassThru Surplus / -Deficit:		1,731

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD YTD		Apri	l 2010	Elevation (Ft)	
Date	Daily Ilitake	MIID	110	Allocation	Remaining	Full	05/01/2010
04/30/2010	135	4,088	16,169	3,050	-1,038	44.0	43.1

Report Generated: 05/01/2010 at 8:06:26 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: May 2, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lai	ke Corpus Christi	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
05/02/2009	213.7	531,958	76.5%	86.7	135,637	52.7%	667,595	70.1%	
05/02/2010	216.8	601,734	86.5%	92.7	233,136	90.6%	834,870	87.6%	
	Weather Related Information								

	Weather Related Information										
	C	hoke Canyon Reservoir		Lake	•	Combined					
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
05/01/2010	84	461	0.00	87	362	0.00	823				
MTD		461	0.00		362	0.00	823				

STREAM FLOWS

Gauging Station	05/01/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	500	500
NRTT: Nueces River at Tilden, Texas	212	212
FRTT: Frio River at Tilden, Texas	71	71
SMTT: San Miguel Creek at Tilden, Texas	2	2
ARWT: Atascosa River at Whitsett, Texas	75	75
Release from Choke Canyon Reservoir	58	58
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	179	179
NCAT: Nueces River at Calallen, Texas	0	0
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	516	516

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit: 0 Effective	e:	25,500
Credit / -Deficit From Previous Month	(Date Deficit Satisfied:)	1,731
Return Flow Credit (Effective: 05/01/2	500	
Passthru Target: 25,500 Reservoir Inflow: 516	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	516
Estuary Inflows (NCAT + RBP)	0	
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2010 Elevation (Ft)			Elevation (Ft)
Date	Daily Ilitake	MIID		Allocation	Remaining	Full	05/02/2010
05/01/2010	135	135	16,304	4,100	3,965	44.0	43.1

Report Generated: 05/02/2010 at 8:05:04 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: May 3, 2010

RESERVOIR STATISTICS

Date Elev		` '	1	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5							
	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/03/2009	213.7	531,513	76.4%	86.7	135,219	52.6%	666,732	70.0%
05/03/2010	216.8	603,180	86.8%	92.6	232,249	90.3%	835,429	87.7%

	Weather Related Information									
	C	hoke Canyon Reservoir		Lake	Combined					
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)			
05/02/2010	86	462	0.00	85	413	0.00	875			
MTD		923	0.00		775	0.00	1,698			

STREAM FLOWS

Gauging Station	05/02/2010 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	397	897				
NRTT: Nueces River at Tilden, Texas	175	387				
FRTT: Frio River at Tilden, Texas	58	129				
SMTT: San Miguel Creek at Tilden, Texas	2	4				
ARWT: Atascosa River at Whitsett, Texas	71	147				
Release from Choke Canyon Reservoir	58	115				
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	181	359				
NCAT: Nueces River at Calallen, Texas	3	3				
RBP: Rincon Bayou Pipeline	0	0				
Reservoir Inflow	Reservoir Inflow					
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	399	915				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit: 0 Effectiv	x:	25,500
Credit / -Deficit From Previous Month	(Date Deficit Satisfied:)	1,731
Return Flow Credit (Effective: 05/01/2	010)	500
Passthru Target: 25,500 Reservoir Inflow: 915	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	915
Estuary Inflows (NCAT + RBP)		3
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	MTD YTD May 20		May 2010		Elevation (Ft)
Date	Dany Intake	MIID	MID YID	Allocation	Remaining	Full	05/03/2010
05/02/2010	135	269	16,439	4,100	3,831	44.0	43.1

Report Generated: 05/03/2010 at 8:52:44 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: May 4, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
05/04/2009	213.7	531,735	76.5%	86.7	136,056	52.9%	667,791	70.1%	
05/04/2010	216.8	602,457	86.7%	92.6	232,071	90.2%	834,528	87.6%	
	Weather Related Information								

	Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined		
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
05/03/2010	90	434	0.00	91	392	0.00	826		
MTD		1,357	0.00		1,167	0.00	2,524		

STREAM FLOWS

Gauging Station	05/03/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	341	1,239
NRTT: Nueces River at Tilden, Texas	149	536
FRTT: Frio River at Tilden, Texas	48	177
SMTT: San Miguel Creek at Tilden, Texas	2	6
ARWT: Atascosa River at Whitsett, Texas	69	216
Release from Choke Canyon Reservoir	58	173
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	173	532
NCAT: Nueces River at Calallen, Texas	18	21
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	333	1,249

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit: 0 Effectiv	x.	25,500
Credit / -Deficit From Previous Month	(Date Deficit Satisfied:)	1,731
Return Flow Credit (Effective: 05/01/2	010)	500
Passthru Target: 25,500 Reservoir Inflow: 1,249	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	1,249
Estuary Inflows (NCAT + RBP)		21
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	MTD VTD May 2		May 2010		Elevation (Ft)
Date	Dany Intake	MIID	YTD	Allocation	Remaining	Full	05/04/2010
05/03/2010	135	404	16,573	4,100	3,696	44.0	43.0

Report Generated: 05/04/2010 at 8:59:34 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: May 5, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir			Lal	ke Corpus Christi l	Combined Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
05/05/2009	213.7	531,290	76.4%	86.6	134,802	52.4%	666,092	69.9%	
05/05/2010	216.8	601,734	86.5%	92.6	232,426	90.3%	834,160	87.6%	
	Weather Related Information								

	Weather Related Information								
	Choke Canyon Reservoir			Lake	:	Combined			
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
05/04/2010	90	447	0.00	89	310	0.00	757		
MTD		1,804	0.00		1,477	0.00	3,281		

STREAM FLOWS

Gauging Station	05/04/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	308	1,546
NRTT: Nueces River at Tilden, Texas	119	655
FRTT: Frio River at Tilden, Texas	38	214
SMTT: San Miguel Creek at Tilden, Texas	1	7
ARWT: Atascosa River at Whitsett, Texas	67	284
Release from Choke Canyon Reservoir	58	230
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	177	709
NCAT: Nueces River at Calallen, Texas	11	33
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	289	1,538

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit: 0 Effectiv	x.	25,500
Credit / -Deficit From Previous Month	(Date Deficit Satisfied:)	1,731
Return Flow Credit (Effective: 05/01/2	010)	500
Passthru Target: 25,500 Reservoir Inflow: 1,538	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	1,538
Estuary Inflows (NCAT + RBP)		33
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Date Daily Intake	MTD	YTD	May	2010		Elevation (Ft)
Date		MID	Alloca	Allocation	Remaining	Full	05/05/2010
05/04/2010	135	539	16,708	4,100	3,561	44.0	43.0

Report Generated: 05/05/2010 at 9:02:51 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: May 6, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir		Lai	ke Corpus Christi	Combined Reservoir System					
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
05/06/2009	213.7	530,849	76.4%	86.5	133,554	51.9%	664,403	69.8%	
05/06/2010	216.7	600,769	86.4%	92.6	231,363	89.9%	832,132	87.4%	
	Weather Related Information								

	Weather Related Information									
Choke Canyon Reservoir				Lake	e Corpus Christi Reservoir	r	Combined			
Date	Date Air Temp Evaporation Rainfall Air Temp Evaporation Rainfall (Inches) (°F) (AcFt) (Inches)					Evaporation (AcFt)				
05/05/2010	91	475	0.00	91	351	0.00	826			
MTD		2,279	0.00		1,828	0.00	4,107			

STREAM FLOWS

Gauging Station	05/05/2010 (AcFt)	MTD (AcFt)		
NTRT: Nueces River at Three Rivers, Texas	274	1,820		
NRTT: Nueces River at Tilden, Texas	91	746		
FRTT: Frio River at Tilden, Texas	32	246		
SMTT: San Miguel Creek at Tilden, Texas	1	8		
ARWT: Atascosa River at Whitsett, Texas	66	349		
Release from Choke Canyon Reservoir	58	288		
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	208	917		
NCAT: Nueces River at Calallen, Texas	C	33		
RBP: Rincon Bayou Pipeline	0	0		
NRTT: Nucces River at Tilden, Texas				
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	249	1,787		

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit: 0 Effecti	ve:	25,500
Credit / -Deficit From Previous Month	(Date Deficit Satisfied:)	1,731
Return Flow Credit (Effective: 05/01/	2010)	500
Passthru Target: 25,500 Reservoir Inflow: 1,787	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	1,787
Estuary Inflows (NCAT + RBP)		33
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	VTD	YTD May 2010 Elevation			
Date	Daily Intake	MIID	110	Allocation	Remaining	Full	05/06/2010
05/05/2010	134	673	16,842	4,100	3,427	44.0	42.9

Report Generated: 05/06/2010 at 8:21:28 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: May 7, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir		Lai	ke Corpus Christi l	Combined Reservoir System							
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity			
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%			
05/07/2009	213.7	530,849	76.4%	86.5	133,554	51.9%	664,403	69.8%			
05/07/2010	216.7	600,289	86.3%	92.6	231,717	90.1%	832,006	87.3%			
			W. d. D.L. IV. C.								

	Weather Related Information									
Choke Canyon Reservoir				Lak	e Corpus Christi Reservoir	r	Combined			
Date	Date Air Temp Evaporation Rainfall (AcFt) (Inches)				Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)			
05/06/2010	90	503	0.00	87	423	0.00	926			
MTD		2,782	0.00		2,251	0.00	5,033			

STREAM FLOWS

Gauging Station	05/06/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	246	2,066
NRTT: Nueces River at Tilden, Texas	69	816
FRTT: Frio River at Tilden, Texas	24	270
SMTT: San Miguel Creek at Tilden, Texas	1	9
ARWT: Atascosa River at Whitsett, Texas	66	415
Release from Choke Canyon Reservoir	58	345
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	224	1,141
NCAT: Nueces River at Calallen, Texas	0	33
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	213	2,000

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit: 0 Effectiv	x:	25,500
Credit / -Deficit From Previous Month	(Date Deficit Satisfied:)	1,731
Return Flow Credit (Effective: 05/01/2	500	
Passthru Target: 25,500 Reservoir Inflow: 2,000	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	2,000
Estuary Inflows (NCAT + RBP)		33
PassThru Surplus / -Deficit:		0

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Date Daily Intake MTD	Date Daily Intake MTD YTD		May	2010	Elevation (Ft)	
Date		MID	YID	Allocation	Remaining	Full	05/07/2010
05/06/2010	135	808	16,977	4,100	3,292	44.0	42.9

Report Generated: 05/07/2010 at 8:13:52 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: May 8, 2010

RESERVOIR STATISTICS

		Choke Canyon Re	servoir	Lake Corpus Christi Reservoir		Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
05/08/2009	213.7	530,408	76.3%	86.4	132,176	51.4%	662,584	69.6%	
05/08/2010	216.7	599,573	86.2%	92.6	232,071	90.2%	831,644	87.3%	
	Weather Related Information								

	Weather Related Information									
	Choke Canyon Reservoir			Lake	Combined					
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)			
05/07/2010	92	474	0.00	90	382	0.00	856			
MTD		3,256	0.00		2,633	0.00	5,889			

STREAM FLOWS

Gauging Station	05/07/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	226	2,293
NRTT: Nueces River at Tilden, Texas	54	869
FRTT: Frio River at Tilden, Texas	18	288
SMTT: San Miguel Creek at Tilden, Texas	1	10
ARWT: Atascosa River at Whitsett, Texas	64	478
Release from Choke Canyon Reservoir	58	403
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	216	1,358
NCAT: Nueces River at Calallen, Texas	0	33
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	188	2,188

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit: 0 Effective	e:	25,500			
Credit / -Deficit From Previous Month	1,731				
Return Flow Credit (Effective: 05/01/2	500				
Passthru Target: 25,500 Reservoir Inflow: 2,188	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	2,188			
Estuary Inflows (NCAT + RBP)	33				
PassThru Surplus / -Deficit:	PassThru Surplus / -Deficit:				

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	MTD YTD May 2010		Elevation (Ft)		
Date	Daily Intake	MIID	110	Allocation	Remaining	Full	05/08/2010
05/07/2010	135	942	17,112	4,100	3,158	44.0	42.8

Report Generated: 05/08/2010 at 8:06:30 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: May 9, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir		Lake Corpus Christi Reservoir			Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/09/2009	213.6	529,527	76.2%	86.4	131,901	51.3%	661,428	69.4%
05/09/2010	216.6	598,618	86.1%	92.6	231,363	89.9%	829,981	87.1%
			V	Veather Related	Information			
	Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined
Date		Temp (°F)		Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)

86

0.01

0.01

258

2,891

606

6,495

STREAM FLOWS

0.02

0.02

84

05/08/2010

MTD

348

3,604

Gauging Station	05/08/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	193	2,485
NRTT: Nueces River at Tilden, Texas	36	905
FRTT: Frio River at Tilden, Texas	12	301
SMTT: San Miguel Creek at Tilden, Texas	1	11
ARWT: Atascosa River at Whitsett, Texas	60	538
Release from Choke Canyon Reservoir	58	461
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	335	1,693
NCAT: Nueces River at Calallen, Texas	0	33
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	148	2,336

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit: 0 Effectiv	x.	25,500
Credit / -Deficit From Previous Month	1,731	
Return Flow Credit (Effective: 05/01/2	500	
Passthru Target: 25,500 Reservoir Inflow: 2,336	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	2,336
Estuary Inflows (NCAT + RBP)		33
PassThru Surplus / -Deficit:		-72

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	YTD	May 2010		Elevation (Ft)	
Date	Daily Intake	MID		Allocation	Remaining	Full	05/09/2010
05/08/2010	134	1,077	17,246	4,100	3,023	44.0	42.9

Report Generated: 05/09/2010 at 8:28:04 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: May 10, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
05/10/2009	213.6	529,968	76.2%	86.4	131,901	51.3%	661,869	69.5%	
05/10/2010	216.6	597,663	86.0%	92.5	230,124	89.5%	827,787	86.9%	
	Weather Related Information								

	Weather Related Information									
	Choke Canyon Reservoir			Lake	Combined					
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)			
05/09/2010	86	320	0.00	86	237	0.00	557			
MTD		3,924	0.02		3,128	0.01	7,052			

STREAM FLOWS

Gauging Station	05/09/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	191	2,676
NRTT: Nueces River at Tilden, Texas	34	939
FRTT: Frio River at Tilden, Texas	12	313
SMTT: San Miguel Creek at Tilden, Texas	1	11
ARWT: Atascosa River at Whitsett, Texas	60	597
Release from Choke Canyon Reservoir	58	518
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	335	2,029
NCAT: Nueces River at Calallen, Texas	3	36
RBP: Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	145	2,482

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit: 0 Effectiv	e:	25,500		
Credit / -Deficit From Previous Month	1,731			
Return Flow Credit (Effective: 05/01/2	500			
Passthru Target: 25,500 Reservoir Inflow: 2,482	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	2,482		
Estuary Inflows (NCAT + RBP)	36			
PassThru Surplus / -Deficit:	PassThru Surplus / -Deficit:			

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	May	2010		Elevation (Ft)
Date	D ану Intake	MID	YID	Allocation	Remaining	Full	05/10/2010
05/09/2010	134	1,211	17,380	4,100	2,889	44.0	42.9

Report Generated: 05/10/2010 at 8:24:55 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: May 11, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir			Lai	ke Corpus Christi l	Combined Reservoir System					
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft) Volume (AcFt) Percent of Capacity		Volume (AcFt)	Percent of Capacity			
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%		
05/11/2009	213.6	529,747	76.2%	86.4	131,490	51.1%	661,237	69.4%		
05/11/2010	216.6	598,618	86.1%	92.5	229,770	89.3%	828,388	87.0%		
	Words on Dale of Valence of the									

	Weather Related Information									
	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					
Date	Air Temp Evaporation Rainfall (OF) (AcFt) (Inches)			Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)			
05/10/2010	88	376	0.00	86	319	0.00	695			
MTD		4,300	0.02		3,447	0.01	7,747			

STREAM FLOWS

Gauging Station	05/10/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	179	2,854
NRTT: Nueces River at Tilden, Texas	28	967
FRTT: Frio River at Tilden, Texas	10	322
SMTT: San Miguel Creek at Tilden, Texas	0	12
ARWT: Atascosa River at Whitsett, Texas	58	655
Release from Choke Canyon Reservoir	58	576
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	324	2,352
NCAT: Nueces River at Calallen, Texas	26	62
RBP: Rincon Bayou Pipeline	66	66
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	131	2,613

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit: 0 Effectiv	e:	25,500
Credit / -Deficit From Previous Month	1,731	
Return Flow Credit (Effective: 05/01/2	500	
Passthru Target: 25,500 Reservoir Inflow: 2,613	Comment: The remaining Oct 2009 deficit of 2,333 AF will be passed thru at a later date	2,613
Estuary Inflows (NCAT + RBP)		127
PassThru Surplus / -Deficit:		-255

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD YTD	May	2010	Elevation (Ft)		
Date	Dany Intake		110	Allocation	Remaining	Full	05/11/2010
05/10/2010	134	1,345	17,514	4,100	2,755	44.0	42.7

Report Generated: 05/11/2010 at 8:37:18 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: May 12, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			La	ke Corpus Christi	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/12/2009	213.6	529,086	76.1%	86.4	131,080	51.0%	660,166	69.3%
05/12/2010	216.6	597,663	86.0%	92.4	228,886	89.0%	826,549	86.8%
			V	Veather Related	Information			
		Choke (Canyon Reservoir		Lake (Corpus Christi Reservoir		Combined
Date		Temp (°F)		Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)

STREAM FLOWS

88

298

3,745

0.00

0.01

0.00

0.02

418

4,718

05/11/2010

MTD

89

716

8,463

Gauging Station	05/11/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	171	3,025
NRTT: Nueces River at Tilden, Texas	24	991
FRTT: Frio River at Tilden, Texas	7	330
SMTT: San Miguel Creek at Tilden, Texas	0	12
ARWT: Atascosa River at Whitsett, Texas	58	713
Release from Choke Canyon Reservoir	58	633
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	316	2,668
NCAT: Nueces River at Calallen, Texas	4	66
RBP: Rincon Bayou Pipeline	109	175
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	121	2,734

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit: 0 Effective	25,500	
Credit / -Deficit From Previous Month	1,731	
Return Flow Credit (Effective: 05/01/20	500	
Passthru Target: 25,500 Reservoir Inflow: 2,734	Comment:	2,734
Estuary Inflows (NCAT + RBP)	241	
PassThru Surplus / -Deficit:	-262	

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	May	2010		Elevation (Ft)
Date	D ану Intake	MID	YID	Allocation	Remaining	Full	05/12/2010
05/11/2010	134	1,479	17,648	4,100	2,621	44.0	42.7

Report Generated: 05/12/2010 at 8:25:03 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: May 13, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lal	ke Corpus Christi l	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Elevation (Ft) Volume (AcFt) Percent of Capacity		Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%	
05/13/2009	213.6	528,425	76.0%	86.2	129,445	50.3%	657,870	69.1%	
05/13/2010	216.6	598,380	86.1%	92.4	228,533	88.8%	826,913	86.8%	
	Weather Related Information								

	Weather Related Information									
	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					
Date	Air Temp Evaporation Rainfall (AcFt) (Inches)			Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)			
05/12/2010	92	571	0.00	89	452	0.00	1,023			
MTD		5,289	0.02		4,197	0.01	9,486			

STREAM FLOWS

Gauging Station	05/12/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	161	3,186
NRTT: Nueces River at Tilden, Texas	20	1,010
FRTT: Frio River at Tilden, Texas	6	335
SMTT: San Miguel Creek at Tilden, Texas	0	12
ARWT: Atascosa River at Whitsett, Texas	56	768
Release from Choke Canyon Reservoir	58	691
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	330	2,997
NCAT: Nueces River at Calallen, Texas	0	66
RBP: Rincon Bayou Pipeline	109	284
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	109	2,843

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit: 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,731
Return Flow Credit (Effective: 05/01/2010)	500
Passthru Target: 25,500 Reservoir Inflow: 2,843	2,843
Estuary Inflows (NCAT + RBP)	350
PassThru Surplus / -Deficit:	-262

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD			Elevation (Ft)		
Date	Daily Intake	MID	YID	Allocation	Remaining	Full	05/13/2010
05/12/2010	134	1,613	17,782	4,100	2,487	44.0	42.6

Report Generated: 05/13/2010 at 8:38:12 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: May 14, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir		Lake Corpus Christi Reservoir			Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/14/2009	213.5	527,544	75.9%	86.1	128,226	49.8%	655,770	68.8%
05/14/2010	216.6	596,947	85.9%	92.4	228,004	88.6%	824,951	86.6%
Weather Related Information								

	weather Related Information									
	Choke Canyon Reservoir			Lak		Combined				
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)			
05/13/2010	87	390	0.00	87	319	0.00	709			
MTD		5,679	0.02		4,516	0.01	10,195			

STREAM FLOWS

Gauging Station	05/13/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	155	3,341
NRTT: Nueces River at Tilden, Texas	17	1,027
FRTT: Frio River at Tilden, Texas	5	340
SMTT: San Miguel Creek at Tilden, Texas	0	13
ARWT: Atascosa River at Whitsett, Texas	54	822
Release from Choke Canyon Reservoir	58	748
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	335	3,333
NCAT: Nueces River at Calallen, Texas	0	66
RBP: Rincon Bayou Pipeline	109	393
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	102	2,945

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit: 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,731
Return Flow Credit (Effective: 05/01/2010)	500
Passthru Target: 25,500 Reservoir Inflow: 2,945	2,945
Estuary Inflows (NCAT + RBP)	459
PassThru Surplus / -Deficit:	-255

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD YTD		May 2010			Elevation (Ft)
Date	Дану Іптаке	MID	YID	Allocation	Remaining	Full	05/14/2010
05/13/2010	134	1,747	17,916	4,100	2,353	44.0	42.6

Report Generated: 05/14/2010 at 8:20:50 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: May 15, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir		Lai	ke Corpus Christi	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/15/2009	213.5	526,883	75.8%	86.2	129,173	50.2%	656,056	68.9%
05/15/2010	217.0	607,277	87.3%	92.4	228,180	88.7%	835,457	87.7%
Weather Related Information								
Choke Canyon Reservoir				Lake C	Corpus Christi Reservoii		Combined	

	Choke Canyon Reservoir			Lake	Combined		
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/14/2010	84	351	4.20	86	401	0.94	752
MTD		6,030	4.25		4,917	0.95	10,947

STREAM FLOWS

Gauging Station	05/14/2010 (AcFt)	MTD (AcFt)				
Nucces River at Three Rivers, Texas	163	3,504				
NRTT: Nueces River at Tilden, Texas	17	1,045				
FRTT: Frio River at Tilden, Texas	4	344				
SMTT: San Miguel Creek at Tilden, Texas	0	13				
ARWT: Atascosa River at Whitsett, Texas	64	885				
Release from Choke Canyon Reservoir	58	806				
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	316	3,648				
Nucat: Nucces River at Calallen, Texas	1	67				
RBP: Rincon Bayou Pipeline	109	502				
Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	110	3,055				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit: 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,731
Return Flow Credit (Effective: 05/01/2010)	500
Passthru Target: 25,500 Reservoir Inflow: 3,055	3,055
Estuary Inflows (NCAT + RBP)	569
PassThru Surplus / -Deficit:	-255

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Doily Intoly	Daily Intake MTD YTD		May	2010	Elevation (Ft)	
Date	Дану Іптаке	MIID	110	Allocation	Remaining	Full	05/15/2010
05/14/2010	134	1,881	18,050	4,100	2,219	44.0	42.6

Report Generated: 05/15/2010 at 8:22:44 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: May 16, 2010

RESERVOIR STATISTICS

Choke Canyon Reservoir			Lal	ke Corpus Christi l	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/16/2009	213.5	526,222	75.7%	86.1	128,226	49.8%	654,448	68.7%
05/16/2010	217.0	608,000	87.4%	92.4	228,180	88.7%	836,180	87.8%

	Weather Related Information									
	Choke Canyon Reservoir Lake Corpus Christi Reservoir Combi						Combined			
Date	Date Air Temp Evaporation Rainfall Air Temp Evaporation Rainfall (Inches) (°F) (AcFt) (Inches)				Evaporation (AcFt)					
05/15/2010	82	323	0.00	82	257	0.00	580			
MTD		6,353	4.25		5,174	0.95	11,527			

STREAM FLOWS

Gauging Station	05/15/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	2,739	6,243
NRTT: Nueces River at Tilden, Texas	40	1,084
FRTT: Frio River at Tilden, Texas	26	370
SMTT: San Miguel Creek at Tilden, Texas	38	51
ARWT: Atascosa River at Whitsett, Texas	2,144	3,029
Release from Choke Canyon Reservoir	58	863
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	324	3,972
NCAT: Nueces River at Calallen, Texas	58	124
RBP: Rincon Bayou Pipeline	107	609
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,745	5,800

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit: 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,731
Return Flow Credit (Effective: 05/01/2010)	500
Passthru Target: 25,500 Reservoir Inflow: 5,800	5,800
Estuary Inflows (NCAT + RBP)	734
PassThru Surplus / -Deficit:	-2,835

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2010			Elevation (Ft)
Date	Daily Ilitake	MID	110	Allocation	Remaining	Full	05/16/2010
05/15/2010	134	2,015	18,184	4,100	2,085	44.0	42.6

Report Generated: 05/16/2010 at 8:14:34 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: May 17, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lal	ke Corpus Christi l	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/17/2009	213.7	530,408	76.3%	86.3	130,806	50.8%	661,214	69.4%
05/17/2010	217.0	608,723	87.6%	93.0	239,551	93.1%	848,274	89.1%

	Weather Related Information										
	C	hoke Canyon Reservoir		Lak	e Corpus Christi Reservoir	r	Combined				
Date	Date Air Temp Evaporation Rainfall (Inches)				Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
05/16/2010	86	281	0.00	86	229	0.00	510				
MTD		6,634	4.25		5,403	0.95	12,037				

STREAM FLOWS

Gauging Station	05/16/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	6,292	12,535
NRTT: Nueces River at Tilden, Texas	16	1,100
FRTT: Frio River at Tilden, Texas	183	552
SMTT: San Miguel Creek at Tilden, Texas	4	55
ARWT: Atascosa River at Whitsett, Texas	2,978	6,007
Release from Choke Canyon Reservoir	58	921
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	355	4,327
NCAT: Nueces River at Calallen, Texas	69	194
RBP: Rincon Bayou Pipeline	109	719
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6,421	12,221

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit: 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,731
Return Flow Credit (Effective: 05/01/2010)	500
Passthru Target: 25,500 Reservoir Inflow: 12,221	12,221
Estuary Inflows (NCAT + RBP)	913
PassThru Surplus / -Deficit:	-9,078

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD YTD		May	2010		Elevation (Ft)
Date	Dany Intake	MIID	YID	Allocation	Remaining	Full	05/17/2010
05/16/2010	134	2,149	18,319	4,100	1,951	44.0	42.6

Report Generated: 05/17/2010 at 9:10:52 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: May 18, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lal	ke Corpus Christi l	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/18/2009	213.6	529,747	76.2%	86.3	129,716	50.4%	659,463	69.2%
05/18/2010	217.0	608,482	87.5%	93.2	242,956	94.4%	851,438	89.4%

	Weather Related Information										
	Choke Canyon Reservoir			Lake	e Corpus Christi Reservoir	:	Combined				
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
05/17/2010	89	450	0.16	90	272	0.10	722				
MTD		7,084	4.41		5,675	1.05	12,759				

STREAM FLOWS

Gauging Station	05/17/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	4,030	16,565
NRTT: Nueces River at Tilden, Texas	10	1,110
FRTT: Frio River at Tilden, Texas	54	606
SMTT: San Miguel Creek at Tilden, Texas	534	589
ARWT: Atascosa River at Whitsett, Texas	2,342	8,349
Release from Choke Canyon Reservoir	58	979
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	351	4,679
Nucat: Nucces River at Calallen, Texas	38	232
RBP: Rincon Bayou Pipeline	109	828
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4,560	16,781

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit: 0 Effective	ve:	25,500
Credit / -Deficit From Previous Month	h (Date Deficit Satisfied:)	1,731
Return Flow Credit (Effective: 05/01/2	2010)	500
Passthru Target: 25,500 Reservoir Inflow: 16,781	Comment: Beginning May 10, 2010, the remaining 2,333 AF banked from Oct 2009 is being pumped to the Rincon Bayou. The AF measured at NCAT will be applied towards the May 2010 passthru and the AF measured for RBP will be applied towards the banked amount.	16,781
Estuary Inflows (NCAT + RBP)		1,059
PassThru Surplus / -Deficit:		-13,491

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD YTD		May 2010			Elevation (Ft)
Date	Daily Intake	MIID	YID	Allocation	Remaining	Full	05/18/2010
05/17/2010	134	2,283	18,453	4,100	1,817	44.0	44.0

Report Generated: 05/18/2010 at 8:57:16 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: May 19, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lal	ke Corpus Christi	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/19/2009	213.6	529,086	76.1%	86.2	129,173	50.2%	658,259	69.1%
05/19/2010	217.0	608,482	87.5%	93.2	243,315	94.6%	851,797	89.4%

	Weather Related Information										
	Choke Canyon Reservoir Lake Corpus Christi Reservoir				Combined						
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
05/18/2010	82	211	0.00	81	10	0.04	221				
MTD		7,295	4.41		5,685	1.09	12,980				

STREAM FLOWS

Gauging Station	05/18/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	2,025	18,590
NRTT: Nueces River at Tilden, Texas	11	1,120
FRTT: Frio River at Tilden, Texas	399	1,005
SMTT: San Miguel Creek at Tilden, Texas	326	914
ARWT: Atascosa River at Whitsett, Texas	534	8,883
Release from Choke Canyon Reservoir	58	1,036
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	387	5,066
NCAT: Nueces River at Calallen, Texas	30	261
RBP: Rincon Bayou Pipeline	109	937
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,692	19,473

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit: 0 Effectiv	e:	25,500
Credit / -Deficit From Previous Month	(Date Deficit Satisfied:)	1,731
Return Flow Credit (Effective: 05/01/2	010)	500
Passthru Target: 25,500 Reservoir Inflow: 19,473	Comment: Beginning May 10, 2010, the remaining 2,333 AF banked from Oct 2009 is being pumped to the Rincon Bayou. The AF measured at NCAT will be applied towards the May 2010 passthru and the AF measured for RBP will be applied towards the banked amount.	19,473
Estuary Inflows (NCAT + RBP)		1,198
PassThru Surplus / -Deficit:		-16,043

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD YTD May 2010		May 2010			Elevation (Ft)
Date		MIID	YID	Allocation	Remaining	Full	05/19/2010
05/18/2010	134	2,417	18,587	4,100	1,683	44.0	44.0

Report Generated: 05/19/2010 at 8:54:27 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: May 20, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lal	ke Corpus Christi I	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/20/2009	213.6	528,205	76.0%	86.2	128,361	49.9%	656,566	68.9%
05/20/2010	217.1	610,411	87.8%	93.2	242,956	94.4%	853,367	89.6%

	Weather Related Information										
	Choke Canyon Reservoir			Lake		Combined					
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
05/19/2010	88	352	0.00	89	303	0.00	655				
MTD		7,647	4.41		5,988	1.09	13,635				

STREAM FLOWS

Gauging Station	05/19/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	623	19,213
NRTT: Nueces River at Tilden, Texas	26	1,146
FRTT: Frio River at Tilden, Texas	963	1,968
SMTT: San Miguel Creek at Tilden, Texas	85	1,000
ARWT: Atascosa River at Whitsett, Texas	214	9,097
Release from Choke Canyon Reservoir	58	1,094
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	409	5,475
NCAT: Nueces River at Calallen, Texas	58	319
RBP: Rincon Bayou Pipeline	109	1,046
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,614	21,086

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit: 0 Effective	e:	25,500
Credit / -Deficit From Previous Month	1,731	
Return Flow Credit (Effective: 05/01/2	500	
Passthru Target: 25,500 Reservoir Inflow: 21,086	Comment: Beginning May 10, 2010, the remaining 2,333 AF banked from Oct 2009 is being pumped to the Rincon Bayou. The AF measured at NCAT will be applied towards the May 2010 passthru and the AF measured for RBP will be applied towards the banked amount.	21,086
Estuary Inflows (NCAT + RBP)		1,365
PassThru Surplus / -Deficit:		-17,490

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	YTD	May	2010		Elevation (Ft)
Date	Дану Intake	MIID	YID	Allocation	Remaining	Full	05/20/2010
05/19/2010	134	2,551	18,721	4,100	1,549	44.0	44.0

Report Generated: 05/20/2010 at 9:11:40 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: May 21, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lal	ke Corpus Christi l	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/21/2009	213.5	527,764	75.9%	86.1	127,956	49.7%	655,720	68.8%
05/21/2010	217.2	612,098	88.0%	93.2	242,776	94.4%	854,874	89.7%

	Weather Related Information											
	Choke Canyon Reservoir				e Corpus Christi Reservoir	:	Combined					
Date	Air Temp Evaporation Rainfall Air Temp Evaporation Rainfall (°F) (AcFt) (Inches) (°F) (AcFt) (Inches)				Evaporation (AcFt)							
05/20/2010	88	381	0.00	89	387	0.00	768					
MTD		8,028	4.41		6,375	1.09	14,403					

STREAM FLOWS

Gauging Station	05/20/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	389	19,602
NRTT: Nueces River at Tilden, Texas	133	1,279
FRTT: Frio River at Tilden, Texas	1,330	3,297
SMTT: San Miguel Creek at Tilden, Texas	44	1,043
ARWT: Atascosa River at Whitsett, Texas	137	9,234
Release from Choke Canyon Reservoir	58	1,151
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	423	5,897
NCAT: Nueces River at Calallen, Texas	131	450
RBP: Rincon Bayou Pipeline	109	1,155
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,705	22,791

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit: 0 Effective	x	25,500
Credit / -Deficit From Previous Month (1,731	
Return Flow Credit (Effective: 05/01/20	500	
Target: 25,500	Comment: Beginning May 10, 2010, the remaining 2,333 AF banked from Oct 2009 is being pumped to the Rincon Bayou. The AF measured at NCAT will be applied towards the May 2010 passthru and the AF measured for RBP will be applied towards the banked amount.	22,791
Estuary Inflows (NCAT + RBP)		1,605
PassThru Surplus / -Deficit:		-18,955

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	May	2010		Elevation (Ft)
Date		MID	YID	Allocation	Remaining	Full	05/21/2010
05/20/2010	134	2,685	18,855	4,100	1,415	44.0	44.0

Report Generated: 05/21/2010 at 8:51:31 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: May 22, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lal	ke Corpus Christi l	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/22/2009	213.5	527,324	75.8%	86.1	127,552	49.6%	654,876	68.8%
05/22/2010	217.2	613,310	88.2%	93.1	241,700	94.0%	855,010	89.8%

	Weather Related Information										
	Choke Canyon Reservoir Lake Corpus Christi Reservoir Combined						Combined				
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)							
05/21/2010	89	409	0.00	90	313	0.00	722				
MTD		8,437	4.41		6,688	1.09	15,125				

STREAM FLOWS

Gauging Station	05/21/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	29	19,898
NRTT: Nueces River at Tilden, Texas	95	2,236
FRTT: Frio River at Tilden, Texas	2,06	5,362
SMTT: San Miguel Creek at Tilden, Texas	2:	1,065
ARWT: Atascosa River at Whitsett, Texas	10	9,337
Release from Choke Canyon Reservoir	5	1,209
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	68	6,586
NCAT: Nueces River at Calallen, Texas	7	. 521
RBP: Rincon Bayou Pipeline	5	1,213
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,32	25,116

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit: 0 Effect	tive:	25,500
Credit / -Deficit From Previous Mon	th (Date Deficit Satisfied:)	1,731
Return Flow Credit (Effective: 05/01	1/2010)	500
Passthru Target: 25,500 Reservoir Inflow: 25,116	Comment: Beginning May 10, 2010, the remaining 2,333 AF banked from Oct 2009 is being pumped to the Rincon Bayou. The AF measured at NCAT will be applied towards the May 2010 passthru and the AF measured for RBP will be applied towards the banked amount.	25,116
Estuary Inflows (NCAT + RBP)		1,734
PassThru Surplus / -Deficit:		-21,151

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	May	2010		Elevation (Ft)
Date	Daily Intake	MID	YID	Allocation	Remaining	Full	05/22/2010
05/21/2010	134	2,819	18,988	4,100	1,281	44.0	44.1

Report Generated: 05/22/2010 at 8:34:32 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: May 23, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lai	ke Corpus Christi l	Combined Reservoir System					
Date	Elevation (Ft) Volume (AcFt) Percent of Capacity		Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity				
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%			
05/23/2009	213.5	526,883	75.8%	86.1	127,282	49.5%	654,165	68.7%			
05/23/2010	217.4	616,717	88.7%	93.1	240,804	93.6%	857,521	90.0%			
		W. d. D.L. I. C. d.									

	Weather Related Information										
	C	hoke Canyon Reservoir		Lake	:	Combined					
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
05/22/2010	89	467	0.00	89	407	0.00	874				
MTD		8,904	4.41		7,095	1.09	15,999				

STREAM FLOWS

Gauging Station	05/22/2010 (AcFt)	MTD (AcFt)					
NTRT: Nueces River at Three Rivers, Texas	1,016	20,914					
NRTT: Nueces River at Tilden, Texas	1,235	3,470					
FRTT: Frio River at Tilden, Texas	3,216	8,578					
SMTT: San Miguel Creek at Tilden, Texas	13	1,078					
ARWT: Atascosa River at Whitsett, Texas	83	9,421					
Release from Choke Canyon Reservoir	58	1,266					
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	953	7,539					
Nucat: Nucces River at Calallen, Texas	280	801					
RBP: Rincon Bayou Pipeline	111	1,376					
Reservoir Inflow	Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4,188	29,303					

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit: 0 Effective					
Credit / -Deficit From Previous Month	1,731				
Return Flow Credit (Effective: 05/01/20	500				
Passthru Target: 25,500 Reservoir Inflow: 29,303	Comment: Beginning May 10, 2010, the remaining 2,333 AF banked from Oct 2009 is being pumped to the Rincon Bayou. The AF measured at NCAT will be applied towards the May 2010 passthru and the AF measured for RBP will be applied towards the banked amount.	25,500			
Estuary Inflows (NCAT + RBP)		2,177			
PassThru Surplus / -Deficit:		-21,092			

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	May	2010		Elevation (Ft)
	Dany Intake	MID	YID	Allocation	Remaining	Full	05/23/2010
05/22/2010	134	2,953	19,122	4,100	1,147	44.0	44.1

Report Generated: 05/23/2010 at 9:08:43 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: May 24, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lal	ke Corpus Christi	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/24/2009	213.5	526,442	75.7%	86.1	127,417	49.5%	653,859	68.6%
05/24/2010	217.4	618,421	88.9%	93.1	240,804	93.6%	859,225	90.2%

	Weather Related Information										
	C	Choke Canyon Reservoir Lake Corpus Christi Reservoir Combin									
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
05/23/2010	89	411	0.00	88	334	0.00	745				
MTD		9,315	4.41		7,429	1.09	16,744				

STREAM FLOWS

Gauging Station	05/23/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	1,388	22,301
NRTT: Nueces River at Tilden, Texas	965	4,435
FRTT: Frio River at Tilden, Texas	2,203	10,781
SMTT: San Miguel Creek at Tilden, Texas	8	1,086
ARWT: Atascosa River at Whitsett, Texas	71	9,492
Release from Choke Canyon Reservoir	58	1,324
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	947	8,486
NCAT: Nueces River at Calallen, Texas	498	1,300
RBP: Rincon Bayou Pipeline	111	1,487
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3,541	32,845

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit: 0 Effective	ve:	25,500
Credit / -Deficit From Previous Month	1,731	
Return Flow Credit (Effective: 05/01/2	500	
Passthru Target: 25,500 Reservoir Inflow: 32,845	Comment: Beginning May 10, 2010, the remaining 2,333 AF banked from Oct 2009 is being pumped to the Rincon Bayou. The AF measured at NCAT will be applied towards the May 2010 passthru and the AF measured for RBP will be applied towards the banked amount.	25,500
Estuary Inflows (NCAT + RBP)		2,786
PassThru Surplus / -Deficit:		-20,483

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD	YTD	May	2010		Elevation (Ft)
	D ану Intake	MIID	YID	Allocation	Remaining	Full	05/24/2010
05/23/2010	134	3,087	19,256	4,100	1,013	44.0	44.1

Report Generated: 05/24/2010 at 8:26:12 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: May 25, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lal	ke Corpus Christi	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/25/2009	213.5	526,442	75.7%	86.0	126,879	49.3%	653,321	68.6%
05/25/2010	217.5	619,151	89.1%	93.1	240,625	93.5%	859,776	90.3%

	Weather Related Information										
	C	hoke Canyon Reservoir		Lake		Combined					
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)				
05/24/2010	86	411	0.00	85	313	0.00	724				
MTD		9,726	4.41		7,742	1.09	17,468				

STREAM FLOWS

Gauging Station	05/24/2010 (AcFt)	MTD (AcFt)			
NTRT: Nueces River at Three Rivers, Texas	1,181	23,483			
NRTT: Nueces River at Tilden, Texas	296	4,731			
FRTT: Frio River at Tilden, Texas	349	11,130			
SMTT: San Miguel Creek at Tilden, Texas	5	1,091			
ARWT: Atascosa River at Whitsett, Texas	60	9,552			
Release from Choke Canyon Reservoir	58	1,382			
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	1,056	9,542			
NCAT: Nueces River at Calallen, Texas	512	1,812			
RBP: Rincon Bayou Pipeline	107	1,594			
Reservoir Inflow					
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,478	34,323			

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit: 0 Effectiv	re:	25,500
Credit / -Deficit From Previous Month	1,731	
Return Flow Credit (Effective: 05/01/2	500	
Passthru Target: 25,500 Reservoir Inflow: 34,323	Comment: Beginning May 10, 2010, the remaining 2,333 AF banked from Oct 2009 is being pumped to the Rincon Bayou. The AF measured at NCAT will be applied towards the May 2010 passthru and the AF measured for RBP will be applied towards the banked amount.	25,500
Estuary Inflows (NCAT + RBP)		3,406
PassThru Surplus / -Deficit:		-19,863

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake			May 2010		Elevation (Ft)	
Date	Dany Intake	MTD YT	110	Allocation	Remaining	Full	05/25/2010
05/24/2010	134	3,221	19,390	4,100	879	44.0	44.0

Report Generated: 05/25/2010 at 8:29:26 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: May 26, 2010

RESERVOIR STATISTICS

		Choke Canyon Re	servoir	Lal	ke Corpus Christi	Reservoir	Combined I	Reservoir System
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/26/2009	213.5	527,103	75.8%	86.0	125,808	48.9%	652,911	68.5%
05/26/2010	217.5	620,368	89.2%	93.1	241,521	93.9%	861,889	90.5%

	Weather Related Information								
	Choke Canyon Reservoir			Lak	:	Combined			
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
05/25/2010	83	213	0.08	80	Pan overflow	2.59	213		
MTD		9,939	4.49		7,742	3.68	17,681		

STREAM FLOWS

Gauging Station	05/25/2010 (AcFt)	MTD (AcFt)			
NTRT: Nueces River at Three Rivers, Texas	522	24,005			
NRTT: Nueces River at Tilden, Texas	189	4,919			
FRTT: Frio River at Tilden, Texas	197	11,327			
SMTT: San Miguel Creek at Tilden, Texas	3	1,095			
ARWT: Atascosa River at Whitsett, Texas	46	9,597			
Release from Choke Canyon Reservoir	58	1,439			
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	1,384	10,925			
NCAT: Nueces River at Calallen, Texas	609	2,421			
RBP: Rincon Bayou Pipeline	117	1,711			
Reservoir Inflow					
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	664	34,987			

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit: 0 Effective	e:	25,500		
Credit / -Deficit From Previous Month	Credit / -Deficit From Previous Month (Date Deficit Satisfied:)			
Return Flow Credit (Effective: 05/01/20	500			
Target: 25,500	Comment: Beginning May 10, 2010, the remaining 2,333 AF banked from Oct 2009 is being pumped to the Rincon Bayou. The AF measured at NCAT will be applied towards the May 2010 passthru and the AF measured for RBP will be applied towards the banked amount.	25,500		
Estuary Inflows (NCAT + RBP)		4,132		
PassThru Surplus / -Deficit:		-19,137		

LAKE TEXANA STATISTICS (All values are in AcFt)

Date	Daily Intake	MTD YTD May 2010 Elevati		May 2010		Elevation (Ft)	
Date	Daily Ilitake	MID	YID	Allocation	Remaining	Full	05/26/2010
05/25/2010	134	3,355	19,524	4,100	745	44.0	44.0

Report Generated: 05/26/2010 at 9:14:44 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: May 27, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lai	ke Corpus Christi l	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/27/2009	213.5	527,324	75.8%	86.0	126,879	49.3%	654,203	68.7%
05/27/2010	217.5	620,124	89.2%	93.1	240,446	93.5%	860,570	90.3%

	Weather Related Information								
	Choke Canyon Reservoir			Lake	e Corpus Christi Reservoir	r	Combined		
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
05/26/2010	87	483	0.00	86	323	0.00	806		
MTD		10,422	4.49		8,065	3.68	18,487		

STREAM FLOWS

Gauging Station	05/26/2010 (AcFt)	MTD (AcFt)			
NTRT: Nueces River at Three Rivers, Texas	401	24,406			
NRTT: Nueces River at Tilden, Texas	210	5,130			
FRTT: Frio River at Tilden, Texas	542	11,869			
SMTT: San Miguel Creek at Tilden, Texas	8	1,103			
ARWT: Atascosa River at Whitsett, Texas	40	9,637			
Release from Choke Canyon Reservoir	58	1,497			
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	1,370	12,295			
NCAT: Nueces River at Calallen, Texas	911	3,332			
RBP: Rincon Bayou Pipeline	109	1,820			
Reservoir Inflow					
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	893	35,880			

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit: 0 Effects	ive:	25,500
Credit / -Deficit From Previous Mont	1,731	
Return Flow Credit (Effective: 05/01	500	
Passthru Target: 25,500 Reservoir Inflow: 35,880	Comment: Beginning May 10, 2010, the remaining 2,333 AF banked from Oct 2009 is being pumped to the Rincon Bayou. The AF measured at NCAT will be applied towards the May 2010 passthru and the AF measured for RBP will be applied towards the banked amount.	25,500
Estuary Inflows (NCAT + RBP)		5,152
PassThru Surplus / -Deficit:		-18,117

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	YTD	May	May 2010		Elevation (Ft)	
Date	Daily Intake	MID	Y ID	Allocation	Remaining	Full	05/27/2010	
05/26/2010	134	3,489	19,659	4,100	611	44.0	44.0	

Report Generated: 05/27/2010 at 9:15:35 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: May 28, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir		Lal	ke Corpus Christi l	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/28/2009	213.5	526,663	75.7%	85.9	125,407	48.7%	652,070	68.5%
05/28/2010	217.5	619,881	89.2%	93.0	239,551	93.1%	859,432	90.2%

	Weather Related Information								
	Choke Canyon Reservoir Lake Corpus Christi Reservoir						Combined		
Date	Date Air Temp Evaporation Rainfall Air Temp Evaporation Rainfall (Inches) (F) (AcFt) (Inches) (F) (AcFt) (Inches)				Evaporation (AcFt)				
05/27/2010	88	383	0.00	88	188	0.00	571		
MTD		10,805	4.49		8,253	3.68	19,058		

STREAM FLOWS

Gauging Station	05/27/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	447	24,852
NRTT: Nueces River at Tilden, Texas	300	5,430
FRTT: Frio River at Tilden, Texas	645	12,514
SMTT: San Miguel Creek at Tilden, Texas	3	1,106
ARWT: Atascosa River at Whitsett, Texas	32	9,669
Release from Choke Canyon Reservoir	58	1,554
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	1,326	13,621
NCAT: Nueces River at Calallen, Texas	941	4,273
RBP: Rincon Bayou Pipeline	111	1,931
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,038	36,918

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit: 0 Effective	e:	25,500
Credit / -Deficit From Previous Month	1,731	
Return Flow Credit (Effective: 05/01/2	500	
Passthru Target: 25,500 Reservoir Inflow: 36,918	Comment: Beginning May 10, 2010, the remaining 2,333 AF banked from Oct 2009 is being pumped to the Rincon Bayou. The AF measured at NCAT will be applied towards the May 2010 passthru and the AF measured for RBP will be applied towards the banked amount.	25,500
Estuary Inflows (NCAT + RBP)		6,205
PassThru Surplus / -Deficit:		-17,064

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	te Daily Intake MTD		YTD	May	2010	Elevation (Ft)	
Date	Dany Intake	MID	YID	Allocation	Remaining	Full	05/28/2010
05/27/2010	126	3,615	19,784	4,100	485	44.0	44.0

Report Generated: 05/28/2010 at 8:37:48 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: May 29, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir		Lal	ke Corpus Christi I	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/29/2009	213.5	526,883	75.8%	86.0	126,209	49.1%	653,092	68.6%
05/29/2010	217.5	619,638	89.1%	92.9	238,121	92.6%	857,759	90.1%

	Weather Related Information									
	Choke Canyon Reservoir				e Corpus Christi Reservoir	r	Combined			
Date	Air Temp Evaporation Rainfall (AcFt) (Inches)			Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)			
05/28/2010	91	411	0.00	92	312	0.00	723			
MTD		11,216	4.49		8,565	3.68	19,781			

STREAM FLOWS

Gauging Station	05/28/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	377	25,229
NRTT: Nueces River at Tilden, Texas	1,034	6,464
FRTT: Frio River at Tilden, Texas	318	12,831
SMTT: San Miguel Creek at Tilden, Texas	1	1,107
ARWT: Atascosa River at Whitsett, Texas	26	9,695
Release from Choke Canyon Reservoir	58	1,612
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	1,288	14,909
NCAT: Nueces River at Calallen, Texas	903	5,176
RBP: Rincon Bayou Pipeline	111	2,043
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	638	37,556

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit: 0 Effect	ive:	25,500
Credit / -Deficit From Previous Mon	1,731	
Return Flow Credit (Effective: 05/01	500	
Passthru Target: 25,500 Reservoir Inflow: 37,556	Comment: Beginning May 10, 2010, the remaining 2,333 AF banked from Oct 2009 is being pumped to the Rincon Bayou. The AF measured at NCAT will be applied towards the May 2010 passthru and the AF measured for RBP will be applied towards the banked amount.	25,500
Estuary Inflows (NCAT + RBP)		7,219
PassThru Surplus / -Deficit:		-16,050

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake	MTD	YTD	May	2010	Elevation (Ft)	
Date	Daily Ilitake	MID	110	Allocation Remaining	Remaining	Full	05/29/2010
05/28/2010	134	3,749	19,918	4,100	351	44.0	43.9

Report Generated: 05/29/2010 at 8:24:14 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: May 30, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lal	ke Corpus Christi l	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/30/2009	213.5	526,663	75.7%	86.0	125,942	49.0%	652,605	68.5%
05/30/2010	217.5	619,881	89.2%	92.9	237,229	92.2%	857,110	90.0%

	Weather Related Information									
	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)			
05/29/2010	91	468	0.00	93	457	0.00	925			
MTD		11,684	4.49		9,022	3.68	20,706			

STREAM FLOWS

Gauging Station	05/29/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	1,042	26,271
NRTT: Nueces River at Tilden, Texas	1,294	7,758
FRTT: Frio River at Tilden, Texas	123	12,955
SMTT: San Miguel Creek at Tilden, Texas	1	1,108
ARWT: Atascosa River at Whitsett, Texas	24	9,719
Release from Choke Canyon Reservoir	58	1,669
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	1,229	16,138
Nucat: Nucces River at Calallen, Texas	856	6,032
RBP: Rincon Bayou Pipeline	111	2,154
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,108	38,665

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru		
Monthly Target: 25,500		25,500
Salinity Relief Credit: 0 Effect	ctive:	
Credit / -Deficit From Previous Mo	nth (Date Deficit Satisfied:)	1,731
Return Flow Credit (Effective: 05/0	1/2010)	500
Passthru Target: 25,500 Reservoir Inflow: 38,665	Comment: Beginning May 10, 2010, the remaining 2,333 AF banked from Oct 2009 is being pumped to the Rincon Bayou. The AF measured at NCAT will be applied towards the May 2010 passthru and the AF measured for RBP will be applied towards the banked amount.	25,500
Estuary Inflows (NCAT + RBP)	At measured for KBr will be applied towards the banked amount.	8,186
PassThru Surplus / -Deficit:		-15,083

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake MTD		MTD YTD	May	2010	Elevation (Ft)	
Date	Dany Intake	MID	110	Allocation	Remaining	Full	05/30/2010
05/29/2010	134	3,883	20,053	4,100	217	44.0	43.9

Report Generated: 05/30/2010 at 8:17:01 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Pass-Thru Status Report Report Date: May 31, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lal	ke Corpus Christi	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/31/2009	213.5	526,222	75.7%	85.9	125,407	48.7%	651,629	68.4%
05/31/2010	217.5	619,151	89.1%	92.9	237,050	92.1%	856,201	89.9%

Weather Related Information								
	Choke Canyon Reservoir Lake Corpus Christi Reservoir					Combined		
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)			Evaporation (AcFt)	
05/30/2010	88	426	0.00	89	509	0.00	935	
MTD		12,110	4.49		9,531	3.68	21,641	

STREAM FLOWS

Gauging Station	05/30/2010 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	1,390	27,661
NRTT: Nueces River at Tilden, Texas	1,255	9,012
FRTT: Frio River at Tilden, Texas	73	13,028
SMTT: San Miguel Creek at Tilden, Texas	0	1,108
ARWT: Atascosa River at Whitsett, Texas	20	9,738
Release from Choke Canyon Reservoir	58	1,727
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	1,203	17,341
NCAT: Nueces River at Calallen, Texas	875	6,907
RBP: Rincon Bayou Pipeline	111	2,265
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,406	40,070

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit: 0 Effect	ive:	25,500
Credit / -Deficit From Previous Mon	1,731	
Return Flow Credit (Effective: 05/01	500	
Passthru Target: 25,500 Reservoir Inflow: 40,070	Comment: Beginning May 10, 2010, the remaining 2,333 AF banked from Oct 2009 is being pumped to the Rincon Bayou. The AF measured at NCAT will be applied towards the May 2010 passthru and the AF measured for RBP will be applied towards the banked amount.	25,500
Estuary Inflows (NCAT + RBP)		9,172
PassThru Surplus / -Deficit:		-14,097

LAKE TEXANA STATISTICS (All values are in AcFt)

Data	Daily Intake MTD YTD		May	2010	Elevation (Ft)		
Date	Dany Intake	MID	110	Allocation	Remaining	Full	05/31/2010
05/30/2010	135	4,018	20,188	4,100	82	44.0	43.9

Report Generated: 05/31/2010 at 8:22:01 AM