

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: June 1, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/01/2009	213.4	525,340	75.6%	85.9	125,008	48.6%	650,348	68.3%
06/01/2010	217.5	619,638	89.1%	92.9	236,694	92.0%	856,332	89.9%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/31/2010	90	270	0.00	90	312	0.00	582
MTD		12,380	4.49		9,843	3.68	22,223

**STREAM FLOWS**

Gauging Station	05/31/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	1,386	29,047
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	564	9,576
<a href="#">FRTT</a> : Frio River at Tilden, Texas	60	13,088
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	1,109
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	19	9,757
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,785
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	1,205	18,546
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	891	7,798
<a href="#">RBP</a> : Rincon Bayou Pipeline	77	2,340
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,388	41,458

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	1,731
Return Flow Credit (Effective: 05/01/2010)	500
Passthru Target: 25,500 Reservoir Inflow: 41,458  Comment: Beginning May 10, 2010, the remaining 2,333 AF banked from Oct 2009 is being pumped to the Rincon Bayou. The AF measured at NCAT will be applied towards the May 2010 passthru and the AF measured for RBP will be applied towards the banked amount.	25,500
Estuary Inflows (NCAT + RBP)	10,139
PassThru Surplus / -Deficit:	-13,130

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2010		Elevation (Ft)	
				Allocation	Remaining	Full	06/01/2010
05/31/2010	135	4,153	20,322	4,100	-53	44.0	43.9

Report Generated: 06/01/2010 at 8:58:34 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: June 2, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/02/2009	213.5	525,781	75.6%	85.9	124,476	48.4%	650,257	68.3%
06/02/2010	217.4	618,177	88.9%	92.8	235,625	91.6%	853,802	89.6%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/01/2010	90	510	0.00	92	394	0.00	904
MTD		510	0.00		394	0.00	904

**STREAM FLOWS**

Gauging Station	06/01/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	738	738
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	226	226
<a href="#">FRTT</a> : Frio River at Tilden, Texas	60	60
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	18	18
<a href="#">Release from Choke Canyon Reservoir</a>	58	58
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	1,326	1,326
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	897	897
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	741	741

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	-12,471
Return Flow Credit (Effective: )	0
Passthru Target: 25,500 Reservoir Inflow: 741 <b>Comment:</b>	741
Estuary Inflows (NCAT + RBP)	897
PassThru Surplus / -Deficit:	-12,314

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2010		Elevation (Ft)	
				Allocation	Remaining	Full	06/02/2010
06/01/2010	135	135	20,457	4,100	3,965	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: June 3, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/03/2009	213.5	526,663	75.7%	85.8	123,945	48.2%	650,608	68.3%
06/03/2010	217.5	619,881	89.2%	93.0	238,478	92.7%	858,359	90.1%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/02/2010	92	511	1.26	93	406	2.34	917
MTD		1,021	1.26		800	2.34	1,821

**STREAM FLOWS**

Gauging Station	06/02/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	361	1,100
<a href="#">NRIT</a> : Nueces River at Tilden, Texas	165	391
<a href="#">FRIT</a> : Frio River at Tilden, Texas	52	111
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	3	3
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	17	35
<a href="#">Release from Choke Canyon Reservoir</a>	58	115
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	1,560	2,886
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	1,042	1,939
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	358	1,099

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	-12,471
Return Flow Credit (Effective: )	0
Passthru Target: 25,500 Reservoir Inflow: 1,099 <span style="color: red;">Comment:</span>	1,099
Estuary Inflows (NCAT + RBP)	1,939
PassThru Surplus / -Deficit:	-11,630

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2010		Elevation (Ft)	
				Allocation	Remaining	Full	06/03/2010
06/02/2010	135	270	20,593	4,100	3,830	44.0	43.7

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: June 4, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/04/2009	213.5	527,324	75.8%	85.9	124,343	48.3%	651,667	68.4%
06/04/2010	217.6	621,098	89.3%	92.9	236,872	92.1%	857,970	90.1%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/03/2010	85	256	0.00	85	301	0.00	557
MTD		1,277	1.26		1,101	2.34	2,378

**STREAM FLOWS**

Gauging Station	06/03/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	320	1,419
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	200	592
<a href="#">FRTT</a> : Frio River at Tilden, Texas	50	161
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	17	20
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	46	80
<a href="#">Release from Choke Canyon Reservoir</a>	58	173
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	1,767	4,653
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	1,346	3,285
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	328	1,427

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	-12,471
Return Flow Credit (Effective: )	0
Passthru Target: 25,500 Reservoir Inflow: 1,427 <span style="color: red;">Comment:</span>	1,427
Estuary Inflows (NCAT + RBP)	3,285
PassThru Surplus / -Deficit:	-10,613

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2010		Elevation (Ft)	
				Allocation	Remaining	Full	06/04/2010
06/03/2010	135	405	20,728	4,100	3,695	44.0	43.7

Report Generated: 06/04/2010 at 8:37:07 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: June 5, 2010**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/05/2009	213.5	526,222	75.7%	85.8	123,680	48.1%	649,902	68.2%
06/05/2010	217.5	620,854	89.3%	92.8	235,091	91.4%	855,945	89.9%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/04/2010	89	412	0.00	89	280	0.00	692
MTD		1,689	1.26		1,381	2.34	3,070

**STREAM FLOWS**

Gauging Station	06/04/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	355	1,775
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	195	786
<a href="#">FRTT</a> : Frio River at Tilden, Texas	40	200
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	20
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	50	130
<a href="#">Release from Choke Canyon Reservoir</a>	58	230
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	1,648	6,300
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	1,536	4,822
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	338	1,765

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	-12,471
Return Flow Credit (Effective: )	0
Passthru Target: 25,500 Reservoir Inflow: 1,765 <b>Comment:</b>	1,765
Estuary Inflows (NCAT + RBP)	4,822
PassThru Surplus / -Deficit:	-9,414

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2010		Elevation (Ft)	
				Allocation	Remaining	Full	06/05/2010
06/04/2010	135	541	20,863	4,100	3,559	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: June 6, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/06/2009	213.5	525,781	75.6%	85.7	122,887	47.8%	648,668	68.1%
06/06/2010	217.5	619,881	89.2%	92.7	234,024	91.0%	853,905	89.6%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/05/2010	91	397	0.00	90	290	0.00	687
MTD		2,086	1.26		1,671	2.34	3,757

**STREAM FLOWS**

Gauging Station	06/05/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	337	2,112
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	187	973
<a href="#">FRTT</a> : Frio River at Tilden, Texas	38	238
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	20
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	34	164
<a href="#">Release from Choke Canyon Reservoir</a>	58	288
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	1,445	7,745
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	1,473	6,294
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	318	2,083

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	-12,471
Return Flow Credit (Effective: )	0
Passthru Target: 25,500 Reservoir Inflow: 2,083 <b>Comment:</b>	2,083
Estuary Inflows (NCAT + RBP)	6,294
PassThru Surplus / -Deficit:	-8,259

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2010		Elevation (Ft)	
				Allocation	Remaining	Full	06/06/2010
06/05/2010	136	676	20,999	4,100	3,424	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: June 7, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/07/2009	213.4	525,340	75.6%	85.7	122,492	47.6%	647,832	68.0%
06/07/2010	217.5	620,124	89.2%	92.7	233,136	90.6%	853,260	89.6%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/06/2010	89	383	0.00	89	259	0.00	642
MTD		2,469	1.26		1,930	2.34	4,399

**STREAM FLOWS**

Gauging Station	06/06/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	298	2,410
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	228	1,201
<a href="#">FRTT</a> : Frio River at Tilden, Texas	32	270
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	20
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	24	188
<a href="#">Release from Choke Canyon Reservoir</a>	58	345
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	1,294	9,040
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	1,302	7,597
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	272	2,355

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	-12,471
Return Flow Credit (Effective: )	0
Passthru Target: 25,500 Reservoir Inflow: 2,355 <b>Comment:</b>	2,355
Estuary Inflows (NCAT + RBP)	7,597
PassThru Surplus / -Deficit:	-7,229

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2010		Elevation (Ft)	
				Allocation	Remaining	Full	06/07/2010
06/06/2010	135	812	21,134	4,100	3,288	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: June 8, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/08/2009	213.4	524,899	75.5%	85.7	121,966	47.4%	646,865	67.9%
06/08/2010	217.5	620,611	89.3%	92.7	233,846	90.9%	854,457	89.7%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/07/2010	91	525	0.68	91	497	0.64	1,022
MTD		2,994	1.94		2,427	2.98	5,421

**STREAM FLOWS**

Gauging Station	06/07/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	369	2,779
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	230	1,431
<a href="#">FRTT</a> : Frio River at Tilden, Texas	36	306
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	20
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	15	202
<a href="#">Release from Choke Canyon Reservoir</a>	58	403
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	1,199	10,239
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	1,070	8,667
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	347	2,702

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	-12,471
Return Flow Credit (Effective: )	0
Passthru Target: 25,500 Reservoir Inflow: 2,702 <span style="color: red;">Comment:</span>	2,702
Estuary Inflows (NCAT + RBP)	8,667
PassThru Surplus / -Deficit:	-6,506

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2010		Elevation (Ft)	
				Allocation	Remaining	Full	06/08/2010
06/07/2010	136	948	21,270	4,100	3,152	44.0	43.9



**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: June 9, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/09/2009	213.4	523,807	75.3%	85.6	121,441	47.2%	645,248	67.7%
06/09/2010	217.5	619,638	89.1%	92.6	232,249	90.3%	851,887	89.4%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/08/2010	85	270	0.12	85	165	0.26	435
MTD		3,264	2.06		2,592	3.24	5,856

**STREAM FLOWS**

Gauging Station	06/08/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	365	3,144
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	212	1,644
<a href="#">FRTT</a> : Frio River at Tilden, Texas	32	337
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	147	167
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	14	216
<a href="#">Release from Choke Canyon Reservoir</a>	58	461
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	1,137	11,376
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	1,032	9,699
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	486	3,188

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	-12,471
Return Flow Credit (Effective: )	0
Passthru Target: 25,500 Reservoir Inflow: 3,188 <span style="color: red;">Comment:</span>	3,188
Estuary Inflows (NCAT + RBP)	9,699
PassThru Surplus / -Deficit:	-5,961

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2010		Elevation (Ft)	
				Allocation	Remaining	Full	06/09/2010
06/08/2010	136	1,084	21,406	4,100	3,016	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: June 10, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/10/2009	213.3	523,152	75.2%	85.6	120,918	47.0%	644,070	67.6%
06/10/2010	217.5	619,638	89.1%	92.6	231,363	89.9%	851,001	89.3%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/09/2010	89	298	0.00	89	299	0.00	597
MTD		3,562	2.06		2,891	3.24	6,453

**STREAM FLOWS**

Gauging Station	06/09/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	314	3,458
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	139	1,783
<a href="#">FRTT</a> : Frio River at Tilden, Texas	32	369
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	7	174
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	16	232
<a href="#">Release from Choke Canyon Reservoir</a>	58	518
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	1,114	12,490
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	993	10,691
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	295	3,483

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	-12,471
Return Flow Credit (Effective: )	0
Passthru Target: 25,500 Reservoir Inflow: 3,483 <b>Comment:</b>	3,483
Estuary Inflows (NCAT + RBP)	10,691
PassThru Surplus / -Deficit:	-5,263

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2010		Elevation (Ft)	
				Allocation	Remaining	Full	06/10/2010
06/09/2010	136	1,220	21,543	4,100	2,880	44.0	43.8

Report Generated: 06/10/2010 at 8:19:58 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: June 11, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/11/2009	213.3	522,498	75.2%	85.5	120,005	46.6%	642,503	67.5%
06/11/2010	217.4	618,177	88.9%	92.5	230,124	89.5%	848,301	89.1%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/10/2010	90	496	0.00	90	340	0.00	836
MTD		4,058	2.06		3,231	3.24	7,289

**STREAM FLOWS**

Gauging Station	06/10/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	349	3,807
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	95	1,878
<a href="#">FRTT</a> : Frio River at Tilden, Texas	26	395
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	1	175
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	1,129	1,361
<a href="#">Release from Choke Canyon Reservoir</a>	58	576
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	1,066	13,556
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	941	11,632
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	318	3,802

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	-12,471
Return Flow Credit (Effective: )	0
Passthru Target: 25,500 Reservoir Inflow: 3,802 <b>Comment:</b>	3,802
Estuary Inflows (NCAT + RBP)	11,632
PassThru Surplus / -Deficit:	-4,640

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2010		Elevation (Ft)	
				Allocation	Remaining	Full	06/11/2010
06/10/2010	137	1,357	21,680	4,100	2,743	44.0	43.7

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: June 12, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/12/2009	213.3	521,844	75.1%	85.5	119,615	46.5%	641,459	67.3%
06/12/2010	217.4	617,447	88.8%	92.5	230,831	89.7%	848,278	89.1%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/11/2010	90	425	0.00	89	392	0.00	817
MTD		4,483	2.06		3,623	3.24	8,106

**STREAM FLOWS**

Gauging Station	06/11/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	2,442	6,249
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	75	1,953
<a href="#">FRTT</a> : Frio River at Tilden, Texas	20	415
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	175
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	4,764	6,125
<a href="#">Release from Choke Canyon Reservoir</a>	58	633
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	983	14,538
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	891	12,523
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,404	6,206

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/11/2010)	-12,471
Return Flow Credit (Effective: 06/11/2010)	500
Passthru Target: 25,500 Reservoir Inflow: 6,206 <b>Comment:</b>	6,206
Estuary Inflows (NCAT + RBP)	12,523
PassThru Surplus / -Deficit:	-5,653

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2010		Elevation (Ft)	
				Allocation	Remaining	Full	06/12/2010
06/11/2010	137	1,495	21,817	4,100	2,605	44.0	43.7

Report Generated: 06/12/2010 at 8:18:45 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: June 13, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/13/2009	213.2	521,189	75.0%	85.5	119,356	46.4%	640,545	67.2%
06/13/2010	217.4	616,960	88.7%	92.7	234,024	91.0%	850,984	89.3%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/12/2010	91	467	0.00	90	393	0.00	860
MTD		4,950	2.06		4,016	3.24	8,966

**STREAM FLOWS**

Gauging Station	06/12/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	4,843	11,092
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	77	2,031
<a href="#">FRTT</a> : Frio River at Tilden, Texas	17	432
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	175
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	3,752	9,877
<a href="#">Release from Choke Canyon Reservoir</a>	58	691
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	897	15,435
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	790	13,313
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4,803	11,009

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/11/2010)	-12,471
Return Flow Credit (Effective: 06/11/2010)	500
Passthru Target: 25,500 Reservoir Inflow: 11,009 <b>Comment:</b>	11,009
Estuary Inflows (NCAT + RBP)	13,313
PassThru Surplus / -Deficit:	-9,666

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2010		Elevation (Ft)	
				Allocation	Remaining	Full	06/13/2010
06/12/2010	138	1,633	21,955	4,100	2,467	44.0	43.7

Report Generated: 06/13/2010 at 8:08:56 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: June 14, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/14/2009	213.2	520,535	74.9%	85.4	118,579	46.1%	639,114	67.1%
06/14/2010	217.4	617,204	88.8%	92.7	234,379	91.1%	851,583	89.4%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/13/2010	91	552	0.00	91	331	0.00	883
MTD		5,502	2.06		4,347	3.24	9,849

**STREAM FLOWS**

Gauging Station	06/13/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	2,759	13,851
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	60	2,090
<a href="#">FRTT</a> : Frio River at Tilden, Texas	14	447
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	175
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	234	10,111
<a href="#">Release from Choke Canyon Reservoir</a>	58	748
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	897	16,333
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	717	14,030
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,716	13,725

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/11/2010)	-12,471
Return Flow Credit (Effective: 06/11/2010)	500
Passthru Target: 25,500 Reservoir Inflow: 13,725 <b>Comment:</b>	13,725
Estuary Inflows (NCAT + RBP)	14,030
PassThru Surplus / -Deficit:	-11,666

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2010		Elevation (Ft)	
				Allocation	Remaining	Full	06/14/2010
06/13/2010	139	1,771	22,094	4,100	2,329	44.0	43.7

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: June 15, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/15/2009	213.2	519,663	74.7%	85.4	117,934	45.8%	637,597	66.9%
06/15/2010	217.4	616,960	88.7%	92.7	234,379	91.1%	851,339	89.4%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/14/2010	91	510	0.00	91	362	0.00	872
MTD		6,012	2.06		4,709	3.24	10,721

**STREAM FLOWS**

Gauging Station	06/14/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	401	14,252
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	46	2,136
<a href="#">FRTT</a> : Frio River at Tilden, Texas	12	459
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	175
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	125	10,236
<a href="#">Release from Choke Canyon Reservoir</a>	58	806
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	907	17,240
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	730	14,760
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	356	14,081

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/11/2010)	-12,471
Return Flow Credit (Effective: 06/11/2010)	500
Passthru Target: 25,500 Reservoir Inflow: 14,081 <b>Comment:</b>	14,081
Estuary Inflows (NCAT + RBP)	14,760
PassThru Surplus / -Deficit:	-11,291

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2010		Elevation (Ft)	
				Allocation	Remaining	Full	06/15/2010
06/14/2010	139	1,910	22,233	4,100	2,190	44.0	43.9

Report Generated: 06/15/2010 at 8:48:04 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: June 16, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/16/2009	213.1	519,008	74.6%	85.3	117,035	45.5%	636,043	66.8%
06/16/2010	217.4	617,204	88.8%	92.7	233,491	90.8%	850,695	89.3%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/15/2010	91	510	0.00	91	414	0.00	924
MTD		6,522	2.06		5,123	3.24	11,645

**STREAM FLOWS**

Gauging Station	06/15/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	278	14,530
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	38	2,174
<a href="#">FRTT</a> : Frio River at Tilden, Texas	11	469
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	175
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	87	10,323
<a href="#">Release from Choke Canyon Reservoir</a>	58	863
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	901	18,141
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	691	15,451
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	231	14,311

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/11/2010)	-12,471
Return Flow Credit (Effective: 06/11/2010)	500
Passthru Target: 25,500 Reservoir Inflow: 14,311 <b>Comment:</b>	14,311
Estuary Inflows (NCAT + RBP)	15,451
PassThru Surplus / -Deficit:	-10,831

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2010		Elevation (Ft)	
				Allocation	Remaining	Full	06/16/2010
06/15/2010	140	2,050	22,372	4,100	2,050	44.0	43.8

Report Generated: 06/16/2010 at 8:44:31 AM



**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: June 17, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/17/2009	213.1	517,918	74.5%	85.3	116,651	45.3%	634,569	66.6%
06/17/2010	217.4	616,717	88.7%	92.6	232,426	90.3%	849,143	89.1%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/16/2010	92	495	0.00	91	351	0.07	846
MTD		7,017	2.06		5,474	3.31	12,491

**STREAM FLOWS**

Gauging Station	06/16/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	228	14,758
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	32	2,205
<a href="#">FRTT</a> : Frio River at Tilden, Texas	9	479
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	175
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	66	10,389
<a href="#">Release from Choke Canyon Reservoir</a>	58	921
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	889	19,030
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	647	16,098
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	180	14,491

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/11/2010)	-12,471
Return Flow Credit (Effective: 06/11/2010)	500
Passthru Target: 25,500 Reservoir Inflow: 14,491 <b>Comment:</b>	14,491
Estuary Inflows (NCAT + RBP)	16,098
PassThru Surplus / -Deficit:	-10,364

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2010		Elevation (Ft)	
				Allocation	Remaining	Full	06/17/2010
06/16/2010	140	2,190	22,512	4,100	1,910	44.0	43.7

Report Generated: 06/17/2010 at 10:03:31 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: June 18, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/18/2009	213.1	517,918	74.5%	85.2	116,267	45.2%	634,185	66.6%
06/18/2010	217.3	615,014	88.5%	92.6	231,540	90.0%	846,554	88.9%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/17/2010	91	495	0.00	90	341	0.00	836
MTD		7,512	2.06		5,815	3.31	13,327

**STREAM FLOWS**

Gauging Station	06/17/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	199	14,957
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	6	2,211
<a href="#">FRTT</a> : Frio River at Tilden, Texas	12	490
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	176
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	50	10,439
<a href="#">Release from Choke Canyon Reservoir</a>	58	979
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	897	19,927
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	669	16,767
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	153	14,644

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/11/2010)	-12,471
Return Flow Credit (Effective: 06/11/2010)	500
Passthru Target: 25,500 Reservoir Inflow: 14,644 <b>Comment:</b>	14,644
Estuary Inflows (NCAT + RBP)	16,767
PassThru Surplus / -Deficit:	-9,848

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2010		Elevation (Ft)	
				Allocation	Remaining	Full	06/18/2010
06/17/2010	140	2,330	22,652	4,100	1,770	44.0	43.6

Report Generated: 06/18/2010 at 8:15:51 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: June 19, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/19/2009	213.0	516,391	74.3%	85.1	115,122	44.7%	631,513	66.3%
06/19/2010	217.3	615,744	88.6%	92.5	230,477	89.6%	846,221	88.8%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/18/2010	94	481	0.00	91	381	0.00	862
MTD		7,993	2.06		6,196	3.31	14,189

**STREAM FLOWS**

Gauging Station	06/18/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	173	15,130
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	3	2,214
<a href="#">FRTT</a> : Frio River at Tilden, Texas	11	501
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	176
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	38	10,476
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,036
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	899	20,827
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	695	17,462
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	126	14,770

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/11/2010)	-12,471
Return Flow Credit (Effective: 06/11/2010)	500
Passthru Target: 25,500 Reservoir Inflow: 14,770 <b>Comment:</b>	14,770
Estuary Inflows (NCAT + RBP)	17,462
PassThru Surplus / -Deficit:	-9,279

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2010		Elevation (Ft)	
				Allocation	Remaining	Full	06/19/2010
06/18/2010	140	2,470	22,792	4,100	1,630	44.0	43.6

Report Generated: 06/19/2010 at 8:22:33 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: June 20, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/20/2009	213.0	515,955	74.2%	85.1	114,362	44.5%	630,317	66.2%
06/20/2010	217.3	614,527	88.4%	92.5	229,593	89.2%	844,120	88.6%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/19/2010	93	438	0.00	92	360	0.00	798
MTD		8,431	2.06		6,556	3.31	14,987

**STREAM FLOWS**

Gauging Station	06/19/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	155	15,285
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	1	2,215
<a href="#">FRTT</a> : Frio River at Tilden, Texas	10	511
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	176
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	34	10,510
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,094
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	895	21,722
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	661	18,123
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	107	14,878

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/11/2010)	-12,471
Return Flow Credit (Effective: 06/11/2010)	500
Passthru Target: 25,500 Reservoir Inflow: 14,878 <b>Comment:</b>	14,878
Estuary Inflows (NCAT + RBP)	18,123
PassThru Surplus / -Deficit:	-8,726

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2010		Elevation (Ft)	
				Allocation	Remaining	Full	06/20/2010
06/19/2010	141	2,610	22,933	4,100	1,490	44.0	43.6

Report Generated: 06/20/2010 at 8:17:01 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: June 21, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/21/2009	213.0	516,173	74.2%	85.1	114,236	44.4%	630,409	66.2%
06/21/2010	217.3	614,771	88.4%	92.4	228,357	88.8%	843,128	88.5%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/20/2010	93	537	0.00	92	442	0.00	979
MTD		8,968	2.06		6,998	3.31	15,966

**STREAM FLOWS**

Gauging Station	06/20/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	143	15,427
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	1	2,216
<a href="#">FRTT</a> : Frio River at Tilden, Texas	9	519
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	177
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	30	10,540
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,151
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	881	22,603
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	625	18,748
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	94	14,972

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/11/2010)	-12,471
Return Flow Credit (Effective: 06/11/2010)	500
Passthru Target: 25,500 Reservoir Inflow: 14,972 <b>Comment:</b>	14,972
Estuary Inflows (NCAT + RBP)	18,748
PassThru Surplus / -Deficit:	-8,195

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2010		Elevation (Ft)	
				Allocation	Remaining	Full	06/21/2010
06/20/2010	141	2,751	23,074	4,100	1,349	44.0	43.4

Report Generated: 06/21/2010 at 8:49:15 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: June 22, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/22/2009	213.0	515,523	74.1%	85.0	113,857	44.3%	629,380	66.1%
06/22/2010	217.3	614,040	88.3%	92.3	227,122	88.3%	841,162	88.3%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/21/2010	93	551	0.00	92	380	0.00	931
MTD		9,519	2.06		7,378	3.31	16,897

**STREAM FLOWS**

Gauging Station	06/21/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	131	15,558
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	2,216
<a href="#">FRTT</a> : Frio River at Tilden, Texas	8	527
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	177
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	28	10,568
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,209
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	871	23,475
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	613	19,362
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	81	15,053

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/11/2010)	-12,471
Return Flow Credit (Effective: 06/11/2010)	500
Passthru Target: 25,500 Reservoir Inflow: 15,053 <span style="color: red;">Comment:</span>	15,053
Estuary Inflows (NCAT + RBP)	19,362
PassThru Surplus / -Deficit:	-7,663

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2010		Elevation (Ft)	
				Allocation	Remaining	Full	06/22/2010
06/21/2010	141	2,892	23,215	4,100	1,208	44.0	43.2

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: June 23, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/23/2009	213.0	515,092	74.1%	85.0	113,480	44.1%	628,572	66.0%
06/23/2010	217.2	613,554	88.2%	92.2	225,714	87.7%	839,268	88.1%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/22/2010	93	466	0.00	92	359	0.00	825
MTD		9,985	2.06		7,737	3.31	17,722

**STREAM FLOWS**

Gauging Station	06/22/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	123	15,682
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	2,216
<a href="#">FRTT</a> : Frio River at Tilden, Texas	7	534
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	177
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	22	10,589
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,266
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	883	24,358
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	586	19,947
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	72	15,126

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/11/2010)	-12,471
Return Flow Credit (Effective: 06/11/2010)	500
Passthru Target: 25,500 Reservoir Inflow: 15,126 <b>Comment:</b>	15,126
Estuary Inflows (NCAT + RBP)	19,947
PassThru Surplus / -Deficit:	-7,149

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2010		Elevation (Ft)	
				Allocation	Remaining	Full	06/23/2010
06/22/2010	141	3,033	23,356	4,100	1,067	44.0	43.1

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: June 24, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/24/2009	212.9	514,444	74.0%	85.0	113,228	44.0%	627,672	65.9%
06/24/2010	217.2	612,823	88.1%	92.2	225,011	87.5%	837,834	88.0%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/23/2010	92	508	0.00	92	369	0.00	877
MTD		10,493	2.06		8,106	3.31	18,599

**STREAM FLOWS**

Gauging Station	06/23/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	115	15,797
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	2,216
<a href="#">FRTT</a> : Frio River at Tilden, Texas	6	540
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	177
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	18	10,607
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,324
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	881	25,239
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	613	20,561
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	64	15,189

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/11/2010)	-12,471
Return Flow Credit (Effective: 06/11/2010)	500
Passthru Target: 25,500 Reservoir Inflow: 15,189 <b>Comment:</b>	15,189
Estuary Inflows (NCAT + RBP)	20,561
PassThru Surplus / -Deficit:	-6,600

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2010		Elevation (Ft)	
				Allocation	Remaining	Full	06/24/2010
06/23/2010	141	3,175	23,497	4,100	925	44.0	43.1

Report Generated: 06/24/2010 at 8:41:51 AM



**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: June 25, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/25/2009	212.9	513,797	73.9%	84.9	112,602	43.8%	626,399	65.8%
06/25/2010	217.2	612,580	88.1%	92.2	224,835	87.4%	837,415	87.9%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/24/2010	91	367	0.00	88	184	0.25	551
MTD		10,860	2.06		8,290	3.56	19,150

**STREAM FLOWS**

Gauging Station	06/24/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	109	15,906
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	2,216
<a href="#">FRTT</a> : Frio River at Tilden, Texas	5	545
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	177
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	15	10,622
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,382
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	891	26,131
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	574	21,134
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	57	15,246

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/11/2010)	-12,471
Return Flow Credit (Effective: 06/11/2010)	500
Passthru Target: 25,500 Reservoir Inflow: 15,246 <b>Comment:</b>	15,246
Estuary Inflows (NCAT + RBP)	21,134
PassThru Surplus / -Deficit:	-6,083

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2010		Elevation (Ft)	
				Allocation	Remaining	Full	06/25/2010
06/24/2010	142	3,316	23,639	4,100	784	44.0	43.1

Report Generated: 06/25/2010 at 8:37:15 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: June 26, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/26/2009	212.9	512,934	73.8%	84.9	111,977	43.5%	624,911	65.6%
06/26/2010	217.2	611,375	87.9%	92.1	223,781	87.0%	835,156	87.7%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/25/2010	94	550	0.00	93	358	0.00	908
MTD		11,410	2.06		8,648	3.56	20,058

**STREAM FLOWS**

Gauging Station	06/25/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	105	16,011
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	2,216
<a href="#">FRTT</a> : Frio River at Tilden, Texas	5	549
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	177
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	14	10,636
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,439
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	893	27,024
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	590	21,724
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	52	15,299

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/11/2010)	-12,471
Return Flow Credit (Effective: 06/11/2010)	500
Passthru Target: 25,500 Reservoir Inflow: 15,299 <b>Comment:</b>	15,299
Estuary Inflows (NCAT + RBP)	21,724
PassThru Surplus / -Deficit:	-5,546

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2010		Elevation (Ft)	
				Allocation	Remaining	Full	06/26/2010
06/25/2010	142	3,458	23,780	4,100	642	44.0	43.0

Report Generated: 06/26/2010 at 7:57:22 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: June 27, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/27/2009	212.8	512,502	73.7%	84.9	111,479	43.3%	623,981	65.5%
06/27/2010	217.1	611,134	87.9%	92.1	222,904	86.6%	834,038	87.6%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/26/2010	95	521	0.00	94	419	0.00	940
MTD		11,931	2.06		9,067	3.56	20,998

**STREAM FLOWS**

Gauging Station	06/26/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	101	16,112
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	2,216
<a href="#">FRTT</a> : Frio River at Tilden, Texas	4	553
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	177
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	13	10,648
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,497
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	893	27,917
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	631	22,355
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	48	15,346

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/11/2010)	-12,471
Return Flow Credit (Effective: 06/11/2010)	500
Passthru Target: 25,500 Reservoir Inflow: 15,346 <b>Comment:</b>	15,346
Estuary Inflows (NCAT + RBP)	22,355
PassThru Surplus / -Deficit:	-4,962

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2010		Elevation (Ft)	
				Allocation	Remaining	Full	06/27/2010
06/26/2010	142	3,600	23,922	4,100	500	44.0	43.0

Report Generated: 06/27/2010 at 8:30:50 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: June 28, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/28/2009	212.8	512,071	73.7%	84.8	110,858	43.1%	622,929	65.4%
06/28/2010	217.1	610,411	87.8%	92.0	221,853	86.2%	832,264	87.4%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/27/2010	95	549	0.00	93	408	0.00	957
MTD		12,480	2.06		9,475	3.56	21,955

**STREAM FLOWS**

Gauging Station	06/27/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	99	16,211
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	2,216
<a href="#">FRTT</a> : Frio River at Tilden, Texas	3	556
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	178
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	11	10,659
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,554
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	881	28,798
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	564	22,919
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	45	15,391

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/11/2010)	-12,471
Return Flow Credit (Effective: 06/11/2010)	500
Passthru Target: 25,500 Reservoir Inflow: 15,391 <span style="color: red;">Comment:</span>	15,391
Estuary Inflows (NCAT + RBP)	22,919
PassThru Surplus / -Deficit:	-4,443

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2010		Elevation (Ft)	
				Allocation	Remaining	Full	06/28/2010
06/27/2010	142	3,742	24,064	4,100	358	44.0	43.0

Report Generated: 06/28/2010 at 8:34:08 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: June 29, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/29/2009	212.8	511,639	73.6%	84.8	110,363	42.9%	622,002	65.3%
06/29/2010	217.1	610,170	87.8%	92.0	220,978	85.9%	831,148	87.3%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/28/2010	93	535	0.00	90	346	0.00	881
MTD		13,015	2.06		9,821	3.56	22,836

**STREAM FLOWS**

Gauging Station	06/28/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	93	16,305
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	2,216
<a href="#">FRTT</a> : Frio River at Tilden, Texas	3	559
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	178
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	10	10,669
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,612
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	869	29,668
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	599	23,518
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	39	15,430

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/11/2010)	-12,471
Return Flow Credit (Effective: 06/11/2010)	500
Passthru Target: 25,500 Reservoir Inflow: 15,430 <b>Comment:</b>	15,430
Estuary Inflows (NCAT + RBP)	23,518
PassThru Surplus / -Deficit:	-3,883

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2010		Elevation (Ft)	
				Allocation	Remaining	Full	06/29/2010
06/28/2010	142	3,884	24,207	4,100	216	44.0	42.9

Report Generated: 06/29/2010 at 8:27:58 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: June 30, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/30/2009	212.8	511,423	73.6%	84.7	109,623	42.6%	621,046	65.2%
06/30/2010	217.0	608,000	87.4%	91.9	219,406	85.3%	827,406	86.9%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/29/2010	90	408	0.42	93	346	0.03	754
MTD		13,423	2.48		10,167	3.59	23,590

**STREAM FLOWS**

Gauging Station	06/29/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	91	16,396
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	2,216
<a href="#">FRTT</a> : Frio River at Tilden, Texas	2	562
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	178
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	9	10,678
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,669
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	873	30,541
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	603	24,122
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	36	15,466

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/11/2010)	-12,471
Return Flow Credit (Effective: 06/11/2010)	500
Passthru Target: 25,500 Reservoir Inflow: 15,466 <b>Comment:</b>	15,466
Estuary Inflows (NCAT + RBP)	24,122
PassThru Surplus / -Deficit:	-3,315

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2010		Elevation (Ft)	
				Allocation	Remaining	Full	06/30/2010
06/29/2010	143	4,027	24,349	4,100	73	44.0	42.9

Report Generated: 06/30/2010 at 8:56:10 AM