

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: July 1, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/01/2009	212.7	510,344	73.4%	84.7	109,377	42.5%	619,721	65.1%
07/01/2010	217.0	608,241	87.5%	92.1	223,957	87.1%	832,198	87.4%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/30/2010	84	183	0.61	83	256	2.40	439
MTD		13,606	3.09		10,423	5.99	24,029

**STREAM FLOWS**

Gauging Station	06/30/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	89	16,485
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	2,216
<a href="#">FRTT</a> : Frio River at Tilden, Texas	2	564
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	178
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	9	10,686
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,727
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	863	31,405
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	744	24,866
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	34	15,500

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/11/2010)	-12,471
Return Flow Credit (Effective: 06/11/2010)	500
Passthru Target: 25,500 Reservoir Inflow: 15,500 <b>Comment:</b>	15,500
Estuary Inflows (NCAT + RBP)	24,866
PassThru Surplus / -Deficit:	-2,605

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2010		Elevation (Ft)	
				Allocation	Remaining	Full	07/01/2010
06/30/2010	143	4,170	24,492	4,100	-70	44.0	42.9

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: July 2, 2010**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/02/2009	212.7	510,344	73.4%	84.6	108,764	42.3%	619,108	65.0%
07/02/2010	217.1	610,411	87.8%	92.4	228,710	88.9%	839,121	88.1%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/01/2010	81	155	1.23	80	Pan overflow	2.86	155
MTD		155	1.23		0	2.86	155

**STREAM FLOWS**

Gauging Station	07/01/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	101	101
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	274	274
<a href="#">FRTT</a> : Frio River at Tilden, Texas	3	3
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	4	4
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	17	17
<a href="#">Release from Choke Canyon Reservoir</a>	58	58
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	1,616	1,616
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	1,104	1,104
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	51	51

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	-2,598
Return Flow Credit (Effective: )	0
Passthru Target: 6,500 Reservoir Inflow: 51  <b>Comment: 3,000 AF of the 15,471 AF May passthru requirement was banked for future use, leaving 12,464 AF that was made up in June. The extra 7 AF thru RBP should have been counted towards the May passthru, so the June deficit is 2,598 AF instead of 2,605 AF.</b>	51
Estuary Inflows (NCAT + RBP)	1,104
PassThru Surplus / -Deficit:	-1,546

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2010		Elevation (Ft)	
				Allocation	Remaining	Full	07/02/2010
07/01/2010	143	143	24,635	4,100	3,957	44.0	43.1

Report Generated: 07/02/2010 at 10:03:01 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: July 3, 2010**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/03/2009	212.7	509,913	73.3%	84.6	108,030	42.0%	617,943	64.9%
07/03/2010	217.2	612,098	88.0%	92.7	233,136	90.6%	845,234	88.7%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/02/2010	87	212	0.71	88	93	0.64	305
MTD		367	1.94		93	3.50	460

**STREAM FLOWS**

Gauging Station	07/02/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	463	564
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	945	1,219
<a href="#">FRTT</a> : Frio River at Tilden, Texas	44	47
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	20	24
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	171	188
<a href="#">Release from Choke Canyon Reservoir</a>	58	115
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	1,612	3,228
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	2,839	3,942
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	468	520

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2010)	-2,598
Return Flow Credit (Effective: 07/02/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 520  Comment: 3,000 AF of the 15,471 AF May passthru requirement was banked for future use, leaving 12,464 AF that was made up in June. The extra 7 AF thru RBP should have been counted towards the May passthru, so the June deficit is 2,598 AF instead of 2,605 AF.	520
Estuary Inflows (NCAT + RBP)	3,942
PassThru Surplus / -Deficit:	1,324

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2010		Elevation (Ft)	
				Allocation	Remaining	Full	07/03/2010
07/02/2010	144	287	24,779	4,100	3,813	44.0	43.1

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: July 4, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/04/2009	212.7	509,481	73.3%	84.5	107,179	41.7%	616,660	64.7%
07/04/2010	217.2	611,375	87.9%	92.8	235,625	91.6%	847,000	88.9%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/03/2010	89	409	0.00	89	415	0.00	824
MTD		776	1.94		508	3.50	1,284

**STREAM FLOWS**

Gauging Station	07/03/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	1,985	2,549
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	818	2,037
<a href="#">FRTT</a> : Frio River at Tilden, Texas	254	301
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	4	28
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	828	1,016
<a href="#">Release from Choke Canyon Reservoir</a>	58	173
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	278	3,506
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	2,918	6,860
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,185	2,705

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2010)	-2,598
Return Flow Credit (Effective: 07/02/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 2,705  <b>Comment: 3,000 AF of the 15,471 AF May passthru requirement was banked for future use, leaving 12,464 AF that was made up in June. The extra 7 AF thru RBP should have been counted towards the May passthru, so the June deficit is 2,598 AF instead of 2,605 AF.</b>	2,705
Estuary Inflows (NCAT + RBP)	6,860
PassThru Surplus / -Deficit:	2,057

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2010		Elevation (Ft)	
				Allocation	Remaining	Full	07/04/2010
07/03/2010	144	431	24,923	4,100	3,669	44.0	43.1

Report Generated: 07/04/2010 at 8:10:35 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: July 5, 2010**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/05/2009	212.7	509,054	73.2%	84.4	105,728	41.1%	614,782	64.5%
07/05/2010	217.2	611,857	88.0%	92.9	237,586	92.4%	849,443	89.2%

  

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/04/2010	89	352	0.00	89	0	0.00		352
MTD		1,128	1.94		508	3.50		1,636

**STREAM FLOWS**

Gauging Station	07/04/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	2,382	4,931
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	1,399	3,436
<a href="#">FRTT</a> : Frio River at Tilden, Texas	576	877
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	1	29
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	913	1,929
<a href="#">Release from Choke Canyon Reservoir</a>	58	230
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	17	3,523
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	1,521	8,381
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,901	5,606

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2010)	-2,598
Return Flow Credit (Effective: 07/02/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 5,606  <b>Comment: 3,000 AF of the 15,471 AF May passthru requirement was banked for future use, leaving 12,464 AF that was made up in June. The extra 7 AF thru RBP should have been counted towards the May passthru, so the June deficit is 2,598 AF instead of 2,605 AF.</b>	5,606
Estuary Inflows (NCAT + RBP)	8,381
PassThru Surplus / -Deficit:	677

**LAKE TEXANA STATISTICS**

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2010		Elevation (Ft)	
				Allocation	Remaining	Full	07/05/2010
07/04/2010	144	575	25,067	4,100	3,525	44.0	43.6

Report Generated: 07/05/2010 at 8:23:45 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: July 6, 2010**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/06/2009	212.7	508,627	73.2%	84.4	105,488	41.0%	614,115	64.5%
07/06/2010	217.2	612,823	88.1%	93.0	239,372	93.0%	852,195	89.5%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/05/2010	90	423	0.00	89	271	0.00	694
MTD		1,551	1.94		1,195	3.50	2,746

**STREAM FLOWS**

Gauging Station	07/05/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	2,382	7,313
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	1,544	4,980
<a href="#">FRTT</a> : Frio River at Tilden, Texas	212	1,089
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	29
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	260	2,189
<a href="#">Release from Choke Canyon Reservoir</a>	58	288
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	105	3,628
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	522	8,903
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,537	8,143

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2010)	-2,598
Return Flow Credit (Effective: 07/02/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 8,143  <span style="color: red;">Comment: 3,000 AF of the 15,471 AF May passthru requirement was banked for future use, leaving 12,464 AF that was made up in June. The extra 7 AF thru RBP should have been counted towards the May passthru, so the June deficit is 2,598 AF instead of 2,605 AF.</span>	6,500
Estuary Inflows (NCAT + RBP)	8,903
PassThru Surplus / -Deficit:	305

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2010		Elevation (Ft)	
				Allocation	Remaining	Full	07/06/2010
07/05/2010	144	719	25,211	4,100	3,381	44.0	43.6

Report Generated: 07/06/2010 at 8:35:19 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: July 7, 2010**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/07/2009	212.6	507,560	73.0%	84.3	105,248	40.9%	612,808	64.3%
07/07/2010	217.2	612,823	88.1%	93.1	240,983	93.7%	853,806	89.6%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/06/2010	88	282	0.00	89	261	0.25	543
MTD		1,833	1.94		1,456	3.75	3,289

**STREAM FLOWS**

Gauging Station	07/06/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	1,985	9,298
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	1,675	6,656
<a href="#">FRTT</a> : Frio River at Tilden, Texas	121	1,210
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	4	33
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	93	2,282
<a href="#">Release from Choke Canyon Reservoir</a>	58	345
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	195	3,822
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	210	9,113
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,053	10,196

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2010)	-2,598
Return Flow Credit (Effective: 07/02/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 10,196  <i>Comment: 3,000 AF of the 15,471 AF May passthru requirement was banked for future use, leaving 12,464 AF that was made up in June. The extra 7 AF thru RBP should have been counted towards the May passthru, so the June deficit is 2,598 AF instead of 2,605 AF.</i>	6,500
Estuary Inflows (NCAT + RBP)	9,113
PassThru Surplus / -Deficit:	515

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2010		Elevation (Ft)	
				Allocation	Remaining	Full	07/07/2010
07/06/2010	145	864	25,356	4,100	3,236	44.0	44.1

Report Generated: 07/07/2010 at 8:52:04 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: July 8, 2010**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/08/2009	212.6	507,987	73.1%	84.3	105,248	40.9%	613,235	64.4%
07/08/2010	217.2	611,857	88.0%	93.2	242,597	94.3%	854,454	89.7%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/07/2010	92	423	0.20	90	167	0.41	590
MTD		2,256	2.14		1,623	4.16	3,879

**STREAM FLOWS**

Gauging Station	07/07/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	1,975	11,273
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	2,005	8,661
<a href="#">FRTT</a> : Frio River at Tilden, Texas	77	1,288
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	5	38
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	46	2,328
<a href="#">Release from Choke Canyon Reservoir</a>	58	403
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	349	4,172
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	173	9,286
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,999	12,195

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2010)	-2,598
Return Flow Credit (Effective: 07/02/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 12,195  <span style="color: red;">Comment: 3,000 AF of the 15,471 AF May passthru requirement was banked for future use, leaving 12,464 AF that was made up in June. The extra 7 AF thru RBP should have been counted towards the May passthru, so the June deficit is 2,598 AF instead of 2,605 AF.</span>	6,500
Estuary Inflows (NCAT + RBP)	9,286
PassThru Surplus / -Deficit:	688

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2010		Elevation (Ft)	
				Allocation	Remaining	Full	07/08/2010
07/07/2010	145	1,008	25,500	4,100	3,092	44.0	44.1

Report Generated: 07/08/2010 at 10:10:54 AM



**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: July 9, 2010**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/09/2009	212.7	508,414	73.1%	84.3	104,171	40.5%	612,585	64.3%
07/09/2010	217.3	614,040	88.3%	93.3	245,294	95.3%	859,334	90.2%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/08/2010	79	99	1.13	79	147	1.50	246
MTD		2,355	3.27		1,770	5.66	4,125

**STREAM FLOWS**

Gauging Station	07/08/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	2,243	13,516
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	2,442	11,102
<a href="#">FRTT</a> : Frio River at Tilden, Texas	50	1,337
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	2	40
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	30	2,357
<a href="#">Release from Choke Canyon Reservoir</a>	58	461
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	482	4,654
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	282	9,568
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,237	14,433

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2010)	-2,598
Return Flow Credit (Effective: 07/02/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 14,433  <span style="color: red;">Comment: 3,000 AF of the 15,471 AF May passthru requirement was banked for future use, leaving 12,464 AF that was made up in June. The extra 7 AF thru RBP should have been counted towards the May passthru, so the June deficit is 2,598 AF instead of 2,605 AF.</span>	6,500
Estuary Inflows (NCAT + RBP)	9,568
PassThru Surplus / -Deficit:	970

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2010		Elevation (Ft)	
				Allocation	Remaining	Full	07/09/2010
07/08/2010	145	1,153	25,645	4,100	2,947	44.0	44.2

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: July 10, 2010**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/10/2009	212.5	506,051	72.8%	84.2	104,051	40.4%	610,102	64.1%
07/10/2010	217.4	617,690	88.8%	93.4	247,096	96.0%	864,786	90.8%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/09/2010	85	142	1.33	89	378	0.35	520
MTD		2,497	4.60		2,148	6.01	4,645

**STREAM FLOWS**

Gauging Station	07/09/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	2,680	16,196
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	3,116	14,219
<a href="#">FRTT</a> : Frio River at Tilden, Texas	36	1,373
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	5	45
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	38	2,395
<a href="#">Release from Choke Canyon Reservoir</a>	58	518
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	1,131	5,785
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	790	10,358
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,663	17,096

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2010)	-2,598
Return Flow Credit (Effective: 07/02/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 17,096  Comment: 3,000 AF of the 15,471 AF May passthru requirement was banked for future use, leaving 12,464 AF that was made up in June. The extra 7 AF thru RBP should have been counted towards the May passthru, so the June deficit is 2,598 AF instead of 2,605 AF.	6,500
Estuary Inflows (NCAT + RBP)	10,358
PassThru Surplus / -Deficit:	1,760

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2010		Elevation (Ft)	
				Allocation	Remaining	Full	07/10/2010
07/09/2010	144	1,297	25,789	4,100	2,803	44.0	44.1

Report Generated: 07/10/2010 at 8:18:55 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: July 11, 2010**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/11/2009	212.6	506,699	72.9%	84.2	103,575	40.3%	610,274	64.1%
07/11/2010	217.4	616,960	88.7%	93.5	248,180	96.5%	865,140	90.8%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/10/2010	90	382	0.00	92	200	0.00	582
MTD		2,879	4.60		2,348	6.01	5,227

**STREAM FLOWS**

Gauging Station	07/10/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	3,057	19,253
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	4,169	18,387
<a href="#">FRTT</a> : Frio River at Tilden, Texas	22	1,395
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	7	52
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	95	2,490
<a href="#">Release from Choke Canyon Reservoir</a>	58	576
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	1,223	7,008
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	1,812	12,170
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3,028	20,124

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2010)	-2,598
Return Flow Credit (Effective: 07/02/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 20,124  Comment: 3,000 AF of the 15,471 AF May passthru requirement was banked for future use, leaving 12,464 AF that was made up in June. The extra 7 AF thru RBP should have been counted towards the May passthru, so the June deficit is 2,598 AF instead of 2,605 AF.	6,500
Estuary Inflows (NCAT + RBP)	12,170
PassThru Surplus / -Deficit:	3,572

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2010		Elevation (Ft)	
				Allocation	Remaining	Full	07/11/2010
07/10/2010	144	1,442	25,934	4,100	2,658	44.0	44.1

Report Generated: 07/11/2010 at 8:19:24 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: July 12, 2010**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/12/2009	212.6	506,267	72.8%	84.2	102,982	40.0%	609,249	64.0%
07/12/2010	217.3	615,501	88.5%	93.5	248,722	96.7%	864,223	90.7%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/11/2010	90	410	0.00	92	474	0.00	884
MTD		3,289	4.60		2,822	6.01	6,111

**STREAM FLOWS**

Gauging Station	07/11/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	3,414	22,667
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	4,486	22,873
<a href="#">FRTT</a> : Frio River at Tilden, Texas	15	1,410
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	2	54
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	73	2,564
<a href="#">Release from Choke Canyon Reservoir</a>	58	633
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	1,264	8,273
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	1,487	13,657
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3,373	23,498

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <a href="#">Salinity Relief Credit</a> : 1,625 Effective: 07/12/2010	4,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2010)	-2,598
Return Flow Credit (Effective: 07/02/2010)	500
Passthru Target: 4,875 Reservoir Inflow: 23,498  Comment: 3,000 AF of the 15,471 AF May passthru requirement was banked for future use, leaving 12,464 AF that was made up in June. The extra 7 AF thru RBP should have been counted towards the May passthru, so the June deficit is 2,598 AF instead of 2,605 AF.	4,875
Estuary Inflows (NCAT + RBP)	13,657
PassThru Surplus / -Deficit:	6,684

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2010		Elevation (Ft)	
				Allocation	Remaining	Full	07/12/2010
07/11/2010	144	1,586	26,078	4,100	2,514	44.0	44.1

Report Generated: 07/12/2010 at 9:11:28 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: July 13, 2010**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/13/2009	212.5	504,548	72.6%	84.1	102,273	39.8%	606,821	63.7%
07/13/2010	217.3	613,797	88.3%	93.6	249,807	97.1%	863,604	90.7%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/12/2010	92	424	0.00	93	401	0.00	825
MTD		3,713	4.60		3,223	6.01	6,936

**STREAM FLOWS**

Gauging Station	07/12/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	3,950	26,617
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	431	23,304
<a href="#">FRTT</a> : Frio River at Tilden, Texas	9	1,419
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	1	55
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	24	2,588
<a href="#">Release from Choke Canyon Reservoir</a>	58	691
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	1,759	10,031
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	1,324	14,981
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3,903	27,400

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <a href="#">Salinity Relief Credit</a> : 1,625 Effective: 07/12/2010	4,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2010)	-2,598
Return Flow Credit (Effective: 07/02/2010)	500
Passthru Target: 4,875 Reservoir Inflow: 27,400  Comment: 3,000 AF of the 15,471 AF May passthru requirement was banked for future use, leaving 12,464 AF that was made up in June. The extra 7 AF thru RBP should have been counted towards the May passthru, so the June deficit is 2,598 AF instead of 2,605 AF.	4,875
Estuary Inflows (NCAT + RBP)	14,981
PassThru Surplus / -Deficit:	8,008

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2010		Elevation (Ft)	
				Allocation	Remaining	Full	07/13/2010
07/12/2010	144	1,731	26,223	4,100	2,369	44.0	44.0

Report Generated: 07/13/2010 at 8:48:30 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: July 14, 2010**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/14/2009	212.4	503,907	72.5%	84.0	101,450	39.4%	605,357	63.6%
07/14/2010	217.2	613,067	88.2%	93.8	253,071	98.4%	866,138	90.9%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/13/2010	91	508	0.00	92	349	0.00	857
MTD		4,221	4.60		3,572	6.01	7,793

**STREAM FLOWS**

Gauging Station	07/13/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	3,772	30,388
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	397	23,701
<a href="#">FRTT</a> : Frio River at Tilden, Texas	9	1,428
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	1	56
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	24	2,611
<a href="#">Release from Choke Canyon Reservoir</a>	58	748
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	1,100	11,131
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	1,352	16,333
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3,724	31,124

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <a href="#">Salinity Relief Credit</a> : 1,625 Effective: 07/12/2010	4,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2010)	-2,598
Return Flow Credit (Effective: 07/02/2010)	500
Passthru Target: 4,875 Reservoir Inflow: 31,124  Comment: 3,000 AF of the 15,471 AF May passthru requirement was banked for future use, leaving 12,464 AF that was made up in June. The extra 7 AF thru RBP should have been counted towards the May passthru, so the June deficit is 2,598 AF instead of 2,605 AF.	4,875
Estuary Inflows (NCAT + RBP)	16,333
PassThru Surplus / -Deficit:	9,360

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2010		Elevation (Ft)	
				Allocation	Remaining	Full	07/14/2010
07/13/2010	144	1,875	26,367	4,100	2,225	44.0	44.1

Report Generated: 07/14/2010 at 8:30:22 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: July 15, 2010**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/15/2009	212.4	503,053	72.4%	84.0	101,215	39.3%	604,268	63.4%
07/15/2010	217.3	613,797	88.3%	93.8	253,617	98.6%	867,414	91.1%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/14/2010	90	537	0.00	92	445	0.00	982
MTD		4,758	4.60		4,017	6.01	8,775

**STREAM FLOWS**

Gauging Station	07/14/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	1,187	31,575
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	195	23,895
<a href="#">FRTT</a> : Frio River at Tilden, Texas	7	1,436
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	1	56
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	18	2,630
<a href="#">Release from Choke Canyon Reservoir</a>	58	806
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	193	11,324
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	929	17,262
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,137	32,261

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <a href="#">Salinity Relief Credit</a> : 1,625 Effective: 07/12/2010	4,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2010)	-2,598
Return Flow Credit (Effective: 07/02/2010)	500
Passthru Target: 4,875 Reservoir Inflow: 32,261  <b>Comment: 3,000 AF of the 15,471 AF May passthru requirement was banked for future use, leaving 12,464 AF that was made up in June. The extra 7 AF thru RBP should have been counted towards the May passthru, so the June deficit is 2,598 AF instead of 2,605 AF.</b>	4,875
Estuary Inflows (NCAT + RBP)	17,262
PassThru Surplus / -Deficit:	10,289

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2010		Elevation (Ft)	
				Allocation	Remaining	Full	07/15/2010
07/14/2010	144	2,019	26,511	4,100	2,081	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: July 16, 2010**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/16/2009	212.4	502,413	72.3%	83.9	100,513	39.1%	602,926	63.3%
07/16/2010	217.2	613,310	88.2%	93.8	253,253	98.4%	866,563	91.0%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/15/2010	91	508	0.00	92	371	0.00	879
MTD		5,266	4.60		4,388	6.01	9,654

**STREAM FLOWS**

Gauging Station	07/15/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	419	31,994
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	145	24,040
<a href="#">FRTT</a> : Frio River at Tilden, Texas	5	1,441
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	57
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	15	2,645
<a href="#">Release from Choke Canyon Reservoir</a>	58	863
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	191	11,514
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	270	17,532
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	367	32,628

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <a href="#">Salinity Relief Credit</a> : 1,625 Effective: 07/12/2010	4,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2010)	-2,598
Return Flow Credit (Effective: 07/02/2010)	500
Passthru Target: 4,875 Reservoir Inflow: 32,628  Comment: 3,000 AF of the 15,471 AF May passthru requirement was banked for future use, leaving 12,464 AF that was made up in June. The extra 7 AF thru RBP should have been counted towards the May passthru, so the June deficit is 2,598 AF instead of 2,605 AF.	4,875
Estuary Inflows (NCAT + RBP)	17,532
PassThru Surplus / -Deficit:	10,559

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2010		Elevation (Ft)	
				Allocation	Remaining	Full	07/16/2010
07/15/2010	144	2,164	26,656	4,100	1,936	44.0	44.1

Report Generated: 07/16/2010 at 8:10:53 AM



**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: July 17, 2010**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/17/2009	212.3	501,772	72.2%	83.9	99,815	38.8%	601,587	63.2%
07/17/2010	217.2	612,580	88.1%	93.8	253,253	98.4%	865,833	90.9%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/16/2010	90	423	0.00	93	286	0.00	709
MTD		5,689	4.60		4,674	6.01	10,363

**STREAM FLOWS**

Gauging Station	07/16/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	322	32,316
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	95	24,136
<a href="#">FRTT</a> : Frio River at Tilden, Texas	4	1,445
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	57
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	14	2,659
<a href="#">Release from Choke Canyon Reservoir</a>	58	921
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	222	11,737
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	97	17,629
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	268	32,897

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <a href="#">Salinity Relief Credit</a> : 1,625 Effective: 07/12/2010	4,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2010)	-2,598
Return Flow Credit (Effective: 07/02/2010)	500
Passthru Target: 4,875 Reservoir Inflow: 32,897  Comment: 3,000 AF of the 15,471 AF May passthru requirement was banked for future use, leaving 12,464 AF that was made up in June. The extra 7 AF thru RBP should have been counted towards the May passthru, so the June deficit is 2,598 AF instead of 2,605 AF.	4,875
Estuary Inflows (NCAT + RBP)	17,629
PassThru Surplus / -Deficit:	10,656

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2010		Elevation (Ft)	
				Allocation	Remaining	Full	07/17/2010
07/16/2010	144	2,307	26,800	4,100	1,793	44.0	44.1

Report Generated: 07/17/2010 at 8:18:52 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: July 18, 2010**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/18/2009	212.4	503,053	72.4%	83.8	99,350	38.6%	602,403	63.2%
07/18/2010	217.2	612,098	88.0%	93.8	252,708	98.2%	864,806	90.8%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/17/2010	90	409	0.00	93	296	0.00	705
MTD		6,098	4.60		4,970	6.01	11,068

**STREAM FLOWS**

Gauging Station	07/17/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	254	32,570
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	60	24,195
<a href="#">FRTT</a> : Frio River at Tilden, Texas	3	1,448
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	57
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	15	2,674
<a href="#">Release from Choke Canyon Reservoir</a>	58	979
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	244	11,981
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	85	17,714
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	200	33,097

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <a href="#">Salinity Relief Credit</a> : 1,625 Effective: 07/12/2010	4,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2010)	-2,598
Return Flow Credit (Effective: 07/02/2010)	500
Passthru Target: 4,875 Reservoir Inflow: 33,097  <b>Comment: 3,000 AF of the 15,471 AF May passthru requirement was banked for future use, leaving 12,464 AF that was made up in June. The extra 7 AF thru RBP should have been counted towards the May passthru, so the June deficit is 2,598 AF instead of 2,605 AF.</b>	4,875
Estuary Inflows (NCAT + RBP)	17,714
PassThru Surplus / -Deficit:	10,741

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2010		Elevation (Ft)	
				Allocation	Remaining	Full	07/18/2010
07/17/2010	144	2,451	26,943	4,100	1,649	44.0	44.1

Report Generated: 07/18/2010 at 8:21:13 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: July 19, 2010**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/19/2009	212.4	502,626	72.3%	83.8	99,119	38.5%	601,745	63.2%
07/19/2010	217.1	611,134	87.9%	93.7	252,345	98.1%	863,479	90.7%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/18/2010	91	465	0.00	93	296	0.00	761
MTD		6,563	4.60		5,266	6.01	11,829

**STREAM FLOWS**

Gauging Station	07/18/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	206	32,776
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	36	24,231
<a href="#">FRTT</a> : Frio River at Tilden, Texas	2	1,451
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	57
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	12	2,686
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,036
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	252	12,233
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	103	17,817
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	151	33,248

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <a href="#">Salinity Relief Credit</a> : 1,625 Effective: 07/12/2010	4,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2010)	-2,598
Return Flow Credit (Effective: 07/02/2010)	500
Passthru Target: 4,875 Reservoir Inflow: 33,248  <b>Comment: 3,000 AF of the 15,471 AF May passthru requirement was banked for future use, leaving 12,464 AF that was made up in June. The extra 7 AF thru RBP should have been counted towards the May passthru, so the June deficit is 2,598 AF instead of 2,605 AF.</b>	4,875
Estuary Inflows (NCAT + RBP)	17,817
PassThru Surplus / -Deficit:	10,844

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2010		Elevation (Ft)	
				Allocation	Remaining	Full	07/19/2010
07/18/2010	144	2,595	27,087	4,100	1,505	44.0	44.1

Report Generated: 07/19/2010 at 8:15:40 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: July 20, 2010**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/20/2009	212.4	502,199	72.2%	83.8	98,426	38.3%	600,625	63.1%
07/20/2010	217.2	611,857	88.0%	93.7	251,982	97.9%	863,839	90.7%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/19/2010	91	451	0.00	92	338	0.00	789
MTD		7,014	4.60		5,604	6.01	12,618

**STREAM FLOWS**

Gauging Station	07/19/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	171	32,947
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	20	24,251
<a href="#">FRTT</a> : Frio River at Tilden, Texas	2	1,453
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	57
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	10	2,696
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,094
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	228	12,461
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	66	17,883
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	115	33,363

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <a href="#">Salinity Relief Credit</a> : 1,625 Effective: 07/12/2010	4,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2010)	-2,598
Return Flow Credit (Effective: 07/02/2010)	500
Passthru Target: 4,875 Reservoir Inflow: 33,363  Comment: 3,000 AF of the 15,471 AF May passthru requirement was banked for future use, leaving 12,464 AF that was made up in June. The extra 7 AF thru RBP should have been counted towards the May passthru, so the June deficit is 2,598 AF instead of 2,605 AF.	4,875
Estuary Inflows (NCAT + RBP)	17,883
PassThru Surplus / -Deficit:	10,910

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2010		Elevation (Ft)	
				Allocation	Remaining	Full	07/20/2010
07/19/2010	144	2,739	27,231	4,100	1,361	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: July 21, 2010**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/21/2009	212.3	501,772	72.2%	83.7	97,164	37.8%	598,936	62.9%
07/21/2010	217.2	611,375	87.9%	93.7	251,619	97.8%	862,994	90.6%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/20/2010	95	338	0.00	92	338	0.00	676
MTD		7,352	4.60		5,942	6.01	13,294

**STREAM FLOWS**

Gauging Station	07/20/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	143	33,090
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	17	24,268
<a href="#">FRTT</a> : Frio River at Tilden, Texas	2	1,454
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	57
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	8	2,704
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,151
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	195	12,656
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	129	18,012
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	87	33,450

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <a href="#">Salinity Relief Credit</a> : 3,250 Effective: 07/19/2010	3,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2010)	-2,598
Return Flow Credit (Effective: 07/02/2010)	500
Passthru Target: 3,250 Reservoir Inflow: 33,450  <b>Comment: 3,000 AF of the 15,471 AF May passthru requirement was banked for future use, leaving 12,464 AF that was made up in June. The extra 7 AF thru RBP should have been counted towards the May passthru, so the June deficit is 2,598 AF instead of 2,605 AF.</b>	3,250
Estuary Inflows (NCAT + RBP)	18,012
PassThru Surplus / -Deficit:	12,664

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2010		Elevation (Ft)	
				Allocation	Remaining	Full	07/21/2010
07/20/2010	143	2,881	27,373	4,100	1,219	44.0	44.1

Report Generated: 07/21/2010 at 8:09:04 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: July 22, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/22/2009	212.3	501,345	72.1%	83.7	97,392	37.9%	598,737	62.9%
07/22/2010	217.2	612,098	88.0%	93.7	251,256	97.7%	863,354	90.6%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/21/2010	95	353	0.20	91	296	0.03	649
MTD		7,705	4.80		6,238	6.04	13,943

**STREAM FLOWS**

Gauging Station	07/21/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	129	33,219
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	11	24,279
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	1,455
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	57
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	32	2,736
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,209
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	169	12,824
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	58	18,069
<a href="#">RBP</a> : Rincon Bayou Pipeline	4	4
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	73	33,523

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <a href="#">Salinity Relief Credit</a> : 3,250 Effective: 07/19/2010	3,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2010)	-2,598
Return Flow Credit (Effective: 07/02/2010)	500
Passthru Target: 3,250 Reservoir Inflow: 33,523  Comment: 3,000 AF of the 15,471 AF May passthru requirement was banked for future use, leaving 12,464 AF that was made up in June. The extra 7 AF thru RBP should have been counted towards the May passthru, so the June deficit is 2,598 AF instead of 2,605 AF.	3,250
Estuary Inflows (NCAT + RBP)	18,073
PassThru Surplus / -Deficit:	12,725

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2010		Elevation (Ft)	
				Allocation	Remaining	Full	07/22/2010
07/21/2010	143	3,025	27,517	4,100	1,075	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: July 23, 2010**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/23/2009	212.3	500,918	72.0%	83.6	96,821	37.6%	597,739	62.8%
07/23/2010	217.2	611,616	88.0%	93.7	251,256	97.7%	862,872	90.6%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/22/2010	93	324	0.16	87	148	0.24	472
MTD		8,029	4.96		6,386	6.28	14,415

**STREAM FLOWS**

Gauging Station	07/22/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	127	33,346
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	5	24,284
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	1,457
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	57
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	34	2,770
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,266
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	169	12,993
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	81	18,151
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	4
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	71	33,594

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <a href="#">Salinity Relief Credit</a> : 3,250 Effective: 07/19/2010	3,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2010)	-2,598
Return Flow Credit (Effective: 07/02/2010)	500
Passthru Target: 3,250 Reservoir Inflow: 33,594  Comment: 3,000 AF of the 15,471 AF May passthru requirement was banked for future use, leaving 12,464 AF that was made up in June. The extra 7 AF thru RBP should have been counted towards the May passthru, so the June deficit is 2,598 AF instead of 2,605 AF.	3,250
Estuary Inflows (NCAT + RBP)	18,155
PassThru Surplus / -Deficit:	12,807

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2010		Elevation (Ft)	
				Allocation	Remaining	Full	07/23/2010
07/22/2010	143	3,167	27,659	4,100	933	44.0	44.1

Report Generated: 07/23/2010 at 8:40:30 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: July 24, 2010**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/24/2009	212.3	500,496	72.0%	83.6	96,139	37.4%	596,635	62.6%
07/24/2010	217.2	611,616	88.0%	93.7	251,075	97.6%	862,691	90.6%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/23/2010	93	324	0.21	88	127	0.01	451
MTD		8,353	5.17		6,513	6.29	14,866

**STREAM FLOWS**

Gauging Station	07/23/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	119	33,465
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	3	24,287
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	1,458
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	58
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	36	2,805
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,324
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	177	13,170
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	73	18,224
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	4
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	63	33,656

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <a href="#">Salinity Relief Credit</a> : 3,250 Effective: 07/19/2010	3,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2010)	-2,598
Return Flow Credit (Effective: 07/02/2010)	500
Passthru Target: 3,250 Reservoir Inflow: 33,656  Comment: 3,000 AF of the 15,471 AF May passthru requirement was banked for future use, leaving 12,464 AF that was made up in June. The extra 7 AF thru RBP should have been counted towards the May passthru, so the June deficit is 2,598 AF instead of 2,605 AF.	3,250
Estuary Inflows (NCAT + RBP)	18,228
PassThru Surplus / -Deficit:	12,880

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2010		Elevation (Ft)	
				Allocation	Remaining	Full	07/24/2010
07/23/2010	143	3,310	27,802	4,100	790	44.0	44.1

Report Generated: 07/24/2010 at 8:51:51 AM



**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: July 25, 2010**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/25/2009	212.2	499,651	71.9%	83.5	95,685	37.2%	595,336	62.5%
07/25/2010	217.1	610,411	87.8%	93.6	250,713	97.5%	861,124	90.4%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/24/2010	96	422	0.00	91	369	0.00	791
MTD		8,775	5.17		6,882	6.29	15,657

**STREAM FLOWS**

Gauging Station	07/24/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	115	33,580
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	2	24,288
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	1,459
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	58
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	38	2,843
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,382
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	169	13,338
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	52	18,276
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	4
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	58	33,715

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <a href="#">Salinity Relief Credit</a> : 3,250 Effective: 07/19/2010	3,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2010)	-2,598
Return Flow Credit (Effective: 07/02/2010)	500
Passthru Target: 3,250 Reservoir Inflow: 33,715  Comment: 3,000 AF of the 15,471 AF May passthru requirement was banked for future use, leaving 12,464 AF that was made up in June. The extra 7 AF thru RBP should have been counted towards the May passthru, so the June deficit is 2,598 AF instead of 2,605 AF.	3,250
Estuary Inflows (NCAT + RBP)	18,280
PassThru Surplus / -Deficit:	12,932

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2010		Elevation (Ft)	
				Allocation	Remaining	Full	07/25/2010
07/24/2010	142	3,452	27,944	4,100	648	44.0	44.1

Report Generated: 07/25/2010 at 8:38:18 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: July 26, 2010**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/26/2009	212.2	497,952	71.6%	83.4	94,782	36.8%	592,734	62.2%
07/26/2010	217.1	609,929	87.7%	93.6	250,169	97.2%	860,098	90.3%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/25/2010	95	422	0.00	92	211	0.00	633
MTD		9,197	5.17		7,093	6.29	16,290

**STREAM FLOWS**

Gauging Station	07/25/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	109	33,689
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	1	24,289
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	1,459
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	58
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	34	2,877
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,439
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	185	13,523
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	56	18,331
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	4
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	52	33,767

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <a href="#">Salinity Relief Credit</a> : 3,250 Effective: 07/19/2010	3,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2010)	-2,598
Return Flow Credit (Effective: 07/02/2010)	500
Passthru Target: 3,250 Reservoir Inflow: 33,767  Comment: 3,000 AF of the 15,471 AF May passthru requirement was banked for future use, leaving 12,464 AF that was made up in June. The extra 7 AF thru RBP should have been counted towards the May passthru, so the June deficit is 2,598 AF instead of 2,605 AF.	3,250
Estuary Inflows (NCAT + RBP)	18,335
PassThru Surplus / -Deficit:	12,987

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2010		Elevation (Ft)	
				Allocation	Remaining	Full	07/26/2010
07/25/2010	142	3,595	28,087	4,100	505	44.0	44.0

Report Generated: 07/26/2010 at 8:47:25 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: July 27, 2010**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/27/2009	212.1	496,037	71.3%	83.4	94,108	36.6%	590,145	62.0%
07/27/2010	217.1	609,688	87.7%	93.6	249,988	97.2%	859,676	90.3%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/26/2010	92	408	0.00	89	253	0.00	661
MTD		9,605	5.17		7,346	6.29	16,951

**STREAM FLOWS**

Gauging Station	07/26/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	101	33,791
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	1	24,290
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	1,460
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	58
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	32	2,909
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,497
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	183	13,706
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	22	18,353
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	4
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	44	33,812

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <a href="#">Salinity Relief Credit</a> : 3,250 Effective: 07/19/2010	3,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2010)	-2,598
Return Flow Credit (Effective: 07/02/2010)	500
Passthru Target: 3,250 Reservoir Inflow: 33,812  Comment: 3,000 AF of the 15,471 AF May passthru requirement was banked for future use, leaving 12,464 AF that was made up in June. The extra 7 AF thru RBP should have been counted towards the May passthru, so the June deficit is 2,598 AF instead of 2,605 AF.	3,250
Estuary Inflows (NCAT + RBP)	18,357
PassThru Surplus / -Deficit:	13,009

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2010		Elevation (Ft)	
				Allocation	Remaining	Full	07/27/2010
07/26/2010	142	3,737	28,229	4,100	363	44.0	44.1

Report Generated: 07/27/2010 at 8:11:29 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: July 28, 2010**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/28/2009	212.0	494,770	71.2%	83.3	93,103	36.2%	587,873	61.7%
07/28/2010	217.1	609,206	87.6%	93.5	248,722	96.7%	857,928	90.1%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/27/2010	96	408	0.00	92	305	0.82	713
MTD		10,013	5.17		7,651	7.11	17,664

**STREAM FLOWS**

Gauging Station	07/27/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	97	33,888
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	24,290
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	1,461
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	58
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	30	2,938
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,554
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	185	13,890
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	8	18,361
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	4
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	40	33,852

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <a href="#">Salinity Relief Credit</a> : 3,250 Effective: 07/19/2010	3,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2010)	-2,598
Return Flow Credit (Effective: 07/02/2010)	500
Passthru Target: 3,250 Reservoir Inflow: 33,852  Comment: 3,000 AF of the 15,471 AF May passthru requirement was banked for future use, leaving 12,464 AF that was made up in June. The extra 7 AF thru RBP should have been counted towards the May passthru, so the June deficit is 2,598 AF instead of 2,605 AF.	3,250
Estuary Inflows (NCAT + RBP)	18,365
PassThru Surplus / -Deficit:	13,017

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2010		Elevation (Ft)	
				Allocation	Remaining	Full	07/28/2010
07/27/2010	142	3,880	28,372	4,100	220	44.0	44.1

Report Generated: 07/28/2010 at 8:55:09 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: July 29, 2010**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/29/2009	212.0	494,137	71.1%	83.2	92,548	36.0%	586,685	61.6%
07/29/2010	217.1	609,206	87.6%	93.6	250,169	97.2%	859,375	90.2%

  

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/28/2010	95	183	0.47	83	116	0.45		299
MTD		10,196	5.64		7,767	7.56		17,963

**STREAM FLOWS**

Gauging Station	07/28/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	95	33,983
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	24,291
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	1,461
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	58
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	30	2,968
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,612
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	191	14,081
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	42	18,403
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	4
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	38	33,890

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <a href="#">Salinity Relief Credit</a> : 3,250 Effective: 07/19/2010	3,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2010)	-2,598
Return Flow Credit (Effective: 07/02/2010)	500
Passthru Target: 3,250 Reservoir Inflow: 33,890  <b>Comment: 3,000 AF of the 15,471 AF May passthru requirement was banked for future use, leaving 12,464 AF that was made up in June. The extra 7 AF thru RBP should have been counted towards the May passthru, so the June deficit is 2,598 AF instead of 2,605 AF.</b>	3,250
Estuary Inflows (NCAT + RBP)	18,407
PassThru Surplus / -Deficit:	13,059

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2010		Elevation (Ft)	
				Allocation	Remaining	Full	07/29/2010
07/28/2010	142	4,022	28,514	4,100	78	44.0	44.1

Report Generated: 07/29/2010 at 8:27:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: July 30, 2010**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/30/2009	212.0	493,714	71.0%	83.2	91,884	35.7%	585,598	61.5%
07/30/2010	217.0	608,723	87.6%	93.6	249,445	97.0%	858,168	90.1%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/29/2010	94	422	0.00	90	306	0.00	728
MTD		10,618	5.64		8,073	7.56	18,691

**STREAM FLOWS**

Gauging Station	07/29/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	95	34,078
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	1	24,291
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	1,462
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	58
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	28	2,996
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,669
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	187	14,267
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	73	18,476
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	4
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	38	33,928

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <a href="#">Salinity Relief Credit</a> : 3,250 Effective: 07/19/2010	3,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2010)	-2,598
Return Flow Credit (Effective: 07/02/2010)	500
Passthru Target: 3,250 Reservoir Inflow: 33,928  Comment: 3,000 AF of the 15,471 AF May passthru requirement was banked for future use, leaving 12,464 AF that was made up in June. The extra 7 AF thru RBP should have been counted towards the May passthru, so the June deficit is 2,598 AF instead of 2,605 AF.	3,250
Estuary Inflows (NCAT + RBP)	18,480
PassThru Surplus / -Deficit:	13,132

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2010		Elevation (Ft)	
				Allocation	Remaining	Full	07/30/2010
07/29/2010	143	4,164	28,656	4,100	-64	44.0	44.0

Report Generated: 07/30/2010 at 8:19:21 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: July 31, 2010**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/31/2009	212.0	493,925	71.0%	83.2	91,994	35.8%	585,919	61.5%
07/31/2010	217.0	608,000	87.4%	93.6	249,264	96.9%	857,264	90.0%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/30/2010	97	478	0.00	95	411	0.00	889
MTD		11,096	5.64		8,484	7.56	19,580

**STREAM FLOWS**

Gauging Station	07/30/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	91	34,170
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	139	24,430
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	1,462
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	58
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	34	3,030
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,727
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	179	14,446
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	38	18,514
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	4
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	34	33,963

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 <a href="#">Salinity Relief Credit</a> : 3,250 Effective: 07/19/2010	3,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2010)	-2,598
Return Flow Credit (Effective: 07/02/2010)	500
Passthru Target: 3,250 Reservoir Inflow: 33,963  <i>Comment: 3,000 AF of the 15,471 AF May passthru requirement was banked for future use, leaving 12,464 AF that was made up in June. The extra 7 AF thru RBP should have been counted towards the May passthru, so the June deficit is 2,598 AF instead of 2,605 AF.</i>	3,250
Estuary Inflows (NCAT + RBP)	18,518
PassThru Surplus / -Deficit:	13,170

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2010		Elevation (Ft)	
				Allocation	Remaining	Full	07/31/2010
07/30/2010	143	4,307	28,799	4,100	-207	44.0	44.0