

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 1, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/01/2009	211.9	492,869	70.9%	83.1	91,333	35.5%	584,202	61.3%
08/01/2010	217.0	607,036	87.3%	93.5	248,722	96.7%	855,758	89.8%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/31/2010	97	463	0.00	94	369	0.00		832
MTD		11,559	5.64		8,853	7.56		20,412

STREAM FLOWS

Gauging Station	07/31/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	137	34,307
NRTT : Nueces River at Tilden, Texas	369	24,800
FRTT : Frio River at Tilden, Texas	1	1,463
SMTT : San Miguel Creek at Tilden, Texas	0	58
ARWT : Atascosa River at Whitsett, Texas	38	3,067
Release from Choke Canyon Reservoir	58	1,785
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	14,607
NCAT : Nueces River at Calallen, Texas	34	18,548
RBP : Rincon Bayou Pipeline	0	4
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	80	34,043

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 3,250 Effective: 07/19/2010	3,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/02/2010)	-2,598
Return Flow Credit (Effective: 07/02/2010)	500
Passthru Target: 3,250 Reservoir Inflow: 34,043 Comment: 3,000 AF of the 15,471 AF May passthru requirement was banked for future use, leaving 12,464 AF that was made up in June. The extra 7 AF thru RBP should have been counted towards the May passthru, so the June deficit is 2,598 AF instead of 2,605 AF.	3,250
Estuary Inflows (NCAT + RBP)	18,552
PassThru Surplus / -Deficit:	13,204

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2010		Elevation (Ft)	
				Allocation	Remaining	Full	08/01/2010
07/31/2010	143	4,450	28,942	4,100	-350	44.0	44.0

Report Generated: 08/02/2010 at 10:45:20 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 2, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/02/2009	211.9	492,447	70.8%	83.1	90,894	35.3%	583,341	61.2%
08/02/2010	217.0	606,795	87.3%	93.5	248,541	96.6%	855,336	89.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/01/2010	95	421	0.00	94	274	0.00	695
MTD		421	0.00		274	0.00	695

STREAM FLOWS

Gauging Station	08/01/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	421	421
NRTT : Nueces River at Tilden, Texas	419	419
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	32	32
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	161
NCAT : Nueces River at Calallen, Texas	32	32
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	364	364

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,250
Return Flow Credit (Effective: 08/01/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 364 Comment: 3000 AF of the May passthru requirement was banked for future use.	364
Estuary Inflows (NCAT + RBP)	32
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2010		Elevation (Ft)	
				Allocation	Remaining	Full	08/02/2010
08/01/2010	143	143	29,086	4,100	3,957	44.0	44.0

Report Generated: 08/02/2010 at 10:17:45 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 3, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/03/2009	212.0	493,503	71.0%	83.1	90,565	35.2%	584,068	61.3%
08/03/2010	216.9	606,313	87.2%	93.5	248,541	96.6%	854,854	89.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/02/2010	94	547	0.00	92	263	0.00	810
MTD		968	0.00		537	0.00	1,505

STREAM FLOWS

Gauging Station	08/02/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	486	907
NRTT : Nueces River at Tilden, Texas	171	590
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	30	62
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	169	330
NCAT : Nueces River at Calallen, Texas	14	46
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	429	793

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,250
Return Flow Credit (Effective: 08/01/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 793 Comment: 3000 AF of the May passthru requirement was banked for future use.	793
Estuary Inflows (NCAT + RBP)	46
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2010		Elevation (Ft)	
				Allocation	Remaining	Full	08/03/2010
08/02/2010	144	287	29,229	4,100	3,813	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 4, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/04/2009	211.9	492,658	70.9%	83.0	90,019	35.0%	582,677	61.2%
08/04/2010	216.9	605,590	87.1%	93.5	247,999	96.4%	853,589	89.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/03/2010	94	491	0.00	93	379	0.00	870
MTD		1,459	0.00		916	0.00	2,375

STREAM FLOWS

Gauging Station	08/03/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	310	1,217
NRTT : Nueces River at Tilden, Texas	54	643
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	28	89
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	193	522
NCAT : Nueces River at Calallen, Texas	0	46
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	252	1,045

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,250
Return Flow Credit (Effective: 08/01/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 1,045 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,045
Estuary Inflows (NCAT + RBP)	46
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2010		Elevation (Ft)	
				Allocation	Remaining	Full	08/04/2010
08/03/2010	109	396	29,338	4,100	3,704	44.0	44.1

Report Generated: 08/04/2010 at 8:31:01 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 5, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/05/2009	211.9	492,025	70.8%	83.0	89,475	34.8%	581,500	61.0%
08/05/2010	216.9	605,108	87.0%	93.5	247,818	96.3%	852,926	89.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/04/2010	98	519	0.00	93	358	0.00	877
MTD		1,978	0.00		1,274	0.00	3,252

STREAM FLOWS

Gauging Station	08/04/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	181	1,397
NRTT : Nueces River at Tilden, Texas	22	665
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	28	117
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	195	717
NCAT : Nueces River at Calallen, Texas	0	46
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	123	1,168

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,250
Return Flow Credit (Effective: 08/01/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 1,168 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,168
Estuary Inflows (NCAT + RBP)	46
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2010		Elevation (Ft)	
				Allocation	Remaining	Full	08/05/2010
08/04/2010	145	540	29,483	4,100	3,560	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 6, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/06/2009	211.9	491,391	70.7%	82.9	88,717	34.5%	580,108	60.9%
08/06/2010	216.9	604,867	87.0%	93.4	247,096	96.0%	851,963	89.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/05/2010	99	547	0.00	95	378	0.00	925
MTD		2,525	0.00		1,652	0.00	4,177

STREAM FLOWS

Gauging Station	08/05/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	131	1,528
NRTT : Nueces River at Tilden, Texas	4	669
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	26	143
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	195	911
NCAT : Nueces River at Calallen, Texas	8	54
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	74	1,242

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,250
Return Flow Credit (Effective: 08/01/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 1,242 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,242
Estuary Inflows (NCAT + RBP)	54
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2010		Elevation (Ft)	
				Allocation	Remaining	Full	08/06/2010
08/05/2010	145	686	29,628	4,100	3,414	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 7, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/07/2009	211.8	490,757	70.6%	82.8	88,070	34.2%	578,827	60.8%
08/07/2010	216.8	603,662	86.8%	93.4	246,375	95.8%	850,037	89.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/06/2010	98	448	0.00	93	420	0.00	868
MTD		2,973	0.00		2,072	0.00	5,045

STREAM FLOWS

Gauging Station	08/06/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	109	1,638
NRTT : Nueces River at Tilden, Texas	5	674
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	22	165
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	175	1,086
NCAT : Nueces River at Calallen, Texas	17	71
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	52	1,294

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,250
Return Flow Credit (Effective: 08/01/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 1,294 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,294
Estuary Inflows (NCAT + RBP)	71
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2010		Elevation (Ft)	
				Allocation	Remaining	Full	08/07/2010
08/06/2010	145	831	29,773	4,100	3,269	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 8, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/08/2009	211.8	489,917	70.5%	82.8	87,534	34.0%	577,451	60.6%
08/08/2010	216.8	603,180	86.8%	93.4	246,014	95.6%	849,194	89.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/07/2010	99	560	0.00	94	399	0.00	959
MTD		3,533	0.00		2,471	0.00	6,004

STREAM FLOWS

Gauging Station	08/07/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	93	1,731
NRTT : Nueces River at Tilden, Texas	1	675
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	20	185
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	177	1,262
NCAT : Nueces River at Calallen, Texas	4	75
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	36	1,330

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,250
Return Flow Credit (Effective: 08/01/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 1,330 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,330
Estuary Inflows (NCAT + RBP)	75
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2010		Elevation (Ft)	
				Allocation	Remaining	Full	08/08/2010
08/07/2010	145	976	29,918	4,100	3,124	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 9, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/09/2009	211.7	488,873	70.3%	82.7	86,892	33.8%	575,765	60.4%
08/09/2010	216.8	602,698	86.7%	93.4	245,474	95.4%	848,172	89.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/08/2010	100	532	0.00	93	315	0.00	847
MTD		4,065	0.00		2,786	0.00	6,851

STREAM FLOWS

Gauging Station	08/08/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	89	1,820
NRTT : Nueces River at Tilden, Texas	0	676
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	19	204
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	177	1,439
NCAT : Nueces River at Calallen, Texas	11	85
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	32	1,362

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,250
Return Flow Credit (Effective: 08/01/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 1,362 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,362
Estuary Inflows (NCAT + RBP)	85
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2010		Elevation (Ft)	
				Allocation	Remaining	Full	08/09/2010
08/08/2010	145	1,121	30,064	4,100	2,979	44.0	44.0

Report Generated: 08/09/2010 at 9:00:18 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 10, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/10/2009	211.7	487,190	70.1%	82.6	85,936	33.4%	573,126	60.2%
08/10/2010	216.8	601,734	86.5%	93.3	245,114	95.3%	846,848	88.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/09/2010	96	517	0.00	94	262	0.00	779
MTD		4,582	0.00		3,048	0.00	7,630

STREAM FLOWS

Gauging Station	08/09/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	83	1,904
NRTT : Nueces River at Tilden, Texas	0	676
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	18	222
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	177	1,616
NCAT : Nueces River at Calallen, Texas	4	89
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	26	1,388

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,250
Return Flow Credit (Effective: 08/01/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 1,388 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,388
Estuary Inflows (NCAT + RBP)	89
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2010		Elevation (Ft)	
				Allocation	Remaining	Full	08/10/2010
08/09/2010	145	1,267	30,209	4,100	2,833	44.0	43.9

Report Generated: 08/10/2010 at 8:38:02 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 11, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/11/2009	211.6	486,768	70.0%	82.6	85,619	33.3%	572,387	60.1%
08/11/2010	216.7	601,010	86.4%	93.3	244,754	95.1%	845,764	88.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/10/2010	101	377	0.15	94	356	0.00	733
MTD		4,959	0.15		3,404	0.00	8,363

STREAM FLOWS

Gauging Station	08/10/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	81	1,985
NRTT : Nueces River at Tilden, Texas	0	676
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	17	240
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	185	1,800
NCAT : Nueces River at Calallen, Texas	5	94
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	24	1,412

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,250
Return Flow Credit (Effective: 08/01/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 1,412 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,412
Estuary Inflows (NCAT + RBP)	94
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2010		Elevation (Ft)	
				Allocation	Remaining	Full	08/11/2010
08/10/2010	146	1,412	30,355	4,100	2,688	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 12, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/12/2009	211.7	487,612	70.1%	82.6	85,302	33.2%	572,914	60.1%
08/12/2010	216.7	600,051	86.3%	93.3	244,394	95.0%	844,445	88.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/11/2010	100	502	0.00	96	398	0.00	900
MTD		5,461	0.15		3,802	0.00	9,263

STREAM FLOWS

Gauging Station	08/11/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	77	2,062
NRTT : Nueces River at Tilden, Texas	0	676
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	17	256
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	197	1,997
NCAT : Nueces River at Calallen, Texas	1	95
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	20	1,432

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,250
Return Flow Credit (Effective: 08/01/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 1,432 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,432
Estuary Inflows (NCAT + RBP)	95
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2010		Elevation (Ft)	
				Allocation	Remaining	Full	08/12/2010
08/11/2010	145	1,558	30,500	4,100	2,542	44.0	43.8

Report Generated: 08/12/2010 at 8:49:02 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 13, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/13/2009	211.6	486,979	70.0%	82.5	84,672	32.9%	571,651	60.0%
08/13/2010	216.7	599,335	86.2%	93.3	243,675	94.7%	843,010	88.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/12/2010	97	377	0.00	92	241	0.00	618
MTD		5,838	0.15		4,043	0.00	9,881

STREAM FLOWS

Gauging Station	08/12/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	2,138
NRTT : Nueces River at Tilden, Texas	0	676
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	16	273
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	197	2,193
NCAT : Nueces River at Calallen, Texas	16	111
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	18	1,449

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,250
Return Flow Credit (Effective: 08/01/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 1,449 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,449
Estuary Inflows (NCAT + RBP)	111
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2010		Elevation (Ft)	
				Allocation	Remaining	Full	08/13/2010
08/12/2010	145	1,703	30,645	4,100	2,397	44.0	43.7

Report Generated: 08/13/2010 at 8:40:13 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 14, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/14/2009	211.6	486,768	70.0%	82.5	84,253	32.8%	571,021	59.9%
08/14/2010	216.6	598,857	86.1%	93.2	242,776	94.4%	841,633	88.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/13/2010	101	558	0.00	99	481	0.00	1,039
MTD		6,396	0.15		4,524	0.00	10,920

STREAM FLOWS

Gauging Station	08/13/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	2,209
NRTT : Nueces River at Tilden, Texas	0	676
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	16	288
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	199	2,392
NCAT : Nueces River at Calallen, Texas	1	112
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	14	1,463

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,250
Return Flow Credit (Effective: 08/01/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 1,463 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,463
Estuary Inflows (NCAT + RBP)	112
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2010		Elevation (Ft)	
				Allocation	Remaining	Full	08/14/2010
08/13/2010	145	1,848	30,790	4,100	2,252	44.0	43.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 15, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/15/2009	211.6	486,134	69.9%	82.4	83,524	32.5%	569,658	59.8%
08/15/2010	216.6	599,096	86.2%	93.2	242,238	94.2%	841,334	88.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/14/2010	100	516	0.00	99	314	0.00	830
MTD		6,912	0.15		4,838	0.00	11,750

STREAM FLOWS

Gauging Station	08/14/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	2,281
NRTT : Nueces River at Tilden, Texas	0	676
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	15	304
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	199	2,590
NCAT : Nueces River at Calallen, Texas	30	142
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	14	1,477

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,250
Return Flow Credit (Effective: 08/01/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 1,477 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,477
Estuary Inflows (NCAT + RBP)	142
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2010		Elevation (Ft)	
				Allocation	Remaining	Full	08/15/2010
08/14/2010	145	1,993	30,935	4,100	2,107	44.0	43.7

Report Generated: 08/15/2010 at 7:54:30 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 16, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/16/2009	211.5	484,254	69.6%	82.3	82,901	32.2%	567,155	59.5%
08/16/2010	216.6	598,618	86.1%	93.2	242,059	94.1%	840,677	88.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/15/2010	102	516	0.00	97	293	0.00	809
MTD		7,428	0.15		5,131	0.00	12,559

STREAM FLOWS

Gauging Station	08/15/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	2,350
NRTT : Nueces River at Tilden, Texas	0	676
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	14	318
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	199	2,789
NCAT : Nueces River at Calallen, Texas	32	174
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	1,489

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,250
Return Flow Credit (Effective: 08/01/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 1,489 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,489
Estuary Inflows (NCAT + RBP)	174
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2010		Elevation (Ft)	
				Allocation	Remaining	Full	08/16/2010
08/15/2010	145	2,138	31,080	4,100	1,962	44.0	43.7

Report Generated: 08/16/2010 at 8:56:02 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 17, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/17/2009	211.5	484,672	69.7%	82.3	82,488	32.1%	567,160	59.5%
08/17/2010	216.6	598,141	86.0%	93.1	241,521	93.9%	839,662	88.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/16/2010	104	557	0.00	98	386	0.00	943
MTD		7,985	0.15		5,517	0.00	13,502

STREAM FLOWS

Gauging Station	08/16/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	2,418
NRTT : Nueces River at Tilden, Texas	0	676
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	14	332
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	199	2,987
NCAT : Nueces River at Calallen, Texas	4	178
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	1,499

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,250
Return Flow Credit (Effective: 08/01/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 1,499 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,499
Estuary Inflows (NCAT + RBP)	178
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2010		Elevation (Ft)	
				Allocation	Remaining	Full	08/17/2010
08/16/2010	145	2,283	31,225	4,100	1,817	44.0	43.6

Report Generated: 08/17/2010 at 8:36:28 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 18, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/18/2009	211.5	484,254	69.6%	82.2	81,871	31.8%	566,125	59.4%
08/18/2010	216.6	597,425	85.9%	93.1	241,341	93.8%	838,766	88.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/17/2010	102	404	0.00	96	271	0.00	675
MTD		8,389	0.15		5,788	0.00	14,177

STREAM FLOWS

Gauging Station	08/17/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	2,483
NRTT : Nueces River at Tilden, Texas	0	676
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	13	346
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	212	3,200
NCAT : Nueces River at Calallen, Texas	0	178
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	1,507

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,250
Return Flow Credit (Effective: 08/01/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 1,507 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,507
Estuary Inflows (NCAT + RBP)	178
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2010		Elevation (Ft)	
				Allocation	Remaining	Full	08/18/2010
08/17/2010	145	2,428	31,370	4,100	1,672	44.0	43.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 19, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/19/2009	211.4	482,583	69.4%	82.2	81,563	31.7%	564,146	59.2%
08/19/2010	216.5	595,753	85.7%	93.1	240,625	93.5%	836,378	87.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/18/2010	102	431	0.00	95	177	0.06	608
MTD		8,820	0.15		5,965	0.06	14,785

STREAM FLOWS

Gauging Station	08/18/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	2,549
NRTT : Nueces River at Tilden, Texas	0	676
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	13	359
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	234	3,434
NCAT : Nueces River at Calallen, Texas	0	178
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	1,515

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,250
Return Flow Credit (Effective: 08/01/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 1,515 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,515
Estuary Inflows (NCAT + RBP)	178
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2010		Elevation (Ft)	
				Allocation	Remaining	Full	08/19/2010
08/18/2010	145	2,573	31,515	4,100	1,527	44.0	43.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 20, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/20/2009	211.4	482,374	69.4%	82.2	80,950	31.5%	563,324	59.1%
08/20/2010	216.5	594,798	85.5%	93.0	239,372	93.0%	834,170	87.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/19/2010	100	527	0.00	95	365	0.00	892
MTD		9,347	0.15		6,330	0.06	15,677

STREAM FLOWS

Gauging Station	08/19/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	2,614
NRTT : Nueces River at Tilden, Texas	0	676
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	13	372
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	218	3,652
NCAT : Nueces River at Calallen, Texas	0	178
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	1,523

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,250
Return Flow Credit (Effective: 08/01/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 1,523 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,523
Estuary Inflows (NCAT + RBP)	178
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2010		Elevation (Ft)	
				Allocation	Remaining	Full	08/20/2010
08/19/2010	145	2,718	31,660	4,100	1,382	44.0	43.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 21, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/21/2009	211.4	482,374	69.4%	82.1	80,543	31.3%	562,917	59.1%
08/21/2010	216.5	594,798	85.5%	93.0	238,836	92.8%	833,634	87.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/20/2010	101	625	0.00	98	427	0.00	1,052
MTD		9,972	0.15		6,757	0.06	16,729

STREAM FLOWS

Gauging Station	08/20/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	2,680
NRTT : Nueces River at Tilden, Texas	0	676
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	13	385
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	218	3,871
NCAT : Nueces River at Calallen, Texas	28	206
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	1,531

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,250
Return Flow Credit (Effective: 08/01/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 1,531 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,531
Estuary Inflows (NCAT + RBP)	206
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2010		Elevation (Ft)	
				Allocation	Remaining	Full	08/21/2010
08/20/2010	145	2,863	31,805	4,100	1,237	44.0	43.4

Report Generated: 08/21/2010 at 8:28:09 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 22, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/22/2009	211.4	481,956	69.3%	82.1	79,935	31.1%	561,891	59.0%
08/22/2010	216.4	594,082	85.4%	92.9	238,121	92.6%	832,203	87.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/21/2010	101	555	0.00	95	458	0.00	1,013
MTD		10,527	0.15		7,215	0.06	17,742

STREAM FLOWS

Gauging Station	08/21/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	2,743
NRTT : Nueces River at Tilden, Texas	0	676
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	12	397
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	218	4,089
NCAT : Nueces River at Calallen, Texas	44	250
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	1,537

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,250
Return Flow Credit (Effective: 08/01/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 1,537 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,537
Estuary Inflows (NCAT + RBP)	250
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2010		Elevation (Ft)	
				Allocation	Remaining	Full	08/22/2010
08/21/2010	145	3,007	31,950	4,100	1,093	44.0	43.4

Report Generated: 08/22/2010 at 8:03:39 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 23, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/23/2009	211.4	481,749	69.3%	82.0	79,129	30.8%	560,878	58.9%
08/23/2010	216.4	593,605	85.4%	92.9	237,050	92.1%	830,655	87.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/22/2010	103	568	0.00	100	395	0.00	963
MTD		11,095	0.15		7,610	0.06	18,705

STREAM FLOWS

Gauging Station	08/22/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	2,807
NRTT : Nueces River at Tilden, Texas	0	676
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	12	409
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	218	4,307
NCAT : Nueces River at Calallen, Texas	8	257
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	1,543

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,250
Return Flow Credit (Effective: 08/01/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 1,543 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,543
Estuary Inflows (NCAT + RBP)	257
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2010		Elevation (Ft)	
				Allocation	Remaining	Full	08/23/2010
08/22/2010	144	3,152	32,094	4,100	948	44.0	43.4

Report Generated: 08/23/2010 at 8:25:09 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 24, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/24/2009	211.4	481,130	69.2%	81.9	78,329	30.4%	559,459	58.7%
08/24/2010	216.4	592,893	85.3%	92.9	237,229	92.2%	830,122	87.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/23/2010	104	582	0.00	101	436	0.00	1,018
MTD		11,677	0.15		8,046	0.06	19,723

STREAM FLOWS

Gauging Station	08/23/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	2,872
NRTT : Nueces River at Tilden, Texas	0	676
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	12	420
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	226	4,534
NCAT : Nueces River at Calallen, Texas	20	277
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	1,551

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,250
Return Flow Credit (Effective: 08/01/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 1,551 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,551
Estuary Inflows (NCAT + RBP)	277
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2010		Elevation (Ft)	
				Allocation	Remaining	Full	08/24/2010
08/23/2010	144	3,296	32,238	4,100	804	44.0	43.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 25, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/25/2009	211.3	480,303	69.1%	81.9	78,130	30.4%	558,433	58.6%
08/25/2010	216.3	591,474	85.1%	92.9	237,764	92.4%	829,238	87.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/24/2010	104	512	0.12	100	406	0.66	918
MTD		12,189	0.27		8,452	0.72	20,641

STREAM FLOWS

Gauging Station	08/24/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	2,948
NRTT : Nueces River at Tilden, Texas	0	676
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	432
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	93	4,627
NCAT : Nueces River at Calallen, Texas	11	288
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	18	1,569

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,250
Return Flow Credit (Effective: 08/01/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 1,569 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,569
Estuary Inflows (NCAT + RBP)	288
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2010		Elevation (Ft)	
				Allocation	Remaining	Full	08/25/2010
08/24/2010	144	3,440	32,382	4,100	660	44.0	43.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 26, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/26/2009	211.3	479,472	69.0%	81.8	77,435	30.1%	556,907	58.5%
08/26/2010	216.3	591,474	85.1%	92.9	237,229	92.2%	828,703	87.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/25/2010	102	554	0.00	95	301	0.00	855
MTD		12,743	0.27		8,753	0.72	21,496

STREAM FLOWS

Gauging Station	08/25/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	101	3,049
NRTT : Nueces River at Tilden, Texas	0	676
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	442
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	258	4,885
NCAT : Nueces River at Calallen, Texas	10	298
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	44	1,613

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,250
Return Flow Credit (Effective: 08/01/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 1,613 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,613
Estuary Inflows (NCAT + RBP)	298
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2010		Elevation (Ft)	
				Allocation	Remaining	Full	08/26/2010
08/25/2010	143	3,583	32,525	4,100	517	44.0	43.2

Report Generated: 08/26/2010 at 8:26:49 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 27, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/27/2009	211.2	478,219	68.8%	81.7	76,843	29.9%	555,062	58.3%
08/27/2010	216.3	591,001	85.0%	92.9	236,694	92.0%	827,695	86.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/26/2010	99	401	0.00	93	312	0.00	713
MTD		13,144	0.27		9,065	0.72	22,209

STREAM FLOWS

Gauging Station	08/26/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	93	3,142
NRTT : Nueces River at Tilden, Texas	0	676
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	453
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	216	5,101
NCAT : Nueces River at Calallen, Texas	0	298
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	36	1,648

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,250
Return Flow Credit (Effective: 08/01/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 1,648 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,648
Estuary Inflows (NCAT + RBP)	298
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2010		Elevation (Ft)	
				Allocation	Remaining	Full	08/27/2010
08/26/2010	143	3,726	32,668	4,100	374	44.0	43.2

Report Generated: 08/27/2010 at 8:16:50 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 28, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/28/2009	211.2	477,594	68.7%	81.7	76,549	29.8%	554,143	58.2%
08/28/2010	216.3	590,523	84.9%	92.8	235,981	91.7%	826,504	86.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/27/2010	99	470	0.00	92	342	0.00	812
MTD		13,614	0.27		9,407	0.72	23,021

STREAM FLOWS

Gauging Station	08/27/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	3,234
NRTT : Nueces River at Tilden, Texas	0	676
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	463
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	208	5,310
NCAT : Nueces River at Calallen, Texas	3	301
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	34	1,682

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,250
Return Flow Credit (Effective: 08/01/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 1,682 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,682
Estuary Inflows (NCAT + RBP)	301
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2010		Elevation (Ft)	
				Allocation	Remaining	Full	08/28/2010
08/27/2010	143	3,869	32,811	4,100	231	44.0	43.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 29, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/29/2009	211.1	476,148	68.5%	81.7	76,157	29.6%	552,305	58.0%
08/29/2010	216.3	590,046	84.9%	92.8	235,447	91.5%	825,493	86.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/28/2010	99	484	0.00	95	363	0.00	847
MTD		14,098	0.27		9,770	0.72	23,868

STREAM FLOWS

Gauging Station	08/28/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	3,325
NRTT : Nueces River at Tilden, Texas	0	676
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	474
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	218	5,528
NCAT : Nueces River at Calallen, Texas	5	306
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	34	1,716

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,250
Return Flow Credit (Effective: 08/01/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 1,716 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,716
Estuary Inflows (NCAT + RBP)	306
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2010		Elevation (Ft)	
				Allocation	Remaining	Full	08/29/2010
08/28/2010	143	4,012	32,954	4,100	88	44.0	43.1

Report Generated: 08/29/2010 at 8:12:59 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 30, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/30/2009	211.1	476,561	68.5%	81.6	75,864	29.5%	552,425	58.0%
08/30/2010	216.2	588,613	84.7%	92.8	234,735	91.2%	823,348	86.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/29/2010	96	331	0.00	90	166	0.26	497
MTD		14,429	0.27		9,936	0.98	24,365

STREAM FLOWS

Gauging Station	08/29/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	89	3,414
NRTT : Nueces River at Tilden, Texas	0	676
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	484
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	220	5,749
NCAT : Nueces River at Calallen, Texas	3	309
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	32	1,748

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,250
Return Flow Credit (Effective: 08/01/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 1,748 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,748
Estuary Inflows (NCAT + RBP)	309
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2010		Elevation (Ft)	
				Allocation	Remaining	Full	08/30/2010
08/29/2010	142	4,154	33,096	4,100	-54	44.0	43.1

Report Generated: 08/30/2010 at 8:34:50 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 31, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/31/2009	211.1	476,355	68.5%	81.5	74,703	29.0%	551,058	57.9%
08/31/2010	216.2	588,852	84.7%	92.7	234,557	91.2%	823,409	86.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/30/2010	102	566	0.00	95	383	0.00	949
MTD		14,995	0.27		10,319	0.98	25,314

STREAM FLOWS

Gauging Station	08/30/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	87	3,502
NRTT : Nueces River at Tilden, Texas	0	676
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	492
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	220	5,969
NCAT : Nueces River at Calallen, Texas	1	310
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	30	1,778

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,250
Return Flow Credit (Effective: 08/01/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 1,778 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,778
Estuary Inflows (NCAT + RBP)	310
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2010		Elevation (Ft)	
				Allocation	Remaining	Full	08/31/2010
08/30/2010	142	4,296	33,238	4,100	-196	44.0	43.0

Report Generated: 08/31/2010 at 8:40:17 AM