

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 1, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/01/2009	211.1	476,355	68.5%	81.5	74,895	29.1%	551,250	57.9%
09/01/2010	216.2	588,140	84.6%	92.7	234,024	91.0%	822,164	86.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/31/2010	103	524	0.00	96	383	0.00	907
MTD		15,519	0.27		10,702	0.98	26,221

STREAM FLOWS

Gauging Station	08/31/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	85	3,587
NRTT : Nueces River at Tilden, Texas	0	676
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	9	501
Release from Choke Canyon Reservoir	58	1,785
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	220	6,189
NCAT : Nueces River at Calallen, Texas	3	312
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	28	1,805

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,250
Return Flow Credit (Effective: 08/01/2010)	500
Passthru Target: 6,500 Reservoir Inflow: 1,805 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,805
Estuary Inflows (NCAT + RBP)	312
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2010		Elevation (Ft)	
				Allocation	Remaining	Full	09/01/2010
08/31/2010	141	4,437	33,379	4,100	-337	44.0	42.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 2, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/02/2009	211.1	475,735	68.4%	81.5	74,799	29.1%	550,534	57.8%
09/02/2010	216.2	587,667	84.5%	92.7	233,669	90.8%	821,336	86.2%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/01/2010	99	386	0.00	90	269	0.30		655
MTD		386	0.00		269	0.30		655

STREAM FLOWS

Gauging Station	09/01/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	87	87
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	9	9
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	228	228
NCAT : Nueces River at Calallen, Texas	13	13
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	30	30

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	312
Return Flow Credit (Effective: 09/01/2010)	500
Passthru Target: 28,500 Reservoir Inflow: 30 Comment: 3000 AF of the May passthru requirement was banked for future use.	30
Estuary Inflows (NCAT + RBP)	13
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2010		Elevation (Ft)	
				Allocation	Remaining	Full	09/02/2010
09/01/2010	130	130	33,509	4,100	3,970	44.0	43.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 3, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/03/2009	211.1	475,317	68.4%	81.5	74,223	28.9%	549,540	57.7%
09/03/2010	216.2	586,015	84.3%	92.7	233,491	90.8%	819,506	86.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/02/2010	101	358	0.00	94	393	0.00	751
MTD		744	0.00		662	0.30	1,406

STREAM FLOWS

Gauging Station	09/02/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	87	175
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	9	17
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	240	468
NCAT : Nueces River at Calallen, Texas	0	13
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	30	60

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	312
Return Flow Credit (Effective: 09/01/2010)	500
Passthru Target: 28,500 Reservoir Inflow: 60 Comment: 3000 AF of the May passthru requirement was banked for future use.	60
Estuary Inflows (NCAT + RBP)	13
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2010		Elevation (Ft)	
				Allocation	Remaining	Full	09/03/2010
09/02/2010	123	252	33,632	4,100	3,848	44.0	43.0

Report Generated: 09/03/2010 at 9:16:41 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 4, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/04/2009	211.1	474,691	68.3%	81.4	73,936	28.7%	548,627	57.6%
09/04/2010	216.2	588,613	84.7%	92.8	235,981	91.7%	824,594	86.6%

Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/03/2010	85	248	1.31	86	218	0.95	466	
MTD		992	1.31		880	1.25	1,872	

STREAM FLOWS

Gauging Station	09/03/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	270
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	230	230
ARWT : Atascosa River at Whitsett, Texas	30	47
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	246	715
NCAT : Nueces River at Calallen, Texas	8	21
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	268	328

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	312
Return Flow Credit (Effective: 09/01/2010)	500
Passthru Target: 28,500 Reservoir Inflow: 328 Comment: 3000 AF of the May passthru requirement was banked for future use.	328
Estuary Inflows (NCAT + RBP)	21
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2010		Elevation (Ft)	
				Allocation	Remaining	Full	09/04/2010
09/03/2010	130	382	33,761	4,100	3,718	44.0	43.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 5, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/05/2009	211.0	473,233	68.1%	81.5	74,606	29.0%	547,839	57.5%
09/05/2010	216.2	589,091	84.7%	92.8	235,981	91.7%	825,072	86.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/04/2010	94	304	0.00	89	270	0.00	574
MTD		1,296	1.31		1,150	1.25	2,446

STREAM FLOWS

Gauging Station	09/04/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	905	1,175
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	60	290
ARWT : Atascosa River at Whitsett, Texas	197	244
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	244	959
NCAT : Nueces River at Calallen, Texas	85	107
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	907	1,235

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	312
Return Flow Credit (Effective: 09/01/2010)	500
Passthru Target: 28,500 Reservoir Inflow: 1,235 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,235
Estuary Inflows (NCAT + RBP)	107
PassThru Surplus / -Deficit:	-316

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2010		Elevation (Ft)	
				Allocation	Remaining	Full	09/05/2010
09/04/2010	142	524	33,904	4,100	3,576	44.0	43.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 6, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/06/2009	211.0	473,439	68.1%	81.5	74,606	29.0%	548,045	57.5%
09/06/2010	216.2	587,904	84.6%	92.8	235,625	91.6%	823,529	86.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/05/2010	95	400	0.00	91	373	0.00	773
MTD		1,696	1.31		1,523	1.25	3,219

STREAM FLOWS

Gauging Station	09/05/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	290	1,465
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	5	294
ARWT : Atascosa River at Whitsett, Texas	66	309
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	214	1,173
NCAT : Nueces River at Calallen, Texas	79	186
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	237	1,472

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	312
Return Flow Credit (Effective: 09/01/2010)	500
Passthru Target: 28,500 Reservoir Inflow: 1,472 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,472
Estuary Inflows (NCAT + RBP)	186
PassThru Surplus / -Deficit:	-474

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2010		Elevation (Ft)	
				Allocation	Remaining	Full	09/06/2010
09/05/2010	143	667	34,046	4,100	3,433	44.0	43.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 7, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/07/2009	211.0	473,439	68.1%	81.5	74,510	29.0%	547,949	57.5%
09/07/2010	216.2	587,667	84.5%	92.4	228,357	88.8%	816,024	85.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/06/2010	88	303	1.10	85	0	2.79	303
MTD		1,999	2.41		1,523	4.04	3,522

STREAM FLOWS

Gauging Station	09/06/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	143	1,608
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	2	296
ARWT : Atascosa River at Whitsett, Texas	42	351
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	193	1,366
NCAT : Nueces River at Calallen, Texas	75	262
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	87	1,559

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	312
Return Flow Credit (Effective: 09/01/2010)	500
Passthru Target: 28,500 Reservoir Inflow: 1,559 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,559
Estuary Inflows (NCAT + RBP)	262
PassThru Surplus / -Deficit:	-485

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2010		Elevation (Ft)	
				Allocation	Remaining	Full	09/07/2010
09/06/2010	143	809	34,189	4,100	3,291	44.0	43.0

Report Generated: 09/07/2010 at 9:17:03 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 8, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/08/2009	211.0	473,855	68.2%	81.5	74,703	29.0%	548,558	57.6%
09/08/2010	216.2	588,852	84.7%	93.0	238,836	92.8%	827,688	86.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/07/2010	90	290	1.26	93	Pan overflow	0.59	290
MTD		2,289	3.67		1,523	4.63	3,812

STREAM FLOWS

Gauging Station	09/07/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	218	1,826
NRTT : Nueces River at Tilden, Texas	2	2
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	24	320
ARWT : Atascosa River at Whitsett, Texas	66	416
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	232	1,598
NCAT : Nueces River at Calallen, Texas	137	399
RBP : Rincon Bayou Pipeline		0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	185	1,743

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	312
Return Flow Credit (Effective: 09/01/2010)	500
Passthru Target: 28,500 Reservoir Inflow: 1,743 Comment: 3000 AF of the May passthru requirement was banked for future use.	1,743
Estuary Inflows (NCAT + RBP)	399
PassThru Surplus / -Deficit:	-533

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2010		Elevation (Ft)	
				Allocation	Remaining	Full	09/08/2010
09/07/2010	143	952	34,332	4,100	3,148	44.0	43.3

Report Generated: 09/08/2010 at 9:50:38 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 9, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/09/2009	211.0	473,026	68.0%	81.5	74,414	28.9%	547,440	57.5%
09/09/2010	216.3	590,762	85.0%	93.1	240,266	93.4%	831,028	87.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/08/2010	94	180	0.16	91	125	0.18	305
MTD		2,469	3.83		1,648	4.81	4,117

STREAM FLOWS

Gauging Station	09/08/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	588	2,414
NRTT : Nueces River at Tilden, Texas	1	3
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	34	354
ARWT : Atascosa River at Whitsett, Texas	181	597
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	345	1,943
NCAT : Nueces River at Calallen, Texas	393	792
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	564	2,307

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	312
Return Flow Credit (Effective: 09/01/2010)	500
Passthru Target: 28,500 Reservoir Inflow: 2,307 Comment: 3000 AF of the May passthru requirement was banked for future use.	2,307
Estuary Inflows (NCAT + RBP)	792
PassThru Surplus / -Deficit:	-704

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2010		Elevation (Ft)	
				Allocation	Remaining	Full	09/09/2010
09/08/2010	143	1,095	34,474	4,100	3,005	44.0	44.0

Report Generated: 09/09/2010 at 8:21:34 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 10, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/10/2009	211.1	474,899	68.3%	81.6	75,864	29.5%	550,763	57.8%
09/10/2010	216.3	591,238	85.0%	93.1	240,446	93.5%	831,684	87.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/09/2010	95	374	0.00	91	302	0.00	676
MTD		2,843	3.83		1,950	4.81	4,793

STREAM FLOWS

Gauging Station	09/09/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	470	2,884
NRIT : Nueces River at Tilden, Texas	2	5
FRIT : Frio River at Tilden, Texas	1	1
SMTT : San Miguel Creek at Tilden, Texas	5	359
ARWT : Atascosa River at Whitsett, Texas	764	1,361
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	768	2,712
NCAT : Nueces River at Calallen, Texas	1,251	2,042
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	419	2,726

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	312
Return Flow Credit (Effective: 09/01/2010)	500
Passthru Target: 28,500 Reservoir Inflow: 2,726 Comment: 3000 AF of the May passthru requirement was banked for future use.	2,726
Estuary Inflows (NCAT + RBP)	2,042
PassThru Surplus / -Deficit:	128

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2010		Elevation (Ft)	
				Allocation	Remaining	Full	09/10/2010
09/09/2010	143	1,238	34,617	4,100	2,862	44.0	44.0

Report Generated: 09/10/2010 at 8:15:29 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 11, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/11/2009	211.4	480,923	69.2%	81.7	76,745	29.8%	557,668	58.5%
09/11/2010	216.2	589,568	84.8%	93.1	240,804	93.6%	830,372	87.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/10/2010	96	414	0.00	92	323	0.00	737
MTD		3,257	3.83		2,273	4.81	5,530

STREAM FLOWS

Gauging Station	09/10/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	685	3,569
NRTT : Nueces River at Tilden, Texas	48	53
FRTT : Frio River at Tilden, Texas	1	2
SMTT : San Miguel Creek at Tilden, Texas	302	661
ARWT : Atascosa River at Whitsett, Texas	214	1,575
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	2,854
NCAT : Nueces River at Calallen, Texas	1,157	3,199
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	930	3,656

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	312
Return Flow Credit (Effective: 09/01/2010)	500
Passthru Target: 28,500 Reservoir Inflow: 3,656 Comment: 3000 AF of the May passthru requirement was banked for future use.	3,656
Estuary Inflows (NCAT + RBP)	3,199
PassThru Surplus / -Deficit:	356

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2010		Elevation (Ft)	
				Allocation	Remaining	Full	09/11/2010
09/10/2010	143	1,380	34,760	4,100	2,720	44.0	44.0

Report Generated: 09/11/2010 at 8:10:57 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 12, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/12/2009	211.5	483,209	69.5%	82.0	79,230	30.8%	562,439	59.0%
09/12/2010	216.3	591,238	85.0%	93.1	240,625	93.5%	831,863	87.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/11/2010	96	415	0.00	93	292	0.00	707
MTD		3,672	3.83		2,565	4.81	6,237

STREAM FLOWS

Gauging Station	09/11/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	262	3,831
NRIT : Nueces River at Tilden, Texas	18	71
FRIT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	1,118	1,778
ARWT : Atascosa River at Whitsett, Texas	226	1,802
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	2,995
NCAT : Nueces River at Calallen, Texas	409	3,608
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,322	4,978

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	312
Return Flow Credit (Effective: 09/01/2010)	500
Passthru Target: 28,500 Reservoir Inflow: 4,978 Comment: 3000 AF of the May passthru requirement was banked for future use.	4,978
Estuary Inflows (NCAT + RBP)	3,608
PassThru Surplus / -Deficit:	-557

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2010		Elevation (Ft)	
				Allocation	Remaining	Full	09/12/2010
09/11/2010	143	1,523	34,903	4,100	2,577	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 13, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/13/2009	211.5	483,836	69.6%	82.0	79,230	30.8%	563,066	59.1%
09/13/2010	216.4	592,657	85.2%	93.1	241,341	93.8%	833,998	87.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/12/2010	95	346	0.00	89	230	0.37	576
MTD		4,018	3.83		2,795	5.18	6,813

STREAM FLOWS

Gauging Station	09/12/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	308	4,139
NRIT : Nueces River at Tilden, Texas	6	77
FRIT : Frio River at Tilden, Texas	4	5
SMTT : San Miguel Creek at Tilden, Texas	1,715	3,493
ARWT : Atascosa River at Whitsett, Texas	409	2,211
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	3,146
NCAT : Nueces River at Calallen, Texas	125	3,733
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,969	6,947

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	312
Return Flow Credit (Effective: 09/01/2010)	500
Passthru Target: 28,500 Reservoir Inflow: 6,947 Comment: 3000 AF of the May passthru requirement was banked for future use.	6,947
Estuary Inflows (NCAT + RBP)	3,733
PassThru Surplus / -Deficit:	-2,401

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2010		Elevation (Ft)	
				Allocation	Remaining	Full	09/13/2010
09/12/2010	143	1,666	35,045	4,100	2,434	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 14, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/14/2009	211.5	484,672	69.7%	82.0	79,733	31.0%	564,405	59.3%
09/14/2010	216.4	593,130	85.3%	93.1	241,521	93.9%	834,651	87.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/13/2010	97	277	0.00	91	209	0.00	486
MTD		4,295	3.83		3,004	5.18	7,299

STREAM FLOWS

Gauging Station	09/13/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	399	4,538
NRTT : Nueces River at Tilden, Texas	2	79
FRTT : Frio River at Tilden, Texas	681	686
SMTT : San Miguel Creek at Tilden, Texas	129	3,622
ARWT : Atascosa River at Whitsett, Texas	234	2,445
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	3,297
NCAT : Nueces River at Calallen, Texas	77	3,811
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,151	8,098

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	312
Return Flow Credit (Effective: 09/01/2010)	500
Passthru Target: 28,500 Reservoir Inflow: 8,098 Comment: 3000 AF of the May passthru requirement was banked for future use.	8,098
Estuary Inflows (NCAT + RBP)	3,811
PassThru Surplus / -Deficit:	-3,475

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2010		Elevation (Ft)	
				Allocation	Remaining	Full	09/14/2010
09/13/2010	143	1,809	35,188	4,100	2,291	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 15, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/15/2009	211.6	485,925	69.9%	82.1	79,935	31.1%	565,860	59.4%
09/15/2010	216.4	594,082	85.4%	93.1	240,983	93.7%	835,065	87.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/14/2010	97	347	0.00	91	209	0.00	556
MTD		4,642	3.83		3,213	5.18	7,855

STREAM FLOWS

Gauging Station	09/14/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	222	4,760
NRIT : Nueces River at Tilden, Texas	1	80
FRIT : Frio River at Tilden, Texas	732	1,419
SMTT : San Miguel Creek at Tilden, Texas	67	3,690
ARWT : Atascosa River at Whitsett, Texas	79	2,524
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	157	3,454
NCAT : Nueces River at Calallen, Texas	44	3,854
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	965	9,063

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	312
Return Flow Credit (Effective: 09/01/2010)	500
Passthru Target: 28,500 Reservoir Inflow: 9,063 Comment: 3000 AF of the May passthru requirement was banked for future use.	9,063
Estuary Inflows (NCAT + RBP)	3,854
PassThru Surplus / -Deficit:	-4,396

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2010		Elevation (Ft)	
				Allocation	Remaining	Full	09/15/2010
09/14/2010	143	1,952	35,331	4,100	2,148	44.0	44.1

Report Generated: 09/15/2010 at 8:36:44 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 16, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/16/2009	211.7	488,246	70.2%	82.1	80,340	31.2%	568,586	59.7%
09/16/2010	216.4	593,605	85.4%	93.1	241,341	93.8%	834,946	87.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/15/2010	93	388	0.00	93	219	1.12	607
MTD		5,030	3.83		3,432	6.30	8,462

STREAM FLOWS

Gauging Station	09/15/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	143	4,903
NRTT : Nueces River at Tilden, Texas	0	80
FRTT : Frio River at Tilden, Texas	177	1,595
SMTT : San Miguel Creek at Tilden, Texas	42	3,731
ARWT : Atascosa River at Whitsett, Texas	56	2,580
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	193	3,646
NCAT : Nueces River at Calallen, Texas	24	3,878
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	304	9,366

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	312
Return Flow Credit (Effective: 09/01/2010)	500
Passthru Target: 28,500 Reservoir Inflow: 9,366 Comment: 3000 AF of the May passthru requirement was banked for future use.	9,366
Estuary Inflows (NCAT + RBP)	3,878
PassThru Surplus / -Deficit:	-4,676

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2010		Elevation (Ft)	
				Allocation	Remaining	Full	09/16/2010
09/15/2010	143	2,095	35,474	4,100	2,005	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 17, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/17/2009	211.8	490,757	70.6%	82.1	80,036	31.1%	570,793	59.9%
09/17/2010	216.5	594,798	85.5%	93.1	241,162	93.7%	835,960	87.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/16/2010	99	403	0.42	90	282	0.06	685
MTD		5,433	4.25		3,714	6.36	9,147

STREAM FLOWS

Gauging Station	09/16/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	115	5,018
NRTT : Nueces River at Tilden, Texas	0	80
FRTT : Frio River at Tilden, Texas	85	1,681
SMTT : San Miguel Creek at Tilden, Texas	28	3,759
ARWT : Atascosa River at Whitsett, Texas	42	2,622
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	189	3,835
NCAT : Nueces River at Calallen, Texas	36	3,914
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	171	9,537

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	312
Return Flow Credit (Effective: 09/01/2010)	500
Passthru Target: 28,500 Reservoir Inflow: 9,537 Comment: 3000 AF of the May passthru requirement was banked for future use.	9,537
Estuary Inflows (NCAT + RBP)	3,914
PassThru Surplus / -Deficit:	-4,811

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2010		Elevation (Ft)	
				Allocation	Remaining	Full	09/17/2010
09/16/2010	143	2,237	35,617	4,100	1,863	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 18, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/18/2009	211.8	489,291	70.4%	82.0	79,531	30.9%	568,822	59.7%
09/18/2010	216.4	594,082	85.4%	93.3	244,394	95.0%	838,476	88.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/17/2010	95	236	0.29	89	Pan overflow	2.53	236
MTD		5,669	4.54		3,714	8.89	9,383

STREAM FLOWS

Gauging Station	09/17/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	107	5,125
NRTT : Nueces River at Tilden, Texas	2	82
FRTT : Frio River at Tilden, Texas	64	1,744
SMTT : San Miguel Creek at Tilden, Texas	30	3,789
ARWT : Atascosa River at Whitsett, Texas	36	2,657
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	286	4,121
NCAT : Nueces River at Calallen, Texas	85	3,999
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	143	9,680

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	312
Return Flow Credit (Effective: 09/01/2010)	500
Passthru Target: 28,500 Reservoir Inflow: 9,680 Comment: 3000 AF of the May passthru requirement was banked for future use.	9,680
Estuary Inflows (NCAT + RBP)	3,999
PassThru Surplus / -Deficit:	-4,869

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2010		Elevation (Ft)	
				Allocation	Remaining	Full	09/18/2010
09/17/2010	143	2,380	35,760	4,100	1,720	44.0	44.0

Report Generated: 09/18/2010 at 8:18:30 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 19, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/19/2009	211.7	488,873	70.3%	82.0	79,531	30.9%	568,404	59.7%
09/19/2010	216.5	594,560	85.5%	93.4	245,474	95.4%	840,034	88.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/18/2010	94	180	0.21	77	Pan overflow	1.94	180
MTD		5,849	4.75		3,714	10.83	9,563

STREAM FLOWS

Gauging Station	09/18/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	101	5,227
NRTT : Nueces River at Tilden, Texas	2	84
FRTT : Frio River at Tilden, Texas	48	1,792
SMTT : San Miguel Creek at Tilden, Texas	30	3,819
ARWT : Atascosa River at Whitsett, Texas	66	2,723
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	482	4,603
NCAT : Nueces River at Calallen, Texas	796	4,795
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	121	9,801

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	312
Return Flow Credit (Effective: 09/01/2010)	500
Passthru Target: 28,500 Reservoir Inflow: 9,801 Comment: 3000 AF of the May passthru requirement was banked for future use.	9,801
Estuary Inflows (NCAT + RBP)	4,795
PassThru Surplus / -Deficit:	-4,194

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2010		Elevation (Ft)	
				Allocation	Remaining	Full	09/19/2010
09/18/2010	143	2,523	35,903	4,100	1,577	44.0	44.0

Report Generated: 09/19/2010 at 8:10:12 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 20, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/20/2009	211.7	487,824	70.2%	82.0	79,029	30.7%	566,853	59.5%
09/20/2010	216.6	597,425	85.9%	93.7	251,619	97.8%	849,044	89.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/19/2010	77	14	0.97	76	Pan overflow	2.71	14
MTD		5,863	5.72		3,714	13.54	9,577

STREAM FLOWS

Gauging Station	09/19/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	141	5,367
NRIT : Nueces River at Tilden, Texas	24	108
FRIT : Frio River at Tilden, Texas	66	1,857
SMTT : San Miguel Creek at Tilden, Texas	320	4,138
ARWT : Atascosa River at Whitsett, Texas	105	2,828
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,025	6,628
NCAT : Nueces River at Calallen, Texas	2,700	7,495
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	468	10,269

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	312
Return Flow Credit (Effective: 09/01/2010)	500
Passthru Target: 28,500 Reservoir Inflow: 10,269 Comment: 3000 AF of the May passthru requirement was banked for future use.	10,269
Estuary Inflows (NCAT + RBP)	7,495
PassThru Surplus / -Deficit:	-1,962

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2010		Elevation (Ft)	
				Allocation	Remaining	Full	09/20/2010
09/19/2010	143	2,667	36,046	4,100	1,433	44.0	44.0

Report Generated: 09/20/2010 at 9:42:18 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 21, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/21/2009	211.6	486,345	70.0%	81.9	78,628	30.6%	564,973	59.3%
09/21/2010	216.6	597,425	85.9%	93.7	251,982	97.9%	849,407	89.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/20/2010	79	111	0.02	80	106	0.00	217
MTD		5,974	5.74		3,820	13.54	9,794

STREAM FLOWS

Gauging Station	09/20/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	413	5,780
NRTT : Nueces River at Tilden, Texas	42	150
FRTT : Frio River at Tilden, Texas	115	1,972
SMTT : San Miguel Creek at Tilden, Texas	139	4,277
ARWT : Atascosa River at Whitsett, Texas	341	3,169
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,295	9,923
NCAT : Nueces River at Calallen, Texas	4,149	11,644
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	609	10,879

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	312
Return Flow Credit (Effective: 09/01/2010)	500
Passthru Target: 28,500 Reservoir Inflow: 10,879 Comment: 3000 AF of the May passthru requirement was banked for future use.	10,879
Estuary Inflows (NCAT + RBP)	11,644
PassThru Surplus / -Deficit:	1,577

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2010		Elevation (Ft)	
				Allocation	Remaining	Full	09/21/2010
09/20/2010	143	2,810	36,189	4,100	1,290	44.0	44.2

Report Generated: 09/21/2010 at 9:14:17 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 22, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/22/2009	211.6	486,979	70.0%	81.9	78,329	30.4%	565,308	59.3%
09/22/2010	216.7	599,335	86.2%	93.7	252,526	98.2%	851,861	89.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/21/2010	84	209	0.11	85	201	0.07	410
MTD		6,183	5.85		4,021	13.61	10,204

STREAM FLOWS

Gauging Station	09/21/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	711	6,491
NRTT : Nueces River at Tilden, Texas	42	192
FRTT : Frio River at Tilden, Texas	69	2,042
SMTT : San Miguel Creek at Tilden, Texas	36	4,313
ARWT : Atascosa River at Whitsett, Texas	609	3,779
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	214	10,137
NCAT : Nueces River at Calallen, Texas	5,717	17,360
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	758	11,637

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	312
Return Flow Credit (Effective: 09/01/2010)	500
Passthru Target: 28,500 Reservoir Inflow: 11,637 Comment: 3000 AF of the May passthru requirement was banked for future use.	11,637
Estuary Inflows (NCAT + RBP)	17,360
PassThru Surplus / -Deficit:	6,535

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2010		Elevation (Ft)	
				Allocation	Remaining	Full	09/22/2010
09/21/2010	143	2,953	36,332	4,100	1,147	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 23, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/23/2009	211.6	486,979	70.0%	81.9	78,130	30.4%	565,109	59.3%
09/23/2010	216.6	597,425	85.9%	93.8	252,708	98.2%	850,133	89.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/22/2010	84	237	0.08	83	127	0.21	364
MTD		6,420	5.93		4,148	13.82	10,568

STREAM FLOWS

Gauging Station	09/22/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	560	7,051
NRTT : Nueces River at Tilden, Texas	18	209
FRTT : Frio River at Tilden, Texas	44	2,086
SMTT : San Miguel Creek at Tilden, Texas	42	4,355
ARWT : Atascosa River at Whitsett, Texas	161	3,940
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	66	10,203
NCAT : Nueces River at Calallen, Texas	3,315	20,675
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	588	12,225

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	312
Return Flow Credit (Effective: 09/01/2010)	500
Passthru Target: 28,500 Reservoir Inflow: 12,225 Comment: 3000 AF of the May passthru requirement was banked for future use.	12,225
Estuary Inflows (NCAT + RBP)	20,675
PassThru Surplus / -Deficit:	9,263

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2010		Elevation (Ft)	
				Allocation	Remaining	Full	09/23/2010
09/22/2010	143	3,096	36,475	4,100	1,004	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 24, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/24/2009	211.6	486,134	69.9%	81.7	76,745	29.8%	562,879	59.1%
09/24/2010	216.6	598,857	86.1%	93.8	253,253	98.4%	852,110	89.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/23/2010	88	251	0.33	88	243	0.00	494
MTD		6,671	6.26		4,391	13.82	11,062

STREAM FLOWS

Gauging Station	09/23/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	236	7,287
NRIT : Nueces River at Tilden, Texas	8	217
FRIT : Frio River at Tilden, Texas	30	2,115
SMTT : San Miguel Creek at Tilden, Texas	20	4,375
ARWT : Atascosa River at Whitsett, Texas	77	4,017
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	48	10,251
NCAT : Nueces River at Calallen, Texas	1,858	22,533
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	228	12,453

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	312
Return Flow Credit (Effective: 09/01/2010)	500
Passthru Target: 28,500 Reservoir Inflow: 12,453 Comment: 3000 AF of the May passthru requirement was banked for future use.	12,453
Estuary Inflows (NCAT + RBP)	22,533
PassThru Surplus / -Deficit:	10,892

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2010		Elevation (Ft)	
				Allocation	Remaining	Full	09/24/2010
09/23/2010	143	3,239	36,618	4,100	861	44.0	44.0

Report Generated: 09/24/2010 at 9:12:08 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 25, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/25/2009	211.6	485,507	69.8%	81.9	77,931	30.3%	563,438	59.2%
09/25/2010	216.6	598,141	86.0%	93.8	253,253	98.4%	851,394	89.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/24/2010	88	237	0.00	89	307	0.00	544
MTD		6,908	6.26		4,698	13.82	11,606

STREAM FLOWS

Gauging Station	09/24/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	157	7,444
NRTT : Nueces River at Tilden, Texas	4	222
FRTT : Frio River at Tilden, Texas	22	2,137
SMTT : San Miguel Creek at Tilden, Texas	13	4,388
ARWT : Atascosa River at Whitsett, Texas	56	4,073
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	42	10,292
NCAT : Nueces River at Calallen, Texas	1,092	23,625
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	134	12,587

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	312
Return Flow Credit (Effective: 09/01/2010)	500
Passthru Target: 28,500 Reservoir Inflow: 12,587 Comment: 3000 AF of the May passthru requirement was banked for future use.	12,587
Estuary Inflows (NCAT + RBP)	23,625
PassThru Surplus / -Deficit:	11,850

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2010		Elevation (Ft)	
				Allocation	Remaining	Full	09/25/2010
09/24/2010	143	3,382	36,762	4,100	718	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 26, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/26/2009	211.6	486,768	70.0%	81.8	77,139	30.0%	563,907	59.2%
09/26/2010	216.5	595,514	85.7%	93.8	253,798	98.7%	849,312	89.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/25/2010	88	347	0.00	89	222	0.00	569
MTD		7,255	6.26		4,920	13.82	12,175

STREAM FLOWS

Gauging Station	09/25/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	125	7,569
NRIT : Nueces River at Tilden, Texas	6	228
FRIT : Frio River at Tilden, Texas	17	2,154
SMTT : San Miguel Creek at Tilden, Texas	12	4,399
ARWT : Atascosa River at Whitsett, Texas	48	4,120
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	67	10,360
NCAT : Nueces River at Calallen, Texas	611	24,236
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	96	12,683

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	312
Return Flow Credit (Effective: 09/01/2010)	500
Passthru Target: 28,500 Reservoir Inflow: 12,683 Comment: 3000 AF of the May passthru requirement was banked for future use.	12,683
Estuary Inflows (NCAT + RBP)	24,236
PassThru Surplus / -Deficit:	12,365

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2010		Elevation (Ft)	
				Allocation	Remaining	Full	09/26/2010
09/25/2010	144	3,526	36,905	4,100	574	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 27, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/27/2009	211.6	486,345	70.0%	81.7	76,353	29.7%	562,698	59.1%
09/27/2010	216.6	597,186	85.9%	93.8	253,798	98.7%	850,984	89.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/26/2010	85	418	0.00	85	212	0.00	630
MTD		7,673	6.26		5,132	13.82	12,805

STREAM FLOWS

Gauging Station	09/26/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	111	7,680
NRIT : Nueces River at Tilden, Texas	13	241
FRIT : Frio River at Tilden, Texas	13	2,167
SMTT : San Miguel Creek at Tilden, Texas	11	4,410
ARWT : Atascosa River at Whitsett, Texas	46	4,166
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	91	10,451
NCAT : Nueces River at Calallen, Texas	435	24,671
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	77	12,760

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	312
Return Flow Credit (Effective: 09/01/2010)	500
Passthru Target: 28,500 Reservoir Inflow: 12,760 Comment: 3000 AF of the May passthru requirement was banked for future use.	12,760
Estuary Inflows (NCAT + RBP)	24,671
PassThru Surplus / -Deficit:	12,723

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2010		Elevation (Ft)	
				Allocation	Remaining	Full	09/27/2010
09/26/2010	144	3,670	37,049	4,100	430	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 28, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/28/2009	211.5	484,881	69.7%	81.6	75,282	29.3%	560,163	58.8%
09/28/2010	216.6	598,141	86.0%	93.8	252,708	98.2%	850,849	89.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/27/2010	79	348	0.00	78	286	0.00	634
MTD		8,021	6.26		5,418	13.82	13,439

STREAM FLOWS

Gauging Station	09/27/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	105	7,785
NRTT : Nueces River at Tilden, Texas	8	249
FRTT : Frio River at Tilden, Texas	10	2,176
SMTT : San Miguel Creek at Tilden, Texas	10	4,420
ARWT : Atascosa River at Whitsett, Texas	38	4,204
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	85	10,536
NCAT : Nueces River at Calallen, Texas	318	24,989
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	67	12,827

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	312
Return Flow Credit (Effective: 09/01/2010)	500
Passthru Target: 28,500 Reservoir Inflow: 12,827 Comment: 3000 AF of the May passthru requirement was banked for future use.	12,827
Estuary Inflows (NCAT + RBP)	24,989
PassThru Surplus / -Deficit:	12,973

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2010		Elevation (Ft)	
				Allocation	Remaining	Full	09/28/2010
09/27/2010	142	3,812	37,191	4,100	288	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 29, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/29/2009	211.6	485,507	69.8%	81.5	74,606	29.0%	560,113	58.8%
09/29/2010	216.5	596,231	85.8%	93.7	252,526	98.2%	848,757	89.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/28/2010	82	292	0.00	80	275	0.00	567
MTD		8,313	6.26		5,693	13.82	14,006

STREAM FLOWS

Gauging Station	09/28/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	7,880
NRTT : Nueces River at Tilden, Texas	4	252
FRTT : Frio River at Tilden, Texas	8	2,184
SMTT : San Miguel Creek at Tilden, Texas	9	4,429
ARWT : Atascosa River at Whitsett, Texas	32	4,235
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	107	10,644
NCAT : Nueces River at Calallen, Texas	183	25,171
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	54	12,881

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	312
Return Flow Credit (Effective: 09/01/2010)	500
Passthru Target: 28,500 Reservoir Inflow: 12,881 Comment: 3000 AF of the May passthru requirement was banked for future use.	12,881
Estuary Inflows (NCAT + RBP)	25,171
PassThru Surplus / -Deficit:	13,102

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2010		Elevation (Ft)	
				Allocation	Remaining	Full	09/29/2010
09/28/2010	143	3,955	37,334	4,100	145	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 30, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/30/2009	211.6	485,507	69.8%	81.4	73,460	28.6%	558,967	58.7%
09/30/2010	216.5	596,231	85.8%	93.7	251,982	97.9%	848,213	89.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/29/2010	87	292	0.00	87	254	0.00	546
MTD		8,605	6.26		5,947	13.82	14,552

STREAM FLOWS

Gauging Station	09/29/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	89	7,970
NRTT : Nueces River at Tilden, Texas	2	254
FRTT : Frio River at Tilden, Texas	7	2,190
SMTT : San Miguel Creek at Tilden, Texas	8	4,436
ARWT : Atascosa River at Whitsett, Texas	28	4,263
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	179	10,822
NCAT : Nueces River at Calallen, Texas	123	25,294
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	46	12,927

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	312
Return Flow Credit (Effective: 09/01/2010)	500
Passthru Target: 28,500 Reservoir Inflow: 12,927 Comment: 3000 AF of the May passthru requirement was banked for future use.	12,927
Estuary Inflows (NCAT + RBP)	25,294
PassThru Surplus / -Deficit:	13,179

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2010		Elevation (Ft)	
				Allocation	Remaining	Full	09/30/2010
09/29/2010	142	4,097	37,476	4,100	3	44.0	44.0