

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 1, 2010**

RESERVOIR STATISTICS

| Date | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|-------------------------------|---------------|---------------------|---------------------------|---------------------|
| | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 10/01/2009 | 211.5 | 483,836 | 69.6% | 81.3 | 72,798 | 28.3% | 556,634 | 58.4% |
| 10/01/2010 | 216.4 | 593,605 | 85.4% | 93.7 | 251,619 | 97.8% | 845,224 | 88.7% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|-------------------|-------------------------------|--------------------|-------------------|--------------------|
| Date | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined |
| | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 09/30/2010 | 87 | 361 | 0.00 | 86 | 232 | 0.00 | 593 |
| MTD | | 8,966 | 6.26 | | 6,179 | 13.82 | 15,145 |

STREAM FLOWS

| Gauging Station | 09/30/2010 (AcFt) | MTD (AcFt) |
|--|-------------------|------------|
| NTRT : Nueces River at Three Rivers, Texas | 85 | 8,055 |
| NRTT : Nueces River at Tilden, Texas | 1 | 255 |
| FRTT : Frio River at Tilden, Texas | 6 | 2,197 |
| SMTT : San Miguel Creek at Tilden, Texas | 7 | 4,444 |
| ARWT : Atascosa River at Whitsett, Texas | 24 | 4,287 |
| Release from Choke Canyon Reservoir | 58 | 1,727 |
| NRMT : Nueces River at Mathis, Texas (La Fruta Bridge) | 161 | 10,983 |
| NCAT : Nueces River at Calallen, Texas | 117 | 25,412 |
| RBP : Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 41 | 12,969 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

| | |
|--|--------|
| Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective: | 28,500 |
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 312 |
| Return Flow Credit (Effective: 09/01/2010) | 500 |
| Passthru Target: 28,500 Reservoir Inflow: 12,969 Comment: 3000 AF of the May passthru requirement was banked for future use. | 12,969 |
| Estuary Inflows (NCAT + RBP) | 25,412 |
| PassThru Surplus / -Deficit: | 13,255 |

LAKE TEXANA STATISTICS
(All values are in AcFt)

| Date | Daily Intake | MTD | YTD | September 2010 | | Elevation (Ft) | |
|------------|--------------|-------|--------|----------------|-----------|----------------|------------|
| | | | | Allocation | Remaining | Full | 10/01/2010 |
| 09/30/2010 | 142 | 4,239 | 37,618 | 4,100 | -139 | 44.0 | 44.0 |

Report Generated: 10/01/2010 at 8:22:13 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 2, 2010**

RESERVOIR STATISTICS

| Date | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|-------------------------------|---------------|---------------------|---------------------------|---------------------|
| | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 10/02/2009 | 211.4 | 482,792 | 69.4% | 81.3 | 72,986 | 28.4% | 555,778 | 58.3% |
| 10/02/2010 | 216.4 | 592,657 | 85.2% | 93.7 | 251,438 | 97.7% | 844,095 | 88.6% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|-------------------|-------------------------------|--------------------|-------------------|--------------------|
| Date | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined |
| | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 10/01/2010 | 88 | 346 | 0.00 | 87 | 401 | 0.00 | 747 |
| MTD | | 346 | 0.00 | | 401 | 0.00 | 747 |

STREAM FLOWS

| Gauging Station | 10/01/2010 (AcFt) | MTD (AcFt) |
|--|-------------------|------------|
| NTRT : Nueces River at Three Rivers, Texas | 81 | 81 |
| NRIT : Nueces River at Tilden, Texas | 1 | 1 |
| FRIT : Frio River at Tilden, Texas | 6 | 6 |
| SMTT : San Miguel Creek at Tilden, Texas | 6 | 6 |
| ARWT : Atascosa River at Whitsett, Texas | 24 | 24 |
| Release from Choke Canyon Reservoir | 58 | 58 |
| NRMT : Nueces River at Mathis, Texas (La Fruta Bridge) | 161 | 161 |
| NCAT : Nueces River at Calallen, Texas | 87 | 87 |
| RBP : Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon | 36 | 36 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

| | |
|--|--------|
| Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective: | 20,000 |
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 10,000 |
| Return Flow Credit (Effective: 10/01/2010) | 500 |
| Passthru Target: 20,000 Reservoir Inflow: 36 Comment: 3000 AF of the May passthru requirement was banked for future use. | 36 |
| Estuary Inflows (NCAT + RBP) | 87 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS
(All values are in AcFt)

| Date | Daily Intake | MTD | YTD | October 2010 | | Elevation (Ft) | |
|------------|--------------|-----|--------|--------------|-----------|----------------|------------|
| | | | | Allocation | Remaining | Full | 10/02/2010 |
| 10/01/2010 | 142 | 142 | 37,760 | 3,050 | 2,908 | 44.0 | 43.9 |

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 3, 2010**

RESERVOIR STATISTICS

| Date | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|-------------------------------|---------------|---------------------|---------------------------|---------------------|
| | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 10/03/2009 | 211.5 | 484,463 | 69.7% | 81.3 | 72,610 | 28.2% | 557,073 | 58.5% |
| 10/03/2010 | 216.4 | 592,420 | 85.2% | 93.6 | 250,713 | 97.5% | 843,133 | 88.5% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|-------------------|-------------------------------|--------------------|-------------------|--------------------|
| Date | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined |
| | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 10/02/2010 | 85 | 402 | 0.00 | 84 | 95 | 0.00 | 497 |
| MTD | | 748 | 0.00 | | 496 | 0.00 | 1,244 |

STREAM FLOWS

| Gauging Station | 10/02/2010 (AcFt) | MTD (AcFt) |
|--|-------------------|------------|
| NTRT : Nueces River at Three Rivers, Texas | 77 | 159 |
| NRIT : Nueces River at Tilden, Texas | 1 | 2 |
| FRIT : Frio River at Tilden, Texas | 5 | 11 |
| SMTT : San Miguel Creek at Tilden, Texas | 4 | 10 |
| ARWT : Atascosa River at Whitsett, Texas | 20 | 44 |
| Release from Choke Canyon Reservoir | 58 | 115 |
| NRMT : Nueces River at Mathis, Texas (La Fruta Bridge) | 159 | 320 |
| NCAT : Nueces River at Calallen, Texas | 62 | 149 |
| RBP : Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon | 29 | 65 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

| | |
|--|--------|
| Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective: | 20,000 |
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 10,000 |
| Return Flow Credit (Effective: 10/01/2010) | 500 |
| Passthru Target: 20,000 Reservoir Inflow: 65 Comment: 3000 AF of the May passthru requirement was banked for future use. | 65 |
| Estuary Inflows (NCAT + RBP) | 149 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS
(All values are in AcFt)

| Date | Daily Intake | MTD | YTD | October 2010 | | Elevation (Ft) | |
|------------|--------------|-----|--------|--------------|-----------|----------------|------------|
| | | | | Allocation | Remaining | Full | 10/03/2010 |
| 10/02/2010 | 141 | 283 | 37,901 | 3,050 | 2,767 | 44.0 | 43.9 |

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 4, 2010**

RESERVOIR STATISTICS

| Date | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|-------------------------------|---------------|---------------------|---------------------------|---------------------|
| | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 10/04/2009 | 211.5 | 483,627 | 69.6% | 81.5 | 74,895 | 29.1% | 558,522 | 58.6% |
| 10/04/2010 | 216.3 | 591,711 | 85.1% | 93.6 | 250,169 | 97.2% | 841,880 | 88.4% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|-------------------|-------------------------------|--------------------|-------------------|--------------------|
| Date | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined |
| | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 10/03/2010 | 84 | 360 | 0.00 | 82 | 327 | 0.00 | 687 |
| MTD | | 1,108 | 0.00 | | 823 | 0.00 | 1,931 |

STREAM FLOWS

| Gauging Station | 10/03/2010 (AcFt) | MTD (AcFt) |
|--|-------------------|------------|
| NTRT : Nueces River at Three Rivers, Texas | 75 | 234 |
| NRTT : Nueces River at Tilden, Texas | 0 | 2 |
| FRTT : Frio River at Tilden, Texas | 5 | 16 |
| SMTT : San Miguel Creek at Tilden, Texas | 6 | 16 |
| ARWT : Atascosa River at Whitsett, Texas | 19 | 63 |
| Release from Choke Canyon Reservoir | 58 | 173 |
| NRMT : Nueces River at Mathis, Texas (La Fruta Bridge) | 153 | 472 |
| NCAT : Nueces River at Calallen, Texas | 48 | 197 |
| RBP : Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 28 | 93 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

| | |
|--|--------|
| Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective: | 20,000 |
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 10,000 |
| Return Flow Credit (Effective: 10/01/2010) | 500 |
| Passthru Target: 20,000 Reservoir Inflow: 93 Comment: 3000 AF of the May passthru requirement was banked for future use. | 93 |
| Estuary Inflows (NCAT + RBP) | 197 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS
(All values are in AcFt)

| Date | Daily Intake | MTD | YTD | October 2010 | | Elevation (Ft) | |
|------------|--------------|-----|--------|--------------|-----------|----------------|------------|
| | | | | Allocation | Remaining | Full | 10/04/2010 |
| 10/03/2010 | 141 | 424 | 38,042 | 3,050 | 2,626 | 44.0 | 43.9 |

Report Generated: 10/04/2010 at 9:17:33 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 5, 2010**

RESERVOIR STATISTICS

| Date | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|-------------------------------|---------------|---------------------|---------------------------|---------------------|
| | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 10/05/2009 | 211.5 | 484,672 | 69.7% | 81.5 | 74,703 | 29.0% | 559,375 | 58.7% |
| 10/05/2010 | 216.4 | 592,657 | 85.2% | 93.7 | 251,801 | 97.9% | 844,458 | 88.7% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|-------------------|-------------------------------|--------------------|-------------------|--------------------|
| Date | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined |
| | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 10/04/2010 | 79 | 374 | 0.00 | 78 | 243 | 0.00 | 617 |
| MTD | | 1,482 | 0.00 | | 1,066 | 0.00 | 2,548 |

STREAM FLOWS

| Gauging Station | 10/04/2010 (AcFt) | MTD (AcFt) |
|--|-------------------|------------|
| NTRT : Nueces River at Three Rivers, Texas | 73 | 308 |
| NRIT : Nueces River at Tilden, Texas | 0 | 3 |
| FRIT : Frio River at Tilden, Texas | 4 | 20 |
| SMTT : San Miguel Creek at Tilden, Texas | 6 | 22 |
| ARWT : Atascosa River at Whitsett, Texas | 17 | 80 |
| Release from Choke Canyon Reservoir | 58 | 230 |
| NRMT : Nueces River at Mathis, Texas (La Fruta Bridge) | 147 | 619 |
| NCAT : Nueces River at Calallen, Texas | 14 | 211 |
| RBP : Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon | 26 | 119 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

| | |
|---|--------|
| Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective: | 20,000 |
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 10,000 |
| Return Flow Credit (Effective: 10/01/2010) | 500 |
| Passthru Target: 20,000 Reservoir Inflow: 119 Comment: 3000 AF of the May passthru requirement was banked for future use. | 119 |
| Estuary Inflows (NCAT + RBP) | 211 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS
(All values are in AcFt)

| Date | Daily Intake | MTD | YTD | October 2010 | | Elevation (Ft) | |
|------------|--------------|-----|--------|--------------|-----------|----------------|------------|
| | | | | Allocation | Remaining | Full | 10/05/2010 |
| 10/04/2010 | 119 | 543 | 38,161 | 3,050 | 2,507 | 44.0 | 43.8 |

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 6, 2010**

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|-------------------------------|---------------|---------------------|---------------------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 10/06/2009 | 211.5 | 483,836 | 69.6% | 81.5 | 74,223 | 28.9% | 558,059 | 58.6% |
| 10/06/2010 | 216.3 | 591,474 | 85.1% | 93.7 | 251,256 | 97.7% | 842,730 | 88.5% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|-------------------|-------------------------------|--------------------|-------------------|--------------------|
| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 10/05/2010 | 80 | 318 | 0.00 | 79 | 253 | 0.00 | 571 |
| MTD | | 1,800 | 0.00 | | 1,319 | 0.00 | 3,119 |

STREAM FLOWS

| Gauging Station | 10/05/2010 (AcFt) | MTD (AcFt) |
|--|-------------------|------------|
| NTRT : Nueces River at Three Rivers, Texas | 71 | 379 |
| NRTT : Nueces River at Tilden, Texas | 0 | 3 |
| FRTT : Frio River at Tilden, Texas | 4 | 24 |
| SMTT : San Miguel Creek at Tilden, Texas | 5 | 27 |
| ARWT : Atascosa River at Whitsett, Texas | 17 | 97 |
| Release from Choke Canyon Reservoir | 58 | 288 |
| NRMT : Nueces River at Mathis, Texas (La Fruta Bridge) | 125 | 744 |
| NCAT : Nueces River at Calallen, Texas | 64 | 274 |
| RBP : Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 23 | 142 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

| | |
|---|--------|
| Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective: | 20,000 |
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 10,000 |
| Return Flow Credit (Effective: 10/01/2010) | 500 |
| Passthru Target: 20,000 Reservoir Inflow: 142 Comment: 3000 AF of the May passthru requirement was banked for future use. | 142 |
| Estuary Inflows (NCAT + RBP) | 274 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS
(All values are in AcFt)

| Date | Daily Intake | MTD | YTD | October 2010 | | Elevation (Ft) | |
|------------|--------------|-----|--------|--------------|-----------|----------------|------------|
| | | | | Allocation | Remaining | Full | 10/06/2010 |
| 10/05/2010 | 171 | 713 | 38,331 | 3,050 | 2,337 | 44.0 | 43.7 |

Report Generated: 10/06/2010 at 8:46:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 7, 2010**

RESERVOIR STATISTICS

| Date | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|-------------------------------|---------------|---------------------|---------------------------|---------------------|
| | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 10/07/2009 | 211.5 | 484,463 | 69.7% | 81.5 | 74,606 | 29.0% | 559,069 | 58.7% |
| 10/07/2010 | 216.2 | 589,091 | 84.7% | 93.7 | 250,894 | 97.5% | 839,985 | 88.2% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|-------------------|-------------------------------|--------------------|-------------------|--------------------|
| Date | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined |
| | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 10/06/2010 | 80 | 304 | 0.00 | 81 | 243 | 0.00 | 547 |
| MTD | | 2,104 | 0.00 | | 1,562 | 0.00 | 3,666 |

STREAM FLOWS

| Gauging Station | 10/06/2010 (AcFt) | MTD (AcFt) |
|--|-------------------|------------|
| NTRT : Nueces River at Three Rivers, Texas | 71 | 451 |
| NRTT : Nueces River at Tilden, Texas | 0 | 3 |
| FRTT : Frio River at Tilden, Texas | 3 | 26 |
| SMTT : San Miguel Creek at Tilden, Texas | 5 | 32 |
| ARWT : Atascosa River at Whitsett, Texas | 16 | 113 |
| Release from Choke Canyon Reservoir | 58 | 345 |
| NRMT : Nueces River at Mathis, Texas (La Fruta Bridge) | 125 | 869 |
| NCAT : Nueces River at Calallen, Texas | 58 | 332 |
| RBP : Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 21 | 163 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

| | |
|---|--------|
| Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective: | 20,000 |
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 10,000 |
| Return Flow Credit (Effective: 10/01/2010) | 500 |
| Passthru Target: 20,000 Reservoir Inflow: 163 Comment: 3000 AF of the May passthru requirement was banked for future use. | 163 |
| Estuary Inflows (NCAT + RBP) | 332 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS
(All values are in AcFt)

| Date | Daily Intake | MTD | YTD | October 2010 | | Elevation (Ft) | |
|------------|--------------|-----|--------|--------------|-----------|----------------|------------|
| | | | | Allocation | Remaining | Full | 10/07/2010 |
| 10/06/2010 | 149 | 862 | 38,481 | 3,050 | 2,188 | 44.0 | 43.6 |

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 8, 2010**

RESERVOIR STATISTICS

| Date | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|-------------------------------|---------------|---------------------|---------------------------|---------------------|
| | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 10/08/2009 | 211.4 | 482,583 | 69.4% | 81.6 | 75,475 | 29.3% | 558,058 | 58.6% |
| 10/08/2010 | 216.2 | 588,852 | 84.7% | 93.6 | 250,350 | 97.3% | 839,202 | 88.1% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|-------------------|-------------------------------|--------------------|-------------------|--------------------|
| Date | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined |
| | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 10/07/2010 | 82 | 276 | 0.00 | 82 | 253 | 0.00 | 529 |
| MTD | | 2,380 | 0.00 | | 1,815 | 0.00 | 4,195 |

STREAM FLOWS

| Gauging Station | 10/07/2010 (AcFt) | MTD (AcFt) |
|--|-------------------|------------|
| NTRT : Nueces River at Three Rivers, Texas | 67 | 518 |
| NRTT : Nueces River at Tilden, Texas | 0 | 3 |
| FRTT : Frio River at Tilden, Texas | 2 | 28 |
| SMTT : San Miguel Creek at Tilden, Texas | 4 | 36 |
| ARWT : Atascosa River at Whitsett, Texas | 15 | 127 |
| Release from Choke Canyon Reservoir | 58 | 403 |
| NRMT : Nueces River at Mathis, Texas (La Fruta Bridge) | 125 | 994 |
| NCAT : Nueces River at Calallen, Texas | 1 | 333 |
| RBP : Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 16 | 179 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

| | |
|---|--------|
| Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective: | 20,000 |
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 10,000 |
| Return Flow Credit (Effective: 10/01/2010) | 500 |
| Passthru Target: 20,000 Reservoir Inflow: 179 Comment: 3000 AF of the May passthru requirement was banked for future use. | 179 |
| Estuary Inflows (NCAT + RBP) | 333 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS
(All values are in AcFt)

| Date | Daily Intake | MTD | YTD | October 2010 | | Elevation (Ft) | |
|------------|--------------|-------|--------|--------------|-----------|----------------|------------|
| | | | | Allocation | Remaining | Full | 10/08/2010 |
| 10/07/2010 | 142 | 1,005 | 38,623 | 3,050 | 2,045 | 44.0 | 43.5 |

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 9, 2010**

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|-------------------------------|---------------|---------------------|---------------------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 10/09/2009 | 211.4 | 482,583 | 69.4% | 81.6 | 75,864 | 29.5% | 558,447 | 58.6% |
| 10/09/2010 | 216.3 | 590,046 | 84.9% | 93.6 | 249,988 | 97.2% | 840,034 | 88.2% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|-------------------|-------------------------------|--------------------|-------------------|--------------------|
| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 10/08/2010 | 83 | 304 | 0.00 | 82 | 253 | 0.00 | 557 |
| MTD | | 2,684 | 0.00 | | 2,068 | 0.00 | 4,752 |

STREAM FLOWS

| Gauging Station | 10/08/2010 (AcFt) | MTD (AcFt) |
|--|-------------------|------------|
| NTRT : Nueces River at Three Rivers, Texas | 67 | 586 |
| NRIT : Nueces River at Tilden, Texas | 0 | 3 |
| FRIT : Frio River at Tilden, Texas | 1 | 29 |
| SMTT : San Miguel Creek at Tilden, Texas | 4 | 40 |
| ARWT : Atascosa River at Whitsett, Texas | 14 | 141 |
| Release from Choke Canyon Reservoir | 58 | 461 |
| NRMT : Nueces River at Mathis, Texas (La Fruta Bridge) | 137 | 1,131 |
| NCAT : Nueces River at Calallen, Texas | 0 | 333 |
| RBP : Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon | 15 | 194 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

| | |
|---|--------|
| Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective: | 20,000 |
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 10,000 |
| Return Flow Credit (Effective: 10/01/2010) | 500 |
| Passthru Target: 20,000 Reservoir Inflow: 194 Comment: 3000 AF of the May passthru requirement was banked for future use. | 194 |
| Estuary Inflows (NCAT + RBP) | 333 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS
(All values are in AcFt)

| Date | Daily Intake | MTD | YTD | October 2010 | | Elevation (Ft) | |
|------------|--------------|-------|--------|--------------|-----------|----------------|------------|
| | | | | Allocation | Remaining | Full | 10/09/2010 |
| 10/08/2010 | 141 | 1,146 | 38,764 | 3,050 | 1,904 | 44.0 | 43.5 |

Report Generated: 10/09/2010 at 8:34:20 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 10, 2010**

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|-------------------------------|---------------|---------------------|---------------------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 10/10/2009 | 211.5 | 483,001 | 69.5% | 81.7 | 75,549 | 29.4% | 558,550 | 58.6% |
| 10/10/2010 | 216.2 | 589,091 | 84.7% | 93.6 | 249,626 | 97.0% | 838,717 | 88.1% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|-------------------|-------------------------------|--------------------|-------------------|--------------------|
| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 10/09/2010 | 83 | 331 | 0.00 | 84 | 242 | 0.00 | 573 |
| MTD | | 3,015 | 0.00 | | 2,310 | 0.00 | 5,325 |

STREAM FLOWS

| Gauging Station | 10/09/2010 (AcFt) | MTD (AcFt) |
|--|-------------------|------------|
| NTRT : Nueces River at Three Rivers, Texas | 67 | 653 |
| NRTT : Nueces River at Tilden, Texas | 0 | 3 |
| FRTT : Frio River at Tilden, Texas | 1 | 30 |
| SMTT : San Miguel Creek at Tilden, Texas | 4 | 44 |
| ARWT : Atascosa River at Whitsett, Texas | 14 | 155 |
| Release from Choke Canyon Reservoir | 58 | 518 |
| NRMT : Nueces River at Mathis, Texas (La Fruta Bridge) | 149 | 1,280 |
| NCAT : Nueces River at Calallen, Texas | 0 | 333 |
| RBP : Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 15 | 209 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

| | |
|---|--------|
| Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective: | 20,000 |
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 10,000 |
| Return Flow Credit (Effective: 10/01/2010) | 500 |
| Passthru Target: 20,000 Reservoir Inflow: 209 Comment: 3000 AF of the May passthru requirement was banked for future use. | 209 |
| Estuary Inflows (NCAT + RBP) | 333 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS
(All values are in AcFt)

| Date | Daily Intake | MTD | YTD | October 2010 | | Elevation (Ft) | |
|------------|--------------|-------|--------|--------------|-----------|----------------|------------|
| | | | | Allocation | Remaining | Full | 10/10/2010 |
| 10/09/2010 | 141 | 1,287 | 38,905 | 3,050 | 1,763 | 44.0 | 43.5 |

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 11, 2010**

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|-------------------------------|---------------|---------------------|---------------------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 10/11/2009 | 211.5 | 483,627 | 69.6% | 81.7 | 76,353 | 29.7% | 559,980 | 58.8% |
| 10/11/2010 | 216.2 | 589,091 | 84.7% | 93.6 | 249,264 | 96.9% | 838,355 | 88.0% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|-------------------|-------------------------------|--------------------|-------------------|--------------------|
| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 10/10/2010 | 86 | 331 | 0.00 | 88 | 179 | 0.00 | 510 |
| MTD | | 3,346 | 0.00 | | 2,489 | 0.00 | 5,835 |

STREAM FLOWS

| Gauging Station | 10/10/2010 (AcFt) | MTD (AcFt) |
|--|-------------------|------------|
| NTRT : Nueces River at Three Rivers, Texas | 67 | 721 |
| NRTT : Nueces River at Tilden, Texas | 0 | 3 |
| FRTT : Frio River at Tilden, Texas | 0 | 30 |
| SMTT : San Miguel Creek at Tilden, Texas | 4 | 48 |
| ARWT : Atascosa River at Whitsett, Texas | 13 | 168 |
| Release from Choke Canyon Reservoir | 58 | 576 |
| NRMT : Nueces River at Mathis, Texas (La Fruta Bridge) | 149 | 1,429 |
| NCAT : Nueces River at Calallen, Texas | 5 | 338 |
| RBP : Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 14 | 223 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

| | |
|---|--------|
| Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective: | 20,000 |
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 10,000 |
| Return Flow Credit (Effective: 10/01/2010) | 500 |
| Passthru Target: 20,000 Reservoir Inflow: 223 Comment: 3000 AF of the May passthru requirement was banked for future use. | 223 |
| Estuary Inflows (NCAT + RBP) | 338 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS
(All values are in AcFt)

| Date | Daily Intake | MTD | YTD | October 2010 | | Elevation (Ft) | |
|------------|--------------|-------|--------|--------------|-----------|----------------|------------|
| | | | | Allocation | Remaining | Full | 10/11/2010 |
| 10/10/2010 | 140 | 1,427 | 39,045 | 3,050 | 1,623 | 44.0 | 43.5 |

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 12, 2010**

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|-------------------------------|---------------|---------------------|---------------------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 10/12/2009 | 211.4 | 482,792 | 69.4% | 81.7 | 76,157 | 29.6% | 558,949 | 58.7% |
| 10/12/2010 | 216.2 | 588,140 | 84.6% | 93.6 | 249,264 | 96.9% | 837,404 | 87.9% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|-------------------|-------------------------------|--------------------|-------------------|--------------------|
| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 10/11/2010 | 87 | 345 | 0.00 | 87 | 263 | 0.00 | 608 |
| MTD | | 3,691 | 0.00 | | 2,752 | 0.00 | 6,443 |

STREAM FLOWS

| Gauging Station | 10/11/2010 (AcFt) | MTD (AcFt) |
|--|-------------------|------------|
| NTRT : Nueces River at Three Rivers, Texas | 66 | 786 |
| NRTT : Nueces River at Tilden, Texas | 0 | 3 |
| FRTT : Frio River at Tilden, Texas | 0 | 30 |
| SMTT : San Miguel Creek at Tilden, Texas | 4 | 52 |
| ARWT : Atascosa River at Whitsett, Texas | 12 | 180 |
| Release from Choke Canyon Reservoir | 58 | 633 |
| NRMT : Nueces River at Mathis, Texas (La Fruta Bridge) | 139 | 1,568 |
| NCAT : Nueces River at Calallen, Texas | 36 | 373 |
| RBP : Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 12 | 234 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

| | |
|---|--------|
| Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective: | 20,000 |
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 10,000 |
| Return Flow Credit (Effective: 10/01/2010) | 500 |
| Passthru Target: 20,000 Reservoir Inflow: 234 Comment: 3000 AF of the May passthru requirement was banked for future use. | 234 |
| Estuary Inflows (NCAT + RBP) | 373 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS
(All values are in AcFt)

| Date | Daily Intake | MTD | YTD | October 2010 | | Elevation (Ft) | |
|------------|--------------|-------|--------|--------------|-----------|----------------|------------|
| | | | | Allocation | Remaining | Full | 10/12/2010 |
| 10/11/2010 | 140 | 1,567 | 39,185 | 3,050 | 1,483 | 44.0 | 43.5 |

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 13, 2010**

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|-------------------------------|---------------|---------------------|---------------------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 10/13/2009 | 211.4 | 482,165 | 69.3% | 81.8 | 76,942 | 29.9% | 559,107 | 58.7% |
| 10/13/2010 | 216.2 | 588,140 | 84.6% | 93.5 | 248,903 | 96.8% | 837,043 | 87.9% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|-------------------|-------------------------------|--------------------|-------------------|--------------------|
| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 10/12/2010 | 88 | 262 | 0.03 | 89 | 253 | 0.00 | 515 |
| MTD | | 3,953 | 0.03 | | 3,005 | 0.00 | 6,958 |

STREAM FLOWS

| Gauging Station | 10/12/2010 (AcFt) | MTD (AcFt) |
|--|-------------------|------------|
| NTRT : Nueces River at Three Rivers, Texas | 66 | 852 |
| NRTT : Nueces River at Tilden, Texas | 0 | 3 |
| FRTT : Frio River at Tilden, Texas | 2 | 31 |
| SMTT : San Miguel Creek at Tilden, Texas | 4 | 55 |
| ARWT : Atascosa River at Whitsett, Texas | 13 | 193 |
| Release from Choke Canyon Reservoir | 58 | 691 |
| NRMT : Nueces River at Mathis, Texas (La Fruta Bridge) | 145 | 1,713 |
| NCAT : Nueces River at Calallen, Texas | 28 | 401 |
| RBP : Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 13 | 248 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

| | |
|---|--------|
| Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective: | 20,000 |
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 10,000 |
| Return Flow Credit (Effective: 10/01/2010) | 500 |
| Passthru Target: 20,000 Reservoir Inflow: 248 Comment: 3000 AF of the May passthru requirement was banked for future use. | 248 |
| Estuary Inflows (NCAT + RBP) | 401 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS
(All values are in AcFt)

| Date | Daily Intake | MTD | YTD | October 2010 | | Elevation (Ft) | |
|------------|--------------|-------|--------|--------------|-----------|----------------|------------|
| | | | | Allocation | Remaining | Full | 10/13/2010 |
| 10/12/2010 | 140 | 1,707 | 39,325 | 3,050 | 1,343 | 44.0 | 43.4 |

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 14, 2010**

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|-------------------------------|---------------|---------------------|---------------------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 10/14/2009 | 211.4 | 482,165 | 69.3% | 81.8 | 77,534 | 30.1% | 559,699 | 58.8% |
| 10/14/2010 | 216.1 | 586,249 | 84.3% | 93.5 | 248,903 | 96.8% | 835,152 | 87.7% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|-------------------|-------------------------------|--------------------|-------------------|--------------------|
| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 10/13/2010 | 88 | 385 | 0.00 | 84 | 358 | 0.00 | 743 |
| MTD | | 4,338 | 0.03 | | 3,363 | 0.00 | 7,701 |

STREAM FLOWS

| Gauging Station | 10/13/2010 (AcFt) | MTD (AcFt) |
|--|-------------------|------------|
| NTRT : Nueces River at Three Rivers, Texas | 66 | 917 |
| NRTT : Nueces River at Tilden, Texas | 0 | 3 |
| FRTT : Frio River at Tilden, Texas | 2 | 33 |
| SMTT : San Miguel Creek at Tilden, Texas | 4 | 59 |
| ARWT : Atascosa River at Whitsett, Texas | 12 | 205 |
| Release from Choke Canyon Reservoir | 58 | 748 |
| NRMT : Nueces River at Mathis, Texas (La Fruta Bridge) | 139 | 1,852 |
| NCAT : Nueces River at Calallen, Texas | 13 | 415 |
| RBP : Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 13 | 261 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

| | |
|--|-------|
| Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 15,000 Effective: 10/13/2010 | 5,000 |
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 0 |
| Return Flow Credit (Effective: 10/01/2010) | 500 |
| Passthru Target: 5,000 Reservoir Inflow: 261 Comment: 3000 AF of the May passthru requirement was banked for future use. | 261 |
| Estuary Inflows (NCAT + RBP) | 415 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS
(All values are in AcFt)

| Date | Daily Intake | MTD | YTD | October 2010 | | Elevation (Ft) | |
|------------|--------------|-------|--------|--------------|-----------|----------------|------------|
| | | | | Allocation | Remaining | Full | 10/14/2010 |
| 10/13/2010 | 140 | 1,847 | 39,465 | 3,050 | 1,203 | 44.0 | 43.4 |

Report Generated: 10/14/2010 at 8:21:41 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 15, 2010**

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|-------------------------------|---------------|---------------------|---------------------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 10/15/2009 | 211.5 | 483,209 | 69.5% | 81.8 | 77,238 | 30.0% | 560,447 | 58.8% |
| 10/15/2010 | 216.1 | 587,195 | 84.5% | 93.5 | 248,180 | 96.5% | 835,375 | 87.7% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|-------------------|-------------------------------|--------------------|-------------------|--------------------|
| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 10/14/2010 | 83 | 372 | 0.00 | 78 | 305 | 0.00 | 677 |
| MTD | | 4,710 | 0.03 | | 3,668 | 0.00 | 8,378 |

STREAM FLOWS

| Gauging Station | 10/14/2010 (AcFt) | MTD (AcFt) |
|--|-------------------|------------|
| NTRT : Nueces River at Three Rivers, Texas | 66 | 983 |
| NRTT : Nueces River at Tilden, Texas | 0 | 3 |
| FRTT : Frio River at Tilden, Texas | 1 | 35 |
| SMTT : San Miguel Creek at Tilden, Texas | 3 | 62 |
| ARWT : Atascosa River at Whitsett, Texas | 12 | 217 |
| Release from Choke Canyon Reservoir | 58 | 806 |
| NRMT : Nueces River at Mathis, Texas (La Fruta Bridge) | 121 | 1,973 |
| NCAT : Nueces River at Calallen, Texas | 10 | 425 |
| RBP : Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 13 | 274 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

| | |
|--|-------|
| Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 15,000 Effective: 10/13/2010 | 5,000 |
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 0 |
| Return Flow Credit (Effective: 10/01/2010) | 500 |
| Passthru Target: 5,000 Reservoir Inflow: 274 Comment: 3000 AF of the May passthru requirement was banked for future use. | 274 |
| Estuary Inflows (NCAT + RBP) | 425 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS
(All values are in AcFt)

| Date | Daily Intake | MTD | YTD | October 2010 | | Elevation (Ft) | |
|------------|--------------|-------|--------|--------------|-----------|----------------|------------|
| | | | | Allocation | Remaining | Full | 10/15/2010 |
| 10/14/2010 | 140 | 1,987 | 39,606 | 3,050 | 1,063 | 44.0 | 43.4 |

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 16, 2010**

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|-------------------------------|---------------|---------------------|---------------------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 10/16/2009 | 211.4 | 481,543 | 69.3% | 81.8 | 77,040 | 29.9% | 558,583 | 58.6% |
| 10/16/2010 | 216.1 | 585,781 | 84.3% | 93.5 | 247,457 | 96.2% | 833,238 | 87.5% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|-------------------|-------------------------------|--------------------|-------------------|--------------------|
| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 10/15/2010 | 86 | 275 | 0.00 | 81 | 221 | 0.00 | 496 |
| MTD | | 4,985 | 0.03 | | 3,889 | 0.00 | 8,874 |

STREAM FLOWS

| Gauging Station | 10/15/2010 (AcFt) | MTD (AcFt) |
|--|-------------------|------------|
| NTRT : Nueces River at Three Rivers, Texas | 66 | 1,048 |
| NRTT : Nueces River at Tilden, Texas | 0 | 3 |
| FRTT : Frio River at Tilden, Texas | 1 | 36 |
| SMTT : San Miguel Creek at Tilden, Texas | 3 | 66 |
| ARWT : Atascosa River at Whitsett, Texas | 12 | 228 |
| Release from Choke Canyon Reservoir | 58 | 863 |
| NRMT : Nueces River at Mathis, Texas (La Fruta Bridge) | 117 | 2,090 |
| NCAT : Nueces River at Calallen, Texas | 6 | 430 |
| RBP : Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 12 | 286 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

| | |
|--|-------|
| Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 15,000 Effective: 10/13/2010 | 5,000 |
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 0 |
| Return Flow Credit (Effective: 10/01/2010) | 500 |
| Passthru Target: 5,000 Reservoir Inflow: 286 Comment: 3000 AF of the May passthru requirement was banked for future use. | 286 |
| Estuary Inflows (NCAT + RBP) | 430 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS
(All values are in AcFt)

| Date | Daily Intake | MTD | YTD | October 2010 | | Elevation (Ft) | |
|------------|--------------|-------|--------|--------------|-----------|----------------|------------|
| | | | | Allocation | Remaining | Full | 10/16/2010 |
| 10/15/2010 | 140 | 2,128 | 39,746 | 3,050 | 922 | 44.0 | 43.4 |

Report Generated: 10/16/2010 at 8:27:06 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 17, 2010**

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|-------------------------------|---------------|---------------------|---------------------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 10/17/2009 | 211.4 | 481,336 | 69.2% | 81.7 | 76,549 | 29.8% | 557,885 | 58.6% |
| 10/17/2010 | 216.1 | 586,249 | 84.3% | 93.4 | 247,096 | 96.0% | 833,345 | 87.5% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|-------------------|-------------------------------|--------------------|-------------------|--------------------|
| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 10/16/2010 | 86 | 262 | 0.00 | 81 | 210 | 0.00 | 472 |
| MTD | | 5,247 | 0.03 | | 4,099 | 0.00 | 9,346 |

STREAM FLOWS

| Gauging Station | 10/16/2010 (AcFt) | MTD (AcFt) |
|--|-------------------|------------|
| NTRT : Nueces River at Three Rivers, Texas | 66 | 1,114 |
| NRTT : Nueces River at Tilden, Texas | 0 | 3 |
| FRTT : Frio River at Tilden, Texas | 1 | 37 |
| SMTT : San Miguel Creek at Tilden, Texas | 3 | 69 |
| ARWT : Atascosa River at Whitsett, Texas | 11 | 239 |
| Release from Choke Canyon Reservoir | 58 | 921 |
| NRMT : Nueces River at Mathis, Texas (La Fruta Bridge) | 137 | 2,227 |
| NCAT : Nueces River at Calallen, Texas | 18 | 449 |
| RBP : Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 12 | 298 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

| | |
|--|-------|
| Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 15,000 Effective: 10/13/2010 | 5,000 |
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 0 |
| Return Flow Credit (Effective: 10/01/2010) | 500 |
| Passthru Target: 5,000 Reservoir Inflow: 298 Comment: 3000 AF of the May passthru requirement was banked for future use. | 298 |
| Estuary Inflows (NCAT + RBP) | 449 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS
(All values are in AcFt)

| Date | Daily Intake | MTD | YTD | October 2010 | | Elevation (Ft) | |
|------------|--------------|-------|--------|--------------|-----------|----------------|------------|
| | | | | Allocation | Remaining | Full | 10/17/2010 |
| 10/16/2010 | 141 | 2,268 | 39,887 | 3,050 | 782 | 44.0 | 43.4 |

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 18, 2010**

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|-------------------------------|---------------|---------------------|---------------------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 10/18/2009 | 211.4 | 481,336 | 69.2% | 81.7 | 76,353 | 29.7% | 557,689 | 58.5% |
| 10/18/2010 | 216.0 | 584,141 | 84.0% | 93.4 | 246,735 | 95.9% | 830,876 | 87.2% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|-------------------|-------------------------------|--------------------|-------------------|--------------------|
| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 10/17/2010 | 90 | 261 | 0.00 | 84 | 147 | 0.00 | 408 |
| MTD | | 5,508 | 0.03 | | 4,246 | 0.00 | 9,754 |

STREAM FLOWS

| Gauging Station | 10/17/2010 (AcFt) | MTD (AcFt) |
|--|-------------------|------------|
| NTRT : Nueces River at Three Rivers, Texas | 66 | 1,179 |
| NRTT : Nueces River at Tilden, Texas | 0 | 3 |
| FRTT : Frio River at Tilden, Texas | 1 | 38 |
| SMTT : San Miguel Creek at Tilden, Texas | 3 | 72 |
| ARWT : Atascosa River at Whitsett, Texas | 10 | 250 |
| Release from Choke Canyon Reservoir | 58 | 979 |
| NRMT : Nueces River at Mathis, Texas (La Fruta Bridge) | 159 | 2,386 |
| NCAT : Nueces River at Calallen, Texas | 30 | 478 |
| RBP : Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 12 | 310 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

| | |
|--|-------|
| Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 15,000 Effective: 10/13/2010 | 5,000 |
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 0 |
| Return Flow Credit (Effective: 10/01/2010) | 500 |
| Passthru Target: 5,000 Reservoir Inflow: 310 Comment: 3000 AF of the May passthru requirement was banked for future use. | 310 |
| Estuary Inflows (NCAT + RBP) | 478 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS
(All values are in AcFt)

| Date | Daily Intake | MTD | YTD | October 2010 | | Elevation (Ft) | |
|------------|--------------|-------|--------|--------------|-----------|----------------|------------|
| | | | | Allocation | Remaining | Full | 10/18/2010 |
| 10/17/2010 | 140 | 2,409 | 40,027 | 3,050 | 641 | 44.0 | 43.4 |

Report Generated: 10/18/2010 at 8:52:48 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 19, 2010**

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|-------------------------------|---------------|---------------------|---------------------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 10/19/2009 | 211.4 | 480,923 | 69.2% | 81.6 | 75,767 | 29.5% | 556,690 | 58.4% |
| 10/19/2010 | 216.1 | 585,546 | 84.2% | 93.4 | 246,555 | 95.8% | 832,101 | 87.4% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|-------------------|-------------------------------|--------------------|-------------------|--------------------|
| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 10/18/2010 | 85 | 330 | 0.00 | 85 | 263 | 0.00 | 593 |
| MTD | | 5,838 | 0.03 | | 4,509 | 0.00 | 10,347 |

STREAM FLOWS

| Gauging Station | 10/18/2010 (AcFt) | MTD (AcFt) |
|--|-------------------|------------|
| NTRT : Nueces River at Three Rivers, Texas | 64 | 1,243 |
| NRTT : Nueces River at Tilden, Texas | 0 | 3 |
| FRTT : Frio River at Tilden, Texas | 1 | 38 |
| SMTT : San Miguel Creek at Tilden, Texas | 3 | 75 |
| ARWT : Atascosa River at Whitsett, Texas | 10 | 259 |
| Release from Choke Canyon Reservoir | 58 | 1,036 |
| NRMT : Nueces River at Mathis, Texas (La Fruta Bridge) | 169 | 2,555 |
| NCAT : Nueces River at Calallen, Texas | 24 | 502 |
| RBP : Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 10 | 319 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

| | |
|--|-------|
| Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 15,000 Effective: 10/13/2010 | 5,000 |
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 0 |
| Return Flow Credit (Effective: 10/01/2010) | 500 |
| Passthru Target: 5,000 Reservoir Inflow: 319 Comment: 3000 AF of the May passthru requirement was banked for future use. | 319 |
| Estuary Inflows (NCAT + RBP) | 502 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS
(All values are in AcFt)

| Date | Daily Intake | MTD | YTD | October 2010 | | Elevation (Ft) | |
|------------|--------------|-------|--------|--------------|-----------|----------------|------------|
| | | | | Allocation | Remaining | Full | 10/19/2010 |
| 10/18/2010 | 141 | 2,550 | 40,168 | 3,050 | 500 | 44.0 | 43.3 |

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 20, 2010**

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|-------------------------------|---------------|---------------------|---------------------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 10/20/2009 | 211.3 | 480,716 | 69.1% | 81.6 | 75,379 | 29.3% | 556,095 | 58.4% |
| 10/20/2010 | 216.1 | 585,078 | 84.2% | 93.4 | 246,195 | 95.7% | 831,273 | 87.3% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|-------------------|-------------------------------|--------------------|-------------------|--------------------|
| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 10/19/2010 | 86 | 289 | 0.00 | 85 | 263 | 0.00 | 552 |
| MTD | | 6,127 | 0.03 | | 4,772 | 0.00 | 10,899 |

STREAM FLOWS

| Gauging Station | 10/19/2010 (AcFt) | MTD (AcFt) |
|--|-------------------|------------|
| NTRT : Nueces River at Three Rivers, Texas | 62 | 1,304 |
| NRTT : Nueces River at Tilden, Texas | 0 | 3 |
| FRTT : Frio River at Tilden, Texas | 1 | 39 |
| SMTT : San Miguel Creek at Tilden, Texas | 2 | 77 |
| ARWT : Atascosa River at Whitsett, Texas | 10 | 269 |
| Release from Choke Canyon Reservoir | 58 | 1,094 |
| NRMT : Nueces River at Mathis, Texas (La Fruta Bridge) | 173 | 2,727 |
| NCAT : Nueces River at Calallen, Texas | 7 | 509 |
| RBP : Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 7 | 327 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

| | |
|--|-------|
| Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 15,000 Effective: 10/13/2010 | 5,000 |
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 0 |
| Return Flow Credit (Effective: 10/01/2010) | 500 |
| Passthru Target: 5,000 Reservoir Inflow: 327 | 327 |
| Estuary Inflows (NCAT + RBP) | 509 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS
(All values are in AcFt)

| Date | Daily Intake | MTD | YTD | October 2010 | | Elevation (Ft) | |
|------------|--------------|-------|--------|--------------|-----------|----------------|------------|
| | | | | Allocation | Remaining | Full | 10/20/2010 |
| 10/19/2010 | 141 | 2,691 | 40,309 | 3,050 | 359 | 44.0 | 43.3 |

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 21, 2010**

RESERVOIR STATISTICS

| Date | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|-------------------------------|---------------|---------------------|---------------------------|---------------------|
| | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 10/21/2009 | 211.3 | 479,681 | 69.0% | 81.5 | 74,895 | 29.1% | 554,576 | 58.2% |
| 10/21/2010 | 216.0 | 584,141 | 84.0% | 93.4 | 245,834 | 95.6% | 829,975 | 87.1% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|-------------------|-------------------------------|--------------------|-------------------|--------------------|
| Date | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined |
| | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 10/20/2010 | 86 | 288 | 0.00 | 85 | 220 | 0.00 | 508 |
| MTD | | 6,415 | 0.03 | | 4,992 | 0.00 | 11,407 |

STREAM FLOWS

| Gauging Station | 10/20/2010 (AcFt) | MTD (AcFt) |
|--|-------------------|------------|
| NTRT : Nueces River at Three Rivers, Texas | 66 | 1,370 |
| NRTT : Nueces River at Tilden, Texas | 0 | 3 |
| FRTT : Frio River at Tilden, Texas | 1 | 40 |
| SMTT : San Miguel Creek at Tilden, Texas | 2 | 79 |
| ARWT : Atascosa River at Whitsett, Texas | 10 | 279 |
| Release from Choke Canyon Reservoir | 58 | 1,151 |
| NRMT : Nueces River at Mathis, Texas (La Fruta Bridge) | 165 | 2,892 |
| NCAT : Nueces River at Calallen, Texas | 0 | 509 |
| RBP : Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 11 | 337 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

| | |
|--|-------|
| Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 15,000 Effective: 10/13/2010 | 5,000 |
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 0 |
| Return Flow Credit (Effective: 10/01/2010) | 500 |
| Passthru Target: 5,000 Reservoir Inflow: 337 | 337 |
| Estuary Inflows (NCAT + RBP) | 509 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS
(All values are in AcFt)

| Date | Daily Intake | MTD | YTD | October 2010 | | Elevation (Ft) | |
|------------|--------------|-------|--------|--------------|-----------|----------------|------------|
| | | | | Allocation | Remaining | Full | 10/21/2010 |
| 10/20/2010 | 141 | 2,832 | 40,450 | 3,050 | 218 | 44.0 | 43.2 |

Report Generated: 10/21/2010 at 8:30:45 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 22, 2010**

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|-------------------------------|---------------|---------------------|---------------------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 10/22/2009 | 211.3 | 479,472 | 69.0% | 81.4 | 73,936 | 28.7% | 553,408 | 58.1% |
| 10/22/2010 | 216.0 | 583,198 | 83.9% | 93.4 | 245,474 | 95.4% | 828,672 | 87.0% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|-------------------|-------------------------------|--------------------|-------------------|--------------------|
| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 10/21/2010 | 86 | 302 | 0.00 | 86 | 231 | 0.03 | 533 |
| MTD | | 6,717 | 0.03 | | 5,223 | 0.03 | 11,940 |

STREAM FLOWS

| Gauging Station | 10/21/2010 (AcFt) | MTD (AcFt) |
|--|-------------------|------------|
| NTRT : Nueces River at Three Rivers, Texas | 66 | 1,435 |
| NRTT : Nueces River at Tilden, Texas | 0 | 3 |
| FRTT : Frio River at Tilden, Texas | 1 | 40 |
| SMTT : San Miguel Creek at Tilden, Texas | 2 | 81 |
| ARWT : Atascosa River at Whitsett, Texas | 9 | 288 |
| Release from Choke Canyon Reservoir | 58 | 1,209 |
| NRMT : Nueces River at Mathis, Texas (La Fruta Bridge) | 167 | 3,059 |
| NCAT : Nueces River at Calallen, Texas | 0 | 509 |
| RBP : Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 10 | 347 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

| | |
|--|-------|
| Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 15,000 Effective: 10/13/2010 | 5,000 |
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 0 |
| Return Flow Credit (Effective: 10/01/2010) | 500 |
| Passthru Target: 5,000 Reservoir Inflow: 347 | 347 |
| Estuary Inflows (NCAT + RBP) | 509 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS
(All values are in AcFt)

| Date | Daily Intake | MTD | YTD | October 2010 | | Elevation (Ft) | |
|------------|--------------|-------|--------|--------------|-----------|----------------|------------|
| | | | | Allocation | Remaining | Full | 10/22/2010 |
| 10/21/2010 | 141 | 2,973 | 40,591 | 3,050 | 77 | 44.0 | 43.2 |

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 23, 2010**

RESERVOIR STATISTICS

| Date | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|-------------------------------|---------------|---------------------|---------------------------|---------------------|
| | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 10/23/2009 | 211.3 | 480,510 | 69.1% | 81.6 | 75,088 | 29.2% | 555,598 | 58.3% |
| 10/23/2010 | 215.9 | 582,489 | 83.8% | 93.3 | 244,394 | 95.0% | 826,883 | 86.8% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|-------------------|-------------------------------|--------------------|-------------------|--------------------|
| Date | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined |
| | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 10/22/2010 | 87 | 329 | 0.00 | 86 | 220 | 0.00 | 549 |
| MTD | | 7,046 | 0.03 | | 5,443 | 0.03 | 12,489 |

STREAM FLOWS

| Gauging Station | 10/22/2010 (AcFt) | MTD (AcFt) |
|--|-------------------|------------|
| NTRT : Nueces River at Three Rivers, Texas | 66 | 1,501 |
| NRTT : Nueces River at Tilden, Texas | 0 | 3 |
| FRTT : Frio River at Tilden, Texas | 0 | 41 |
| SMTT : San Miguel Creek at Tilden, Texas | 2 | 83 |
| ARWT : Atascosa River at Whitsett, Texas | 9 | 297 |
| Release from Choke Canyon Reservoir | 58 | 1,266 |
| NRMT : Nueces River at Mathis, Texas (La Fruta Bridge) | 165 | 3,224 |
| NCAT : Nueces River at Calallen, Texas | 0 | 509 |
| RBP : Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 10 | 358 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

| | |
|--|-------|
| Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 15,000 Effective: 10/13/2010 | 5,000 |
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 0 |
| Return Flow Credit (Effective: 10/01/2010) | 500 |
| Passthru Target: 5,000 Reservoir Inflow: 358 | 358 |
| Estuary Inflows (NCAT + RBP) | 509 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS
(All values are in AcFt)

| Date | Daily Intake | MTD | YTD | October 2010 | | Elevation (Ft) | |
|------------|--------------|-------|--------|--------------|-----------|----------------|------------|
| | | | | Allocation | Remaining | Full | 10/23/2010 |
| 10/22/2010 | 141 | 3,114 | 40,732 | 3,050 | -64 | 44.0 | 43.1 |

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 24, 2010**

RESERVOIR STATISTICS

| Date | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|-------------------------------|---------------|---------------------|---------------------------|---------------------|
| | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 10/24/2009 | 211.3 | 480,097 | 69.1% | 81.5 | 74,606 | 29.0% | 554,703 | 58.2% |
| 10/24/2010 | 215.9 | 582,252 | 83.7% | 93.3 | 244,394 | 95.0% | 826,646 | 86.8% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|-------------------|-------------------------------|--------------------|-------------------|--------------------|
| Date | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined |
| | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 10/23/2010 | 88 | 356 | 0.00 | 86 | 314 | 0.00 | 670 |
| MTD | | 7,402 | 0.03 | | 5,757 | 0.03 | 13,159 |

STREAM FLOWS

| Gauging Station | 10/23/2010 (AcFt) | MTD (AcFt) |
|--|-------------------|------------|
| NTRT : Nueces River at Three Rivers, Texas | 66 | 1,566 |
| NRTT : Nueces River at Tilden, Texas | 0 | 3 |
| FRTT : Frio River at Tilden, Texas | 0 | 41 |
| SMTT : San Miguel Creek at Tilden, Texas | 2 | 85 |
| ARWT : Atascosa River at Whitsett, Texas | 9 | 306 |
| Release from Choke Canyon Reservoir | 58 | 1,324 |
| NRMT : Nueces River at Mathis, Texas (La Fruta Bridge) | 141 | 3,365 |
| NCAT : Nueces River at Calallen, Texas | 7 | 516 |
| RBP : Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 10 | 368 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

| | |
|--|-------|
| Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 15,000 Effective: 10/13/2010 | 5,000 |
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 0 |
| Return Flow Credit (Effective: 10/01/2010) | 500 |
| Passthru Target: 5,000 Reservoir Inflow: 368 | 368 |
| Estuary Inflows (NCAT + RBP) | 516 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS
(All values are in AcFt)

| Date | Daily Intake | MTD | YTD | October 2010 | | Elevation (Ft) | |
|------------|--------------|-------|--------|--------------|-----------|----------------|------------|
| | | | | Allocation | Remaining | Full | 10/24/2010 |
| 10/23/2010 | 141 | 3,255 | 40,873 | 3,050 | -205 | 44.0 | 43.1 |

Report Generated: 10/24/2010 at 8:06:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 25, 2010**

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|-------------------------------|---------------|---------------------|---------------------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 10/25/2009 | 211.3 | 479,472 | 69.0% | 81.5 | 74,414 | 28.9% | 553,886 | 58.1% |
| 10/25/2010 | 215.9 | 581,309 | 83.6% | 93.2 | 243,495 | 94.6% | 824,804 | 86.6% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|-------------------|-------------------------------|--------------------|-------------------|--------------------|
| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 10/24/2010 | 87 | 260 | 0.00 | 87 | 262 | 0.00 | 522 |
| MTD | | 7,662 | 0.03 | | 6,019 | 0.03 | 13,681 |

STREAM FLOWS

| Gauging Station | 10/24/2010 (AcFt) | MTD (AcFt) |
|--|-------------------|------------|
| NTRT : Nueces River at Three Rivers, Texas | 66 | 1,632 |
| NRTT : Nueces River at Tilden, Texas | 0 | 3 |
| FRTT : Frio River at Tilden, Texas | 0 | 41 |
| SMTT : San Miguel Creek at Tilden, Texas | 2 | 86 |
| ARWT : Atascosa River at Whitsett, Texas | 9 | 315 |
| Release from Choke Canyon Reservoir | 58 | 1,382 |
| NRMT : Nueces River at Mathis, Texas (La Fruta Bridge) | 107 | 3,472 |
| NCAT : Nueces River at Calallen, Texas | 20 | 536 |
| RBP : Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 10 | 378 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

| | |
|--|-------|
| Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 15,000 Effective: 10/13/2010 | 5,000 |
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 0 |
| Return Flow Credit (Effective: 10/01/2010) | 500 |
| Passthru Target: 5,000 Reservoir Inflow: 378 | 378 |
| Estuary Inflows (NCAT + RBP) | 536 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS
(All values are in AcFt)

| Date | Daily Intake | MTD | YTD | October 2010 | | Elevation (Ft) | |
|------------|--------------|-------|--------|--------------|-----------|----------------|------------|
| | | | | Allocation | Remaining | Full | 10/25/2010 |
| 10/24/2010 | 141 | 3,395 | 41,014 | 3,050 | -345 | 44.0 | 43.1 |

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 26, 2010**

RESERVOIR STATISTICS

| Date | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|-------------------------------|---------------|---------------------|---------------------------|---------------------|
| | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 10/26/2009 | 211.2 | 478,219 | 68.8% | 81.5 | 74,414 | 28.9% | 552,633 | 58.0% |
| | 215.9 | 580,372 | 83.5% | 93.3 | 243,854 | 94.8% | 824,226 | 86.5% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|-------------------|-------------------------------|--------------------|-------------------|--------------------|
| Date | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined |
| | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 10/25/2010 | 91 | 328 | 0.00 | 90 | 304 | 0.00 | 632 |
| MTD | | 7,990 | 0.03 | | 6,323 | 0.03 | 14,313 |

STREAM FLOWS

| Gauging Station | 10/25/2010 (AcFt) | MTD (AcFt) |
|--|-------------------|------------|
| NTRT : Nueces River at Three Rivers, Texas | 62 | 1,693 |
| NRTT : Nueces River at Tilden, Texas | 0 | 3 |
| FRTT : Frio River at Tilden, Texas | 0 | 42 |
| SMTT : San Miguel Creek at Tilden, Texas | 2 | 88 |
| ARWT : Atascosa River at Whitsett, Texas | 9 | 324 |
| Release from Choke Canyon Reservoir | 58 | 1,439 |
| NRMT : Nueces River at Mathis, Texas (La Fruta Bridge) | 135 | 3,607 |
| NCAT : Nueces River at Calallen, Texas | 0 | 537 |
| RBP : Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 6 | 384 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

| | |
|--|-------|
| Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 15,000 Effective: 10/13/2010 | 5,000 |
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 0 |
| Return Flow Credit (Effective: 10/01/2010) | 500 |
| Passthru Target: 5,000 Reservoir Inflow: 384 Comment: | 384 |
| Estuary Inflows (NCAT + RBP) | 537 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS
(All values are in AcFt)

| Date | Daily Intake | MTD | YTD | October 2010 | | Elevation (Ft) | |
|------------|--------------|-------|--------|--------------|-----------|----------------|------|
| | | | | Allocation | Remaining | Full | |
| 10/25/2010 | 141 | 3,536 | 41,154 | 3,050 | -486 | 44.0 | 43.0 |

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 27, 2010**

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|-------------------------------|---------------|---------------------|---------------------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 10/27/2009 | 211.2 | 478,428 | 68.8% | 81.6 | 75,670 | 29.4% | 554,098 | 58.2% |
| | 216.0 | 583,671 | 83.9% | 93.3 | 243,675 | 94.7% | 827,346 | 86.9% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|-------------------|-------------------------------|--------------------|-------------------|--------------------|
| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 10/26/2010 | 88 | 330 | 0.00 | 88 | 157 | 0.00 | 487 |
| MTD | | 8,320 | 0.03 | | 6,480 | 0.03 | 14,800 |

STREAM FLOWS

| Gauging Station | 10/26/2010 (AcFt) | MTD (AcFt) |
|--|-------------------|------------|
| NTRT : Nueces River at Three Rivers, Texas | 58 | 1,751 |
| NRTT : Nueces River at Tilden, Texas | 0 | 3 |
| FRTT : Frio River at Tilden, Texas | 0 | 42 |
| SMTT : San Miguel Creek at Tilden, Texas | 2 | 90 |
| ARWT : Atascosa River at Whitsett, Texas | 9 | 333 |
| Release from Choke Canyon Reservoir | 58 | 1,497 |
| NRMT : Nueces River at Mathis, Texas (La Fruta Bridge) | 151 | 3,758 |
| NCAT : Nueces River at Calallen, Texas | 0 | 537 |
| RBP : Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 2 | 387 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

| | |
|--|-------|
| Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 15,000 Effective: 10/13/2010 | 5,000 |
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 0 |
| Return Flow Credit (Effective: 10/01/2010) | 500 |
| Passthru Target: 5,000 Reservoir Inflow: 387 Comment: | 387 |
| Estuary Inflows (NCAT + RBP) | 537 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS
(All values are in AcFt)

| Date | Daily Intake | MTD | YTD | October 2010 | | Elevation (Ft) | |
|------------|--------------|-------|--------|--------------|-----------|----------------|------|
| | | | | Allocation | Remaining | Full | |
| 10/26/2010 | 140 | 3,677 | 41,295 | 3,050 | -627 | 44.0 | 43.0 |

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 28, 2010**

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|-------------------------------|---------------|---------------------|---------------------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 10/28/2009 | 211.2 | 477,181 | 68.6% | 81.7 | 76,157 | 29.6% | 553,338 | 58.1% |
| | 215.8 | 579,669 | 83.4% | 93.3 | 243,854 | 94.8% | 823,523 | 86.5% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|-------------------|-------------------------------|--------------------|-------------------|--------------------|
| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 10/27/2010 | 88 | 342 | 0.00 | 89 | 293 | 0.00 | 635 |
| MTD | | 8,662 | 0.03 | | 6,773 | 0.03 | 15,435 |

STREAM FLOWS

| Gauging Station | 10/27/2010 (AcFt) | MTD (AcFt) |
|--|-------------------|------------|
| NTRT : Nueces River at Three Rivers, Texas | 60 | 1,810 |
| NRTT : Nueces River at Tilden, Texas | 0 | 3 |
| FRTT : Frio River at Tilden, Texas | 0 | 42 |
| SMTT : San Miguel Creek at Tilden, Texas | 2 | 92 |
| ARWT : Atascosa River at Whitsett, Texas | 9 | 342 |
| Release from Choke Canyon Reservoir | 58 | 1,554 |
| NRMT : Nueces River at Mathis, Texas (La Fruta Bridge) | 159 | 3,916 |
| NCAT : Nueces River at Calallen, Texas | 0 | 537 |
| RBP : Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 4 | 391 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

| | |
|--|-------|
| Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 15,000 Effective: 10/13/2010 | 5,000 |
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 0 |
| Return Flow Credit (Effective: 10/01/2010) | 500 |
| Passthru Target: 5,000 Reservoir Inflow: 391 Comment: | 391 |
| Estuary Inflows (NCAT + RBP) | 537 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS
(All values are in AcFt)

| Date | Daily Intake | MTD | YTD | October 2010 | | Elevation (Ft) | |
|------------|--------------|-------|--------|--------------|-----------|----------------|------|
| | | | | Allocation | Remaining | Full | |
| 10/27/2010 | 141 | 3,817 | 41,435 | 3,050 | -767 | 44.0 | 43.0 |

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 29, 2010**

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|-------------------------------|---------------|---------------------|---------------------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 10/29/2009 | 211.1 | 475,942 | 68.5% | 81.6 | 75,282 | 29.3% | 551,224 | 57.9% |
| | 215.9 | 580,372 | 83.5% | 93.2 | 243,315 | 94.6% | 823,687 | 86.5% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|-------------------|-------------------------------|--------------------|-------------------|--------------------|
| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 10/28/2010 | 79 | 575 | 0.00 | 80 | 387 | 0.00 | 962 |
| MTD | | 9,237 | 0.03 | | 7,160 | 0.03 | 16,397 |

STREAM FLOWS

| Gauging Station | 10/28/2010 (AcFt) | MTD (AcFt) |
|--|-------------------|------------|
| NTRT : Nueces River at Three Rivers, Texas | 62 | 1,872 |
| NRTT : Nueces River at Tilden, Texas | 0 | 3 |
| FRTT : Frio River at Tilden, Texas | 0 | 43 |
| SMTT : San Miguel Creek at Tilden, Texas | 2 | 94 |
| ARWT : Atascosa River at Whitsett, Texas | 9 | 350 |
| Release from Choke Canyon Reservoir | 58 | 1,612 |
| NRMT : Nueces River at Mathis, Texas (La Fruta Bridge) | 169 | 4,085 |
| NCAT : Nueces River at Calallen, Texas | 1 | 537 |
| RBP : Rincon Bayou Pipeline | 0 | 0 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 6 | 397 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

| | |
|--|-------|
| Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 15,000 Effective: 10/13/2010 | 5,000 |
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 0 |
| Return Flow Credit (Effective: 10/01/2010) | 500 |
| Passthru Target: 5,000 Reservoir Inflow: 397 Comment: | 397 |
| Estuary Inflows (NCAT + RBP) | 537 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS
(All values are in AcFt)

| Date | Daily Intake | MTD | YTD | October 2010 | | Elevation (Ft) | |
|------------|--------------|-------|--------|--------------|-----------|----------------|------|
| | | | | Allocation | Remaining | Full | |
| 10/28/2010 | 141 | 3,958 | 41,576 | 3,050 | -908 | 44.0 | 43.0 |

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 30, 2010**

RESERVOIR STATISTICS

| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|-------------------------------|---------------|---------------------|---------------------------|---------------------|
| Date | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 10/30/2009 | 211.2 | 477,594 | 68.7% | 81.7 | 76,157 | 29.6% | 553,751 | 58.1% |
| | 215.8 | 579,435 | 83.3% | 93.2 | 242,059 | 94.1% | 821,494 | 86.2% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|-------------------|-------------------------------|--------------------|-------------------|--------------------|
| | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined |
| Date | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 10/29/2010 | 73 | 287 | 0.00 | 74 | 230 | 0.00 | 517 |
| MTD | | 9,524 | 0.03 | | 7,390 | 0.03 | 16,914 |

STREAM FLOWS

| Gauging Station | 10/29/2010 (AcFt) | MTD (AcFt) |
|--|-------------------|------------|
| NTRT : Nueces River at Three Rivers, Texas | 62 | 1,933 |
| NRTT : Nueces River at Tilden, Texas | 0 | 3 |
| FRTT : Frio River at Tilden, Texas | 0 | 43 |
| SMTT : San Miguel Creek at Tilden, Texas | 2 | 96 |
| ARWT : Atascosa River at Whitsett, Texas | 8 | 358 |
| Release from Choke Canyon Reservoir | 58 | 1,669 |
| NRMT : Nueces River at Mathis, Texas (La Fruta Bridge) | 149 | 4,234 |
| NCAT : Nueces River at Calallen, Texas | 10 | 547 |
| RBP : Rincon Bayou Pipeline | 4 | 4 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 6 | 403 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

| | |
|--|-------|
| Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 15,000 Effective: 10/13/2010 | 5,000 |
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 0 |
| Return Flow Credit (Effective: 10/01/2010) | 500 |
| Passthru Target: 5,000 Reservoir Inflow: 403 Comment: | 403 |
| Estuary Inflows (NCAT + RBP) | 551 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS
(All values are in AcFt)

| Date | Daily Intake | MTD | YTD | October 2010 | | Elevation (Ft) | |
|------------|--------------|-------|--------|--------------|-----------|----------------|------|
| | | | | Allocation | Remaining | Full | |
| 10/29/2010 | 141 | 4,098 | 41,717 | 3,050 | -1,048 | 44.0 | 42.8 |

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 31, 2010**

RESERVOIR STATISTICS

| Date | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined Reservoir System | |
|------------|------------------------|---------------|---------------------|-------------------------------|---------------|---------------------|---------------------------|---------------------|
| | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Elevation (Ft) | Volume (AcFt) | Percent of Capacity | Volume (AcFt) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100% | 94.0 | 257,260 | 100% | 952,531 | 100% |
| 10/31/2009 | 211.2 | 478,219 | 68.8% | 81.7 | 75,962 | 29.5% | 554,181 | 58.2% |
| | 215.8 | 579,904 | 83.4% | 93.1 | 241,700 | 94.0% | 821,604 | 86.3% |

| Weather Related Information | | | | | | | |
|-----------------------------|------------------------|--------------------|-------------------|-------------------------------|--------------------|-------------------|--------------------|
| Date | Choke Canyon Reservoir | | | Lake Corpus Christi Reservoir | | | Combined |
| | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Air Temp (°F) | Evaporation (AcFt) | Rainfall (Inches) | Evaporation (AcFt) |
| 10/30/2010 | 81 | 274 | 0.00 | 80 | 219 | 0.00 | 493 |
| MTD | | 9,798 | 0.03 | | 7,609 | 0.03 | 17,407 |

STREAM FLOWS

| Gauging Station | 10/30/2010 (AcFt) | MTD (AcFt) |
|--|-------------------|------------|
| NTRT : Nueces River at Three Rivers, Texas | 62 | 1,995 |
| NRTT : Nueces River at Tilden, Texas | 0 | 3 |
| FRTT : Frio River at Tilden, Texas | 0 | 43 |
| SMTT : San Miguel Creek at Tilden, Texas | 2 | 97 |
| ARWT : Atascosa River at Whitsett, Texas | 8 | 366 |
| Release from Choke Canyon Reservoir | 58 | 1,727 |
| NRMT : Nueces River at Mathis, Texas (La Fruta Bridge) | 151 | 4,385 |
| NCAT : Nueces River at Calallen, Texas | 0 | 547 |
| RBP : Rincon Bayou Pipeline | | 4 |
| Reservoir Inflow | | |
| Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon | 6 | 409 |

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

| | |
|--|-------|
| Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 15,000 Effective: 10/13/2010 | 5,000 |
| Credit / -Deficit From Previous Month (Date Deficit Satisfied:) | 0 |
| Return Flow Credit (Effective: 10/01/2010) | 500 |
| Passthru Target: 5,000 Reservoir Inflow: 409 Comment: | 409 |
| Estuary Inflows (NCAT + RBP) | 551 |
| PassThru Surplus / -Deficit: | 0 |

LAKE TEXANA STATISTICS
(All values are in AcFt)

| Date | Daily Intake | MTD | YTD | October 2010 | | Elevation (Ft) | |
|------------|--------------|-------|--------|--------------|-----------|----------------|------|
| | | | | Allocation | Remaining | Full | |
| 10/30/2010 | 99 | 4,197 | 41,815 | 3,050 | -1,147 | 44.0 | 42.8 |