

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 1, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/01/2009	211.2	478,637	68.8%	81.7	76,353	29.7%	554,990	58.3%
	215.8	579,435	83.3%	93.1	241,341	93.8%	820,776	86.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/31/2010	87	273	0.00	87	188	0.00	461
MTD		10,071	0.03		7,797	0.03	17,868

STREAM FLOWS

Gauging Station	10/31/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	2,056
NRTT : Nueces River at Tilden, Texas	0	3
FRTT : Frio River at Tilden, Texas	0	43
SMTT : San Miguel Creek at Tilden, Texas	1	99
ARWT : Atascosa River at Whitsett, Texas	8	373
Release from Choke Canyon Reservoir	58	1,785
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	4,536
NCAT : Nueces River at Calallen, Texas	0	547
RBP : Rincon Bayou Pipeline	0	4
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	414

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 15,000 Effective: 10/13/2010	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2010)	500
Passthru Target: 5,000 Reservoir Inflow: 414 Comment:	414
Estuary Inflows (NCAT + RBP)	551
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2010		Elevation (Ft)	
				Allocation	Remaining	Full	
10/31/2010	142	4,339	41,957	3,050	-1,289	44.0	42.8

Report Generated: 11/02/2010 at 9:29:14 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 2, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/02/2009	211.2	478,219	68.8%	81.7	76,255	29.6%	554,474	58.2%
	215.8	578,967	83.3%	93.2	241,879	94.0%	820,846	86.2%

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/01/2010	89	342	0.16	90	261	0.61		603
MTD		342	0.16		261	0.61		603

STREAM FLOWS

Gauging Station	11/01/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	64
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	1	1
ARWT : Atascosa River at Whitsett, Texas	8	8
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	151
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	7	7

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	551
Return Flow Credit (Effective: 11/01/2010)	500
Passthru Target: 9,000 Reservoir Inflow: 7 Comment:	7
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2010		Elevation (Ft)	
				Allocation	Remaining	Full	
11/01/2010	142	142	42,099	3,050	2,908	44.0	42.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 3, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/03/2009	211.2	477,801	68.7%	81.7	76,255	29.6%	554,056	58.2%
	215.8	579,435	83.3%	93.2	242,238	94.2%	821,673	86.3%

Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/02/2010	75	314	0.00	74	251	0.00	565	
MTD		656	0.16		512	0.61	1,168	

STREAM FLOWS

Gauging Station	11/02/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	127
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	1	3
ARWT : Atascosa River at Whitsett, Texas	6	14
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	300
NCAT : Nueces River at Calallen, Texas	1	1
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	7	15

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	551
Return Flow Credit (Effective: 11/01/2010)	500
Passthru Target: 9,000 Reservoir Inflow: 15 Comment:	15
Estuary Inflows (NCAT + RBP)	1
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2010		Elevation (Ft)	
				Allocation	Remaining	Full	
11/02/2010	141	283	42,240	3,050	2,767	44.0	42.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 4, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/04/2009	211.2	478,010	68.8%	81.7	76,059	29.6%	554,069	58.2%
	215.7	576,392	82.9%	93.2	242,417	94.2%	818,809	86.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/03/2010	69	313	0.00	68	303	0.00	616
MTD		969	0.16		815	0.61	1,784

STREAM FLOWS

Gauging Station	11/03/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	191
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	1	4
ARWT : Atascosa River at Whitsett, Texas	9	23
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	197	496
NCAT : Nueces River at Calallen, Texas	10	10
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	7	22

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	551
Return Flow Credit (Effective: 11/01/2010)	500
Passthru Target: 9,000 Reservoir Inflow: 22 Comment:	22
Estuary Inflows (NCAT + RBP)	10
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2010		Elevation (Ft)	
				Allocation	Remaining	Full	
11/03/2010	141	424	42,381	3,050	2,626	44.0	42.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 5, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/05/2009	211.2	477,801	68.7%	81.6	75,767	29.5%	553,568	58.1%
	215.6	575,455	82.8%	93.4	245,654	95.5%	821,109	86.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/04/2010	71	408	0.00	70	420	0.00	828
MTD		1,377	0.16		1,235	0.61	2,612

STREAM FLOWS

Gauging Station	11/04/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	256
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	1	4
ARWT : Atascosa River at Whitsett, Texas	7	30
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	165	661
NCAT : Nueces River at Calallen, Texas	30	40
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	9	31

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	551
Return Flow Credit (Effective: 11/01/2010)	500
Passthru Target: 9,000 Reservoir Inflow: 31 Comment:	31
Estuary Inflows (NCAT + RBP)	40
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2010		Elevation (Ft)	
				Allocation	Remaining	Full	
11/04/2010	141	565	42,522	3,050	2,485	44.0	42.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 6, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/06/2009	211.2	477,801	68.7%	81.6	75,864	29.5%	553,665	58.1%
11/06/2010	215.7	575,689	82.8%	93.3	244,754	95.1%	820,443	86.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/05/2010	70	272	0.00	69	210	0.00	482
MTD		1,649	0.16		1,445	0.61	3,094

STREAM FLOWS

Gauging Station	11/05/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	322
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	1	5
ARWT : Atascosa River at Whitsett, Texas	6	36
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	105	766
NCAT : Nueces River at Calallen, Texas	40	80
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	9	40

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	551
Return Flow Credit (Effective: 11/01/2010)	500
Passthru Target: 9,000 Reservoir Inflow: 40 Comment: comment : 3000 AF of the May passthru requirement was banked for future use.	40
Estuary Inflows (NCAT + RBP)	80
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2010		Elevation (Ft)	
				Allocation	Remaining	Full	11/06/2010
11/05/2010	141	706	42,663	3,050	2,344	44.0	42.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 7, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/07/2009	211.2	477,594	68.7%	81.6	75,670	29.4%	553,264	58.1%
11/07/2010	215.6	574,752	82.7%	93.3	244,394	95.0%	819,146	86.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/06/2010	72	231	0.00	71	210	0.00	441
MTD		1,880	0.16		1,655	0.61	3,535

STREAM FLOWS

Gauging Station	11/06/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	383
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	1	6
ARWT : Atascosa River at Whitsett, Texas	5	41
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	133	899
NCAT : Nueces River at Calallen, Texas	1	81
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	5	45

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	551
Return Flow Credit (Effective: 11/01/2010)	500
Passthru Target: 9,000 Reservoir Inflow: 45 Comment: comment : 3000 AF of the May passthru requirement was banked for future use.	45
Estuary Inflows (NCAT + RBP)	81
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2010		Elevation (Ft)	
				Allocation	Remaining	Full	11/07/2010
11/06/2010	141	847	42,804	3,050	2,203	44.0	42.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 8, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/08/2009	211.2	476,975	68.6%	81.6	75,573	29.4%	552,548	58.0%
11/08/2010	215.6	573,815	82.5%	93.3	243,854	94.8%	817,669	85.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/07/2010	75	204	0.00	75	136	0.00	340
MTD		2,084	0.16		1,791	0.61	3,875

STREAM FLOWS

Gauging Station	11/07/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	445
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	1	6
ARWT : Atascosa River at Whitsett, Texas	6	47
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	1,060
NCAT : Nueces River at Calallen, Texas	0	81
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	5	50

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	551
Return Flow Credit (Effective: 11/01/2010)	500
Passthru Target: 9,000 Reservoir Inflow: 50 Comment: 3000 AF of the May passthru requirement was banked for future use.	50
Estuary Inflows (NCAT + RBP)	81
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2010		Elevation (Ft)	
				Allocation	Remaining	Full	11/08/2010
11/07/2010	141	987	42,944	3,050	2,063	44.0	42.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 9, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/09/2009	211.1	475,526	68.4%	81.6	75,475	29.3%	551,001	57.8%
11/09/2010	215.6	575,221	82.7%	93.2	243,495	94.6%	818,716	86.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/08/2010	78	231	0.00	77	251	0.00	482
MTD		2,315	0.16		2,042	0.61	4,357

STREAM FLOWS

Gauging Station	11/08/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	506
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	7
ARWT : Atascosa River at Whitsett, Texas	8	55
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	195	1,255
NCAT : Nueces River at Calallen, Texas	0	81
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	5	55

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	551
Return Flow Credit (Effective: 11/01/2010)	500
Passthru Target: 9,000 Reservoir Inflow: 55 Comment: 3000 AF of the May passthru requirement was banked for future use.	55
Estuary Inflows (NCAT + RBP)	81
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2010		Elevation (Ft)	
				Allocation	Remaining	Full	11/09/2010
11/08/2010	141	1,128	43,085	3,050	1,922	44.0	42.5

Report Generated: 11/09/2010 at 11:04:42 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 10, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/10/2009	211.1	475,526	68.4%	81.6	74,992	29.2%	550,518	57.8%
11/10/2010	215.6	573,347	82.5%	93.2	243,136	94.5%	816,483	85.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/09/2010	80	231	0.00	79	136	0.00	367
MTD		2,546	0.16		2,178	0.61	4,724

STREAM FLOWS

Gauging Station	11/09/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	570
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	7
ARWT : Atascosa River at Whitsett, Texas	8	62
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	169	1,423
NCAT : Nueces River at Calallen, Texas	6	87
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	61

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	551
Return Flow Credit (Effective: 11/01/2010)	500
Passthru Target: 9,000 Reservoir Inflow: 61 Comment: 3000 AF of the May passthru requirement was banked for future use.	61
Estuary Inflows (NCAT + RBP)	87
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2010		Elevation (Ft)	
				Allocation	Remaining	Full	11/10/2010
11/09/2010	140	1,268	43,225	3,050	1,782	44.0	42.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 11, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/11/2009	211.1	475,735	68.4%	81.6	75,088	29.2%	550,823	57.8%
11/11/2010	215.6	573,581	82.5%	93.2	243,315	94.6%	816,896	85.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/10/2010	84	299	0.00	83	126	0.00	425
MTD		2,845	0.16		2,304	0.61	5,149

STREAM FLOWS

Gauging Station	11/10/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	635
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	1	8
ARWT : Atascosa River at Whitsett, Texas	7	70
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	1,570
NCAT : Nueces River at Calallen, Texas	20	107
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	9	70

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 2,250 Effective: 11/10/2010	6,750
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2010)	500
Passthru Target: 6,750 Reservoir Inflow: 70 Comment: 3000 AF of the May passthru requirement was banked for future use.	70
Estuary Inflows (NCAT + RBP)	107
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2010		Elevation (Ft)	
				Allocation	Remaining	Full	11/11/2010
11/10/2010	140	1,409	43,365	3,050	1,641	44.0	42.4

Report Generated: 11/11/2010 at 8:36:24 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 12, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/12/2009	211.1	476,355	68.5%	81.6	75,185	29.2%	551,540	57.9%
11/12/2010	215.5	572,410	82.3%	93.2	243,315	94.6%	815,725	85.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/11/2010	82	204	0.00	83	366	0.00	570
MTD		3,049	0.16		2,670	0.61	5,719

STREAM FLOWS

Gauging Station	11/11/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	89	725
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	8
ARWT : Atascosa River at Whitsett, Texas	7	77
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	1,719
NCAT : Nueces River at Calallen, Texas	4	111
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	32	102

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 2,250 Effective: 11/10/2010	6,750
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2010)	500
Passthru Target: 6,750 Reservoir Inflow: 102 Comment: 3000 AF of the May passthru requirement was banked for future use.	102
Estuary Inflows (NCAT + RBP)	111
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2010		Elevation (Ft)	
				Allocation	Remaining	Full	11/12/2010
11/11/2010	140	1,548	43,505	3,050	1,502	44.0	42.4

Report Generated: 11/12/2010 at 8:16:21 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 13, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/13/2009	211.1	475,735	68.4%	81.6	74,992	29.2%	550,727	57.8%
11/13/2010	215.5	572,879	82.4%	93.3	244,574	95.1%	817,453	85.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/12/2010	85	244	0.72	83	31	0.21	275
MTD		3,293	0.88		2,701	0.82	5,994

STREAM FLOWS

Gauging Station	11/12/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	790
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	8
ARWT : Atascosa River at Whitsett, Texas	7	84
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	1,868
NCAT : Nueces River at Calallen, Texas	0	111
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	9	110

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 2,250 Effective: 11/10/2010	6,750
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2010)	500
Passthru Target: 6,750 Reservoir Inflow: 110 Comment: 3000 AF of the May passthru requirement was banked for future use.	110
Estuary Inflows (NCAT + RBP)	111
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2010		Elevation (Ft)	
				Allocation	Remaining	Full	11/13/2010
11/12/2010	140	1,688	43,645	3,050	1,362	44.0	42.3

Report Generated: 11/13/2010 at 9:30:30 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 14, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/14/2009	211.1	475,735	68.4%	81.5	74,510	29.0%	550,245	57.8%
11/14/2010	215.5	572,410	82.3%	93.2	243,495	94.6%	815,905	85.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/13/2010	65	204	0.00	64	126	0.00	330
MTD		3,497	0.88		3,048	0.82	6,545

STREAM FLOWS

Gauging Station	11/13/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	860
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	8
ARWT : Atascosa River at Whitsett, Texas	40	124
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	159	2,027
NCAT : Nueces River at Calallen, Texas	0	111
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	12	123

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 2,250 Effective: 11/10/2010	6,750
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2010)	500
Passthru Target: 6,750 Reservoir Inflow: 123 Comment: 3000 AF of the May passthru requirement was banked for future use.	123
Estuary Inflows (NCAT + RBP)	111
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2010		Elevation (Ft)	
				Allocation	Remaining	Full	11/14/2010
11/13/2010	139	1,828	43,784	3,050	1,222	44.0	42.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 15, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/15/2009	211.1	475,526	68.4%	81.5	74,606	29.0%	550,132	57.8%
11/15/2010	215.5	572,644	82.4%	93.2	242,776	94.4%	815,420	85.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/14/2010	58	95	0.00	57	10	0.01	105
MTD		3,592	0.88		3,058	0.83	6,650

STREAM FLOWS

Gauging Station	11/14/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	133	993
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	8
ARWT : Atascosa River at Whitsett, Texas	36	160
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	153	2,180
NCAT : Nueces River at Calallen, Texas	0	111
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	76	198

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 2,250 Effective: 11/10/2010	6,750
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2010)	500
Passthru Target: 6,750 Reservoir Inflow: 198 Comment: 3000 AF of the May passthru requirement was banked for future use.	198
Estuary Inflows (NCAT + RBP)	111
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2010		Elevation (Ft)	
				Allocation	Remaining	Full	11/15/2010
11/14/2010	139	1,967	43,924	3,050	1,083	44.0	42.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 16, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/16/2009	211.0	473,439	68.1%	81.5	74,223	28.9%	547,662	57.5%
11/16/2010	215.4	570,785	82.1%	92.9	237,050	92.1%	807,835	84.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/15/2010	68	135	0.00	71	62	0.00	197
MTD		3,727	0.88		3,120	0.83	6,847

STREAM FLOWS

Gauging Station	11/15/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	103	1,096
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	9
ARWT : Atascosa River at Whitsett, Texas	30	189
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	2,330
NCAT : Nueces River at Calallen, Texas	4	115
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	46	245

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 2,250 Effective: 11/10/2010	6,750
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2010)	500
Passthru Target: 6,750 Reservoir Inflow: 245 Comment: 3000 AF of the May passthru requirement was banked for future use.	245
Estuary Inflows (NCAT + RBP)	115
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2010		Elevation (Ft)	
				Allocation	Remaining	Full	11/16/2010
11/15/2010	139	2,106	44,063	3,050	944	44.0	42.3

Report Generated: 11/16/2010 at 8:52:55 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 17, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/17/2009	211.0	473,439	68.1%	81.5	74,031	28.8%	547,470	57.5%
11/17/2010	215.5	571,249	82.2%	92.8	235,803	91.7%	807,052	84.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/16/2010	69	176	0.00	70	145	0.00	321
MTD		3,903	0.88		3,265	0.83	7,168

STREAM FLOWS

Gauging Station	11/16/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	93	1,189
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	9
ARWT : Atascosa River at Whitsett, Texas	24	213
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	2,477
NCAT : Nueces River at Calallen, Texas	14	129
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	36	281

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 2,250 Effective: 11/10/2010	6,750
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2010)	500
Passthru Target: 6,750 Reservoir Inflow: 281 Comment: 3000 AF of the May passthru requirement was banked for future use.	281
Estuary Inflows (NCAT + RBP)	129
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2010		Elevation (Ft)	
				Allocation	Remaining	Full	11/17/2010
11/16/2010	138	2,244	44,201	3,050	806	44.0	42.3

Report Generated: 11/17/2010 at 8:23:52 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 18, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/18/2009	211.0	474,273	68.2%	81.4	73,936	28.7%	548,209	57.6%
11/18/2010	215.4	570,090	82.0%	92.9	236,872	92.1%	806,962	84.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/17/2010	82	230	0.00	83	177	0.00	407
MTD		4,133	0.88		3,442	0.83	7,575

STREAM FLOWS

Gauging Station	11/17/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	89	1,278
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	9
ARWT : Atascosa River at Whitsett, Texas	24	237
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	127	2,604
NCAT : Nueces River at Calallen, Texas	4	133
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	32	313

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 2,250 Effective: 11/10/2010	6,750
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2010)	500
Passthru Target: 6,750 Reservoir Inflow: 313 Comment: 3000 AF of the May passthru requirement was banked for future use.	313
Estuary Inflows (NCAT + RBP)	133
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2010		Elevation (Ft)	
				Allocation	Remaining	Full	11/18/2010
11/17/2010	138	2,382	44,339	3,050	668	44.0	42.2

Report Generated: 11/18/2010 at 8:19:37 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 19, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/19/2009	211.0	473,855	68.2%	81.4	73,745	28.7%	547,600	57.5%
11/19/2010	215.5	571,712	82.2%	92.8	235,269	91.5%	806,981	84.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/18/2010	64	190	0.00	66	187	0.00	377
MTD		4,323	0.88		3,629	0.83	7,952

STREAM FLOWS

Gauging Station	11/18/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	81	1,360
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	5
SMTT : San Miguel Creek at Tilden, Texas	0	9
ARWT : Atascosa River at Whitsett, Texas	22	259
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	129	2,733
NCAT : Nueces River at Calallen, Texas	2	136
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	24	337

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 2,250 Effective: 11/10/2010	6,750
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2010)	500
Passthru Target: 6,750 Reservoir Inflow: 337 Comment: 3000 AF of the May passthru requirement was banked for future use.	337
Estuary Inflows (NCAT + RBP)	136
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2010		Elevation (Ft)	
				Allocation	Remaining	Full	11/19/2010
11/18/2010	138	2,520	44,477	3,050	530	44.0	42.2

Report Generated: 11/19/2010 at 8:48:48 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 20, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/20/2009	211.0	473,026	68.0%	81.7	76,157	29.6%	549,183	57.7%
11/20/2010	215.4	570,553	82.1%	92.8	234,735	91.2%	805,288	84.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/19/2010	73	203	0.00	73	228	0.00	431
MTD		4,526	0.88		3,857	0.83	8,383

STREAM FLOWS

Gauging Station	11/19/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	1,435
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	5
SMTT : San Miguel Creek at Tilden, Texas	0	9
ARWT : Atascosa River at Whitsett, Texas	19	278
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	127	2,860
NCAT : Nueces River at Calallen, Texas	0	136
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	18	355

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 2,250 Effective: 11/10/2010	6,750
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2010)	500
Passthru Target: 6,750 Reservoir Inflow: 355 Comment: 3000 AF of the May passthru requirement was banked for future use.	355
Estuary Inflows (NCAT + RBP)	136
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2010		Elevation (Ft)	
				Allocation	Remaining	Full	11/20/2010
11/19/2010	138	2,658	44,615	3,050	392	44.0	42.1

Report Generated: 11/20/2010 at 8:05:56 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 21, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/21/2009	211.1	475,942	68.5%	81.9	78,030	30.3%	553,972	58.2%
11/21/2010	215.4	568,930	81.8%	92.7	234,024	91.0%	802,954	84.3%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/20/2010	81	203	0.00	81	124	0.00	327	
MTD		4,729	0.88		3,981	0.83	8,710	

STREAM FLOWS

Gauging Station	11/20/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	1,511
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	5
SMTT : San Miguel Creek at Tilden, Texas	0	9
ARWT : Atascosa River at Whitsett, Texas	17	295
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	127	2,987
NCAT : Nueces River at Calallen, Texas	0	136
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	18	373

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)**

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 2,250 Effective: 11/10/2010	6,750
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2010)	500
Passthru Target: 6,750 Reservoir Inflow: 373 Comment: 3000 AF of the May passthru requirement was banked for future use.	373
Estuary Inflows (NCAT + RBP)	136
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS
(All values are in AcFt)**

Date	Daily Intake	MTD	YTD	November 2010		Elevation (Ft)	
				Allocation	Remaining	Full	11/21/2010
11/20/2010	138	2,796	44,753	3,050	254	44.0	42.1

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 22, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/22/2009	211.2	476,768	68.6%	81.9	78,229	30.4%	554,997	58.3%
11/22/2010	215.4	568,930	81.8%	92.7	233,846	90.9%	802,776	84.3%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/21/2010	83	203	0.00	82	166	0.00	369	
MTD		4,932	0.88		4,147	0.83	9,079	

STREAM FLOWS

Gauging Station	11/21/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	1,586
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	5
SMTT : San Miguel Creek at Tilden, Texas	0	9
ARWT : Atascosa River at Whitsett, Texas	13	309
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	127	3,114
NCAT : Nueces River at Calallen, Texas	0	136
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	18	392

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 2,250 Effective: 11/10/2010	6,750
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2010)	500
Passthru Target: 6,750 Reservoir Inflow: 392 Comment: 3000 AF of the May passthru requirement was banked for future use.	392
Estuary Inflows (NCAT + RBP)	136
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2010		Elevation (Ft)	
				Allocation	Remaining	Full	11/22/2010
11/21/2010	138	2,934	44,891	3,050	116	44.0	42.1

Report Generated: 11/22/2010 at 8:51:04 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 23, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/23/2009	211.2	477,181	68.6%	82.0	78,928	30.7%	556,109	58.4%
11/23/2010	215.4	569,394	81.9%	92.8	234,735	91.2%	804,129	84.4%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/22/2010	85	216	0.00	84	207	0.00	423	
MTD		5,148	0.88		4,354	0.83	9,502	

STREAM FLOWS

Gauging Station	11/22/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	1,657
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	6
SMTT : San Miguel Creek at Tilden, Texas	0	9
ARWT : Atascosa River at Whitsett, Texas	12	321
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	127	3,242
NCAT : Nueces River at Calallen, Texas	0	136
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	14	406

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 2,250 Effective: 11/10/2010	6,750
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2010)	500
Passthru Target: 6,750 Reservoir Inflow: 406 Comment: 3000 AF of the May passthru requirement was banked for future use.	406
Estuary Inflows (NCAT + RBP)	136
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2010		Elevation (Ft)	
				Allocation	Remaining	Full	11/23/2010
11/22/2010	138	3,072	45,029	3,050	-22	44.0	42.1

Report Generated: 11/23/2010 at 8:00:38 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 24, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/24/2009	211.1	475,526	68.4%	82.1	80,747	31.4%	556,273	58.4%
11/24/2010	215.4	569,162	81.9%	92.7	233,846	90.9%	803,008	84.3%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/23/2010	81	203	0.00	82	103	0.00	306	
MTD		5,351	0.88		4,457	0.83	9,808	

STREAM FLOWS

Gauging Station	11/23/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,725
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	6
SMTT : San Miguel Creek at Tilden, Texas	0	9
ARWT : Atascosa River at Whitsett, Texas	12	332
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	127	3,369
NCAT : Nueces River at Calallen, Texas	0	136
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	416

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)**

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 2,250 Effective: 11/10/2010	6,750
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2010)	500
Passthru Target: 6,750 Reservoir Inflow: 416 Comment: 3000 AF of the May passthru requirement was banked for future use	416
Estuary Inflows (NCAT + RBP)	136
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS
(All values are in AcFt)**

Date	Daily Intake	MTD	YTD	November 2010		Elevation (Ft)	
				Allocation	Remaining	Full	11/24/2010
11/23/2010	138	3,210	45,167	3,050	-160	44.0	42.0

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 25, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/25/2009	211.1	475,735	68.4%	82.2	81,461	31.7%	557,196	58.5%
11/25/2010	215.3	567,539	81.6%	92.7	233,669	90.8%	801,208	84.1%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/24/2010	85	270	0.00	83	93	0.00	363	
MTD		5,621	0.88		4,550	0.83	10,171	

STREAM FLOWS

Gauging Station	11/24/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,792
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	6
SMTT : San Miguel Creek at Tilden, Texas	0	9
ARWT : Atascosa River at Whitsett, Texas	11	343
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	127	3,496
NCAT : Nueces River at Calallen, Texas	0	136
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	426

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 2,250 Effective: 11/10/2010	6,750
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2010)	500
Passthru Target: 6,750 Reservoir Inflow: 426 Comment: 3000 AF of the May passthru requirement was banked for future use	426
Estuary Inflows (NCAT + RBP)	136
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2010		Elevation (Ft)	
				Allocation	Remaining	Full	11/25/2010
11/24/2010	138	3,348	45,305	3,050	-298	44.0	42.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 26, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/26/2009	211.1	475,317	68.4%	82.3	82,076	31.9%	557,393	58.5%
11/26/2010	215.3	567,307	81.6%	92.8	234,735	91.2%	802,042	84.2%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/25/2010	86	324	0.09	88	321	0.00	645	
MTD		5,945	0.97		4,871	0.83	10,816	

STREAM FLOWS

Gauging Station	11/25/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,860
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	6
SMTT : San Miguel Creek at Tilden, Texas	0	9
ARWT : Atascosa River at Whitsett, Texas	11	354
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	129	3,625
NCAT : Nueces River at Calallen, Texas	0	136
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	436

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)**

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 2,250 Effective: 11/10/2010	6,750
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2010)	500
Passthru Target: 6,750 Reservoir Inflow: 436 Comment: 3000 AF of the May passthru requirement was banked for future use	436
Estuary Inflows (NCAT + RBP)	136
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS
(All values are in AcFt)**

Date	Daily Intake	MTD	YTD	November 2010		Elevation (Ft)	
				Allocation	Remaining	Full	11/26/2010
11/25/2010	138	3,486	45,443	3,050	-436	44.0	42.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 27, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/27/2009	211.1	475,108	68.3%	82.3	82,179	31.9%	557,287	58.5%
11/27/2010	215.3	567,307	81.6%	92.7	233,846	90.9%	801,153	84.1%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/26/2010	58	256	0.00	58	238	0.00	494	
MTD		6,201	0.97		5,109	0.83	11,310	

STREAM FLOWS

Gauging Station	11/26/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,925
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	9
ARWT : Atascosa River at Whitsett, Texas	10	364
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	177	3,801
NCAT : Nueces River at Calallen, Texas	1	137
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	445

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 2,250 Effective: 11/10/2010	6,750
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2010)	500
Passthru Target: 6,750 Reservoir Inflow: 445 Comment: 3000 AF of the May passthru requirement was banked for future use	445
Estuary Inflows (NCAT + RBP)	137
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2010		Elevation (Ft)	
				Allocation	Remaining	Full	11/27/2010
11/26/2010	138	3,623	45,580	3,050	-573	44.0	42.0

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 28, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/28/2009	211.1	475,735	68.4%	82.3	82,179	31.9%	557,914	58.6%
11/28/2010	215.4	569,394	81.9%	92.7	233,313	90.7%	802,707	84.3%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/27/2010	61	162	0.00	60	134	0.00	296	
MTD		6,363	0.97		5,243	0.83	11,606	

STREAM FLOWS

Gauging Station	11/27/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,991
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	9
ARWT : Atascosa River at Whitsett, Texas	10	374
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	131	3,932
NCAT : Nueces River at Calallen, Texas	28	164
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	453

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 2,250 Effective: 11/10/2010	6,750
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2010)	500
Passthru Target: 6,750 Reservoir Inflow: 453 Comment: 3000 AF of the May passthru requirement was banked for future use	453
Estuary Inflows (NCAT + RBP)	164
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2010		Elevation (Ft)	
				Allocation	Remaining	Full	11/28/2010
11/27/2010	138	3,761	45,718	3,050	-711	44.0	42.0

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 29, 2010

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/29/2009	211.1	475,526	68.4%	82.2	81,871	31.8%	557,397	58.5%
11/29/2010	215.3	566,843	81.5%	92.6	232,426	90.3%	799,269	83.9%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/28/2010	73	135	0.00	72	176	0.00	311
MTD		6,498	0.97		5,419	0.83	11,917

STREAM FLOWS

Gauging Station	11/28/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	2,056
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	9
ARWT : Atascosa River at Whitsett, Texas	10	384
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	129	4,061
NCAT : Nueces River at Calallen, Texas	24	188
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	461

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 2,250 Effective: 11/10/2010	6,750
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2010)	500
Passthru Target: 6,750 Reservoir Inflow: 461 Comment: 3000 AF of the May passthru requirement was banked for future use.	461
Estuary Inflows (NCAT + RBP)	188
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2010		Elevation (Ft)	
				Allocation	Remaining	Full	11/29/2010
11/28/2010	138	3,898	45,855	3,050	-848	44.0	42.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 30, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/30/2009	211.0	473,646	68.1%	82.2	81,563	31.7%	555,209	58.3%
11/30/2010	215.2	565,684	81.4%	92.7	234,379	91.1%	800,063	84.0%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/29/2010	77	269	0.00	79	280	0.00	549	
MTD		6,767	0.97		5,699	0.83	12,466	

STREAM FLOWS

Gauging Station	11/29/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	2,124
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	9
ARWT : Atascosa River at Whitsett, Texas	11	394
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	79	4,141
NCAT : Nueces River at Calallen, Texas	42	230
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	471

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 2,250 Effective: 11/10/2010	6,750
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2010)	500
Passthru Target: 6,750 Reservoir Inflow: 471 Comment: 3000 AF of the May passthru requirement was banked for future use.	471
Estuary Inflows (NCAT + RBP)	230
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2010		Elevation (Ft)	
				Allocation	Remaining	Full	11/30/2010
11/29/2010	138	4,036	45,993	3,050	-986	44.0	41.9