

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 1, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/01/2009	211.1	474,691	68.3%	82.3	82,179	31.9%	556,870	58.5%
12/01/2010	215.2	565,452	81.3%	92.6	232,249	90.3%	797,701	83.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/30/2010	60	323	0.00	60	227	0.00	550
MTD		7,090	0.97		5,926	0.83	13,016

STREAM FLOWS

Gauging Station	11/30/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	2,189
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	8
SMTT : San Miguel Creek at Tilden, Texas	0	9
ARWT : Atascosa River at Whitsett, Texas	11	405
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	101	4,242
NCAT : Nueces River at Calallen, Texas	1	230
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	480

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 2,250 Effective: 11/10/2010	6,750
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2010)	500
Passthru Target: 6,750 Reservoir Inflow: 480 Comment: 3000 AF of the May passthru requirement was banked for future use.	480
Estuary Inflows (NCAT + RBP)	230
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2010		Elevation (Ft)	
				Allocation	Remaining	Full	12/01/2010
11/30/2010	137	4,173	46,130	3,050	-1,123	44.0	42.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 2, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/02/2009	211.0	474,273	68.2%	82.4	83,732	32.5%	558,005	58.6%
12/02/2010	215.2	565,452	81.3%	92.5	230,831	89.7%	796,283	83.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/01/2010	68	148	0.00	67	186	0.00	334
MTD		148	0.00		186	0.00	334

STREAM FLOWS

Gauging Station	12/01/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	66
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	10
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	131	131
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	8

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	230
Return Flow Credit (Effective: 12/01/2010)	500
Passthru Target: 4,500 Reservoir Inflow: 8 Comment: 3000 AF of the May passthru requirement was banked for future use.	8
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2010		Elevation (Ft)	
				Allocation	Remaining	Full	12/02/2010
12/01/2010	136	136	46,266	3,050	2,914	44.0	41.8

Report Generated: 12/02/2010 at 9:24:08 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 3, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/03/2009	211.0	474,064	68.2%	82.4	83,940	32.6%	558,004	58.6%
12/03/2010	215.3	566,611	81.5%	92.5	230,654	89.7%	797,265	83.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/02/2010	74	162	0.00	75	186	0.00	348
MTD		310	0.00		372	0.00	682

STREAM FLOWS

Gauging Station	12/02/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	131
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	20
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	137	268
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	8	17

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	230
Return Flow Credit (Effective: 12/01/2010)	500
Passthru Target: 4,500 Reservoir Inflow: 17 Comment: 3000 AF of the May passthru requirement was banked for future use.	17
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2010		Elevation (Ft)	
				Allocation	Remaining	Full	12/03/2010
12/02/2010	137	273	46,403	3,050	2,777	44.0	41.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 4, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/04/2009	211.0	473,646	68.1%	82.5	84,044	32.7%	557,690	58.5%
12/04/2010	215.1	563,843	81.1%	92.5	230,477	89.6%	794,320	83.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/03/2010	78	175	0.00	78	227	0.00	402
MTD		485	0.00		599	0.00	1,084

STREAM FLOWS

Gauging Station	12/03/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	197
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	29
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	413
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	8	25

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	230
Return Flow Credit (Effective: 12/01/2010)	500
Passthru Target: 4,500 Reservoir Inflow: 25 Comment: 3000 AF of the May passthru requirement was banked for future use.	25
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2010		Elevation (Ft)	
				Allocation	Remaining	Full	12/04/2010
12/03/2010	137	410	46,540	3,050	2,640	44.0	41.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 5, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/05/2009	211.0	474,064	68.2%	82.5	84,253	32.8%	558,317	58.6%
12/05/2010	215.1	563,384	81.0%	92.6	231,540	90.0%	794,924	83.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/04/2010	79	295	0.00	82	206	0.00	501
MTD		780	0.00		805	0.00	1,585

STREAM FLOWS

Gauging Station	12/04/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	264
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	9	39
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	558
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	10	35

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	230
Return Flow Credit (Effective: 12/01/2010)	500
Passthru Target: 4,500 Reservoir Inflow: 35 Comment: 3000 AF of the May passthru requirement was banked for future use.	35
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2010		Elevation (Ft)	
				Allocation	Remaining	Full	12/05/2010
12/04/2010	137	547	46,677	3,050	2,503	44.0	41.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 6, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/06/2009	211.0	474,064	68.2%	82.5	84,777	33.0%	558,841	58.7%
12/06/2010	215.1	562,693	80.9%	92.5	230,301	89.5%	792,994	83.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/05/2010	57	201	0.00	57	124	0.00	325
MTD		981	0.00		929	0.00	1,910

STREAM FLOWS

Gauging Station	12/05/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	330
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	9	48
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	703
NCAT : Nueces River at Calallen, Texas	7	7
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	44

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	230
Return Flow Credit (Effective: 12/01/2010)	500
Passthru Target: 4,500 Reservoir Inflow: 44 Comment: 3000 AF of the May passthru requirement was banked for future use.	44
Estuary Inflows (NCAT + RBP)	7
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2010		Elevation (Ft)	
				Allocation	Remaining	Full	12/06/2010
12/05/2010	137	684	46,814	3,050	2,366	44.0	41.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 7, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/07/2009	211.0	473,026	68.0%	82.5	84,882	33.0%	557,908	58.6%
12/07/2010	215.1	563,843	81.1%	92.5	229,593	89.2%	793,436	83.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/06/2010	57	175	0.00	59	134	0.00	309
MTD		1,156	0.00		1,063	0.00	2,219

STREAM FLOWS

Gauging Station	12/06/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	393
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	9	57
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	848
NCAT : Nueces River at Calallen, Texas	8	14
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	6	50

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	230
Return Flow Credit (Effective: 12/01/2010)	500
Passthru Target: 4,500 Reservoir Inflow: 50 Comment: 3000 AF of the May passthru requirement was banked for future use.	50
Estuary Inflows (NCAT + RBP)	14
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2010		Elevation (Ft)	
				Allocation	Remaining	Full	12/07/2010
12/06/2010	136	820	46,950	3,050	2,230	44.0	41.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 8, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/08/2009	211.0	472,613	68.0%	82.5	84,882	33.0%	557,495	58.5%
12/08/2010	215.0	559,688	80.5%	92.5	230,477	89.6%	790,165	83.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/07/2010	67	147	0.00	70	103	0.00	250
MTD		1,303	0.00		1,166	0.00	2,469

STREAM FLOWS

Gauging Station	12/07/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	457
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	9	66
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	993
NCAT : Nueces River at Calallen, Texas	7	22
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	6	56

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	230
Return Flow Credit (Effective: 12/01/2010)	500
Passthru Target: 4,500 Reservoir Inflow: 56 Comment: 3000 AF of the May passthru requirement was banked for future use.	56
Estuary Inflows (NCAT + RBP)	22
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2010		Elevation (Ft)	
				Allocation	Remaining	Full	12/08/2010
12/07/2010	136	957	47,087	3,050	2,093	44.0	41.6

Report Generated: 12/08/2010 at 8:17:12 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 9, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/09/2009	211.0	473,026	68.0%	82.5	84,987	33.0%	558,013	58.6%
12/09/2010	215.1	563,384	81.0%	92.4	228,889	89.0%	792,273	83.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/08/2010	59	175	0.00	59	123	0.00	298
MTD		1,478	0.00		1,289	0.00	2,767

STREAM FLOWS

Gauging Station	12/08/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	520
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	9	76
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	1,135
NCAT : Nueces River at Calallen, Texas	11	32
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	6	62

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	230
Return Flow Credit (Effective: 12/01/2010)	500
Passthru Target: 4,500 Reservoir Inflow: 62 Comment: 3000 AF of the May passthru requirement was banked for future use.	62
Estuary Inflows (NCAT + RBP)	32
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2010		Elevation (Ft)	
				Allocation	Remaining	Full	12/09/2010
12/08/2010	137	1,093	47,223	3,050	1,957	44.0	41.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 10, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/10/2009	211.0	473,855	68.2%	82.5	84,987	33.0%	558,842	58.7%
12/10/2010	215.1	562,229	80.9%	92.4	228,533	88.8%	790,762	83.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/09/2010	68	161	0.00	69	113	0.00	274
MTD		1,639	0.00		1,402	0.00	3,041

STREAM FLOWS

Gauging Station	12/09/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	582
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	9	85
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	139	1,274
NCAT : Nueces River at Calallen, Texas	10	42
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	67

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	230
Return Flow Credit (Effective: 12/01/2010)	500
Passthru Target: 4,500 Reservoir Inflow: 67 Comment: 3000 AF of the May passthru requirement was banked for future use.	67
Estuary Inflows (NCAT + RBP)	42
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2010		Elevation (Ft)	
				Allocation	Remaining	Full	12/10/2010
12/09/2010	136	1,230	47,360	3,050	1,820	44.0	41.5

Report Generated: 12/10/2010 at 8:11:46 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 11, 2010**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/11/2009	210.9	472,406	67.9%	82.5	84,882	33.0%	557,288	58.5%
12/11/2010	215.0	560,606	80.6%	92.4	228,357	88.8%	788,963	82.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/10/2010	76	201	0.00	78	113	0.00	314
MTD		1,840	0.00		1,515	0.00	3,355

STREAM FLOWS

Gauging Station	12/10/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	645
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	85
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	123	1,397
NCAT : Nueces River at Calallen, Texas	24	66
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	73

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	230
Return Flow Credit (Effective: 12/01/2010)	500
Passthru Target: 4,500 Reservoir Inflow: 73 Comment: 3000 AF of the May passthru requirement was banked for future use.	73
Estuary Inflows (NCAT + RBP)	66
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2010		Elevation (Ft)	
				Allocation	Remaining	Full	12/11/2010
12/10/2010	136	1,366	47,496	3,050	1,684	44.0	41.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 12, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/12/2009	210.9	472,199	67.9%	82.5	84,672	32.9%	556,871	58.5%
12/12/2010	214.9	558,769	80.4%	92.4	228,710	88.9%	787,479	82.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/11/2010	75	280	0.00	75	247	0.00	527
MTD		2,120	0.00		1,762	0.00	3,882

STREAM FLOWS

Gauging Station	12/11/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	711
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	90
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	109	1,507
NCAT : Nueces River at Calallen, Texas	13	80
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	81

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	230
Return Flow Credit (Effective: 12/01/2010)	500
Passthru Target: 4,500 Reservoir Inflow: 81 Comment: 3000 AF of the May passthru requirement was banked for future use.	81
Estuary Inflows (NCAT + RBP)	80
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2010		Elevation (Ft)	
				Allocation	Remaining	Full	12/12/2010
12/11/2010	136	1,502	47,632	3,050	1,548	44.0	41.5

Report Generated: 12/12/2010 at 8:03:26 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 13, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/13/2009	210.9	472,199	67.9%	82.5	84,882	33.0%	557,081	58.5%
12/13/2010	215.0	560,606	80.6%	92.4	227,828	88.6%	788,434	82.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/12/2010	59	241	0.00	58	185	0.00	426
MTD		2,361	0.00		1,947	0.00	4,308

STREAM FLOWS

Gauging Station	12/12/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	774
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	90
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	107	1,614
NCAT : Nueces River at Calallen, Texas	0	80
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	88

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	230
Return Flow Credit (Effective: 12/01/2010)	500
Passthru Target: 4,500 Reservoir Inflow: 88 Comment: 3000 AF of the May passthru requirement was banked for future use.	88
Estuary Inflows (NCAT + RBP)	80
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2010		Elevation (Ft)	
				Allocation	Remaining	Full	12/13/2010
12/12/2010	136	1,638	47,768	3,050	1,412	44.0	41.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 14, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/14/2009	211.0	472,613	68.0%	82.5	84,882	33.0%	557,495	58.5%
12/14/2010	215.0	559,458	80.5%	92.3	227,299	88.4%	786,757	82.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/13/2010	63	174	0.00	63	287	0.00	461
MTD		2,535	0.00		2,234	0.00	4,769

STREAM FLOWS

Gauging Station	12/13/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	836
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	97
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	105	1,719
NCAT : Nueces River at Calallen, Texas	0	80
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	4	92

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	230
Return Flow Credit (Effective: 12/01/2010)	500
Passthru Target: 4,500 Reservoir Inflow: 92 Comment: 3000 AF of the May passthru requirement was banked for future use.	92
Estuary Inflows (NCAT + RBP)	80
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2010		Elevation (Ft)	
				Allocation	Remaining	Full	12/14/2010
12/13/2010	136	1,774	47,904	3,050	1,276	44.0	41.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 15, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/15/2009	210.9	471,375	67.8%	82.6	85,619	33.3%	556,994	58.5%
12/15/2010	215.0	559,458	80.5%	92.3	227,122	88.3%	786,580	82.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/14/2010	75	174	0.00	75	205	0.00	379
MTD		2,709	0.00		2,439	0.00	5,148

STREAM FLOWS

Gauging Station	12/14/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	899
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	5
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	107
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	107	1,826
NCAT : Nueces River at Calallen, Texas	0	80
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	6	98

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	230
Return Flow Credit (Effective: 12/01/2010)	500
Passthru Target: 4,500 Reservoir Inflow: 98 Comment: 3000 AF of the May passthru requirement was banked for future use.	98
Estuary Inflows (NCAT + RBP)	80
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2010		Elevation (Ft)	
				Allocation	Remaining	Full	12/15/2010
12/14/2010	132	1,906	48,036	3,050	1,144	44.0	41.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 16, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/16/2009	210.9	471,992	67.9%	82.6	85,092	33.1%	557,084	58.5%
12/16/2010	214.9	558,769	80.4%	92.3	227,299	88.4%	786,068	82.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/15/2010	80	200	0.00	80	144	0.00	344
MTD		2,909	0.00		2,583	0.00	5,492

STREAM FLOWS

Gauging Station	12/15/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	965
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	5
SMTT : San Miguel Creek at Tilden, Texas	0	1
ARWT : Atascosa River at Whitsett, Texas	11	119
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	1,937
NCAT : Nueces River at Calallen, Texas	0	80
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	9	107

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	230
Return Flow Credit (Effective: 12/01/2010)	500
Passthru Target: 4,500 Reservoir Inflow: 107 Comment: 3000 AF of the May passthru requirement was banked for future use.	107
Estuary Inflows (NCAT + RBP)	80
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2010		Elevation (Ft)	
				Allocation	Remaining	Full	12/16/2010
12/15/2010	135	2,041	48,171	3,050	1,009	44.0	41.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 17, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/17/2009	210.9	472,406	67.9%	82.6	85,619	33.3%	558,025	58.6%
12/17/2010	214.9	558,540	80.3%	92.4	227,651	88.5%	786,191	82.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/16/2010	66	214	0.00	73	175	0.00	389
MTD		3,123	0.00		2,758	0.00	5,881

STREAM FLOWS

Gauging Station	12/16/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,030
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	1	6
SMTT : San Miguel Creek at Tilden, Texas	0	1
ARWT : Atascosa River at Whitsett, Texas	11	130
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	115	2,052
NCAT : Nueces River at Calallen, Texas	0	80
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	9	116

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	230
Return Flow Credit (Effective: 12/01/2010)	500
Passthru Target: 4,500 Reservoir Inflow: 116 Comment: 3000 AF of the May passthru requirement was banked for future use.	116
Estuary Inflows (NCAT + RBP)	80
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2010		Elevation (Ft)	
				Allocation	Remaining	Full	12/17/2010
12/16/2010	135	2,175	48,306	3,050	875	44.0	41.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 18, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/18/2009	211.0	473,855	68.2%	82.7	86,148	33.5%	560,003	58.8%
12/18/2010	214.9	557,628	80.2%	92.4	227,651	88.5%	785,279	82.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/17/2010	57	147	0.00	56	175	0.00	322
MTD		3,270	0.00		2,933	0.00	6,203

STREAM FLOWS

Gauging Station	12/17/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,096
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	1	6
SMTT : San Miguel Creek at Tilden, Texas	0	2
ARWT : Atascosa River at Whitsett, Texas	11	141
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	113	2,166
NCAT : Nueces River at Calallen, Texas	0	80
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	9	125

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	230
Return Flow Credit (Effective: 12/01/2010)	500
Passthru Target: 4,500 Reservoir Inflow: 125 Comment: 3000 AF of the May passthru requirement was banked for future use.	125
Estuary Inflows (NCAT + RBP)	80
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2010		Elevation (Ft)	
				Allocation	Remaining	Full	12/18/2010
12/17/2010	135	2,310	48,440	3,050	740	44.0	41.3

Report Generated: 12/18/2010 at 8:15:12 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 19, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/19/2009	211.0	473,646	68.1%	82.7	86,148	33.5%	559,794	58.8%
12/19/2010	214.9	558,999	80.4%	92.3	226,594	88.1%	785,593	82.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/18/2010	58	134	0.00	60	154	0.00	288
MTD		3,404	0.00		3,087	0.00	6,491

STREAM FLOWS

Gauging Station	12/18/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,159
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	2
ARWT : Atascosa River at Whitsett, Texas	11	152
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	2,277
NCAT : Nueces River at Calallen, Texas	7	86
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	7	132

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	230
Return Flow Credit (Effective: 12/01/2010)	500
Passthru Target: 4,500 Reservoir Inflow: 132 Comment: 3000 AF of the May passthru requirement was banked for future use.	132
Estuary Inflows (NCAT + RBP)	86
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2010		Elevation (Ft)	
				Allocation	Remaining	Full	12/19/2010
12/18/2010	135	2,445	48,575	3,050	605	44.0	41.3

Report Generated: 12/19/2010 at 8:28:33 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 20, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/20/2009	211.0	473,626	68.1%	82.7	86,148	33.5%	559,774	58.8%
12/20/2010	215.0	559,688	80.5%	92.3	226,418	88.0%	786,106	82.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/19/2010	71	107	0.00	72	21	0.00	128
MTD		3,511	0.00		3,108	0.00	6,619

STREAM FLOWS

Gauging Station	12/19/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,225
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	7
SMTT : San Miguel Creek at Tilden, Texas	0	2
ARWT : Atascosa River at Whitsett, Texas	11	164
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	2,388
NCAT : Nueces River at Calallen, Texas	38	124
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	9	141

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	230
Return Flow Credit (Effective: 12/01/2010)	500
Passthru Target: 4,500 Reservoir Inflow: 141 Comment: 3000 AF of the May passthru requirement was banked for future use.	141
Estuary Inflows (NCAT + RBP)	124
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2010		Elevation (Ft)	
				Allocation	Remaining	Full	12/20/2010
12/19/2010	135	2,579	48,710	3,050	471	44.0	41.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 21, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/21/2009	211.0	473,439	68.1%	82.6	85,830	33.4%	559,269	58.7%
12/21/2010	215.0	559,917	80.5%	92.3	226,242	87.9%	786,159	82.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/20/2010	79	120	0.00	81	113	0.00	233
MTD		3,631	0.00		3,221	0.00	6,852

STREAM FLOWS

Gauging Station	12/20/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,290
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	8
SMTT : San Miguel Creek at Tilden, Texas	0	3
ARWT : Atascosa River at Whitsett, Texas	12	175
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	2,499
NCAT : Nueces River at Calallen, Texas	11	135
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	9	149

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	230
Return Flow Credit (Effective: 12/01/2010)	500
Passthru Target: 4,500 Reservoir Inflow: 149 Comment: 3000 AF of the May passthru requirement was banked for future use.	149
Estuary Inflows (NCAT + RBP)	135
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2010		Elevation (Ft)	
				Allocation	Remaining	Full	12/21/2010
12/20/2010	135	2,714	48,844	3,050	336	44.0	41.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 22, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/22/2009	211.0	472,819	68.0%	82.6	85,936	33.4%	558,755	58.7%
12/22/2010	214.9	558,769	80.4%	92.3	226,242	87.9%	785,011	82.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/21/2010	82	174	0.00	82	215	0.00	389
MTD		3,805	0.00		3,436	0.00	7,241

STREAM FLOWS

Gauging Station	12/21/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,358
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	8
SMTT : San Miguel Creek at Tilden, Texas	0	3
ARWT : Atascosa River at Whitsett, Texas	12	187
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	125	2,624
NCAT : Nueces River at Calallen, Texas	1	136
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	11	160

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	230
Return Flow Credit (Effective: 12/01/2010)	500
Passthru Target: 4,500 Reservoir Inflow: 160 Comment: 3000 AF of the May passthru requirement was banked for future use.	160
Estuary Inflows (NCAT + RBP)	136
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2010		Elevation (Ft)	
				Allocation	Remaining	Full	12/22/2010
12/21/2010	135	2,848	48,979	3,050	202	44.0	41.1

Report Generated: 12/22/2010 at 8:14:48 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 23, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/23/2009	210.9	471,992	67.9%	82.6	86,042	33.4%	558,034	58.6%
12/23/2010	214.9	558,999	80.4%	92.3	226,242	87.9%	785,241	82.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/22/2010	77	187	0.00	80	129	0.00	316
MTD		3,992	0.00		3,565	0.00	7,557

STREAM FLOWS

Gauging Station	12/22/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,423
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	8
SMTT : San Miguel Creek at Tilden, Texas	0	3
ARWT : Atascosa River at Whitsett, Texas	13	200
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	131	2,755
NCAT : Nueces River at Calallen, Texas	0	136
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	168

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	230
Return Flow Credit (Effective: 12/01/2010)	500
Passthru Target: 4,500 Reservoir Inflow: 168 Comment: 3000 AF of the May passthru requirement was banked for future use.	168
Estuary Inflows (NCAT + RBP)	136
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2010		Elevation (Ft)	
				Allocation	Remaining	Full	12/23/2010
12/22/2010	134	2,983	49,113	3,050	67	44.0	41.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 24, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/24/2009	210.9	472,199	67.9%	82.5	84,462	32.8%	556,661	58.4%
12/24/2010	214.9	558,769	80.4%	92.3	226,242	87.9%	785,011	82.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/23/2010	74	107	0.00	77	154	0.00	261
MTD		4,099	0.00		3,719	0.00	7,818

STREAM FLOWS

Gauging Station	12/23/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,489
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	8
SMTT : San Miguel Creek at Tilden, Texas	0	3
ARWT : Atascosa River at Whitsett, Texas	13	213
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	127	2,882
NCAT : Nueces River at Calallen, Texas	0	136
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	176

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	230
Return Flow Credit (Effective: 12/01/2010)	500
Passthru Target: 4,500 Reservoir Inflow: 176 Comment: 3000 AF of the May passthru requirement was banked for future use.	176
Estuary Inflows (NCAT + RBP)	136
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2010		Elevation (Ft)	
				Allocation	Remaining	Full	12/24/2010
12/23/2010	135	3,117	49,248	3,050	-67	44.0	41.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 25, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/25/2009	210.9	471,786	67.9%	82.6	85,724	33.3%	557,510	58.5%
12/25/2010	214.9	557,174	80.1%	92.4	228,180	88.7%	785,354	82.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/24/2010	75	173	0.16	75	72	0.03	245
MTD		4,272	0.16		3,791	0.03	8,063

STREAM FLOWS

Gauging Station	12/24/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,556
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	8
SMTT : San Miguel Creek at Tilden, Texas	0	3
ARWT : Atascosa River at Whitsett, Texas	13	226
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	133	3,015
NCAT : Nueces River at Calallen, Texas	0	136
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	186

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	230
Return Flow Credit (Effective: 12/01/2010)	500
Passthru Target: 4,500 Reservoir Inflow: 186 Comment: 3000 AF of the May passthru requirement was banked for future use.	186
Estuary Inflows (NCAT + RBP)	136
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2010		Elevation (Ft)	
				Allocation	Remaining	Full	12/25/2010
12/24/2010	135	3,252	49,382	3,050	-202	44.0	41.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 26, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/26/2009	210.9	471,579	67.8%	82.6	85,830	33.4%	557,409	58.5%
12/26/2010	214.9	558,310	80.3%	92.3	226,418	88.0%	784,728	82.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/25/2010	54	187	0.00	53	185	0.00	372
MTD		4,459	0.16		3,976	0.03	8,435

STREAM FLOWS

Gauging Station	12/25/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,622
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	8
SMTT : San Miguel Creek at Tilden, Texas	0	3
ARWT : Atascosa River at Whitsett, Texas	13	238
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	3,156
NCAT : Nueces River at Calallen, Texas	0	136
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	194

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	230
Return Flow Credit (Effective: 12/01/2010)	500
Passthru Target: 4,500 Reservoir Inflow: 194 Comment: 3000 AF of the May passthru requirement was banked for future use.	194
Estuary Inflows (NCAT + RBP)	136
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2010		Elevation (Ft)	
				Allocation	Remaining	Full	12/26/2010
12/25/2010	135	3,387	49,517	3,050	-337	44.0	41.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 27, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/27/2009	210.9	470,966	67.7%	82.6	85,408	33.2%	556,374	58.4%
12/27/2010	214.9	557,628	80.2%	92.2	225,186	87.5%	782,814	82.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/26/2010	50	107	0.00	53	102	0.00	209
MTD		4,566	0.16		4,078	0.03	8,644

STREAM FLOWS

Gauging Station	12/26/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,687
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	8
SMTT : San Miguel Creek at Tilden, Texas	0	3
ARWT : Atascosa River at Whitsett, Texas	12	250
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	131	3,287
NCAT : Nueces River at Calallen, Texas	18	154
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	202

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	230
Return Flow Credit (Effective: 12/01/2010)	500
Passthru Target: 4,500 Reservoir Inflow: 202 Comment: 3000 AF of the May passthru requirement was banked for future use.	202
Estuary Inflows (NCAT + RBP)	154
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2010		Elevation (Ft)	
				Allocation	Remaining	Full	12/27/2010
12/26/2010	135	3,522	49,652	3,050	-472	44.0	41.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 28, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/28/2009	210.9	471,992	67.9%	82.6	85,724	33.3%	557,716	58.6%
12/28/2010	214.8	556,720	80.1%	92.2	225,011	87.5%	781,731	82.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/27/2010	63	107	0.02	65	61	0.00	168
MTD		4,673	0.18		4,139	0.03	8,812

STREAM FLOWS

Gauging Station	12/27/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,753
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	8
SMTT : San Miguel Creek at Tilden, Texas	0	3
ARWT : Atascosa River at Whitsett, Texas	12	262
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	89	3,376
NCAT : Nueces River at Calallen, Texas	60	214
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	8	210

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	230
Return Flow Credit (Effective: 12/01/2010)	500
Passthru Target: 4,500 Reservoir Inflow: 210 Comment: 3000 AF of the May passthru requirement was banked for future use.	210
Estuary Inflows (NCAT + RBP)	214
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2010		Elevation (Ft)	
				Allocation	Remaining	Full	12/28/2010
12/27/2010	135	3,656	49,787	3,050	-606	44.0	41.1

Report Generated: 12/28/2010 at 8:37:02 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 29, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/29/2009	210.9	470,966	67.7%	82.6	85,619	33.3%	556,585	58.4%
12/29/2010	214.8	556,947	80.1%	92.3	225,890	87.8%	782,837	82.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/28/2010	64	13	0.03	68	61	0.16	74
MTD		4,686	0.21		4,200	0.19	8,886

STREAM FLOWS

Gauging Station	12/28/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,820
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	8
SMTT : San Miguel Creek at Tilden, Texas	0	3
ARWT : Atascosa River at Whitsett, Texas	12	274
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	85	3,462
NCAT : Nueces River at Calallen, Texas	30	243
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	220

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	230
Return Flow Credit (Effective: 12/01/2010)	500
Passthru Target: 4,500 Reservoir Inflow: 220 Comment: 3000 AF of the May passthru requirement was banked for future use.	220
Estuary Inflows (NCAT + RBP)	243
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2010		Elevation (Ft)	
				Allocation	Remaining	Full	12/29/2010
12/28/2010	135	3,791	49,921	3,050	-741	44.0	41.0

Report Generated: 12/29/2010 at 8:46:56 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 30, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/30/2009	210.9	470,966	67.7%	82.5	84,987	33.0%	555,953	58.4%
12/30/2010	214.8	555,349	79.9%	92.2	224,835	87.4%	780,184	81.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/29/2010	75	106	0.00	77	113	0.00	219
MTD		4,792	0.21		4,313	0.19	9,105

STREAM FLOWS

Gauging Station	12/29/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,888
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	8
SMTT : San Miguel Creek at Tilden, Texas	0	4
ARWT : Atascosa River at Whitsett, Texas	12	286
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	91	3,553
NCAT : Nueces River at Calallen, Texas	20	263
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	230

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	230
Return Flow Credit (Effective: 12/01/2010)	500
Passthru Target: 4,500 Reservoir Inflow: 230 Comment: 3000 AF of the May passthru requirement was banked for future use.	230
Estuary Inflows (NCAT + RBP)	263
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2010		Elevation (Ft)	
				Allocation	Remaining	Full	12/30/2010
12/29/2010	135	3,926	50,056	3,050	-876	44.0	40.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 31, 2010**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/31/2009	210.9	472,199	67.9%	82.6	85,724	33.3%	557,923	58.6%
12/31/2010	214.9	557,401	80.2%	92.2	225,362	87.6%	782,763	82.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/30/2010	81	187	0.00	83	215	0.00	402
MTD		4,979	0.21		4,528	0.19	9,507

STREAM FLOWS

Gauging Station	12/30/2010 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,955
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	8
SMTT : San Miguel Creek at Tilden, Texas	0	4
ARWT : Atascosa River at Whitsett, Texas	13	299
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	89	3,642
NCAT : Nueces River at Calallen, Texas	15	279
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	240

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	230
Return Flow Credit (Effective: 12/01/2010)	500
Passthru Target: 4,500 Reservoir Inflow: 240 Comment: 3000 AF of the May passthru requirement was banked for future use.	240
Estuary Inflows (NCAT + RBP)	279
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2010		Elevation (Ft)	
				Allocation	Remaining	Full	12/31/2010
12/30/2010	134	4,060	50,190	3,050	-1,010	44.0	40.9

Report Generated: 12/31/2010 at 8:30:12 AM