

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 1, 2011**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/01/2010	210.8	470,353	67.7%	82.6	85,513	33.2%	555,866	58.4%
01/01/2011	214.8	554,890	79.8%	92.2	225,714	87.7%	780,604	82.0%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/31/2010	69	253	0.00	74	215	0.00	468
MTD		5,232	0.21		4,743	0.19	9,975

**STREAM FLOWS**

Gauging Station	12/31/2010 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	67	2,023
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	8
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	4
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	13	312
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,785
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	93	3,736
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	30	309
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	251

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	230
Return Flow Credit (Effective: 12/01/2010)	500
Passthru Target: 4,500 Reservoir Inflow: 251  <b>Comment: 3000 AF of the May passthru requirement was banked for future use.</b>	251
Estuary Inflows (NCAT + RBP)	309
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2010		Elevation (Ft)	
				Allocation	Remaining	Full	01/01/2011
12/31/2010	134	4,194	50,324	3,050	-1,144	44.0	40.9

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 2, 2011**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/02/2010	210.9	471,786	67.9%	82.6	85,830	33.4%	557,616	58.5%
01/02/2011	214.8	555,579	79.9%	92.2	225,011	87.5%	780,590	81.9%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/01/2011	64	333	0.00	64	123	0.00	456
MTD		333	0.00		123	0.00	456

**STREAM FLOWS**

Gauging Station	01/01/2011 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	67	67
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	0
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	13	13
<a href="#">Release from Choke Canyon Reservoir</a>	58	58
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	93	93
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	26	26
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	10

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	309
Return Flow Credit (Effective: 01/01/2011)	500
Passthru Target: 2,500 Reservoir Inflow: 10  <b>Comment: 3000 AF of the May passthru requirement was banked for future use.</b>	10
Estuary Inflows (NCAT + RBP)	26
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2011		Elevation (Ft)	
				Allocation	Remaining	Full	01/02/2011
01/01/2011	134	134	134	3,050	2,916	44.0	41.0

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 3, 2011**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/03/2010	210.9	471,375	67.8%	82.6	85,724	33.3%	557,099	58.5%
01/03/2011	214.8	555,808	79.9%	92.1	223,957	87.1%	779,765	81.9%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/02/2011	62	106	0.00	61	112	0.00	218
MTD		439	0.00		235	0.00	674

**STREAM FLOWS**

Gauging Station	01/02/2011 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	66	133
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	0
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	12	25
<a href="#">Release from Choke Canyon Reservoir</a>	58	115
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	89	183
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	1	27
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	18

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	309
Return Flow Credit (Effective: 01/01/2011)	500
Passthru Target: 2,500 Reservoir Inflow: 18  <b>Comment: 3000 AF of the May passthru requirement was banked for future use.</b>	18
Estuary Inflows (NCAT + RBP)	27
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2011		Elevation (Ft)	
				Allocation	Remaining	Full	01/03/2011
01/02/2011	134	269	269	3,050	2,781	44.0	41.0

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 4, 2011**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/04/2010	210.8	470,149	67.6%	82.5	84,882	33.0%	555,031	58.3%
01/04/2011	214.8	556,038	80.0%	92.2	224,308	87.2%	780,346	81.9%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/03/2011	63	146	0.00	65	123	0.02	269
MTD		585	0.00		358	0.02	943

**STREAM FLOWS**

Gauging Station	01/03/2011 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	67	200
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	0
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	1
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	12	37
<a href="#">Release from Choke Canyon Reservoir</a>	58	173
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	89	272
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	27
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	28

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	309
Return Flow Credit (Effective: 01/01/2011)	500
Passthru Target: 2,500 Reservoir Inflow: 28  <b>Comment: 3000 AF of the May passthru requirement was banked for future use.</b>	28
Estuary Inflows (NCAT + RBP)	27
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2011		Elevation (Ft)	
				Allocation	Remaining	Full	01/04/2011
01/03/2011	134	403	403	3,050	2,647	44.0	41.1

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 5, 2011**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/05/2010	210.9	470,966	67.7%	82.6	85,513	33.2%	556,479	58.4%
01/05/2011	214.8	556,492	80.0%	92.2	224,659	87.3%	781,151	82.0%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/04/2011	67	27	0.04	70	51	0.28	78
MTD		612	0.04		409	0.30	1,021

**STREAM FLOWS**

Gauging Station	01/04/2011 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	67	268
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	0
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	1
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	13	49
<a href="#">Release from Choke Canyon Reservoir</a>	58	230
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	93	365
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	27
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	38

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	309
Return Flow Credit (Effective: 01/01/2011)	500
Passthru Target: 2,500 Reservoir Inflow: 38  <b>Comment: 3000 AF of the May passthru requirement was banked for future use.</b>	38
Estuary Inflows (NCAT + RBP)	27
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2011		Elevation (Ft)	
				Allocation	Remaining	Full	01/05/2011
01/04/2011	134	537	537	3,050	2,513	44.0	40.9

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 6, 2011**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/06/2010	210.9	470,558	67.7%	82.6	85,302	33.2%	555,860	58.4%
01/06/2011	214.8	555,579	79.9%	92.2	224,484	87.3%	780,063	81.9%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/05/2011	70	173	0.00	74	153	0.00	326
MTD		785	0.04		562	0.30	1,347

**STREAM FLOWS**

Gauging Station	01/05/2011 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	69	337
<a href="#">NRIT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRIT</a> : Frio River at Tilden, Texas	0	0
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	1
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	13	62
<a href="#">Release from Choke Canyon Reservoir</a>	58	288
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	109	474
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	27
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	12	51

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	309
Return Flow Credit (Effective: 01/01/2011)	500
Passthru Target: 2,500 Reservoir Inflow: 51  <b>Comment: 3000 AF of the May passthru requirement was banked for future use.</b>	51
Estuary Inflows (NCAT + RBP)	27
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2011		Elevation (Ft)	
				Allocation	Remaining	Full	01/06/2011
01/05/2011	134	671	671	3,050	2,379	44.0	40.9

Report Generated: 01/06/2011 at 8:30:43 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 7, 2011**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/07/2010	210.7	468,090	67.3%	82.6	85,302	33.2%	553,392	58.1%
01/07/2011	214.8	556,038	80.0%	92.2	224,132	87.1%	780,170	81.9%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/06/2011	68	146	0.00	70	143	0.00	289
MTD		931	0.04		705	0.30	1,636

**STREAM FLOWS**

Gauging Station	01/06/2011 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	67	405
<a href="#">NRIT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRIT</a> : Frio River at Tilden, Texas	1	1
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	1
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	13	75
<a href="#">Release from Choke Canyon Reservoir</a>	58	345
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	115	590
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	27
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	11	61

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	309
Return Flow Credit (Effective: 01/01/2011)	500
Passthru Target: 2,500 Reservoir Inflow: 61  <b>Comment: 3000 AF of the May passthru requirement was banked for future use.</b>	61
Estuary Inflows (NCAT + RBP)	27
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2011		Elevation (Ft)	
				Allocation	Remaining	Full	01/07/2011
01/06/2011	134	805	805	3,050	2,245	44.0	40.9

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 8, 2011**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/08/2010	210.8	468,710	67.4%	82.5	84,882	33.0%	553,592	58.1%
01/08/2011	214.7	554,431	79.7%	92.1	223,781	87.0%	778,212	81.7%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/07/2011	76	159	0.00	81	164	0.00	323
MTD		1,090	0.04		869	0.30	1,959

**STREAM FLOWS**

Gauging Station	01/07/2011 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	67	472
<a href="#">NRIT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRIT</a> : Frio River at Tilden, Texas	1	1
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	1
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	12	88
<a href="#">Release from Choke Canyon Reservoir</a>	58	403
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	129	719
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	27
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	11	72

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	309
Return Flow Credit (Effective: 01/01/2011)	500
Passthru Target: 2,500 Reservoir Inflow: 72  <b>Comment: 3000 AF of the May passthru requirement was banked for future use.</b>	72
Estuary Inflows (NCAT + RBP)	27
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2011		Elevation (Ft)	
				Allocation	Remaining	Full	01/08/2011
01/07/2011	134	939	939	3,050	2,111	44.0	40.9



**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 9, 2011**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/09/2010	210.8	470,353	67.7%	82.5	84,462	32.8%	554,815	58.2%
01/09/2011	214.8	555,808	79.9%	92.4	227,828	88.6%	783,636	82.3%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/08/2011	64	133	1.34	65	Pan overflow	1.48	133
MTD		1,223	1.38		869	1.78	2,092

**STREAM FLOWS**

Gauging Station	01/08/2011 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	67	540
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	2
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	2
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	12	100
<a href="#">Release from Choke Canyon Reservoir</a>	58	461
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	165	883
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	27
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	11	83

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	309
Return Flow Credit (Effective: 01/01/2011)	500
Passthru Target: 2,500 Reservoir Inflow: 83  <b>Comment: 3000 AF of the May passthru requirement was banked for future use.</b>	83
Estuary Inflows (NCAT + RBP)	27
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2011		Elevation (Ft)	
				Allocation	Remaining	Full	01/09/2011
01/08/2011	134	1,072	1,072	3,050	1,978	44.0	40.9

Report Generated: 01/10/2011 at 9:03:22 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 10, 2011**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/10/2010	210.8	469,536	67.5%	82.5	84,462	32.8%	553,998	58.2%
01/10/2011	214.8	556,265	80.0%	92.3	225,890	87.8%	782,155	82.1%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/09/2011	55	67	0.00	61	51	0.01	118
MTD		1,290	1.38		920	1.79	2,210

**STREAM FLOWS**

Gauging Station	01/09/2011 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	81	621
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	2	3
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	1	3
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	28	127
<a href="#">Release from Choke Canyon Reservoir</a>	58	518
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	175	1,058
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	27
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	27	109

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	309
Return Flow Credit (Effective: 01/01/2011)	500
Passthru Target: 2,500 Reservoir Inflow: 109  <b>Comment: 3000 AF of the May passthru requirement was banked for future use.</b>	109
Estuary Inflows (NCAT + RBP)	27
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2011		Elevation (Ft)	
				Allocation	Remaining	Full	01/10/2011
01/09/2011	121	1,194	1,194	3,050	1,856	44.0	40.9

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 11, 2011**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/11/2010	210.8	469,329	67.5%	82.4	83,940	32.6%	553,269	58.1%
01/11/2011	214.8	554,890	79.8%	92.3	227,122	88.3%	782,012	82.1%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/10/2011	48	80	0.00	55	92	0.00	172
MTD		1,370	1.38		1,012	1.79	2,382

**STREAM FLOWS**

Gauging Station	01/10/2011 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	83	705
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	4
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	3
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	56	183
<a href="#">Release from Choke Canyon Reservoir</a>	58	576
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	165	1,223
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	56	83
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	27	136

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	309
Return Flow Credit (Effective: 01/01/2011)	500
Passthru Target: 2,500 Reservoir Inflow: 136  <b>Comment: 3000 AF of the May passthru requirement was banked for future use.</b>	136
Estuary Inflows (NCAT + RBP)	83
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2011		Elevation (Ft)	
				Allocation	Remaining	Full	01/11/2011
01/10/2011	133	1,327	1,327	3,050	1,723	44.0	40.9

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 12, 2011**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/12/2010	210.8	468,916	67.4%	82.4	83,732	32.5%	552,648	58.0%
01/12/2011	214.7	553,515	79.6%	92.2	225,538	87.7%	779,053	81.8%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/11/2011	43	159	0.00	44	92	0.00	251
MTD		1,529	1.38		1,104	1.79	2,633

**STREAM FLOWS**

Gauging Station	01/11/2011 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	109	814
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	5
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	3
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	52	235
<a href="#">Release from Choke Canyon Reservoir</a>	58	633
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	123	1,346
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	48	130
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	52	189

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	309
Return Flow Credit (Effective: 01/01/2011)	500
Passthru Target: 2,500 Reservoir Inflow: 189  <b>Comment: 3000 AF of the May passthru requirement was banked for future use.</b>	189
Estuary Inflows (NCAT + RBP)	130
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2011		Elevation (Ft)	
				Allocation	Remaining	Full	01/12/2011
01/11/2011	49	1,376	1,376	3,050	1,674	44.0	41.1

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 13, 2011**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/13/2010	210.8	468,916	67.4%	82.4	83,628	32.5%	552,544	58.0%
01/13/2011	214.7	554,201	79.7%	92.2	224,308	87.2%	778,509	81.7%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/12/2011	39	133	0.00	40	72	0.00	205
MTD		1,662	1.38		1,176	1.79	2,838

**STREAM FLOWS**

Gauging Station	01/12/2011 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	109	923
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	5
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	4
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	42	276
<a href="#">Release from Choke Canyon Reservoir</a>	58	691
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	105	1,451
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	4	134
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	52	241

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	309
Return Flow Credit (Effective: 01/01/2011)	500
Passthru Target: 2,500 Reservoir Inflow: 241  <span style="color: red;">Comment: 3000 AF of the May passthru requirement was banked for future use.</span>	241
Estuary Inflows (NCAT + RBP)	134
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2011		Elevation (Ft)	
				Allocation	Remaining	Full	01/13/2011
01/12/2011	73	1,449	1,449	3,050	1,601	44.0	41.0

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 14, 2011**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/14/2010	210.7	468,296	67.4%	82.4	83,524	32.5%	551,820	57.9%
01/14/2011	214.7	553,972	79.7%	92.2	224,484	87.3%	778,456	81.7%

**Weather Related Information**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/13/2011	44	80	0.00	44	82	0.00	162	
MTD		1,742	1.38		1,258	1.79	3,000	

**STREAM FLOWS**

Gauging Station	01/13/2011 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	99	1,022
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	5
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	4
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	32	308
<a href="#">Release from Choke Canyon Reservoir</a>	58	748
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	105	1,556
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	22	156
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	42	283

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	309
Return Flow Credit (Effective: 01/01/2011)	500
Passthru Target: 2,500 Reservoir Inflow: 283  <b>Comment: 3000 AF of the May passthru requirement was banked for future use.</b>	283
Estuary Inflows (NCAT + RBP)	156
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2011		Elevation (Ft)	
				Allocation	Remaining	Full	01/14/2011
01/13/2011	133	1,582	1,582	3,050	1,468	44.0	41.0

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 15, 2011**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/15/2010	210.9	470,558	67.7%	82.6	85,619	33.3%	556,177	58.4%
01/15/2011	214.8	554,870	79.8%	92.2	224,659	87.3%	779,529	81.8%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/14/2011	57	106	0.42	58	20	0.32	126
MTD		1,848	1.80		1,278	2.11	3,126

**STREAM FLOWS**

Gauging Station	01/14/2011 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	87	1,110
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	0	6
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	4
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	32	340
<a href="#">Release from Choke Canyon Reservoir</a>	58	806
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	105	1,661
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	20	176
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	30	313

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	309
Return Flow Credit (Effective: 01/01/2011)	500
Passthru Target: 2,500 Reservoir Inflow: 313  <b>Comment: 3000 AF of the May passthru requirement was banked for future use.</b>	313
Estuary Inflows (NCAT + RBP)	176
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2011		Elevation (Ft)	
				Allocation	Remaining	Full	01/15/2011
01/14/2011	133	1,716	1,716	3,050	1,334	44.0	41.0

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 16, 2011**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/16/2010	211.0	474,064	68.2%	82.8	87,855	34.2%	561,919	59.0%
01/16/2011	214.8	555,579	79.9%	92.3	227,122	88.3%	782,701	82.2%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/15/2011	62	13	1.51	63	Pan overflow	1.99	13
MTD		1,861	3.31		1,278	4.10	3,139

**STREAM FLOWS**

Gauging Station	01/15/2011 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	99	1,209
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	0
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	7
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	1	5
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	32	372
<a href="#">Release from Choke Canyon Reservoir</a>	58	863
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	99	1,761
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	54	229
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	43	357

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	309
Return Flow Credit (Effective: 01/01/2011)	500
Passthru Target: 2,500 Reservoir Inflow: 357  <b>Comment: 3000 AF of the May passthru requirement was banked for future use.</b>	357
Estuary Inflows (NCAT + RBP)	229
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2011		Elevation (Ft)	
				Allocation	Remaining	Full	01/16/2011
01/15/2011	133	1,849	1,849	3,050	1,201	44.0	41.0



**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 17, 2011**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/17/2010	211.1	475,317	68.4%	83.2	91,884	35.7%	567,201	59.5%
01/17/2011	214.9	558,769	80.4%	92.4	227,651	88.5%	786,420	82.6%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/16/2011	56	53	0.02	64	41	0.02	94
MTD		1,914	3.33		1,319	4.12	3,233

**STREAM FLOWS**

Gauging Station	01/16/2011 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	133	1,342
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	1	1
<a href="#">FRTT</a> : Frio River at Tilden, Texas	2	8
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	3	8
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	298	669
<a href="#">Release from Choke Canyon Reservoir</a>	58	921
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	83	1,844
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	167	396
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	80	437

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	309
Return Flow Credit (Effective: 01/01/2011)	500
Passthru Target: 2,500 Reservoir Inflow: 437  <b>Comment: 3000 AF of the May passthru requirement was banked for future use.</b>	437
Estuary Inflows (NCAT + RBP)	396
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2011		Elevation (Ft)	
				Allocation	Remaining	Full	01/17/2011
01/16/2011	134	1,983	1,983	3,050	1,067	44.0	41.0

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 18, 2011**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/18/2010	211.2	477,181	68.6%	83.5	95,459	37.1%	572,640	60.1%
01/18/2011	214.8	556,947	80.1%	92.4	227,651	88.5%	784,598	82.4%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/17/2011	60	80	0.00	61	31	0.00	111
MTD		1,994	3.33		1,350	4.12	3,344

**STREAM FLOWS**

Gauging Station	01/17/2011 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	377	1,719
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	1	2
<a href="#">FRTT</a> : Frio River at Tilden, Texas	2	10
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	2	10
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	463	1,132
<a href="#">Release from Choke Canyon Reservoir</a>	58	979
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	19	1,863
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	367	763
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	323	761

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	309
Return Flow Credit (Effective: 01/01/2011)	500
Passthru Target: 2,500 Reservoir Inflow: 761  <b>Comment: 3000 AF of the May passthru requirement was banked for future use.</b>	761
Estuary Inflows (NCAT + RBP)	763
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2011		Elevation (Ft)	
				Allocation	Remaining	Full	01/18/2011
01/17/2011	133	2,116	2,116	3,050	934	44.0	41.1

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 19, 2011**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/19/2010	211.2	478,428	68.8%	84.0	101,215	39.3%	579,643	60.9%
01/19/2011	214.9	557,856	80.2%	92.4	227,828	88.6%	785,684	82.5%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/18/2011	69	187	0.00	70	185	0.00	372
MTD		2,181	3.33		1,535	4.12	3,716

**STREAM FLOWS**

Gauging Station	01/18/2011 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	357	2,076
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	1	3
<a href="#">FRTT</a> : Frio River at Tilden, Texas	2	12
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	2	12
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	236	1,368
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,036
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	40	1,903
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	159	922
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	303	1,064

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	309
Return Flow Credit (Effective: 01/01/2011)	500
Passthru Target: 2,500 Reservoir Inflow: 1,064  <b>Comment: 3000 AF of the May passthru requirement was banked for future use.</b>	1,064
Estuary Inflows (NCAT + RBP)	922
PassThru Surplus / -Deficit:	667

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2011		Elevation (Ft)	
				Allocation	Remaining	Full	01/19/2011
01/18/2011	133	2,250	2,250	3,050	800	44.0	41.3

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 20, 2011**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/20/2010	211.3	480,303	69.1%	84.7	109,254	42.5%	589,557	61.9%
01/20/2011	214.8	556,492	80.0%	92.4	228,533	88.8%	785,025	82.4%

  

Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/19/2011	67	133	0.00	68	93	0.00		226
MTD		2,314	3.33		1,628	4.12		3,942

**STREAM FLOWS**

Gauging Station	01/19/2011 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	210	2,287
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	1	4
<a href="#">FRTT</a> : Frio River at Tilden, Texas	2	14
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	1	13
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	97	1,465
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,094
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	93	1,996
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	46	968
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	156	1,220

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	309
Return Flow Credit (Effective: 01/01/2011)	500
Passthru Target: 2,500 Reservoir Inflow: 1,220  <b>Comment: 3000 AF of the May passthru requirement was banked for future use.</b>	1,220
Estuary Inflows (NCAT + RBP)	968
PassThru Surplus / -Deficit:	557

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2011		Elevation (Ft)	
				Allocation	Remaining	Full	01/20/2011
01/19/2011	134	2,383	2,383	3,050	667	44.0	41.4

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 21, 2011**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/21/2010	211.4	482,374	69.4%	85.0	113,354	44.1%	595,728	62.5%
01/21/2011	214.8	556,720	80.1%	92.4	228,004	88.6%	784,724	82.4%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/20/2011	62	200	0.00	60	123	0.01	323
MTD		2,514	3.33		1,751	4.13	4,265

**STREAM FLOWS**

Gauging Station	01/20/2011 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	135	2,422
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	1	5
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	15
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	1	14
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	60	1,525
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,151
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	119	2,115
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	36	1,003
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	80	1,300

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	309
Return Flow Credit (Effective: 01/01/2011)	500
Passthru Target: 2,500 Reservoir Inflow: 1,300  <b>Comment: 3000 AF of the May passthru requirement was banked for future use.</b>	1,300
Estuary Inflows (NCAT + RBP)	1,003
PassThru Surplus / -Deficit:	512

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2011		Elevation (Ft)	
				Allocation	Remaining	Full	01/21/2011
01/20/2011	134	2,517	2,517	3,050	533	44.0	41.4

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 22, 2011**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/22/2010	211.4	481,336	69.2%	85.2	115,503	44.9%	596,839	62.7%
01/22/2011	214.9	557,174	80.1%	92.4	228,180	88.7%	785,354	82.4%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/21/2011	52	120	0.00	50	164	0.00	284
MTD		2,634	3.33		1,915	4.13	4,549

**STREAM FLOWS**

Gauging Station	01/21/2011 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	109	2,531
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	1	6
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	16
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	1	16
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	46	1,571
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,209
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	111	2,227
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	22	1,025
<a href="#">RBP</a> : Rincon Bayou Pipeline		0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	54	1,354

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	309
Return Flow Credit (Effective: 01/01/2011)	500
Passthru Target: 2,500 Reservoir Inflow: 1,354  <b>Comment: 3000 AF of the May passthru requirement was banked for future use.</b>	1,354
Estuary Inflows (NCAT + RBP)	1,025
PassThru Surplus / -Deficit:	480

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2011		Elevation (Ft)	
				Allocation	Remaining	Full	01/22/2011
01/21/2011	134	2,650	2,650	3,050	400	44.0	41.4

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 23, 2011**

**RESERVOIR STATISTICS**

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/23/2010	211.4	482,583	69.4%	85.4	117,934	45.8%	600,517	63.0%
01/23/2011	214.8	556,265	80.0%	92.3	227,475	88.4%	783,740	82.3%

  

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/22/2011	64	133	0.00	61	103	0.00	236
MTD		2,767	3.33		2,018	4.13	4,785

**STREAM FLOWS**

Gauging Station	01/22/2011 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	95	2,517
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	1	6
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	16
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	1	15
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	34	1,559
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,209
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	107	2,223
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	50	1,053
<a href="#">RBP</a> : Rincon Bayou Pipeline		0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	40	1,340

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	309
Return Flow Credit (Effective: 01/01/2011)	500
Passthru Target: 2,500 Reservoir Inflow: 1,340  <b>Comment: 3000 AF of the May passthru requirement was banked for future use.</b>	1,340
Estuary Inflows (NCAT + RBP)	1,053
PassThru Surplus / -Deficit:	522

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2011		Elevation (Ft)	
				Allocation	Remaining	Full	01/23/2011
01/22/2011	134	2,784	2,784	3,050	266	44.0	41.4

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 24, 2011**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/24/2010	211.4	482,165	69.3%	85.4	118,321	46.0%	600,486	63.0%
01/24/2011	214.7	554,431	79.7%	92.4	228,004	88.6%	782,435	82.1%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/23/2011	64	93	0.00	64	10	0.13	103
MTD		2,860	3.33		2,028	4.26	4,888

**STREAM FLOWS**

Gauging Station	01/23/2011 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	87	2,604
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	1	7
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	18
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	1	17
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	26	1,584
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,266
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	67	2,290
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	42	1,095
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	32	1,372

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	309
Return Flow Credit (Effective: 01/01/2011)	500
Passthru Target: 2,500 Reservoir Inflow: 1,372  <b>Comment: 3000 AF of the May passthru requirement was banked for future use.</b>	1,372
Estuary Inflows (NCAT + RBP)	1,095
PassThru Surplus / -Deficit:	532

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2011		Elevation (Ft)	
				Allocation	Remaining	Full	01/24/2011
01/23/2011	133	2,917	2,917	3,050	133	44.0	41.4



**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 25, 2011**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/25/2010	211.4	481,130	69.2%	85.5	119,486	46.4%	600,616	63.1%
01/25/2011	214.7	554,660	79.8%	92.4	228,180	88.7%	782,840	82.2%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/24/2011	64	133	0.00	60	72	0.00	205
MTD		2,993	3.33		2,100	4.26	5,093

**STREAM FLOWS**

Gauging Station	01/24/2011 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	81	2,686
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	1	9
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	19
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	1	17
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	24	1,608
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,324
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	62	2,352
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	22	1,117
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	26	1,398

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	309
Return Flow Credit (Effective: 01/01/2011)	500
Passthru Target: 2,500 Reservoir Inflow: 1,398  <b>Comment: 3000 AF of the May passthru requirement was banked for future use.</b>	1,398
Estuary Inflows (NCAT + RBP)	1,117
PassThru Surplus / -Deficit:	527

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2011		Elevation (Ft)	
				Allocation	Remaining	Full	01/25/2011
01/24/2011	133	3,051	3,051	3,050	-1	44.0	41.4

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 26, 2011**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/26/2010	211.4	482,165	69.3%	85.5	119,615	46.5%	601,780	63.2%
01/26/2011	214.9	557,174	80.1%	92.3	227,299	88.4%	784,473	82.4%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/25/2011	69	147	0.00	60	226	0.00	373
MTD		3,140	3.33		2,326	4.26	5,466

**STREAM FLOWS**

Gauging Station	01/25/2011 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	75	2,761
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	1	10
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	20
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	1	18
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	26	1,634
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,382
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	85	2,437
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	22	1,138
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	20	1,418

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	309
Return Flow Credit (Effective: 01/01/2011)	500
Passthru Target: 2,500 Reservoir Inflow: 1,418  <b>Comment: 3000 AF of the May passthru requirement was banked for future use.</b>	1,418
Estuary Inflows (NCAT + RBP)	1,138
PassThru Surplus / -Deficit:	529

**LAKE TEXANA STATISTICS**

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2011		Elevation (Ft)	
				Allocation	Remaining	Full	01/26/2011
01/25/2011	134	3,184	3,184	3,050	-134	44.0	41.4

Report Generated: 01/26/2011 at 7:57:52 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 27, 2011**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/27/2010	211.3	480,097	69.1%	85.5	119,486	46.4%	599,583	62.9%
01/27/2011	214.8	554,890	79.8%	92.3	227,475	88.4%	782,365	82.1%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/26/2011	61	146	0.00	61	92	0.00	238
MTD		3,286	3.33		2,418	4.26	5,704

**STREAM FLOWS**

Gauging Station	01/26/2011 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	73	2,835
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	1	11
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	21
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	1	19
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	24	1,658
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,439
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	87	2,524
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	36	1,174
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	18	1,436

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	309
Return Flow Credit (Effective: 01/01/2011)	500
Passthru Target: 2,500 Reservoir Inflow: 1,436  <b>Comment: 3000 AF of the May passthru requirement was banked for future use.</b>	1,436
Estuary Inflows (NCAT + RBP)	1,174
PassThru Surplus / -Deficit:	547

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2011		Elevation (Ft)	
				Allocation	Remaining	Full	01/27/2011
01/26/2011	134	3,318	3,318	3,050	-268	44.0	41.3

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 28, 2011**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/28/2010	211.3	479,472	69.0%	85.5	119,096	46.3%	598,568	62.8%
01/28/2011	214.8	554,890	79.8%	92.3	226,946	88.2%	781,836	82.1%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/27/2011	66	159	0.00	67	144	0.00	303
MTD		3,445	3.33		2,562	4.26	6,007

**STREAM FLOWS**

Gauging Station	01/27/2011 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	73	2,908
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	1	12
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	23
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	1	19
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	30	1,688
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,497
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	89	2,614
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	26	1,200
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	18	1,453

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	309
Return Flow Credit (Effective: 01/01/2011)	500
Passthru Target: 2,500 Reservoir Inflow: 1,453  <b>Comment: 3000 AF of the May passthru requirement was banked for future use.</b>	1,453
Estuary Inflows (NCAT + RBP)	1,200
PassThru Surplus / -Deficit:	556

**LAKE TEXANA STATISTICS**

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2011		Elevation (Ft)	
				Allocation	Remaining	Full	01/28/2011
01/27/2011	133	3,451	3,451	3,050	-401	44.0	41.3

Report Generated: 01/28/2011 at 8:00:49 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 29, 2011**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/29/2010	211.4	481,543	69.3%	85.4	118,967	46.2%	600,510	63.0%
01/29/2011	214.8	556,492	80.0%	92.3	226,946	88.2%	783,438	82.2%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/28/2011	72	160	0.00	76	205	0.00	365
MTD		3,605	3.33		2,767	4.26	6,372

**STREAM FLOWS**

Gauging Station	01/28/2011 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	79	2,987
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	1	13
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	24
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	1	20
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	26	1,713
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,554
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	87	2,701
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	22	1,222
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	23	1,477

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	309
Return Flow Credit (Effective: 01/01/2011)	500
Passthru Target: 2,500 Reservoir Inflow: 1,477  <b>Comment: 3000 AF of the May passthru requirement was banked for future use.</b>	1,477
Estuary Inflows (NCAT + RBP)	1,222
PassThru Surplus / -Deficit:	554

**LAKE TEXANA STATISTICS**

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2011		Elevation (Ft)	
				Allocation	Remaining	Full	01/29/2011
01/28/2011	133	3,584	3,584	3,050	-534	44.0	41.3

Report Generated: 01/29/2011 at 8:11:26 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 30, 2011**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/30/2010	211.3	480,097	69.1%	85.5	119,875	46.6%	599,972	63.0%
01/30/2011	214.8	554,890	79.8%	92.3	226,770	88.1%	781,660	82.1%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/29/2011	75	93	0.02	77	113	0.00	206
MTD		3,698	3.35		2,880	4.26	6,578

**STREAM FLOWS**

Gauging Station	01/29/2011 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	77	3,065
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	1	14
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	25
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	1	20
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	24	1,737
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,612
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	81	2,782
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	58	1,279
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	21	1,498

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	309
Return Flow Credit (Effective: 01/01/2011)	500
Passthru Target: 2,500 Reservoir Inflow: 1,498  <b>Comment: 3000 AF of the May passthru requirement was banked for future use.</b>	1,498
Estuary Inflows (NCAT + RBP)	1,279
PassThru Surplus / -Deficit:	590

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2011		Elevation (Ft)	
				Allocation	Remaining	Full	01/30/2011
01/29/2011	133	3,718	3,718	3,050	-668	44.0	41.3

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 31, 2011**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/31/2010	211.4	481,130	69.2%	85.5	120,005	46.6%	601,135	63.1%
01/31/2011	214.7	553,287	79.6%	92.3	226,594	88.1%	779,881	81.9%

  

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/30/2011	78	159	0.03	79	123	0.03	282
MTD		3,857	3.38		3,003	4.29	6,860

**STREAM FLOWS**

Gauging Station	01/30/2011 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	73	3,138
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	1	15
<a href="#">FRTT</a> : Frio River at Tilden, Texas	1	26
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	1	21
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	24	1,761
<a href="#">Release from Choke Canyon Reservoir</a>	58	1,669
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	87	2,870
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	42	1,321
<a href="#">RBP</a> : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	17	1,515

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	309
Return Flow Credit (Effective: 01/01/2011)	500
Passthru Target: 2,500 Reservoir Inflow: 1,515  <b>Comment: 3000 AF of the May passthru requirement was banked for future use.</b>	1,515
Estuary Inflows (NCAT + RBP)	1,321
PassThru Surplus / -Deficit:	615

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2011		Elevation (Ft)	
				Allocation	Remaining	Full	01/31/2011
01/30/2011	133	3,851	3,851	3,050	-801	44.0	41.3