

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 1, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/01/2010	211.8	489,499	70.4%	88.3	160,167	62.3%	649,666	68.2%
03/01/2011	214.4	547,847	78.8%	92.1	222,379	86.4%	770,226	80.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/28/2011	79	369	0.00	77	388	0.00	757
MTD		5,654	0.21		4,660	0.34	10,314

STREAM FLOWS

Gauging Station	02/28/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	87	2,334
NRTT : Nueces River at Tilden, Texas	2	52
FRTT : Frio River at Tilden, Texas	1	21
SMTT : San Miguel Creek at Tilden, Texas	1	29
ARWT : Atascosa River at Whitsett, Texas	13	366
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	4,248
NCAT : Nueces River at Calallen, Texas	0	195
RBP : Rincon Bayou Pipeline	0	4
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	32	772

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	609
Return Flow Credit (Effective: 02/01/2011)	500
Passthru Target: 2,500 Reservoir Inflow: 772 Comment: 3000 AF of the May passthru requirement was banked for future use.	772
Estuary Inflows (NCAT + RBP)	199
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2011		Elevation (Ft)	
				Allocation	Remaining	Full	03/01/2011
02/28/2011	133	3,697	7,681	3,040	-657	44.0	40.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 2, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/02/2010	211.7	488,035	70.2%	88.3	160,167	62.3%	648,202	68.1%
03/02/2011	214.5	549,879	79.1%	92.0	221,678	86.2%	771,557	81.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/01/2011	76	317	0.00	75	275	0.00	592
MTD		317	0.00		275	0.00	592

STREAM FLOWS

Gauging Station	03/01/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	83	83
NRTT : Nueces River at Tilden, Texas	2	2
FRTT : Frio River at Tilden, Texas	1	1
SMTT : San Miguel Creek at Tilden, Texas	1	1
ARWT : Atascosa River at Whitsett, Texas	12	12
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	155	155
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	27	27

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	199
Return Flow Credit (Effective: 03/01/2011)	500
Passthru Target: 3,500 Reservoir Inflow: 27 Comment: 3000 AF of the May passthru requirement was banked for future use.	27
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2011		Elevation (Ft)	
				Allocation	Remaining	Full	03/02/2011
03/01/2011	133	133	7,814	3,050	2,917	44.0	40.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 3, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/03/2010	211.7	488,873	70.3%	88.3	159,224	61.9%	648,097	68.0%
03/03/2011	214.6	550,333	79.2%	92.0	221,328	86.0%	771,661	81.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/02/2011	77	198	0.00	75	194	0.00	392
MTD		515	0.00		469	0.00	984

STREAM FLOWS

Gauging Station	03/02/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	83	167
NRTT : Nueces River at Tilden, Texas	1	3
FRTT : Frio River at Tilden, Texas	1	1
SMTT : San Miguel Creek at Tilden, Texas	1	2
ARWT : Atascosa River at Whitsett, Texas	11	23
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	155	310
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	27	55

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	199
Return Flow Credit (Effective: 03/01/2011)	500
Passthru Target: 3,500 Reservoir Inflow: 55 Comment: 3000 AF of the May passthru requirement was banked for future use.	55
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2011		Elevation (Ft)	
				Allocation	Remaining	Full	03/03/2011
03/02/2011	133	267	7,947	3,050	2,783	44.0	40.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 4, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/04/2010	211.7	489,082	70.3%	88.3	159,224	61.9%	648,306	68.1%
03/04/2011	214.5	549,651	79.1%	92.0	220,803	85.8%	770,454	80.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/03/2011	79	304	0.00	77	234	0.00	538
MTD		819	0.00		703	0.00	1,522

STREAM FLOWS

Gauging Station	03/03/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	83	250
NRTT : Nueces River at Tilden, Texas	1	4
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	1	3
ARWT : Atascosa River at Whitsett, Texas	11	34
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	167	476
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	27	82

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	199
Return Flow Credit (Effective: 03/01/2011)	500
Passthru Target: 3,500 Reservoir Inflow: 82 Comment: 3000 AF of the May passthru requirement was banked for future use.	82
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2011		Elevation (Ft)	
				Allocation	Remaining	Full	03/04/2011
03/03/2011	133	400	8,081	3,050	2,650	44.0	40.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 5, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/05/2010	211.7	487,190	70.1%	88.3	159,224	61.9%	646,414	67.9%
03/05/2011	214.4	546,047	78.5%	92.0	221,153	86.0%	767,200	80.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/04/2011	79	263	0.00	74	132	0.05	395
MTD		1,082	0.00		835	0.05	1,917

STREAM FLOWS

Gauging Station	03/04/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	83	333
NRTT : Nueces River at Tilden, Texas	1	5
FRTT : Frio River at Tilden, Texas	1	2
SMTT : San Miguel Creek at Tilden, Texas	1	4
ARWT : Atascosa River at Whitsett, Texas	13	47
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	159	635
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	27	110

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	199
Return Flow Credit (Effective: 03/01/2011)	500
Passthru Target: 3,500 Reservoir Inflow: 110 Comment: 3000 AF of the May passthru requirement was banked for future use.	110
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2011		Elevation (Ft)	
				Allocation	Remaining	Full	03/05/2011
03/04/2011	133	533	8,214	3,050	2,517	44.0	40.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 6, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/06/2010	211.7	488,246	70.2%	88.3	159,224	61.9%	647,470	68.0%
03/06/2011	214.5	548,972	79.0%	92.0	220,629	85.8%	769,601	80.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/05/2011	70	462	0.00	69	336	0.01	798
MTD		1,544	0.00		1,171	0.06	2,715

STREAM FLOWS

Gauging Station	03/05/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	85	419
NRTT : Nueces River at Tilden, Texas	1	7
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	1	5
ARWT : Atascosa River at Whitsett, Texas	13	59
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	175	810
NCAT : Nueces River at Calallen, Texas	0	0
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	29	139

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	199
Return Flow Credit (Effective: 03/01/2011)	500
Passthru Target: 3,500 Reservoir Inflow: 139 Comment: 3000 AF of the May passthru requirement was banked for future use.	139
Estuary Inflows (NCAT + RBP)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2011		Elevation (Ft)	
				Allocation	Remaining	Full	03/06/2011
03/05/2011	133	666	8,347	3,050	2,384	44.0	40.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 7, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/07/2010	211.6	486,979	70.0%	88.3	158,910	61.8%	645,889	67.8%
03/07/2011	214.5	548,972	79.0%	91.9	220,104	85.6%	769,076	80.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/06/2011	70	290	0.00	69	193	0.00	483
MTD		1,834	0.00		1,364	0.06	3,198

STREAM FLOWS

Gauging Station	03/06/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	79	498
NRTT : Nueces River at Tilden, Texas	1	7
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	1	6
ARWT : Atascosa River at Whitsett, Texas	10	69
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	163	973
NCAT : Nueces River at Calallen, Texas	26	26
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	23	162

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	199
Return Flow Credit (Effective: 03/01/2011)	500
Passthru Target: 3,500 Reservoir Inflow: 162 Comment: 3000 AF of the May passthru requirement was banked for future use.	162
Estuary Inflows (NCAT + RBP)	26
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2011		Elevation (Ft)	
				Allocation	Remaining	Full	03/07/2011
03/06/2011	133	799	8,480	3,050	2,251	44.0	40.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 8, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/08/2010	211.7	487,401	70.1%	88.2	158,753	61.7%	646,154	67.8%
03/08/2011	214.4	547,622	78.8%	91.9	219,406	85.3%	767,028	80.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/07/2011	79	263	0.00	76	203	0.00	466
MTD		2,097	0.00		1,567	0.06	3,664

STREAM FLOWS

Gauging Station	03/07/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	79	578
NRTT : Nueces River at Tilden, Texas	1	8
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	1	7
ARWT : Atascosa River at Whitsett, Texas	10	79
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	1,116
NCAT : Nueces River at Calallen, Texas	42	67
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	23	185

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	199
Return Flow Credit (Effective: 03/01/2011)	500
Passthru Target: 3,500 Reservoir Inflow: 185 Comment: 3000 AF of the May passthru requirement was banked for future use.	185
Estuary Inflows (NCAT + RBP)	67
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2011		Elevation (Ft)	
				Allocation	Remaining	Full	03/08/2011
03/07/2011	133	932	8,613	3,050	2,118	44.0	40.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 9, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/09/2010	211.7	488,455	70.3%	88.2	158,753	61.7%	647,208	67.9%
03/09/2011	214.4	546,047	78.5%	92.0	220,629	85.8%	766,676	80.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/08/2011	84	250	0.00	83	193	0.00	443
MTD		2,347	0.00		1,760	0.06	4,107

STREAM FLOWS

Gauging Station	03/08/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	83	661
NRTT : Nueces River at Tilden, Texas	1	9
FRTT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	1	8
ARWT : Atascosa River at Whitsett, Texas	10	89
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	153	1,268
NCAT : Nueces River at Calallen, Texas	5	72
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	27	212

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	199
Return Flow Credit (Effective: 03/01/2011)	500
Passthru Target: 3,500 Reservoir Inflow: 212 Comment: 3000 AF of the May passthru requirement was banked for future use.	212
Estuary Inflows (NCAT + RBP)	72
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2011		Elevation (Ft)	
				Allocation	Remaining	Full	03/09/2011
03/08/2011	133	1,065	8,746	3,050	1,985	44.0	40.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 10, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/10/2010	211.1	487,401	70.1%	88.3	159,224	61.9%	646,625	67.9%
03/10/2011	214.4	546,497	78.6%	91.9	219,580	85.4%	766,077	80.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/09/2011	77	421	0.00	75	376	0.00	797
MTD		2,768	0.00		2,136	0.06	4,904

STREAM FLOWS

Gauging Station	03/09/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	85	746
NRTT : Nueces River at Tilden, Texas	1	10
FRTT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	1	9
ARWT : Atascosa River at Whitsett, Texas	10	99
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	155	1,423
NCAT : Nueces River at Calallen, Texas	0	72
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	29	241

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	199
Return Flow Credit (Effective: 03/01/2011)	500
Passthru Target: 3,500 Reservoir Inflow: 241 Comment: 3000 AF of the May passthru requirement was banked for future use.	241
Estuary Inflows (NCAT + RBP)	72
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2011		Elevation (Ft)	
				Allocation	Remaining	Full	03/10/2011
03/09/2011	133	1,198	8,878	3,050	1,852	44.0	40.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 11, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/11/2010	211.7	488,246	70.2%	88.3	159,538	62.0%	647,784	68.0%
03/11/2011	214.4	547,397	78.7%	91.9	218,882	85.1%	766,279	80.4%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/10/2011	75	408	0.00	74	274	0.00	682	
MTD		3,176	0.00		2,410	0.06	5,586	

STREAM FLOWS

Gauging Station	03/10/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	81	828
NRTT : Nueces River at Tilden, Texas	0	10
FRTT : Frio River at Tilden, Texas	0	5
SMTT : San Miguel Creek at Tilden, Texas	1	10
ARWT : Atascosa River at Whitsett, Texas	11	110
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	1,564
NCAT : Nueces River at Calallen, Texas	0	72
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	25	266

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	199
Return Flow Credit (Effective: 03/01/2011)	500
Passthru Target: 3,500 Reservoir Inflow: 266 Comment: 3000 AF of the May passthru requirement was banked for future use.	266
Estuary Inflows (NCAT + RBP)	72
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2011		Elevation (Ft)	
				Allocation	Remaining	Full	03/11/2011
03/10/2011	133	1,330	9,011	3,050	1,720	44.0	40.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 12, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/12/2010	211.7	487,612	70.1%	88.3	159,381	62.0%	646,993	67.9%
03/12/2011	214.4	546,497	78.6%	91.8	217,662	84.6%	764,159	80.2%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/11/2011	79	381	0.00	76	294	0.00	675
MTD		3,557	0.00		2,704	0.06	6,261

STREAM FLOWS

Gauging Station	03/11/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	77	905
NRTT : Nueces River at Tilden, Texas	0	10
FRTT : Frio River at Tilden, Texas	0	5
SMTT : San Miguel Creek at Tilden, Texas	1	11
ARWT : Atascosa River at Whittsett, Texas	11	120
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	1,711
NCAT : Nueces River at Calallen, Texas	0	73
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	21	287

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	199
Return Flow Credit (Effective: 03/01/2011)	500
Passthru Target: 3,500 Reservoir Inflow: 287 Comment: 3000 AF of the May passthru requirement was banked for future use.	287
Estuary Inflows (NCAT + RBP)	73
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2011		Elevation (Ft)	
				Allocation	Remaining	Full	03/12/2011
03/11/2011	133	1,463	9,144	3,050	1,587	44.0	40.0

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 13, 2011

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/13/2010	211.7	487,401	70.1%	88.2	158,753	61.7%	646,154	67.8%
03/13/2011	214.3	545,597	78.5%	91.8	218,011	84.7%	763,608	80.2%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/12/2011	83	394	0.00	79	345	0.00	739	
MTD		3,951	0.00		3,049	0.06	7,000	

STREAM FLOWS

Gauging Station	03/12/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	81	987
NRTT : Nueces River at Tilden, Texas	0	11
FRTT : Frio River at Tilden, Texas	0	5
SMTT : San Miguel Creek at Tilden, Texas	1	11
ARWT : Atascosa River at Whitsett, Texas	9	130
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	163	1,874
NCAT : Nueces River at Calallen, Texas	0	73
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	25	312

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	199
Return Flow Credit (Effective: 03/01/2011)	500
Passthru Target: 3,500 Reservoir Inflow: 312 Comment: 3000 AF of the May passthru requirement was banked for future use.	312
Estuary Inflows (NCAT + RBP)	73
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2011		Elevation (Ft)	
				Allocation	Remaining	Full	03/13/2011
03/12/2011	132	1,595	9,276	3,050	1,455	44.0	40.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 14, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/14/2010	211.7	487,824	70.2%	88.2	158,283	61.5%	646,107	67.8%
03/14/2011	214.4	546,272	78.6%	91.8	218,011	84.7%	764,283	80.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/13/2011	78	210	0.00	75	112	0.00	322
MTD		4,161	0.00		3,161	0.06	7,322

STREAM FLOWS

Gauging Station	03/13/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	81	1,068
NRTT : Nueces River at Tilden, Texas	0	11
FRTT : Frio River at Tilden, Texas	0	6
SMTT : San Miguel Creek at Tilden, Texas	1	12
ARWT : Atascosa River at Whitsett, Texas	10	139
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	165	2,039
NCAT : Nueces River at Calallen, Texas	0	73
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	25	338

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	199
Return Flow Credit (Effective: 03/01/2011)	500
Passthru Target: 3,500 Reservoir Inflow: 338 Comment: 3000 AF of the May passthru requirement was banked for future use.	338
Estuary Inflows (NCAT + RBP)	73
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2011		Elevation (Ft)	
				Allocation	Remaining	Full	03/14/2011
03/13/2011	132	1,728	9,408	3,050	1,322	44.0	40.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 15, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/15/2010	211.6	486,134	69.9%	88.2	158,126	61.5%	644,260	67.6%
03/15/2011	214.4	546,272	78.6%	91.8	218,185	84.8%	764,457	80.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/14/2011	76	289	0.00	82	213	0.00	502
MTD		4,450	0.00		3,374	0.06	7,824

STREAM FLOWS

Gauging Station	03/14/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	81	1,149
NRTT : Nueces River at Tilden, Texas	0	11
FRTT : Frio River at Tilden, Texas	0	6
SMTT : San Miguel Creek at Tilden, Texas	1	13
ARWT : Atascosa River at Whitsett, Texas	10	149
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	165	2,203
NCAT : Nueces River at Calallen, Texas	1	74
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	25	363

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	199
Return Flow Credit (Effective: 03/01/2011)	500
Passthru Target: 3,500 Reservoir Inflow: 363 Comment: 3000 AF of the May passthru requirement was banked for future use.	363
Estuary Inflows (NCAT + RBP)	74
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2011		Elevation (Ft)	
				Allocation	Remaining	Full	03/15/2011
03/14/2011	132	1,860	9,541	3,050	1,190	44.0	39.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 16, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/16/2010	211.6	486,134	69.9%	88.2	158,753	61.7%	644,887	67.7%
03/16/2011	214.3	545,597	78.5%	91.8	217,488	84.5%	763,085	80.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/15/2011	76	263	0.00	72	172	0.00	435
MTD		4,713	0.00		3,546	0.06	8,259

STREAM FLOWS

Gauging Station	03/15/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	1,225
NRTT : Nueces River at Tilden, Texas	0	11
FRTT : Frio River at Tilden, Texas	1	7
SMTT : San Miguel Creek at Tilden, Texas	1	14
ARWT : Atascosa River at Whitsett, Texas	9	158
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	155	2,358
NCAT : Nueces River at Calallen, Texas	8	82
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	19	382

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	199
Return Flow Credit (Effective: 03/01/2011)	500
Passthru Target: 3,500 Reservoir Inflow: 382 Comment: 3000 AF of the May passthru requirement was banked for future use.	382
Estuary Inflows (NCAT + RBP)	82
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2011		Elevation (Ft)	
				Allocation	Remaining	Full	03/16/2011
03/15/2011	132	1,993	9,673	3,050	1,057	44.0	39.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 17, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/17/2010	211.6	485,925	69.9%	88.2	158,126	61.5%	644,051	67.6%
03/17/2011	214.2	543,347	78.1%	91.7	216,618	84.2%	759,965	79.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/16/2011	84	354	0.00	80	274	0.00	628
MTD		5,067	0.00		3,820	0.06	8,887

STREAM FLOWS

Gauging Station	03/16/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	97	1,322
NRTT : Nueces River at Tilden, Texas	0	12
FRTT : Frio River at Tilden, Texas	1	8
SMTT : San Miguel Creek at Tilden, Texas	1	15
ARWT : Atascosa River at Whitsett, Texas	9	167
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	167	2,525
NCAT : Nueces River at Calallen, Texas	4	86
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	41	423

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	199
Return Flow Credit (Effective: 03/01/2011)	500
Passthru Target: 3,500 Reservoir Inflow: 423 Comment: 3000 AF of the May passthru requirement was banked for future use.	423
Estuary Inflows (NCAT + RBP)	86
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2011		Elevation (Ft)	
				Allocation	Remaining	Full	03/17/2011
03/16/2011	132	2,125	9,806	3,050	925	44.0	39.8

Report Generated: 04/01/2011 at 11:33:10 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 18, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/18/2010	211.7	487,190	70.1%	88.2	157,813	61.3%	645,003	67.7%
03/18/2011	214.3	543,797	78.2%	91.7	216,097	84.0%	759,894	79.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/17/2011	87	367	0.00	84	385	0.00	752
MTD		5,434	0.00		4,205	0.06	9,639

STREAM FLOWS

Gauging Station	03/17/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	97	1,419
NRTT : Nueces River at Tilden, Texas	0	12
FRTT : Frio River at Tilden, Texas	0	8
SMTT : San Miguel Creek at Tilden, Texas	0	15
ARWT : Atascosa River at Whitsett, Texas	9	176
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	175	2,700
NCAT : Nueces River at Calallen, Texas	0	86
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	40	464

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	199
Return Flow Credit (Effective: 03/01/2011)	500
Passthru Target: 3,500 Reservoir Inflow: 464 Comment: 3000 AF of the May passthru requirement was banked for future use.	464
Estuary Inflows (NCAT + RBP)	86
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2011		Elevation (Ft)	
				Allocation	Remaining	Full	03/18/2011
03/17/2011	133	2,258	9,938	3,050	792	44.0	39.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 19, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/19/2010	211.6	485,507	69.8%	88.1	156,876	61.0%	642,383	67.4%
03/19/2011	214.2	542,672	78.1%	91.7	216,097	84.0%	758,769	79.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/18/2011	87	379	0.00	85	263	0.00	642
MTD		5,813	0.00		4,468	0.06	10,281

STREAM FLOWS

Gauging Station	03/18/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	99	1,519
NRTT : Nueces River at Tilden, Texas	0	12
FRTT : Frio River at Tilden, Texas	1	9
SMTT : San Miguel Creek at Tilden, Texas	0	15
ARWT : Atascosa River at Whitsett, Texas	14	190
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	177	2,876
NCAT : Nueces River at Calallen, Texas	0	87
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	42	506

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	199
Return Flow Credit (Effective: 03/01/2011)	500
Passthru Target: 3,500 Reservoir Inflow: 506 Comment: 3000 AF of the May passthru requirement was banked for future use.	506
Estuary Inflows (NCAT + RBP)	87
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2011		Elevation (Ft)	
				Allocation	Remaining	Full	03/19/2011
03/18/2011	132	2,390	10,071	3,050	660	44.0	39.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 20, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/20/2010	211.6	485,716	69.9%	88.1	156,565	60.9%	642,281	67.4%
03/20/2011	214.2	543,122	78.1%	91.7	215,575	83.8%	758,697	79.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/19/2011	82	314	0.00	82	202	0.00	516
MTD		6,127	0.00		4,670	0.06	10,797

STREAM FLOWS

Gauging Station	03/19/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	99	1,618
NRTT : Nueces River at Tilden, Texas	0	12
FRTT : Frio River at Tilden, Texas	0	9
SMTT : San Miguel Creek at Tilden, Texas	0	15
ARWT : Atascosa River at Whitsett, Texas	14	204
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	177	3,053
NCAT : Nueces River at Calallen, Texas	2	89
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	42	548

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	199
Return Flow Credit (Effective: 03/01/2011)	500
Passthru Target: 3,500 Reservoir Inflow: 548 Comment: 3000 AF of the May passthru requirement was banked for future use.	548
Estuary Inflows (NCAT + RBP)	89
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2011		Elevation (Ft)	
				Allocation	Remaining	Full	03/20/2011
03/19/2011	132	2,522	10,203	3,050	528	44.0	39.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 21, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/21/2010	211.6	485,298	69.8%	88.2	157,501	61.2%	642,799	67.5%
03/21/2011	214.2	542,447	78.0%	91.6	215,228	83.7%	757,675	79.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/20/2011	80	249	0.00	82	202	0.00	451
MTD		6,376	0.00		4,872	0.06	11,248

STREAM FLOWS

Gauging Station	03/20/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	97	1,715
NRTT : Nueces River at Tilden, Texas	0	12
FRTT : Frio River at Tilden, Texas	0	9
SMTT : San Miguel Creek at Tilden, Texas	0	15
ARWT : Atascosa River at Whitsett, Texas	15	220
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	266	3,319
NCAT : Nueces River at Calallen, Texas	0	89
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	40	588

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	199
Return Flow Credit (Effective: 03/01/2011)	500
Passthru Target: 3,500 Reservoir Inflow: 588 Comment: 3000 AF of the May passthru requirement was banked for future use. 1000 AF of this is being delivered March 2011.	588
Estuary Inflows (NCAT + RBP)	89
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2011		Elevation (Ft)	
				Allocation	Remaining	Full	03/21/2011
03/20/2011	132	2,655	10,335	3,050	395	44.0	39.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 22, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/22/2010	211.6	485,507	69.8%	88.1	157,032	61.0%	642,539	67.5%
03/22/2011	214.1	541,097	77.8%	91.6	214,187	83.3%	755,284	79.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/21/2011	83	339	0.00	80	303	0.00	642
MTD		6,715	0.00		5,175	0.06	11,890

STREAM FLOWS

Gauging Station	03/21/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	97	1,812
NRTT : Nueces River at Tilden, Texas	0	12
FRTT : Frio River at Tilden, Texas	0	10
SMTT : San Miguel Creek at Tilden, Texas	0	15
ARWT : Atascosa River at Whitsett, Texas	16	235
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	320	3,639
NCAT : Nueces River at Calallen, Texas	0	89
RBP : Rincon Bayou Pipeline	64	64
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	40	628

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	199
Return Flow Credit (Effective: 03/01/2011)	500
Passthru Target: 3,500 Reservoir Inflow: 628 Comment: 3000 AF of the May passthru requirement was banked for future use. 1000 AF of this is being delivered March 2011.	628
Estuary Inflows (NCAT + RBP)	152
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2011		Elevation (Ft)	
				Allocation	Remaining	Full	03/22/2011
03/21/2011	132	2,787	10,468	3,050	263	44.0	39.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 23, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/23/2010	211.6	485,507	69.8%	88.1	156,565	60.9%	642,072	67.4%
03/23/2011	214.2	543,347	78.1%	91.6	214,187	83.3%	757,534	79.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/22/2011	86	393	0.00	82	333	0.00	726
MTD		7,108	0.00		5,508	0.06	12,616

STREAM FLOWS

Gauging Station	03/22/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	97	1,910
NRTT : Nueces River at Tilden, Texas	0	12
FRTT : Frio River at Tilden, Texas	0	10
SMTT : San Miguel Creek at Tilden, Texas	0	15
ARWT : Atascosa River at Whitsett, Texas	16	252
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	318	3,956
NCAT : Nueces River at Calallen, Texas	0	89
RBP : Rincon Bayou Pipeline	109	173
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	40	668

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	199
Return Flow Credit (Effective: 03/01/2011)	500
Passthru Target: 3,500 Reservoir Inflow: 668 Comment: 3000 AF of the May passthru requirement was banked for future use. 1000 AF of this is being delivered March 2011.	668
Estuary Inflows (NCAT + RBP)	261
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2011		Elevation (Ft)	
				Allocation	Remaining	Full	03/23/2011
03/22/2011	132	2,919	10,600	3,050	131	44.0	39.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 24, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/24/2010	211.5	484,881	69.7%	88.1	156,409	60.8%	641,290	67.3%
03/24/2011	214.2	542,897	78.1%	91.6	214,534	83.4%	757,431	79.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/23/2011	87	393	0.00	86	313	0.00	706
MTD		7,501	0.00		5,821	0.06	13,322

STREAM FLOWS

Gauging Station	03/23/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	93	2,003
NRTT : Nueces River at Tilden, Texas	0	12
FRTT : Frio River at Tilden, Texas	0	10
SMTT : San Miguel Creek at Tilden, Texas	0	15
ARWT : Atascosa River at Whitsett, Texas	16	268
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	326	4,282
NCAT : Nueces River at Calallen, Texas	9	98
RBP : Rincon Bayou Pipeline	109	282
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	36	704

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	199
Return Flow Credit (Effective: 03/01/2011)	500
Passthru Target: 3,500 Reservoir Inflow: 704 Comment: 3000 AF of the May passthru requirement was banked for future use. 1000 AF of this is being delivered March 2011.	704
Estuary Inflows (NCAT + RBP)	379
PassThru Surplus / -Deficit:	375

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2011		Elevation (Ft)	
				Allocation	Remaining	Full	03/24/2011
03/23/2011	132	3,052	10,732	3,050	-2	44.0	39.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 25, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/25/2010	211.6	485,507	69.8%	88.1	157,188	61.1%	642,695	67.5%
03/25/2011	214.2	542,897	78.1%	91.6	214,187	83.3%	757,084	79.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/24/2011	84	353	0.00	84	81	0.00	434
MTD		7,854	0.00		5,902	0.06	13,756

STREAM FLOWS

Gauging Station	03/24/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	2,098
NRTT : Nueces River at Tilden, Texas	0	12
FRTT : Frio River at Tilden, Texas	0	10
SMTT : San Miguel Creek at Tilden, Texas	0	15
ARWT : Atascosa River at Whitsett, Texas	14	281
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	324	4,605
NCAT : Nueces River at Calallen, Texas	11	108
RBP : Rincon Bayou Pipeline	109	391
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	38	741

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	199
Return Flow Credit (Effective: 03/01/2011)	500
Passthru Target: 3,500 Reservoir Inflow: 741 Comment: 3000 AF of the May passthru requirement was banked for future use. 1000 AF of this is being delivered March 2011.	741
Estuary Inflows (NCAT + RBP)	499
PassThru Surplus / -Deficit:	457

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2011		Elevation (Ft)	
				Allocation	Remaining	Full	03/25/2011
03/24/2011	124	3,176	10,857	3,050	-126	44.0	39.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 26, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/26/2010	211.6	486,768	70.0%	88.1	156,876	61.0%	643,644	67.6%
03/26/2011	214.1	540,647	77.8%	91.5	213,320	82.9%	753,967	79.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/25/2011	87	405	0.00	84	232	0.00	637
MTD		8,259	0.00		6,134	0.06	14,393

STREAM FLOWS

Gauging Station	03/25/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	2,193
NRTT : Nueces River at Tilden, Texas	0	12
FRTT : Frio River at Tilden, Texas	0	10
SMTT : San Miguel Creek at Tilden, Texas	0	15
ARWT : Atascosa River at Whitsett, Texas	13	294
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	322	4,927
NCAT : Nueces River at Calallen, Texas	3	111
RBP : Rincon Bayou Pipeline	109	500
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	38	779

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	199
Return Flow Credit (Effective: 03/01/2011)	500
Passthru Target: 3,500 Reservoir Inflow: 779 Comment: 3000 AF of the May passthru requirement was banked for future use. 1000 AF of this is being delivered March 2011.	779
Estuary Inflows (NCAT + RBP)	611
PassThru Surplus / -Deficit:	531

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2011		Elevation (Ft)	
				Allocation	Remaining	Full	03/26/2011
03/25/2011	132	3,308	10,989	3,050	-258	44.0	39.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 27, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/27/2010	211.6	485,925	69.9%	88.1	156,409	60.8%	642,334	67.4%
03/27/2011	214.2	542,222	78.0%	91.5	213,320	82.9%	755,542	79.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/26/2011	88	379	0.00	89	283	0.00	662
MTD		8,638	0.00		6,417	0.06	15,055

STREAM FLOWS

Gauging Station	03/26/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	93	2,287
NRTT : Nueces River at Tilden, Texas	0	12
FRTT : Frio River at Tilden, Texas	0	10
SMTT : San Miguel Creek at Tilden, Texas	0	15
ARWT : Atascosa River at Whitsett, Texas	13	307
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	314	5,240
NCAT : Nueces River at Calallen, Texas	0	111
RBP : Rincon Bayou Pipeline	109	609
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	36	815

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	199
Return Flow Credit (Effective: 03/01/2011)	500
Passthru Target: 3,500 Reservoir Inflow: 815 <i>Comment: 3000 AF of the May 2010 passthru requirement was banked for future use. 1000 AF of this is being delivered March 2011.</i>	815
Estuary Inflows (NCAT + RBP)	720
PassThru Surplus / -Deficit:	604

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2011		Elevation (Ft)	
				Allocation	Remaining	Full	03/27/2011
03/26/2011	132	3,440	11,121	3,050	-390	44.0	39.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 28, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/28/2010	211.6	485,716	69.9%	88.1	156,721	60.9%	642,437	67.4%
03/28/2011	214.1	540,872	77.8%	91.6	213,840	83.1%	754,712	79.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/27/2011	84	352	0.00	83	404	0.00	756
MTD		8,990	0.00		6,821	0.06	15,811

STREAM FLOWS

Gauging Station	03/27/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	2,378
NRTT : Nueces River at Tilden, Texas	0	12
FRTT : Frio River at Tilden, Texas	0	10
SMTT : San Miguel Creek at Tilden, Texas	0	15
ARWT : Atascosa River at Whitsett, Texas	13	319
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	294	5,534
NCAT : Nueces River at Calallen, Texas	8	118
RBP : Rincon Bayou Pipeline	109	719
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	34	849

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	199
Return Flow Credit (Effective: 03/01/2011)	500
Passthru Target: 3,500 Reservoir Inflow: 849 <i>Comment: 3000 AF of the May 2010 passthru requirement was banked for future use. 1000 AF of this is being delivered March 2011.</i>	849
Estuary Inflows (NCAT + RBP)	837
PassThru Surplus / -Deficit:	687

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2011		Elevation (Ft)	
				Allocation	Remaining	Full	03/28/2011
03/27/2011	132	3,572	11,253	3,050	-522	44.0	39.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 29, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/29/2010	211.5	484,881	69.7%	88.1	156,254	60.7%	641,135	67.3%
03/29/2011	214.2	542,447	78.0%	91.5	212,455	82.6%	754,902	79.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/28/2011	74	118	0.00	73	30	0.01	148
MTD		9,108	0.00		6,851	0.07	15,959

STREAM FLOWS

Gauging Station	03/28/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	2,469
NRIT : Nueces River at Tilden, Texas	0	12
FRIT : Frio River at Tilden, Texas	0	10
SMTT : San Miguel Creek at Tilden, Texas	0	15
ARWT : Atascosa River at Whitsett, Texas	12	331
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	294	5,828
NCAT : Nueces River at Calallen, Texas	18	137
RBP : Rincon Bayou Pipeline	113	832
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	34	883

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	199
Return Flow Credit (Effective: 03/01/2011)	500
Passthru Target: 3,500 Reservoir Inflow: 883 <i>Comment: 3000 AF of the May 2010 passthru requirement was banked for future use. 1000 AF of this is being delivered March 2011.</i>	883
Estuary Inflows (NCAT + RBP)	968
PassThru Surplus / -Deficit:	785

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2011		Elevation (Ft)	
				Allocation	Remaining	Full	03/29/2011
03/28/2011	132	3,704	11,385	3,050	-654	44.0	39.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 30, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/30/2010	211.5	484,463	69.7%	88.0	155,479	60.4%	639,942	67.2%
03/30/2011	214.3	543,797	78.2%	91.5	213,320	82.9%	757,117	79.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/29/2011	77	183	0.00	83	151	0.23	334
MTD		9,291	0.00		7,002	0.30	16,293

STREAM FLOWS

Gauging Station	03/29/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	2,561
NRTT : Nueces River at Tilden, Texas	0	12
FRTT : Frio River at Tilden, Texas	0	10
SMTT : San Miguel Creek at Tilden, Texas	0	15
ARWT : Atascosa River at Whitsett, Texas	11	342
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	284	6,112
NCAT : Nueces River at Calallen, Texas	13	150
RBP : Rincon Bayou Pipeline	95	927
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	34	916

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	199
Return Flow Credit (Effective: 03/01/2011)	500
Passthru Target: 3,500 Reservoir Inflow: 916 Comment: 3000 AF of the May 2010 passthru requirement was banked for future use. 1000 AF of this is being delivered March 2011.	916
Estuary Inflows (NCAT + RBP)	1,077
PassThru Surplus / -Deficit:	859

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2011		Elevation (Ft)	
				Allocation	Remaining	Full	03/30/2011
03/29/2011	132	3,836	11,517	3,050	-786	44.0	39.5

Report Generated: 04/01/2011 at 1:59:34 PM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 31, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/31/2010	211.5	483,001	69.5%	88.0	155,170	60.3%	638,171	67.0%
03/31/2011	214.2	542,447	78.0%	91.5	212,282	82.5%	754,729	79.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/30/2011	71	235	0.00	74	202	0.00	437
MTD		9,526	0.00		7,204	0.30	16,730

STREAM FLOWS

Gauging Station	03/30/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	2,652
NRTT : Nueces River at Tilden, Texas	0	12
FRTT : Frio River at Tilden, Texas	0	10
SMTT : San Miguel Creek at Tilden, Texas	0	15
ARWT : Atascosa River at Whitsett, Texas	11	354
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	238	6,350
NCAT : Nueces River at Calallen, Texas	20	169
RBP : Rincon Bayou Pipeline	75	1,002
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	34	950

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	199
Return Flow Credit (Effective: 03/01/2011)	500
Passthru Target: 3,500 Reservoir Inflow: 950 <i>Comment: 3000 AF of the May 2010 passthru requirement was banked for future use. 1000 AF of this is being delivered March 2011.</i>	950
Estuary Inflows (NCAT + RBP)	1,172
PassThru Surplus / -Deficit:	921

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2011		Elevation (Ft)	
				Allocation	Remaining	Full	03/31/2011
03/30/2011	132	3,968	11,649	3,050	-918	44.0	39.5