

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 1, 2011

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/01/2010	216.8	602,939	86.7%	92.7	233,136	90.6%	836,075	87.8%
05/01/2011	213.4	525,120	75.5%	90.5	194,840	75.7%	719,960	75.6%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
04/30/2011	97	460	0.00	97	384	0.00	844	
MTD		13,756	0.00		10,397	0.00	24,153	

STREAM FLOWS

Gauging Station	04/30/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	2,122
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	200
Release from Choke Canyon Reservoir	58	1,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	248	6,418
NCAT : Nueces River at Calallen, Texas	0	282
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	454

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/09/2011)	-90
Return Flow Credit (Effective: 04/09/2011)	500
Passthru Target: 3,500 Reservoir Inflow: 454 Comment: 1002 AF of May 2010 banked passthru requirement were delivered March 2011. 1998 AF remain banked for future use.	454
Estuary Inflows (NCAT + RBP)	282
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2011		Elevation (Ft)	
				Allocation	Remaining	Full	05/01/2011
04/30/2011	133	3,969	15,749	3,050	-919	44.0	38.4

Report Generated: 05/01/2011 at 8:01:21 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 2, 2011

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/02/2010	216.8	601,734	86.5%	92.7	233,136	90.6%	834,870	87.6%
05/02/2011	213.4	525,120	75.5%	90.7	198,227	77.1%	723,347	75.9%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/01/2011	97	550	0.00	92	495	0.00	1,045	
MTD		550	0.00		495	0.00	1,045	

STREAM FLOWS

Gauging Station	05/01/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	54
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	3
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	244	244
NCAT : Nueces River at Calallen, Texas	2	2
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	3

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	192
Return Flow Credit (Effective: 05/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 3	3
Estuary Inflows (NCAT + RBP)	2
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2011		Elevation (Ft)	
				Allocation	Remaining	Full	05/02/2011
05/01/2011	133	133	15,883	4,100	3,967	44.0	38.4

Report Generated: 05/02/2011 at 9:00:43 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 3, 2011

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/03/2010	216.8	603,180	86.8%	92.6	232,249	90.3%	835,429	87.7%
05/03/2011	213.4	524,679	75.5%	90.6	197,040	76.6%	721,719	75.8%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/02/2011	63	256	0.00	66	257	0.00	513	
MTD		806	0.00		752	0.00	1,558	

STREAM FLOWS

Gauging Station	05/02/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	107
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	6
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	296	540
NCAT : Nueces River at Calallen, Texas	22	24
RBP : Rincon Bayou Pipeline		0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	6

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	192
Return Flow Credit (Effective: 05/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 6	6
Estuary Inflows (NCAT + RBP)	24
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2011		Elevation (Ft)	
				Allocation	Remaining	Full	05/03/2011
05/02/2011	134	267	16,016	4,100	3,833	44.0	38.4

Report Generated: 05/03/2011 at 8:05:25 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 4, 2011

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/04/2010	216.8	602,457	86.7%	92.6	232,071	90.2%	834,528	87.6%
05/04/2011	213.4	524,899	75.5%	90.5	195,347	75.9%	720,246	75.6%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/03/2011	77	435	0.00	77	197	0.00	632	
MTD		1,241	0.00		949	0.00	2,190	

STREAM FLOWS

Gauging Station	05/03/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	161
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	10
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	345	885
NCAT : Nueces River at Calallen, Texas	6	30
RBP : Rincon Bayou Pipeline	60	60
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	10

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	192
Return Flow Credit (Effective: 05/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 10 Comment: 1002 AF of May 2010 banked passthru requirement were delivered March 2011. 1000 AF of the remaining 1998 AF is being delivered in May 2011.	10
Estuary Inflows (NCAT + RBP)	89
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2011		Elevation (Ft)	
				Allocation	Remaining	Full	05/04/2011
05/03/2011	134	400	16,150	4,100	3,700	44.0	38.4

Report Generated: 05/04/2011 at 10:11:01 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 5, 2011

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/05/2010	216.8	601,734	86.5%	92.6	232,426	90.3%	834,160	87.6%
05/05/2011	213.4	524,243	75.4%	90.4	194,165	75.5%	718,408	75.4%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/04/2011	80	460	0.00	78	373	0.00	833	
MTD		1,701	0.00		1,322	0.00	3,023	

STREAM FLOWS

Gauging Station	05/04/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	212
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	13
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	361	1,247
NCAT : Nueces River at Calallen, Texas	0	30
RBP : Rincon Bayou Pipeline	111	171
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	13

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	192
Return Flow Credit (Effective: 05/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 13 Comment: 1002 AF of May 2010 banked passthru requirement were delivered March 2011. 1000 AF of the remaining 1998 AF is being delivered in May 2011.	13
Estuary Inflows (NCAT + RBP)	200
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2011		Elevation (Ft)	
				Allocation	Remaining	Full	05/05/2011
05/04/2011	134	534	16,283	4,100	3,566	44.0	38.2

Report Generated: 05/05/2011 at 8:36:54 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 6, 2011

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/06/2010	216.7	600,769	86.4%	92.6	231,363	89.9%	832,132	87.4%
05/06/2011	213.3	523,370	75.3%	90.4	193,659	75.3%	717,029	75.3%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/05/2011	85	434	0.00	83	334	0.00	768	
MTD		2,135	0.00		1,656	0.00	3,791	

STREAM FLOWS

Gauging Station	05/05/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	266
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	15
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	403	1,650
NCAT : Nueces River at Calallen, Texas	0	30
RBP : Rincon Bayou Pipeline	111	282
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	16

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	192
Return Flow Credit (Effective: 05/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 16 Comment: 1002 AF of May 2010 banked passthru requirement were delivered March 2011. 1000 AF of the remaining 1998 AF is being delivered in May 2011.	16
Estuary Inflows (NCAT + RBP)	311
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2011		Elevation (Ft)	
				Allocation	Remaining	Full	05/06/2011
05/05/2011	134	668	16,417	4,100	3,432	44.0	38.2

Report Generated: 05/06/2011 at 8:24:59 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 7, 2011

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/07/2010	216.7	600,289	86.3%	92.6	231,717	90.1%	832,006	87.3%
05/07/2011	213.3	522,062	75.1%	90.3	192,985	75.0%	715,047	75.1%

Weather Related Information							
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/06/2011	88	382	0.00	86	383	0.00	765
MTD		2,517	0.00		2,039	0.00	4,556

STREAM FLOWS

Gauging Station	05/06/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	320
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	19
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	419	2,068
NCAT : Nueces River at Calallen, Texas	0	30
RBP : Rincon Bayou Pipeline	111	393
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	3	19

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	192
Return Flow Credit (Effective: 05/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 19	19
Estuary Inflows (NCAT + RBP)	423
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2011		Elevation (Ft)	
				Allocation	Remaining	Full	05/07/2011
05/06/2011	134	801	16,551	4,100	3,299	44.0	38.1

Report Generated: 05/07/2011 at 8:25:44 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 8, 2011

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/08/2010	216.7	599,573	86.2%	92.6	232,071	90.2%	831,644	87.3%
05/08/2011	213.2	521,189	75.0%	90.3	192,144	74.7%	713,333	74.9%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/07/2011	90	521	0.00	88	245	0.00	766	
MTD		3,038	0.00		2,284	0.00	5,322	

STREAM FLOWS

Gauging Station	05/07/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	373
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	22
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	441	2,509
NCAT : Nueces River at Calallen, Texas	0	30
RBP : Rincon Bayou Pipeline	111	504
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	22

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	192
Return Flow Credit (Effective: 05/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 22 Comment: 1002 AF of May 2010 banked passthru requirement were delivered March 2011. 1000 AF of the remaining 1998 AF is being delivered in May 2011.	22
Estuary Inflows (NCAT + RBP)	534
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2011		Elevation (Ft)	
				Allocation	Remaining	Full	05/08/2011
05/07/2011	134	935	16,685	4,100	3,165	44.0	38.1

Report Generated: 05/08/2011 at 8:07:32 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 9, 2011

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/09/2010	216.6	598,618	86.1%	92.6	231,363	89.9%	829,981	87.1%
05/09/2011	213.2	520,971	74.9%	90.2	191,136	74.3%	712,107	74.8%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/08/2011	95	521	0.00	92	391	0.00	912	
MTD		3,559	0.00		2,675	0.00	6,234	

STREAM FLOWS

Gauging Station	05/08/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	427
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	25
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	437	2,946
NCAT : Nueces River at Calallen, Texas	0	30
RBP : Rincon Bayou Pipeline	111	615
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	25

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	192
Return Flow Credit (Effective: 05/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 25	25
Estuary Inflows (NCAT + RBP)	645
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2011		Elevation (Ft)	
				Allocation	Remaining	Full	05/09/2011
05/08/2011	134	1,069	16,819	4,100	3,031	44.0	38.1

Report Generated: 05/09/2011 at 8:33:57 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 10, 2011

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/10/2010	216.6	597,663	86.0%	92.5	230,124	89.5%	827,787	86.9%
05/10/2011	213.2	520,099	74.8%	90.2	190,800	74.2%	710,899	74.6%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/09/2011	95	533	0.00	90	450	0.00	983	
MTD		4,092	0.00		3,125	0.00	7,217	

STREAM FLOWS

Gauging Station	05/09/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	480
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	28
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	435	3,380
NCAT : Nueces River at Calallen, Texas	7	37
RBP : Rincon Bayou Pipeline	111	727
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	28

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	192
Return Flow Credit (Effective: 05/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 28	28
Estuary Inflows (NCAT + RBP)	763
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2011		Elevation (Ft)	
				Allocation	Remaining	Full	05/10/2011
05/09/2011	134	1,203	16,952	4,100	2,897	44.0	37.9

Report Generated: 05/10/2011 at 8:20:58 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 11, 2011

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/11/2010	216.6	598,618	86.1%	92.5	229,770	89.3%	828,388	87.0%
05/11/2011	213.2	519,227	74.7%	90.2	190,632	74.1%	709,859	74.5%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/10/2011	90	444	0.00	90	420	0.00	864	
MTD		4,536	0.00		3,545	0.00	8,081	

STREAM FLOWS

Gauging Station	05/10/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	534
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	31
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	425	3,805
NCAT : Nueces River at Calallen, Texas	8	44
RBP : Rincon Bayou Pipeline	111	838
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	31

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	192
Return Flow Credit (Effective: 05/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 31 Comment: 1002 AF of May 2010 banked passthru requirement were delivered March 2011. 1000 AF of the remaining 1998 AF is being delivered in May 2011.	31
Estuary Inflows (NCAT + RBP)	882
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2011		Elevation (Ft)	
				Allocation	Remaining	Full	05/11/2011
05/10/2011	134	1,337	17,087	4,100	2,763	44.0	37.9

Report Generated: 05/11/2011 at 8:15:56 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 12, 2011

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/12/2010	216.6	597,663	86.0%	92.4	228,886	89.0%	826,549	86.8%
05/12/2011	213.2	519,227	74.7%	90.2	189,962	73.8%	709,189	74.5%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/11/2011	87	419	0.00	87	322	0.00	741	
MTD		4,955	0.00		3,867	0.00	8,822	

STREAM FLOWS

Gauging Station	05/11/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	588
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	34
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	371	4,176
NCAT : Nueces River at Calallen, Texas	4	49
RBP : Rincon Bayou Pipeline	111	949
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	34

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	192
Return Flow Credit (Effective: 05/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 34 Comment: 1002 AF of May 2010 banked passthru requirement were delivered March 2011. 1000 AF of the remaining 1998 AF is being delivered in May 2011.	34
Estuary Inflows (NCAT + RBP)	997
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2011		Elevation (Ft)	
				Allocation	Remaining	Full	05/12/2011
05/11/2011	135	1,472	17,221	4,100	2,628	44.0	37.9

Report Generated: 05/12/2011 at 8:19:47 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 13, 2011

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/13/2010	216.6	598,380	86.1%	92.4	228,533	88.8%	826,913	86.8%
05/13/2011	213.3	522,280	75.1%	90.3	191,976	74.6%	714,256	75.0%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/12/2011	78	127	0.55	80	225	1.40	352	
MTD		5,082	0.55		4,092	1.40	9,174	

STREAM FLOWS

Gauging Station	05/12/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	649
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	37
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	288	4,464
NCAT : Nueces River at Calallen, Texas	135	184
RBP : Rincon Bayou Pipeline	54	1,002
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	4	38

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	192
Return Flow Credit (Effective: 05/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 38	38
Estuary Inflows (NCAT + RBP)	1,186
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2011		Elevation (Ft)	
				Allocation	Remaining	Full	05/13/2011
05/12/2011	135	1,607	17,356	4,100	2,493	44.0	37.9

Report Generated: 05/13/2011 at 9:20:29 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 14, 2011

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/14/2010	216.6	596,947	85.9%	92.4	228,004	88.6%	824,951	86.6%
05/14/2011	213.3	523,370	75.3%	90.3	191,640	74.5%	715,010	75.1%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/13/2011	90	383	0.00	89	108	0.00	491	
MTD		5,465	0.55		4,200	1.40	9,665	

STREAM FLOWS

Gauging Station	05/13/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	711
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	42
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	153	4,617
NCAT : Nueces River at Calallen, Texas	173	356
RBP : Rincon Bayou Pipeline	0	1,002
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	42

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	192
Return Flow Credit (Effective: 05/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 42	42
Estuary Inflows (NCAT + RBP)	1,359
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2011		Elevation (Ft)	
				Allocation	Remaining	Full	05/14/2011
05/13/2011	135	1,741	17,491	4,100	2,359	44.0	37.9

Report Generated: 05/14/2011 at 9:26:46 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 15, 2011

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/15/2010	217.0	607,277	87.3%	92.4	228,180	88.7%	835,457	87.7%
05/15/2011	213.3	522,716	75.2%	90.3	191,472	74.4%	714,188	75.0%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/14/2011	85	497	0.00	84	372	0.00	869	
MTD		5,962	0.55		4,572	1.40	10,534	

STREAM FLOWS

Gauging Station	05/14/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	770
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	47
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	4,758
NCAT : Nueces River at Calallen, Texas	85	442
RBP : Rincon Bayou Pipeline	0	1,002
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2	44

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	192
Return Flow Credit (Effective: 05/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 44	44
Estuary Inflows (NCAT + RBP)	1,444
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2011		Elevation (Ft)	
				Allocation	Remaining	Full	05/15/2011
05/14/2011	135	1,876	17,626	4,100	2,224	44.0	37.9

Report Generated: 05/15/2011 at 7:42:10 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 16, 2011

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/16/2010	217.0	608,000	87.4%	92.7	234,202	91.0%	842,202	88.4%
05/16/2011	213.3	522,716	75.2%	90.2	190,632	74.1%	713,348	74.9%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/15/2011	82	382	0.00	79	381	0.00	763	
MTD		6,344	0.55		4,953	1.40	11,297	

STREAM FLOWS

Gauging Station	05/15/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	832
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	52
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	4,899
NCAT : Nueces River at Calallen, Texas	15	457
RBP : Rincon Bayou Pipeline	0	1,002
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	4	48

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	192
Return Flow Credit (Effective: 05/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 48 Comment: 1002 AF of May 2010 banked passthru requirement were delivered May 2011. 996 AF remain banked for future use.	48
Estuary Inflows (NCAT + RBP)	1,459
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2011		Elevation (Ft)	
				Allocation	Remaining	Full	05/16/2011
05/15/2011	135	2,012	17,761	4,100	2,088	44.0	37.9

Report Generated: 05/16/2011 at 8:34:06 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 17, 2011

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/17/2010	217.0	608,723	87.6%	93.0	239,551	93.1%	848,274	89.1%
05/17/2011	213.3	522,498	75.2%	90.2	190,129	73.9%	712,627	74.8%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/16/2011	87	433	0.00	84	352	0.00	785	
MTD		6,777	0.55		5,305	1.40	12,082	

STREAM FLOWS

Gauging Station	05/16/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	891
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	55
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	159	5,058
NCAT : Nueces River at Calallen, Texas	5	462
RBP : Rincon Bayou Pipeline	0	1,002
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2	50

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	192
Return Flow Credit (Effective: 05/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 50 Comment: 1002 AF of May 2010 banked passthru requirement were delivered May 2011. 996 AF remain banked for future use.	50
Estuary Inflows (NCAT + RBP)	1,465
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2011		Elevation (Ft)	
				Allocation	Remaining	Full	05/17/2011
05/16/2011	135	2,147	17,896	4,100	1,953	44.0	37.9

Report Generated: 05/17/2011 at 8:32:47 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 18, 2011

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/18/2010	217.0	608,482	87.5%	93.2	242,956	94.4%	851,438	89.4%
05/18/2011	213.2	520,099	74.8%	90.1	188,957	73.4%	709,056	74.4%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/17/2011	87	482	0.00	86	390	0.00	872	
MTD		7,259	0.55		5,695	1.40	12,954	

STREAM FLOWS

Gauging Station	05/17/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	951
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	58
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	167	5,225
NCAT : Nueces River at Calallen, Texas	2	464
RBP : Rincon Bayou Pipeline	0	1,002
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2	52

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	192
Return Flow Credit (Effective: 05/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 52 Comment: 1002 AF of May 2010 banked passthru requirement were delivered May 2011. 996 AF remain banked for future use.	52
Estuary Inflows (NCAT + RBP)	1,466
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2011		Elevation (Ft)	
				Allocation	Remaining	Full	05/18/2011
05/17/2011	136	2,283	18,032	4,100	1,817	44.0	37.9

Report Generated: 05/18/2011 at 8:21:00 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 19, 2011

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/19/2010	217.0	608,482	87.5%	93.2	243,315	94.6%	851,797	89.4%
05/19/2011	213.1	519,008	74.6%	90.1	188,623	73.3%	707,631	74.3%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/18/2011	85	317	0.00	82	185	0.00	502	
MTD		7,576	0.55		5,880	1.40	13,456	

STREAM FLOWS

Gauging Station	05/18/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	1,008
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	61
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	177	5,401
NCAT : Nueces River at Calallen, Texas	0	464
RBP : Rincon Bayou Pipeline	0	1,002
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	0	52

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	192
Return Flow Credit (Effective: 05/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 52 Comment: 1002 AF of May 2010 banked passthru requirement were delivered May 2011. 996 AF remain banked for future use.	52
Estuary Inflows (NCAT + RBP)	1,466
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2011		Elevation (Ft)	
				Allocation	Remaining	Full	05/19/2011
05/18/2011	136	2,418	18,167	4,100	1,682	44.0	37.9

Report Generated: 05/19/2011 at 8:12:31 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 20, 2011

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/20/2010	217.1	610,411	87.8%	93.2	242,956	94.4%	853,367	89.6%
05/20/2011	213.1	518,790	74.6%	90.0	187,954	73.1%	706,744	74.2%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/19/2011	84	190	0.00	82	136	0.03	326	
MTD		7,766	0.55		6,016	1.43	13,782	

STREAM FLOWS

Gauging Station	05/19/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	1,066
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	65
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	5,584
NCAT : Nueces River at Calallen, Texas	0	464
RBP : Rincon Bayou Pipeline	0	1,002
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	0	52

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	192
Return Flow Credit (Effective: 05/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 52 Comment: 1002 AF of May 2010 banked passthru requirement were delivered May 2011. 996 AF remain banked for future use.	52
Estuary Inflows (NCAT + RBP)	1,466
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2011		Elevation (Ft)	
				Allocation	Remaining	Full	05/20/2011
05/19/2011	136	2,554	18,303	4,100	1,546	44.0	37.9

Report Generated: 05/20/2011 at 8:39:55 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 21, 2011

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/21/2010	217.2	612,098	88.0%	93.2	242,776	94.4%	854,874	89.7%
05/21/2011	213.2	519,227	74.7%	90.1	188,623	73.3%	707,850	74.3%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/20/2011	91	254	0.00	90	185	0.00	439	
MTD		8,020	0.55		6,201	1.43	14,221	

STREAM FLOWS

Gauging Station	05/20/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	1,120
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	68
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	206	5,790
NCAT : Nueces River at Calallen, Texas	0	464
RBP : Rincon Bayou Pipeline	0	1,002
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	4	56

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	192
Return Flow Credit (Effective: 05/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 56	56
Estuary Inflows (NCAT + RBP)	1,466
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2011		Elevation (Ft)	
				Allocation	Remaining	Full	05/21/2011
05/20/2011	136	2,689	18,439	4,100	1,411	44.0	37.9

Report Generated: 05/21/2011 at 8:05:23 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 22, 2011

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/22/2010	217.2	613,310	88.2%	93.1	241,700	94.0%	855,010	89.8%
05/22/2011	213.1	518,572	74.6%	90.0	187,787	73.0%	706,359	74.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/21/2011	90	317	0.00	87	195	0.00	512	
MTD		8,337	0.55		6,396	1.43	14,733	

STREAM FLOWS

Gauging Station	05/21/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	1,173
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	72
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	208	5,999
NCAT : Nueces River at Calallen, Texas	0	464
RBP : Rincon Bayou Pipeline	0	1,002
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	4	59

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	192
Return Flow Credit (Effective: 05/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 59 Comment: 1002 AF of May 2010 banked passthru requirement were delivered May 2011. 996 AF remain banked for future use.	59
Estuary Inflows (NCAT + RBP)	1,466
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2011		Elevation (Ft)	
				Allocation	Remaining	Full	05/22/2011
05/21/2011	136	2,825	18,574	4,100	1,275	44.0	37.9

Report Generated: 05/22/2011 at 8:29:19 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 23, 2011

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/23/2010	217.4	616,717	88.7%	93.1	240,804	93.6%	857,521	90.0%
05/23/2011	213.1	517,046	74.4%	90.0	186,786	72.6%	703,832	73.9%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/22/2011	92	493	0.00	91	379	0.00	872	
MTD		8,830	0.55		6,775	1.43	15,605	

STREAM FLOWS

Gauging Station	05/22/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	1,227
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	75
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	202	6,201
NCAT : Nueces River at Calallen, Texas	1	464
RBP : Rincon Bayou Pipeline	0	1,002
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	62

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	192
Return Flow Credit (Effective: 05/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 62	62
Estuary Inflows (NCAT + RBP)	1,467
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2011		Elevation (Ft)	
				Allocation	Remaining	Full	05/23/2011
05/22/2011	136	2,961	18,710	4,100	1,139	44.0	37.9

Report Generated: 05/23/2011 at 8:28:33 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 24, 2011

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/24/2010	217.4	618,421	88.9%	93.1	240,804	93.6%	859,225	90.2%
05/24/2011	213.1	517,264	74.4%	89.9	186,120	72.3%	703,384	73.8%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/23/2011	93	468	0.00	91	369	0.00	837	
MTD		9,298	0.55		7,144	1.43	16,442	

STREAM FLOWS

Gauging Station	05/23/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	1,280
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	78
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	202	6,404
NCAT : Nueces River at Calallen, Texas	2	466
RBP : Rincon Bayou Pipeline	0	1,002
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	65

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	192
Return Flow Credit (Effective: 05/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 65 Comment: 1002 AF of May 2010 banked passthru requirement were delivered May 2011. 996 AF remain banked for future use.	65
Estuary Inflows (NCAT + RBP)	1,468
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2011		Elevation (Ft)	
				Allocation	Remaining	Full	05/24/2011
05/23/2011	135	3,096	18,845	4,100	1,004	44.0	37.7

Report Generated: 05/24/2011 at 8:19:57 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 25, 2011

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/25/2010	217.5	619,151	89.1%	93.1	240,625	93.5%	859,776	90.3%
05/25/2011	213.1	517,046	74.4%	89.9	186,287	72.4%	703,333	73.8%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/24/2011	97	493	0.00	93	398	0.00	891	
MTD		9,791	0.55		7,542	1.43	17,333	

STREAM FLOWS

Gauging Station	05/24/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	1,334
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	81
Release from Choke Canyon Reservoir	97	1,421
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	224	6,628
NCAT : Nueces River at Calallen, Texas	0	466
RBP : Rincon Bayou Pipeline	0	1,002
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	68

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	192
Return Flow Credit (Effective: 05/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 68 Comment: 1002 AF of May 2010 banked passthru requirement were delivered May 2011. 996 AF remain banked for future use.	68
Estuary Inflows (NCAT + RBP)	1,468
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2011		Elevation (Ft)	
				Allocation	Remaining	Full	05/25/2011
05/24/2011	136	3,232	18,981	4,100	868	44.0	37.6

Report Generated: 05/25/2011 at 8:52:01 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 26, 2011

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/26/2010	217.5	620,368	89.2%	93.1	241,521	93.9%	861,889	90.5%
05/26/2011	213.1	517,700	74.5%	90.0	186,620	72.5%	704,320	73.9%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/25/2011	100	544	0.00	95	388	0.00	932	
MTD		10,335	0.55		7,930	1.43	18,265	

STREAM FLOWS

Gauging Station	05/25/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	149	1,483
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	84
Release from Choke Canyon Reservoir	351	1,773
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	254	6,882
NCAT : Nueces River at Calallen, Texas	0	466
RBP : Rincon Bayou Pipeline	0	1,002
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	71

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	192
Return Flow Credit (Effective: 05/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 71 Comment: 1002 AF of May 2010 banked passthru requirement were delivered May 2011. 996 AF remain banked for future use.	71
Estuary Inflows (NCAT + RBP)	1,468
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2011		Elevation (Ft)	
				Allocation	Remaining	Full	05/26/2011
05/25/2011	136	3,368	19,117	4,100	732	44.0	37.6

Report Generated: 05/26/2011 at 8:47:52 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 27, 2011

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/27/2010	217.5	620,124	89.2%	93.1	240,446	93.5%	860,570	90.3%
05/27/2011	213.0	516,609	74.3%	89.9	185,953	72.3%	702,562	73.8%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/26/2011	98	543	0.00	94	368	0.00	911	
MTD		10,878	0.55		8,298	1.43	19,176	

STREAM FLOWS

Gauging Station	05/26/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	320	1,802
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	86
Release from Choke Canyon Reservoir	214	1,987
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	256	7,138
NCAT : Nueces River at Calallen, Texas	0	466
RBP : Rincon Bayou Pipeline	0	1,002
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	105	176

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	192
Return Flow Credit (Effective: 05/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 176	176
Estuary Inflows (NCAT + RBP)	1,468
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2011		Elevation (Ft)	
				Allocation	Remaining	Full	05/27/2011
05/26/2011	125	3,493	19,242	4,100	607	44.0	37.7

Report Generated: 05/27/2011 at 8:18:22 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 28, 2011

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/28/2010	217.5	619,881	89.2%	93.0	239,551	93.1%	859,432	90.2%
05/28/2011	212.9	514,444	74.0%	89.9	184,956	71.9%	699,400	73.4%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/27/2011	99	567	0.00	94	484	0.00	1,051	
MTD		11,445	0.55		8,782	1.43	20,227	

STREAM FLOWS

Gauging Station	05/27/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	77	1,880
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	89
Release from Choke Canyon Reservoir	58	2,045
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	282	7,420
NCAT : Nueces River at Calallen, Texas	0	466
RBP : Rincon Bayou Pipeline	0	1,002
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	20	196

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	192
Return Flow Credit (Effective: 05/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 196	196
Estuary Inflows (NCAT + RBP)	1,468
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2011		Elevation (Ft)	
				Allocation	Remaining	Full	05/28/2011
05/27/2011	136	3,629	19,378	4,100	471	44.0	37.7

Report Generated: 05/28/2011 at 8:05:47 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 29, 2011

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/29/2010	217.5	619,638	89.1%	92.9	238,121	92.6%	857,759	90.1%
05/29/2011	212.9	514,013	73.9%	89.8	183,960	71.5%	697,973	73.3%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/28/2011	96	579	0.00	92	483	0.00	1,062	
MTD		12,024	0.55		9,265	1.43	21,289	

STREAM FLOWS

Gauging Station	05/28/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	1,931
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	91
Release from Choke Canyon Reservoir	58	2,102
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	316	7,736
NCAT : Nueces River at Calallen, Texas	0	466
RBP : Rincon Bayou Pipeline	0	1,002
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	198

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	192
Return Flow Credit (Effective: 05/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 198	198
Estuary Inflows (NCAT + RBP)	1,468
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2011		Elevation (Ft)	
				Allocation	Remaining	Full	05/29/2011
05/28/2011	136	3,765	19,514	4,100	335	44.0	37.7

Report Generated: 05/29/2011 at 8:03:15 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 30, 2011

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/30/2010	217.5	619,881	89.2%	92.9	237,229	92.2%	857,110	90.0%
05/30/2011	212.9	512,502	73.7%	89.8	183,131	71.2%	695,633	73.0%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/29/2011	94	591	0.00	92	424	0.00	1,015	
MTD		12,615	0.55		9,689	1.43	22,304	

STREAM FLOWS

Gauging Station	05/29/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	1,983
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	93
Release from Choke Canyon Reservoir	58	2,160
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	314	8,049
NCAT : Nueces River at Calallen, Texas	2	467
RBP : Rincon Bayou Pipeline		1,002
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	200

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	192
Return Flow Credit (Effective: 05/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 200	200
Estuary Inflows (NCAT + RBP)	1,470
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2011		Elevation (Ft)	
				Allocation	Remaining	Full	05/30/2011
05/29/2011	136	3,901	19,650	4,100	199	44.0	37.7

Report Generated: 05/30/2011 at 8:26:31 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 31, 2011

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
05/31/2010	217.5	619,151	89.1%	92.9	237,050	92.1%	856,201	89.9%
05/31/2011	212.9	514,013	73.9%	89.7	182,303	70.9%	696,316	73.1%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/30/2011	96	642	0.00	93	568	0.00	1,210	
MTD		13,257	0.55		10,257	1.43	23,514	

STREAM FLOWS

Gauging Station	05/30/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	2,035
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	95
Release from Choke Canyon Reservoir	58	2,217
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	314	8,363
NCAT : Nueces River at Calallen, Texas	22	489
RBP : Rincon Bayou Pipeline	0	1,002
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	203

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	192
Return Flow Credit (Effective: 05/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 203 Comment: 1002 AF of May 2010 banked passthru requirement were delivered May 2011. 996 AF remain banked for future use.	203
Estuary Inflows (NCAT + RBP)	1,492
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2011		Elevation (Ft)	
				Allocation	Remaining	Full	05/31/2011
05/30/2011	136	4,036	19,786	4,100	64	44.0	37.7

Report Generated: 05/31/2011 at 8:44:41 AM