

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 1, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/01/2010	217.5	619,638	89.1%	92.9	236,694	92.0%	856,332	89.9%
06/01/2011	213.0	515,955	74.2%	89.7	182,965	71.1%	698,920	73.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/31/2011	95	467	0.00	93	395	0.00	862
MTD		13,724	0.55		10,652	1.43	24,376

STREAM FLOWS

Gauging Station	05/31/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	50	2,084
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	97
Release from Choke Canyon Reservoir	58	2,275
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	318	8,680
NCAT : Nueces River at Calallen, Texas	12	501
RBP : Rincon Bayou Pipeline	0	1,002
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	205

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	192
Return Flow Credit (Effective: 05/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 205 Comment: 1002 AF of May 2010 banked passthru requirement were delivered May 2011. 996 AF remain banked for future use.	205
Estuary Inflows (NCAT + RBP)	1,504
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2011		Elevation (Ft)	
				Allocation	Remaining	Full	06/01/2011
05/31/2011	136	4,172	19,921	4,100	-72	44.0	37.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 2, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/02/2010	217.4	618,177	88.9%	92.8	235,625	91.6%	853,802	89.6%
06/02/2011	213.0	515,308	74.1%	89.7	182,138	70.8%	697,446	73.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/01/2011	94	543	0.00	93	385	0.00	928
MTD		543	0.00		385	0.00	928

STREAM FLOWS

Gauging Station	06/01/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	50	50
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	2
Release from Choke Canyon Reservoir	58	58
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	256	256
NCAT : Nueces River at Calallen, Texas	1	1
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	2

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	502
Return Flow Credit (Effective: 06/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 2 Comment: 1002 AF of May 2010 banked passthru requirement were delivered May 2011. 996 AF remain banked for future use.	2
Estuary Inflows (NCAT + RBP)	1
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2011		Elevation (Ft)	
				Allocation	Remaining	Full	06/02/2011
06/01/2011	136	136	20,057	4,100	3,964	44.0	37.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 3, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/03/2010	217.5	619,881	89.2%	93.0	238,478	92.7%	858,359	90.1%
06/03/2011	212.9	514,229	74.0%	89.7	181,643	70.6%	695,872	73.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/02/2011	96	567	0.00	93	491	0.00	1,058
MTD		1,110	0.00		876	0.00	1,986

STREAM FLOWS

Gauging Station	06/02/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	101
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	4
Release from Choke Canyon Reservoir	58	115
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	258	514
NCAT : Nueces River at Calallen, Texas	2	3
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	4

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	502
Return Flow Credit (Effective: 06/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 4 Comment: 1002 AF of May 2010 banked passthru requirement were delivered May 2011. 996 AF remain banked for future use.	4
Estuary Inflows (NCAT + RBP)	3
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2011		Elevation (Ft)	
				Allocation	Remaining	Full	06/03/2011
06/02/2011	136	272	20,193	4,100	3,828	44.0	37.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 4, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/04/2010	217.6	621,098	89.3%	92.9	236,872	92.1%	857,970	90.1%
06/04/2011	212.9	513,581	73.9%	89.6	181,147	70.4%	694,728	72.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/03/2011	94	478	0.00	92	365	0.00	843
MTD		1,588	0.00		1,241	0.00	2,829

STREAM FLOWS

Gauging Station	06/03/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	153
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	6
Release from Choke Canyon Reservoir	58	173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	256	770
NCAT : Nueces River at Calallen, Texas	4	7
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	6

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	502
Return Flow Credit (Effective: 06/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 6 Comment: 1002 AF of May 2010 banked passthru requirement were delivered May 2011. 996 AF remain banked for future use.	6
Estuary Inflows (NCAT + RBP)	7
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2011		Elevation (Ft)	
				Allocation	Remaining	Full	06/04/2011
06/03/2011	136	408	20,329	4,100	3,692	44.0	37.6

Report Generated: 06/04/2011 at 7:41:21 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 5, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/05/2010	217.5	620,854	89.3%	92.8	235,091	91.4%	855,945	89.9%
06/05/2011	212.8	512,071	73.7%	89.6	180,982	70.3%	693,053	72.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/04/2011	95	515	0.00	92	413	0.00	928
MTD		2,103	0.00		1,654	0.00	3,757

STREAM FLOWS

Gauging Station	06/04/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	204
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	8
Release from Choke Canyon Reservoir	58	230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	256	1,026
NCAT : Nueces River at Calallen, Texas	32	39
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	8

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	502
Return Flow Credit (Effective: 06/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 8 Comment: 1002 AF of May 2010 banked passthru requirement were delivered May 2011. 996 AF remain banked for future use.	8
Estuary Inflows (NCAT + RBP)	39
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2011		Elevation (Ft)	
				Allocation	Remaining	Full	06/05/2011
06/04/2011	136	544	20,465	4,100	3,556	44.0	37.6

Report Generated: 06/05/2011 at 7:58:48 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 6, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/06/2010	217.5	619,881	89.2%	92.7	234,024	91.0%	853,905	89.6%
06/06/2011	212.8	510,560	73.4%	89.6	179,993	70.0%	690,553	72.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/05/2011	96	539	0.00	95	345	0.00	884
MTD		2,642	0.00		1,999	0.00	4,641

STREAM FLOWS

Gauging Station	06/05/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	256
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	10
Release from Choke Canyon Reservoir	58	288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	258	1,284
NCAT : Nueces River at Calallen, Texas	3	41
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	10

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	502
Return Flow Credit (Effective: 06/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 10 Comment: 1002 AF of May 2010 banked passthru requirement were delivered May 2011. 996 AF remain banked for future use.	10
Estuary Inflows (NCAT + RBP)	41
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2011		Elevation (Ft)	
				Allocation	Remaining	Full	06/06/2011
06/05/2011	136	680	20,602	4,100	3,420	44.0	37.6

Report Generated: 06/06/2011 at 8:39:04 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 7, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/07/2010	217.5	620,124	89.2%	92.7	233,136	90.6%	853,260	89.6%
06/07/2011	212.8	512,286	73.7%	89.5	179,335	69.7%	691,621	72.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/06/2011	100	603	0.00	97	431	0.00	1,034
MTD		3,245	0.00		2,430	0.00	5,675

STREAM FLOWS

Gauging Station	06/06/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	308
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	12
Release from Choke Canyon Reservoir	58	345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	258	1,542
NCAT : Nueces River at Calallen, Texas	1	42
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	2	12

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	502
Return Flow Credit (Effective: 06/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 12 Comment: 1002 AF of May 2010 banked passthru requirement were delivered May 2011. 996 AF remain banked for future use.	12
Estuary Inflows (NCAT + RBP)	42
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2011		Elevation (Ft)	
				Allocation	Remaining	Full	06/07/2011
06/06/2011	136	816	20,738	4,100	3,284	44.0	37.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 8, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/08/2010	217.5	620,611	89.3%	92.7	233,846	90.9%	854,457	89.7%
06/08/2011	212.8	511,855	73.6%	89.5	178,350	69.3%	690,205	72.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/07/2011	97	590	0.00	95	430	0.00	1,020
MTD		3,835	0.00		2,860	0.00	6,695

STREAM FLOWS

Gauging Station	06/07/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	359
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	15
Release from Choke Canyon Reservoir	58	403
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	258	1,800
NCAT : Nueces River at Calallen, Texas	0	42
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	15

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	502
Return Flow Credit (Effective: 06/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 15 Comment: 1002 AF of May 2010 banked passthru requirement were delivered May 2011. 996 AF remain banked for future use.	15
Estuary Inflows (NCAT + RBP)	42
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2011		Elevation (Ft)	
				Allocation	Remaining	Full	06/08/2011
06/07/2011	136	952	20,873	4,100	3,148	44.0	37.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 9, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/09/2010	217.5	619,638	89.1%	92.6	232,249	90.3%	851,887	89.4%
06/09/2011	212.8	511,207	73.5%	89.4	178,021	69.2%	689,228	72.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/08/2011	96	603	0.00	94	430	0.00	1,033
MTD		4,438	0.00		3,290	0.00	7,728

STREAM FLOWS

Gauging Station	06/08/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	50	409
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	18
Release from Choke Canyon Reservoir	58	461
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	256	2,056
NCAT : Nueces River at Calallen, Texas	1	43
RBP : Rincon Bayou Pipeline	0	0
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	18

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	502
Return Flow Credit (Effective: 06/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 18 Comment: 1002 AF of May 2010 banked passthru requirement were delivered May 2011. 996 AF remain banked for future use.	18
Estuary Inflows (NCAT + RBP)	43
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2011		Elevation (Ft)	
				Allocation	Remaining	Full	06/09/2011
06/08/2011	136	1,088	21,009	4,100	3,012	44.0	37.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 10, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/10/2010	217.5	619,638	89.1%	92.6	231,363	89.9%	851,001	89.3%
06/10/2011	212.7	509,913	73.3%	89.4	177,202	68.9%	687,115	72.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/09/2011	95	614	0.00	95	429	0.00	1,043
MTD		5,052	0.00		3,719	0.00	8,771

STREAM FLOWS

Gauging Station	06/09/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	461
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	20
Release from Choke Canyon Reservoir	58	518
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	258	2,315
NCAT : Nueces River at Calallen, Texas	6	49
RBP : Rincon Bayou Pipeline	2	2
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	3	20

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	502
Return Flow Credit (Effective: 06/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 20 Comment: 1002 AF of May 2010 banked passthru requirement were delivered May 2011. 994 AF remain banked for future use.	20
Estuary Inflows (NCAT + RBP)	51
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2011		Elevation (Ft)	
				Allocation	Remaining	Full	06/10/2011
06/09/2011	136	1,223	21,145	4,100	2,877	44.0	37.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 11, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/11/2010	217.4	618,177	88.9%	92.5	230,124	89.5%	848,301	89.1%
06/11/2011	212.7	508,414	73.1%	89.4	176,711	68.7%	685,125	71.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/10/2011	96	601	0.00	94	496	0.00	1,097
MTD		5,653	0.00		4,215	0.00	9,868

STREAM FLOWS

Gauging Station	06/10/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	512
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	23
Release from Choke Canyon Reservoir	58	576
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	276	2,590
NCAT : Nueces River at Calallen, Texas	0	49
RBP : Rincon Bayou Pipeline	0	2
Reservoir Inflow		
Computed as: NRRT+FRTT+SMTT+ARWT	3	23

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	502
Return Flow Credit (Effective: 06/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 23 Comment: 1002 AF of May 2010 banked passthru requirement were delivered May 2011. 994 AF remain banked for future use.	23
Estuary Inflows (NCAT + RBP)	51
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2011		Elevation (Ft)	
				Allocation	Remaining	Full	06/11/2011
06/10/2011	136	1,359	21,280	4,100	2,741	44.0	37.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 12, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/12/2010	217.4	617,447	88.8%	92.5	230,831	89.7%	848,278	89.1%
06/12/2011	212.7	508,841	73.2%	89.3	176,220	68.5%	685,061	71.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/11/2011	95	526	0.00	94	409	0.00	935
MTD		6,179	0.00		4,624	0.00	10,803

STREAM FLOWS

Gauging Station	06/11/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	564
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	25
Release from Choke Canyon Reservoir	58	633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	304	2,894
NCAT : Nueces River at Calallen, Texas	0	49
RBP : Rincon Bayou Pipeline	0	2
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	25

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	502
Return Flow Credit (Effective: 06/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 25 Comment: 1002 AF of May 2010 banked passthru requirement were delivered May 2011. 994 AF remain banked for future use.	25
Estuary Inflows (NCAT + RBP)	51
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2011		Elevation (Ft)	
				Allocation	Remaining	Full	06/12/2011
06/11/2011	136	1,495	21,416	4,100	2,605	44.0	37.2

Report Generated: 06/12/2011 at 8:17:03 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 13, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/13/2010	217.4	616,960	88.7%	92.7	234,024	91.0%	850,984	89.3%
06/13/2011	212.6	508,200	73.1%	89.3	175,241	68.1%	683,441	71.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/12/2011	98	563	0.00	97	399	0.00	962
MTD		6,742	0.00		5,023	0.00	11,765

STREAM FLOWS

Gauging Station	06/12/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	615
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	27
Release from Choke Canyon Reservoir	58	691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	355	3,249
NCAT : Nueces River at Calallen, Texas	0	49
RBP : Rincon Bayou Pipeline	0	2
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	27

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	502
Return Flow Credit (Effective: 06/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 27 Comment: 1002 AF of May 2010 banked passthru requirement were delivered May 2011. 994 AF remain banked for future use.	27
Estuary Inflows (NCAT + RBP)	51
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2011		Elevation (Ft)	
				Allocation	Remaining	Full	06/13/2011
06/12/2011	136	1,631	21,552	4,100	2,469	44.0	37.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 14, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/14/2010	217.4	617,204	88.8%	92.7	234,379	91.1%	851,583	89.4%
06/14/2011	212.6	506,267	72.8%	89.2	174,426	67.8%	680,693	71.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/13/2011	98	549	0.00	97	408	0.00	957
MTD		7,291	0.00		5,431	0.00	12,722

STREAM FLOWS

Gauging Station	06/13/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	667
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	30
Release from Choke Canyon Reservoir	58	748
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	425	3,674
NCAT : Nueces River at Calallen, Texas	2	51
RBP : Rincon Bayou Pipeline	60	62
Reservoir Inflow		
Computed as: NRIT+FRIT+SMTT+ARWT	2	30

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	502
Return Flow Credit (Effective: 06/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 30 Comment: 1002 AF of May 2010 banked passthru requirement were delivered May 2011. 994 AF remain banked for future use.	30
Estuary Inflows (NCAT + RBP)	112
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2011		Elevation (Ft)	
				Allocation	Remaining	Full	06/14/2011
06/13/2011	136	1,767	21,688	4,100	2,333	44.0	37.1

Report Generated: 06/14/2011 at 8:42:01 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 15, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/15/2010	217.4	616,960	88.7%	92.7	234,379	91.1%	851,339	89.4%
06/15/2011	212.5	504,334	72.5%	89.1	172,963	67.2%	677,297	71.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/14/2011	101	598	0.00	99	482	0.00	1,080
MTD		7,889	0.00		5,913	0.00	13,802

STREAM FLOWS

Gauging Station	06/14/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	730
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	32
Release from Choke Canyon Reservoir	58	806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	437	4,111
NCAT : Nueces River at Calallen, Texas	0	51
RBP : Rincon Bayou Pipeline	109	171
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	36

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	502
Return Flow Credit (Effective: 06/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 36 Comment: 1002 AF of May 2010 banked passthru requirement were delivered May 2011. 994 AF remain banked for future use.	36
Estuary Inflows (NCAT + RBP)	221
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2011		Elevation (Ft)	
				Allocation	Remaining	Full	06/15/2011
06/14/2011	136	1,903	21,824	4,100	2,197	44.0	37.0

Report Generated: 06/15/2011 at 10:47:33 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 16, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/16/2010	217.4	617,204	88.8%	92.7	233,491	90.8%	850,695	89.3%
06/16/2011	212.5	504,121	72.5%	89.1	172,476	67.0%	676,597	71.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/15/2011	101	635	0.00	97	510	0.00	1,145
MTD		8,524	0.00		6,423	0.00	14,947

STREAM FLOWS

Gauging Station	06/15/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	798
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	34
Release from Choke Canyon Reservoir	58	863
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	466	4,577
NCAT : Nueces River at Calallen, Texas	0	51
RBP : Rincon Bayou Pipeline	109	280
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	46

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	502
Return Flow Credit (Effective: 06/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 46 Comment: 1002 AF of May 2010 banked passthru requirement were delivered May 2011. 994 AF remain banked for future use.	46
Estuary Inflows (NCAT + RBP)	331
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2011		Elevation (Ft)	
				Allocation	Remaining	Full	06/16/2011
06/15/2011	136	2,039	21,960	4,100	2,061	44.0	37.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 17, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/17/2010	217.4	616,717	88.7%	92.6	232,426	90.3%	849,143	89.1%
06/17/2011	212.4	503,267	72.4%	89.0	171,019	66.5%	674,286	70.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/16/2011	100	659	0.00	97	461	0.00	1,120
MTD		9,183	0.00		6,884	0.00	16,067

STREAM FLOWS

Gauging Station	06/16/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	865
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	36
Release from Choke Canyon Reservoir	58	921
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	468	5,046
NCAT : Nueces River at Calallen, Texas	0	51
RBP : Rincon Bayou Pipeline	109	389
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	55

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	502
Return Flow Credit (Effective: 06/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 55 Comment: 1002 AF of May 2010 banked passthru requirement were delivered May 2011. 994 AF remain banked for future use.	55
Estuary Inflows (NCAT + RBP)	440
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2011		Elevation (Ft)	
				Allocation	Remaining	Full	06/17/2011
06/16/2011	136	2,175	22,096	4,100	1,925	44.0	36.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 18, 2011**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/18/2010	217.3	615,014	88.5%	92.6	231,540	90.0%	846,554	88.9%
06/18/2011	212.3	501,345	72.1%	89.0	170,051	66.1%	671,396	70.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/17/2011	104	658	0.00	99	432	0.00	1,090
MTD		9,841	0.00		7,316	0.00	17,157

STREAM FLOWS

Gauging Station	06/17/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	931
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	38
Release from Choke Canyon Reservoir	58	979
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	468	5,514
NCAT : Nueces River at Calallen, Texas	0	51
RBP : Rincon Bayou Pipeline	109	498
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	63

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	502
Return Flow Credit (Effective: 06/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 63 Comment: 1002 AF of May 2010 banked passthru requirement were delivered May 2011. 994 AF remain banked for future use.	63
Estuary Inflows (NCAT + RBP)	549
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2011		Elevation (Ft)	
				Allocation	Remaining	Full	06/18/2011
06/17/2011	136	2,311	22,232	4,100	1,789	44.0	36.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 19, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/19/2010	217.3	615,744	88.6%	92.5	230,477	89.6%	846,221	88.8%
06/19/2011	212.3	500,918	72.0%	88.9	169,889	66.0%	670,807	70.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/18/2011	103	682	0.00	98	592	0.00	1,274	
MTD		10,523	0.00		7,908	0.00	18,431	

STREAM FLOWS

Gauging Station	06/18/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	994
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	41
Release from Choke Canyon Reservoir	58	1,036
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	468	5,983
NCAT : Nueces River at Calallen, Texas	0	51
RBP : Rincon Bayou Pipeline	109	607
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	69

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	502
Return Flow Credit (Effective: 06/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 69 Comment: 1002 AF of May 2010 banked passthru requirement were delivered May 2011. 994 AF remain banked for future use.	69
Estuary Inflows (NCAT + RBP)	658
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2011		Elevation (Ft)	
				Allocation	Remaining	Full	06/19/2011
06/18/2011	136	2,447	22,368	4,100	1,653	44.0	36.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 20, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/20/2010	217.3	614,527	88.4%	92.5	229,593	89.2%	844,120	88.6%
06/20/2011	212.3	500,707	72.0%	88.9	168,602	65.5%	669,309	70.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/19/2011	101	744	0.00	97	506	0.00	1,250
MTD		11,267	0.00		8,414	0.00	19,681

STREAM FLOWS

Gauging Station	06/19/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,058
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	43
Release from Choke Canyon Reservoir	58	1,094
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	468	6,451
NCAT : Nueces River at Calallen, Texas	1	52
RBP : Rincon Bayou Pipeline	109	717
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	75

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	502
Return Flow Credit (Effective: 06/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 75 Comment: 1002 AF of May 2010 banked passthru requirement were delivered May 2011. 994 AF remain banked for future use.	75
Estuary Inflows (NCAT + RBP)	768
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2011		Elevation (Ft)	
				Allocation	Remaining	Full	06/20/2011
06/19/2011	136	2,583	22,504	4,100	1,517	44.0	36.8

Report Generated: 06/21/2011 at 8:49:45 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 21, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/21/2010	217.3	614,771	88.4%	92.4	228,357	88.8%	843,128	88.5%
06/21/2011	212.2	499,651	71.9%	88.8	168,280	65.4%	667,931	70.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/20/2011	98	619	0.00	96	477	0.00	1,096
MTD		11,886	0.00		8,891	0.00	20,777

STREAM FLOWS

Gauging Station	06/20/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,120
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	45
Release from Choke Canyon Reservoir	58	1,151
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	468	6,920
NCAT : Nueces River at Calallen, Texas	3	55
RBP : Rincon Bayou Pipeline	109	826
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	79

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	502
Return Flow Credit (Effective: 06/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 79 Comment: 1002 AF of May 2010 banked passthru requirement were delivered May 2011. 994 AF remain banked for future use.	79
Estuary Inflows (NCAT + RBP)	881
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2011		Elevation (Ft)	
				Allocation	Remaining	Full	06/21/2011
06/20/2011	136	2,718	22,640	4,100	1,382	44.0	36.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 22, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/22/2010	217.3	614,040	88.3%	92.3	227,122	88.3%	841,162	88.3%
06/22/2011	212.2	498,806	71.7%	88.9	168,602	65.5%	667,408	70.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/21/2011	97	656	0.67	96	403	0.00	1,059
MTD		12,542	0.67		9,294	0.00	21,836

STREAM FLOWS

Gauging Station	06/21/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,181
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	47
Release from Choke Canyon Reservoir	58	1,209
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	401	7,321
NCAT : Nueces River at Calallen, Texas	0	55
RBP : Rincon Bayou Pipeline	109	935
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	83

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	502
Return Flow Credit (Effective: 06/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 83	83
Estuary Inflows (NCAT + RBP)	990
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2011		Elevation (Ft)	
				Allocation	Remaining	Full	06/22/2011
06/21/2011	135	2,854	22,775	4,100	1,246	44.0	36.6

Report Generated: 06/22/2011 at 8:52:20 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 23, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/23/2010	217.2	613,554	88.2%	92.2	225,714	87.7%	839,268	88.1%
06/23/2011	212.4	503,694	72.4%	88.9	168,441	65.5%	672,135	70.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/22/2011	87	236	0.02	83	140	0.46	376
MTD		12,778	0.69		9,434	0.46	22,212

STREAM FLOWS

Gauging Station	06/22/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,249
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	53
Release from Choke Canyon Reservoir	58	1,266
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	318	7,638
NCAT : Nueces River at Calallen, Texas	4	58
RBP : Rincon Bayou Pipeline	62	996
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	93

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	502
Return Flow Credit (Effective: 06/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 93 Comment: The remainder of the banked 3000 AF from May 2010 has been delivered as of June 22, 2011.	93
Estuary Inflows (NCAT + RBP)	1,055
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2011		Elevation (Ft)	
				Allocation	Remaining	Full	06/23/2011
06/22/2011	136	2,990	22,911	4,100	1,110	44.0	36.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 24, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/24/2010	217.2	612,823	88.1%	92.2	225,011	87.5%	837,834	88.0%
06/24/2011	212.3	501,772	72.2%	88.8	168,120	65.4%	669,892	70.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/23/2011	87	298	0.00	92	281	0.00	579
MTD		13,076	0.69		9,715	0.46	22,791

STREAM FLOWS

Gauging Station	06/23/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,314
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	60
Release from Choke Canyon Reservoir	58	1,324
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	234	7,873
NCAT : Nueces River at Calallen, Texas	91	150
RBP : Rincon Bayou Pipeline	0	996
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	101

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	502
Return Flow Credit (Effective: 06/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 101 Comment: The remainder of the banked 3000 AF from May 2010 has been delivered as of June 22, 2011.	101
Estuary Inflows (NCAT + RBP)	1,146
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2011		Elevation (Ft)	
				Allocation	Remaining	Full	06/24/2011
06/23/2011	136	3,126	23,047	4,100	974	44.0	36.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 25, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/25/2010	217.2	612,580	88.1%	92.2	224,835	87.4%	837,415	87.9%
06/25/2011	212.4	502,413	72.3%	88.8	167,157	65.0%	669,570	70.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/24/2011	93	323	0.00	93	317	0.00	640
MTD		13,399	0.69		10,032	0.46	23,431

STREAM FLOWS

Gauging Station	06/24/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,380
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	36	96
Release from Choke Canyon Reservoir	58	1,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	189	8,061
NCAT : Nueces River at Calallen, Texas	52	201
RBP : Rincon Bayou Pipeline	0	996
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	109

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	502
Return Flow Credit (Effective: 06/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 109 Comment: The remainder of the banked 3000 AF from May 2010 has been delivered as of June 22, 2011.	109
Estuary Inflows (NCAT + RBP)	1,198
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2011		Elevation (Ft)	
				Allocation	Remaining	Full	06/25/2011
06/24/2011	136	3,262	23,183	4,100	838	44.0	36.8

Report Generated: 06/25/2011 at 8:07:17 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 26, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/26/2010	217.2	611,375	87.9%	92.1	223,781	87.0%	835,156	87.7%
06/26/2011	212.3	500,496	72.0%	88.7	166,677	64.8%	667,173	70.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/25/2011	95	434	0.00	94	401	0.00	835
MTD		13,833	0.69		10,433	0.46	24,266

STREAM FLOWS

Gauging Station	06/25/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	83	1,463
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	14	110
Release from Choke Canyon Reservoir	58	1,439
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	224	8,285
NCAT : Nueces River at Calallen, Texas	24	225
RBP : Rincon Bayou Pipeline	0	996
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	26	135

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	502
Return Flow Credit (Effective: 06/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 135 Comment: The remainder of the banked 3000 AF from May 2010 has been delivered as of June 22, 2011.	135
Estuary Inflows (NCAT + RBP)	1,222
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2011		Elevation (Ft)	
				Allocation	Remaining	Full	06/26/2011
06/25/2011	137	3,399	23,320	4,100	701	44.0	36.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 27, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/27/2010	217.1	611,134	87.9%	92.1	222,904	86.6%	834,038	87.6%
06/27/2011	212.3	500,496	72.0%	88.7	166,197	64.6%	666,693	70.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/26/2011	99	657	0.00	96	419	0.00	1,076
MTD		14,490	0.69		10,852	0.46	25,342

STREAM FLOWS

Gauging Station	06/26/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	1,534
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	116
Release from Choke Canyon Reservoir	58	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	226	8,512
NCAT : Nueces River at Calallen, Texas	17	242
RBP : Rincon Bayou Pipeline	0	996
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	14	149

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	502
Return Flow Credit (Effective: 06/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 149 Comment: The remainder of the banked 3000 AF from May 2010 has been delivered as of June 22, 2011.	149
Estuary Inflows (NCAT + RBP)	1,239
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2011		Elevation (Ft)	
				Allocation	Remaining	Full	06/27/2011
06/26/2011	137	3,535	23,457	4,100	565	44.0	36.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 28, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/28/2010	217.1	610,411	87.8%	92.0	221,853	86.2%	832,264	87.4%
06/28/2011	212.3	500,284	72.0%	88.7	166,037	64.5%	666,321	70.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/27/2011	99	607	0.00	98	419	0.00	1,026
MTD		15,097	0.69		11,271	0.46	26,368

STREAM FLOWS

Gauging Station	06/27/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,598
NRIT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	120
Release from Choke Canyon Reservoir	58	1,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	226	8,738
NCAT : Nueces River at Calallen, Texas	0	242
RBP : Rincon Bayou Pipeline	0	996
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	6	155

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	502
Return Flow Credit (Effective: 06/01/2011)	500
Passthru Target: 25,500 Reservoir Inflow: 155 Comment: The remainder of the banked 3000 AF from May 2010 has been delivered as of June 22, 2011.	155
Estuary Inflows (NCAT + RBP)	1,239
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2011		Elevation (Ft)	
				Allocation	Remaining	Full	06/28/2011
06/27/2011	137	3,672	23,593	4,100	428	44.0	36.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 29, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/29/2010	217.1	610,170	87.8%	92.0	220,978	85.9%	831,148	87.3%
06/29/2011	212.3	500,073	71.9%	88.7	165,558	64.4%	665,631	69.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/28/2011	97	595	0.00	96	418	0.00	1,013
MTD		15,692	0.69		11,689	0.46	27,381

STREAM FLOWS

Gauging Station	06/28/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,659
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	122
Release from Choke Canyon Reservoir	58	1,612
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	226	8,964
NCAT : Nueces River at Calallen, Texas	0	242
RBP : Rincon Bayou Pipeline	0	996
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	159

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,333 Salinity Relief Credit : 0 Effective:	25,333
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	502
Return Flow Credit (Effective: 06/01/2011)	500
Passthru Target: 25,333 Reservoir Inflow: 159 Comment: The remainder of the banked 3000 AF from May 2010 has been delivered as of June 22, 2011.	159
Estuary Inflows (NCAT + RBP)	1,239
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2011		Elevation (Ft)	
				Allocation	Remaining	Full	06/29/2011
06/28/2011	137	3,809	23,730	4,100	291	44.0	36.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 30, 2011**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/30/2010	217.0	608,000	87.4%	91.9	219,406	85.3%	827,406	86.9%
06/30/2011	212.2	498,806	71.7%	88.6	164,761	64.0%	663,567	69.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/29/2011	97	557	0.00	96	464	0.00	1,021
MTD		16,249	0.69		12,153	0.46	28,402

STREAM FLOWS

Gauging Station	06/29/2011 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	1,723
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	125
Release from Choke Canyon Reservoir	58	1,669
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	226	9,191
NCAT : Nueces River at Calallen, Texas	0	242
RBP : Rincon Bayou Pipeline	0	996
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	165

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,333 Salinity Relief Credit : 0 Effective:	25,333
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	502
Return Flow Credit (Effective: 06/01/2011)	500
Passthru Target: 25,333 Reservoir Inflow: 165 Comment: The remainder of the banked 3000 AF from May 2010 has been delivered as of June 22, 2011.	165
Estuary Inflows (NCAT + RBP)	1,239
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2011		Elevation (Ft)	
				Allocation	Remaining	Full	06/30/2011
06/29/2011	137	3,946	23,867	4,100	154	44.0	36.9

Report Generated: 06/30/2011 at 8:30:02 AM